List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8830862/publications.pdf Version: 2024-02-01



HONCLEI CHEN

#	Article	IF	CITATIONS
1	Olfaction and Physical Functioning in Older Adults: A Longitudinal Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 1612-1619.	1.7	14
2	Impact of ozone exposure on heart rate variability and stress hormones: A randomized-crossover study. Journal of Hazardous Materials, 2022, 421, 126750.	6.5	35
3	Environmental triggers of Parkinson's disease – Implications of the Braak and dual-hit hypotheses. Neurobiology of Disease, 2022, 163, 105601.	2.1	16
4	High Pesticide Exposure Events and Dreamâ€Enacting Behaviors Among US Farmers. Movement Disorders, 2022, 37, 962-971.	2.2	6
5	Olfaction and kidney function in community-dwelling older adults. PLoS ONE, 2022, 17, e0264448.	1.1	1
6	Assessment of Self-reported Sense of Smell, Objective Testing, and Associated Factors in Middle-aged and Older Women. JAMA Otolaryngology - Head and Neck Surgery, 2022, 148, 408.	1.2	11
7	Completeness of cohort-linked U.S. Medicare data: An example from the Agricultural Health Study (1999–2016). Preventive Medicine Reports, 2022, 27, 101766.	0.8	0
8	Hourly Air Pollutants and Acute Coronary Syndrome Onset in 1.29 Million Patients. Circulation, 2022, 145, 1749-1760.	1.6	68
9	Occupational pesticide use and self-reported olfactory impairment in US farmers. Occupational and Environmental Medicine, 2021, 78, 179-191.	1.3	10
10	Changes in Body Composition Before and After Parkinson's Disease Diagnosis. Movement Disorders, 2021, 36, 1617-1623.	2.2	10
11	Changes in Selfâ€Reported Energy Levels in Prodromal Parkinson's Disease. Movement Disorders, 2021, 36, 1276-1277.	2.2	2
12	Parkinson's disease case ascertainment in a large prospective cohort. PLoS ONE, 2021, 16, e0251852.	1.1	1
13	Poor olfaction and pneumonia hospitalisation among community-dwelling older adults: a cohort study. The Lancet Healthy Longevity, 2021, 2, e275-e282.	2.0	4
14	Polygenic Risk for Insomnia in Adolescents of Diverse Ancestry. Frontiers in Genetics, 2021, 12, 654717.	1.1	4
15	Traffic-related air pollution and olfactory impairment among women in a nationwide US cohort. ISEE Conference Abstracts, 2021, 2021, .	0.0	2
16	Blood Cholesterol Decreases as Parkinson's Disease Develops and Progresses. Journal of Parkinson's Disease, 2021, 11, 1177-1186.	1.5	7
17	Irritable bowel syndrome and Parkinson's disease risk: register-based studies. Npj Parkinson's Disease, 2021, 7, 5.	2.5	20
18	Diffusion Tensor Imaging of the Olfactory System in Older Adults With and Without Hyposmia. Frontiers in Aging Neuroscience, 2021, 13, 648598.	1.7	8

#	Article	IF	CITATIONS
19	Extreme-value sampling design is cost-beneficial only with a valid statistical approach for exposure–secondary outcome association analyses. Statistical Methods in Medical Research, 2020, 29, 466-480.	0.7	2
20	Understanding the Links Between Cardiovascular Disease and Parkinson's Disease. Movement Disorders, 2020, 35, 55-74.	2.2	71
21	Creatinine and C-reactive protein in amyotrophic lateral sclerosis, multiple sclerosis and Parkinson's disease. Brain Communications, 2020, 2, fcaa152.	1.5	21
22	Parkinson's Disease-Related Motor and Nonmotor Symptoms in the Lancaster Amish. Neuroepidemiology, 2020, 54, 392-397.	1.1	1
23	Non-motor symptoms and striatal dopamine transporter binding in early Parkinson's disease. Parkinsonism and Related Disorders, 2020, 72, 23-30.	1.1	20
24	Olfaction and Changes in Body Composition in a Large Cohort of Older U.S. Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2434-2440.	1.7	15
25	Pesticide use and incident Parkinson's disease in a cohort of farmers and their spouses. Environmental Research, 2020, 191, 110186.	3.7	41
26	Self-Reported Versus Objectively Assessed Olfaction and Parkinson's Disease Risk. Journal of Parkinson's Disease, 2020, 10, 1789-1795.	1.5	7
27	Update of the MDS research criteria for prodromal Parkinson's disease. Movement Disorders, 2019, 34, 1464-1470.	2.2	435
28	Brain cholesterol metabolism and Parkinson's disease. Movement Disorders, 2019, 34, 386-395.	2.2	51
29	Cardiovascular Benefits of Fish-Oil Supplementation Against Fine Particulate Air Pollution in China. Journal of the American College of Cardiology, 2019, 73, 2076-2085.	1.2	89
30	Relationship Between Poor Olfaction and Mortality. Annals of Internal Medicine, 2019, 171, 526.	2.0	1
31	Relationship Between Poor Olfaction and Mortality Among Community-Dwelling Older Adults. Annals of Internal Medicine, 2019, 170, 673.	2.0	83
32	Overall and cause-specific mortality in a cohort of farmers and their spouses. Occupational and Environmental Medicine, 2019, 76, 632-643.	1.3	10
33	High Pesticide Exposure Events and Olfactory Impairment among U.S. Farmers. Environmental Health Perspectives, 2019, 127, 17005.	2.8	22
34	An algorithm for quantitatively estimating non-occupational pesticide exposure intensity for spouses in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 344-357.	1.8	10
35	Occupational and leisure-time physical activity differentially predict 6-year incidence of stroke and transient ischemic attack in women. Scandinavian Journal of Work, Environment and Health, 2019, 45, 267-279.	1.7	37
36	The State of US Health, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 319, 1444.	3.8	1,042

#	Article	IF	CITATIONS
37	Olfactory function and neurocognitive outcomes in old age: The Atherosclerosis Risk in Communities Neurocognitive Study. Alzheimer's and Dementia, 2018, 14, 1015-1021.	0.4	21
38	Projection of the prevalence of Parkinson's disease in the coming decades: Revisited. Movement Disorders, 2018, 33, 156-159.	2.2	102
39	The Changing Landscape of Parkinson Epidemiologic Research. Journal of Parkinson's Disease, 2018, 8, 1-12.	1.5	20
40	The Search for Environmental Causes of Parkinson's Disease: Moving Forward. Journal of Parkinson's Disease, 2018, 8, S9-S17.	1.5	82
41	The vermiform appendix impacts the risk of developing Parkinson's disease. Science Translational Medicine, 2018, 10, .	5.8	205
42	Plasticity-related gene 3 ( <i>LPPR1</i> ) and age at diagnosis of Parkinson disease. Neurology: Genetics, 2018, 4, e271.	0.9	12
43	Author response: Olfaction and incident Parkinson disease in US white and black older adults. Neurology, 2018, 90, 941-941.	1.5	0
44	Factors associated with dream enacting behaviors among US farmers. Parkinsonism and Related Disorders, 2018, 57, 9-15.	1.1	16
45	Parkinson Matters. Journal of Parkinson's Disease, 2018, 8, 495-498.	1.5	22
46	Greater Coronary Heart Disease Risk With Lower Intensity and Longer Duration Smoking Compared With Higher Intensity and Shorter Duration Smoking: Congruent Results Across Diverse Cohorts. Nicotine and Tobacco Research, 2017, 19, ntw290.	1.4	7
47	The Prevalence of Anosmia and Associated Factors Among U.S. Black and White Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 1080-1086.	1.7	57
48	Assessing the Potential for Bias From Nonresponse to a Study Follow-up Interview: An Example From the Agricultural Health Study. American Journal of Epidemiology, 2017, 186, 395-404.	1.6	11
49	Vagotomy and Parkinson disease. Neurology, 2017, 88, 1996-2002.	1.5	324
50	Lateralized Basal Ganglia Vulnerability to Pesticide Exposure in Asymptomatic Agricultural Workers. Toxicological Sciences, 2017, 159, 170-178.	1.4	8
51	Statins may facilitate Parkinson's disease: Insight gained from a large, national claims database. Movement Disorders, 2017, 32, 913-917.	2.2	64
52	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	6.3	1,281
53	Exploring the nexus of Alzheimer's disease and related dementias with cancer and cancer therapies: A convening of the Alzheimer's Association & Alzheimer's Drug Discovery Foundation. Alzheimer's and Dementia, 2017, 13, 267-273.	0.4	35
54	Olfaction and risk of dementia in a biracial cohort of older adults. Neurology, 2017, 88, 456-462.	1.5	86

#	Article	IF	CITATIONS
55	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
56	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
57	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
58	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	4.9	1,521
59	Olfaction and incident Parkinson disease in US white and black older adults. Neurology, 2017, 89, 1441-1447.	1.5	75
60	Particulate Matter Exposure and Stress Hormone Levels. Circulation, 2017, 136, 618-627.	1.6	364
61	Genome-Wide Association Analysis of the Sense of Smell in U.S. Older Adults: Identification of Novel Risk Loci in African-Americans and European-Americans. Molecular Neurobiology, 2017, 54, 8021-8032.	1.9	17
62	Excessive burden of lysosomal storage disorder gene variants in Parkinson's disease. Brain, 2017, 140, 3191-3203.	3.7	323
63	Pesticide Use and Age-Related Macular Degeneration in the Agricultural Health Study. Environmental Health Perspectives, 2017, 125, 077013.	2.8	17
64	Relative Contributions of Agricultural Drift, Para-Occupational, and Residential Use Exposure Pathways to House Dust Pesticide Concentrations: Meta-Regression of Published Data. Environmental Health Perspectives, 2017, 125, 296-305.	2.8	52
65	Nonmotor symptoms and Parkinson disease in United States farmers and spouses. PLoS ONE, 2017, 12, e0185510.	1.1	13
66	Ambient Air Pollution Exposures and Risk of Parkinson Disease. Environmental Health Perspectives, 2016, 124, 1759-1765.	2.8	87
67	O44-3â€Using meta-regression models to systematically evaluate data in the published literature: relative contributions of agricultural drift, para-occupational, and residential use exposure pathways to house dust pesticide concentrations. , 2016, , .		0
68	Serum 25-hydroxyvitamin D concentrations in Mid-adulthood and Parkinson's disease risk. Movement Disorders, 2016, 31, 972-978.	2.2	50
69	O25-1â€Pesticide use and thyroid cancer incidence among spouses of pesticide applicators in the agricultural health study. , 2016, , .		1
70	Associations between cancer and Parkinson's disease in U.S. elderly adults. International Journal of Epidemiology, 2016, 45, 741-751.	0.9	25
71	Associations between cancer and Alzheimer's disease in a U.S. Medicare population. Cancer Medicine, 2016, 5, 2965-2976.	1.3	64
72	Are We Ready for a Potential Increase in Parkinson Incidence?. JAMA Neurology, 2016, 73, 919.	4.5	5

#	Article	IF	CITATIONS
73	Milk consumption and the risk of nigral degeneration. Neurology, 2016, 86, 496-497.	1.5	3
74	Loss of VPS13C Function in Autosomal-Recessive Parkinsonism Causes Mitochondrial Dysfunction and Increases PINK1/Parkin-Dependent Mitophagy. American Journal of Human Genetics, 2016, 98, 500-513.	2.6	333
75	Early-Life Factors and Risk of Parkinson's Disease: A Register-Based Cohort Study. PLoS ONE, 2016, 11, e0152841.	1.1	8
76	Higher Plasma LDL-Cholesterol is Associated with Preserved Executive and Fine Motor Functions in Parkinson's Disease. , 2016, 7, 237.		33
77	Associations of Ozone and PM2.5 Concentrations With Parkinson's Disease Among Participants in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2015, 57, 509-517.	0.9	65
78	Genome-wide Meta-analysis on the Sense of Smell Among US Older Adults. Medicine (United States), 2015, 94, e1892.	0.4	12
79	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
80	Cardiopulmonary Benefits of Reducing Indoor Particles of Outdoor Origin. Journal of the American College of Cardiology, 2015, 65, 2279-2287.	1.2	214
81	Potential sex differences in nonmotor symptoms in early drug-naive Parkinson disease. Neurology, 2015, 84, 2107-2115.	1.5	90
82	Parkinson's disease research in a prospective cohort in China. Parkinsonism and Related Disorders, 2015, 21, 1200-1204.	1.1	27
83	Statins, plasma cholesterol, and risk of Parkinson's disease: A prospective study. Movement Disorders, 2015, 30, 552-559.	2.2	113
84	Head injury, potential interaction with genes, and risk for Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 292-296.	1.1	27
85	Meta-analyses on prevalence of selected Parkinson's nonmotor symptoms before and after diagnosis. Translational Neurodegeneration, 2015, 4, 1.	3.6	145
86	Heart rate variability and the risk of <scp>P</scp> arkinson disease: The <scp>A</scp> therosclerosis <scp>R</scp> isk in <scp>C</scp> ommunities study. Annals of Neurology, 2015, 77, 877-883.	2.8	74
87	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
88	Uric acid correlates to oxidation and inflammation in opposite directions in women. Biomarkers, 2015, 20, 225-231.	0.9	20
89	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
90	Dietary fat intake and risk for Parkinson's disease. Movement Disorders, 2014, 29, 1623-1630.	2.2	32

#	Article	IF	CITATIONS
91	Accuracy of residential geocoding in the Agricultural Health Study. International Journal of Health Geographics, 2014, 13, 37.	1.2	28
92	Individual and joint prevalence of three nonmotor symptoms of PD in the US general population. Movement Disorders, 2014, 29, 1316-1319.	2.2	15
93	Female reproductive factors, menopausal hormone use, and Parkinson's disease. Movement Disorders, 2014, 29, 889-896.	2.2	49
94	Microstructural changes in the substantia nigra of asymptomatic agricultural workers. Neurotoxicology and Teratology, 2014, 41, 60-64.	1.2	15
95	Susceptibility loci for pigmentation and melanoma in relation to Parkinson's disease. Neurobiology of Aging, 2014, 35, 1512.e5-1512.e10.	1.5	28
96	Chinese culture permeation in the treatment of Parkinson disease: a cross-sectional study in four regions of China. BMC Research Notes, 2014, 7, 65.	0.6	21
97	History of smoking and olfaction in Parkinson's disease. Movement Disorders, 2014, 29, 1069-1074.	2.2	17
98	Dietary fat intake, pesticide use, and Parkinson's disease. Parkinsonism and Related Disorders, 2014, 20, 82-87.	1.1	108
99	Parkinson's Disease and Cancer: A Register-based Family Study. American Journal of Epidemiology, 2014, 179, 85-94.	1.6	58
100	Large-scale meta-analysis of genome-wide association data identifies six new risk loci for Parkinson's disease. Nature Genetics, 2014, 46, 989-993.	9.4	1,685
101	Sweetened Beverages, Coffee, and Tea and Depression Risk among Older US Adults. PLoS ONE, 2014, 9, e94715.	1.1	105
102	The State of US Health, 1990-2010. JAMA - Journal of the American Medical Association, 2013, 310, 591.	3.8	2,070
103	Short communication: genetic variations of SLC2A9 in relation to Parkinson's disease. Translational Neurodegeneration, 2013, 2, 5.	3.6	11
104	Thiamine Nutritional Status and Depressive Symptoms Are Inversely Associated among Older Chinese Adults. Journal of Nutrition, 2013, 143, 53-58.	1.3	66
105	Both low and high temperature may increase the risk of stroke mortality. Neurology, 2013, 81, 1064-1070.	1.5	116
106	Research on the Premotor Symptoms of Parkinson's Disease: Clinical and Etiological Implications. Environmental Health Perspectives, 2013, 121, 1245-1252.	2.8	68
107	Agricultural Exposures and Stroke Mortality in the Agricultural Health Study. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2013, 76, 798-814.	1.1	11
108	A pathway-based analysis provides additional support for an immune-related genetic susceptibility to Parkinson's disease. Human Molecular Genetics, 2013, 22, 1039-1049.	1.4	122

#	Article	IF	CITATIONS
109	Alcohol Consumption, Types of Alcohol, and Parkinson's Disease. PLoS ONE, 2013, 8, e66452.	1.1	41
110	Sweetenedâ€beverages, coffee, and tea in relation to depression among older US adults. FASEB Journal, 2013, 27, 616.2.	0.2	0
111	No Association between Parkinson Disease Alleles and the Risk of Melanoma. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 243-245.	1.1	16
112	CNS infections, sepsis and risk of Parkinson's disease. International Journal of Epidemiology, 2012, 41, 1042-1049.	0.9	42
113	Epidemiology and clinical phenomenology for Parkinson's disease with pain and fatigue. Parkinsonism and Related Disorders, 2012, 18, S222-S225.	1.1	17
114	Common values in assessing health outcomes from disease and injury: disability weights measurement study for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2129-2143.	6.3	1,013
115	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223.	6.3	7,061
116	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2095-2128.	6.3	11,038
117	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196.	6.3	6,376
118	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	6.3	9,397
119	Head injury and Parkinson's disease: A populationâ€based study. Movement Disorders, 2012, 27, 1632-1635.	2.2	42
120	The outdoor air pollution and brain health workshop. NeuroToxicology, 2012, 33, 972-984.	1.4	422
121	An exploratory analysis on gene-environment interactions for Parkinson disease. Neurobiology of Aging, 2012, 33, 2528.e1-2528.e6.	1.5	39
122	Caffeine Intake, Smoking, and Risk of Parkinson Disease in Men and Women. American Journal of Epidemiology, 2012, 175, 1200-1207.	1.6	139
123	Serum Cholesterol and Nigrostriatal R2* Values in Parkinson's Disease. PLoS ONE, 2012, 7, e35397.	1.1	17
124	Body Mass Index and the Risk of Dementia among Louisiana Low Income Diabetic Patients. PLoS ONE, 2012, 7, e44537.	1.1	24
125	Daytime Napping, Nighttime Sleeping, and Parkinson Disease. American Journal of Epidemiology, 2011, 173, 1032-1038.	1.6	92
126	Genome-Wide Gene-Environment Study Identifies Glutamate Receptor Gene GRIN2A as a Parkinson's Disease Modifier Gene via Interaction with Coffee. PLoS Genetics, 2011, 7, e1002237.	1.5	206

#	Article	IF	CITATIONS
127	Diabetes and Risk of Parkinson's Disease. Diabetes Care, 2011, 34, 910-915.	4.3	222
128	Apolipoprotein E genotypes and the risk of Parkinson disease. Neurobiology of Aging, 2011, 32, 2106.e1-2106.e6.	1.5	32
129	Serum Cholesterol and the Progression of Parkinson's Disease: Results from DATATOP. PLoS ONE, 2011, 6, e22854.	1.1	60
130	Prospective Research on Parkinson Nonmotor Symptoms. Archives of Neurology, 2011, 68, 135.	4.9	3
131	Multivitamins, Individual Vitamin and Mineral Supplements, and Risk of Diabetes Among Older U.S. Adults. Diabetes Care, 2011, 34, 108-114.	4.3	45
132	A Prospective Study of Bowel Movement Frequency and Risk of Parkinson's Disease. American Journal of Epidemiology, 2011, 174, 546-551.	1.6	95
133	An Exploratory Study on the <i>CHRNA3-CHRNA5-CHRNB4 </i> Cluster, Smoking, and Parkinson's Disease. Neurodegenerative Diseases, 2011, 8, 296-299.	0.8	6
134	Stock volatility as a risk factor for coronary heart disease death. European Heart Journal, 2011, 32, 1006-1011.	1.0	37
135	Use of ibuprofen and risk of Parkinson disease. Neurology, 2011, 76, 863-869.	1.5	271
136	Meta-analysis of the relationship between Parkinson disease and melanoma. Neurology, 2011, 76, 2002-2009.	1.5	138
137	An Exploratory Study on CLU, CR1 and PICALM and Parkinson Disease. PLoS ONE, 2011, 6, e24211.	1.1	36
138	Infection of the Central Nervous System, Sepsis and Amyotrophic Lateral Sclerosis. PLoS ONE, 2011, 6, e29749.	1.1	15
139	Reply: Plasma cholesterol and Parkinson's disease: Is the puzzle only apparent?. Movement Disorders, 2010, 25, 137-137.	2.2	Ο
140	Depression and the subsequent risk of Parkinson's disease in the NIHâ€AARP Diet and Health Study. Movement Disorders, 2010, 25, 1157-1162.	2.2	77
141	Calcium channel blocker use and risk of Parkinson's disease. Movement Disorders, 2010, 25, 1818-1822.	2.2	38
142	Prenatal and early life factors and risk of Parkinson's disease. Movement Disorders, 2010, 25, 1560-1567.	2.2	32
143	Day Napping and Short Night Sleeping Are Associated With Higher Risk of Diabetes in Older Adults. Diabetes Care, 2010, 33, 78-83.	4.3	135
144	Plasma Urate and Parkinson's Disease in Women. American Journal of Epidemiology, 2010, 172, 666-670.	1.6	64

#	Article	IF	CITATIONS
145	Plasma Urate and Parkinson's Disease in the Atherosclerosis Risk in Communities (ARIC) Study. American Journal of Epidemiology, 2009, 169, 1064-1069.	1.6	156
146	Obesity and Weight Gain in Adulthood and Telomere Length. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 816-820.	1.1	163
147	Smoking and Parkinson's Disease: Using Parental Smoking as a Proxy to Explore Causality. American Journal of Epidemiology, 2009, 169, 678-682.	1.6	54
148	Multivitamin use and telomere length in women. American Journal of Clinical Nutrition, 2009, 89, 1857-1863.	2.2	166
149	<i>SNCA</i> variants are associated with increased risk for multiple system atrophy. Annals of Neurology, 2009, 65, 610-614.	2.8	257
150	Reproductive factors, exogenous estrogen use, and risk of Parkinson's disease. Movement Disorders, 2009, 24, 1359-1365.	2.2	72
151	Genome-wide association study reveals genetic risk underlying Parkinson's disease. Nature Genetics, 2009, 41, 1308-1312.	9.4	1,745
152	Recreational physical activity and risk of Parkinson's disease. Movement Disorders, 2008, 23, 69-74.	2.2	153
153	Telomere length and risk of Parkinson's disease. Movement Disorders, 2008, 23, 302-305.	2.2	75
154	Perceived imbalance and risk of Parkinson's disease. Movement Disorders, 2008, 23, 613-616.	2.2	48
155	Obesity and Functional Disability in Elderly Americans. Journal of the American Geriatrics Society, 2008, 56, 689-694.	1.3	150
156	Diet, Urate, and Parkinson's Disease Risk in Men. American Journal of Epidemiology, 2008, 167, 831-838.	1.6	138
157	Dietary Iron Intake and Risk of Parkinson's Disease. American Journal of Epidemiology, 2008, 168, 1381-1388.	1.6	83
158	Hypertension, hypercholesterolemia, diabetes, and risk of Parkinson disease. Neurology, 2007, 69, 1688-1695.	1.5	217
159	Super-Resolution Processing for Polarimetric Synthetic Aperture Radar Tomography. IEEE National Radar Conference - Proceedings, 2007, , .	0.0	0
160	Consumption of Dairy Products and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 165, 998-1006.	1.6	156
161	Plasma Urate and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 166, 561-567.	1.6	354
162	Erectile Function and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 166, 1446-1450.	1.6	102

#	Article	IF	CITATIONS
163	Head Injury and Amyotrophic Lateral Sclerosis. American Journal of Epidemiology, 2007, 166, 810-816.	1.6	227
164	Diurnal temperature range and daily mortality in Shanghai, China. Environmental Research, 2007, 103, 424-431.	3.7	165
165	Peripheral Inflammatory Biomarkers and Risk of Parkinson's Disease. American Journal of Epidemiology, 2007, 167, 90-95.	1.6	272
166	Prospective study of dietary pattern and risk of Parkinson disease. American Journal of Clinical Nutrition, 2007, 86, 1486-1494.	2.2	281
167	Lower low-density lipoprotein cholesterol levels are associated with Parkinson's disease. Movement Disorders, 2007, 22, 377-381.	2.2	177
168	Circulating Melatonin Levels: Possible Link Between Parkinson's Disease and Cancer Risk?. Cancer Causes and Control, 2006, 17, 577-582.	0.8	29
169	Blood donations, iron stores, and risk of Parkinson's disease. Movement Disorders, 2006, 21, 835-838.	2.2	34
170	Survival of Parkinson's disease patients in a large prospective cohort of male health professionals. Movement Disorders, 2006, 21, 1002-1007.	2.2	77
171	Pesticide exposure and risk for Parkinson's disease. Annals of Neurology, 2006, 60, 197-203.	2.8	376
172	Incidence and Trends of Stroke and Its Subtypes in China. Stroke, 2006, 37, 63-65.	1.0	272
173	A Prospective Study of Night Shift Work, Sleep Duration, and Risk of Parkinson's Disease. American Journal of Epidemiology, 2006, 163, 726-730.	1.6	77
174	Nonsteroidal antiinflammatory drug use and the risk for Parkinson's disease. Annals of Neurology, 2005, 58, 963-967.	2.8	443
175	The <i> Tau</i> Gene Haplotype H1 Confers a Susceptibility to Parkinson's Disease. European Neurology, 2005, 53, 15-21.	0.6	42
176	Obesity and the Risk of Parkinson's Disease. American Journal of Epidemiology, 2004, 159, 547-555.	1.6	91
177	Folate Intake and Risk of Parkinson's Disease. American Journal of Epidemiology, 2004, 160, 368-375.	1.6	60
178	Prospective study of phobic anxiety and risk of Parkinson's disease. Movement Disorders, 2003, 18, 646-651.	2.2	130
179	Weight loss in Parkinson's disease. Annals of Neurology, 2003, 53, 676-679.	2.8	242
180	Alcohol consumption and the incidence of Parkinson's disease. Annals of Neurology, 2003, 54, 170-175.	2.8	75

#	Article	IF	CITATIONS
181	Dietary Intakes of Fat and Risk of Parkinson's Disease. American Journal of Epidemiology, 2003, 157, 1007-1014.	1.6	107
182	Nonsteroidal Anti-inflammatory Drugs and the Risk of Parkinson Disease. Archives of Neurology, 2003, 60, 1059.	4.9	545
183	Height and the survival of prostate cancer patients. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 215-8.	1.1	3
184	Nutrient Intakes and Adenocarcinoma of the Esophagus and Distal Stomach. Nutrition and Cancer, 2002, 42, 33-40.	0.9	149
185	Dietary patterns and adenocarcinoma of the esophagus and distal stomach. American Journal of Clinical Nutrition, 2002, 75, 137-144.	2.2	210
186	Waist Circumference and Weight Change Are Associated With Disability Among Elderly Hispanics. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2002, 57, M19-M25.	1.7	69
187	Diet and Parkinson's disease: A potential role of dairy products in men. Annals of Neurology, 2002, 52, 793-801.	2.8	121
188	Diet and risk of adult glioma in eastern Nebraska, United States. Cancer Causes and Control, 2002, 13, 647-655.	0.8	94
189	k-means classification filter for speckle removal in radar images. , 0, , .		2
190	Ocean wave slope spectra from polarimetric SAR images of the ocean surface. , 0, , .		3
191	Super resolution processing for smart antennas. , 0, , .		5
192	Performance analysis of super-resolution beamforming in smart antennas. , 0, , .		8
193	New blind source separation technique for removing vegetation bias in polarimetric SAR interferometer measurements. , 0, , .		0
194	Performance Analysis of Linear Predictive Super-Resolution Processing for Antenna Arrays. , 0, , .		2