Knut Waterloo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8831357/publications.pdf

Version: 2024-02-01

71 papers 3,652 citations

34 h-index 59 g-index

74 all docs

74 docs citations

times ranked

74

5310 citing authors

#	Article	IF	Citations
1	Prophylactic Hyperdynamic Postoperative Fluid Therapy after Aneurysmal Subarachnoid Hemorrhage: A Clinical, Prospective, Randomized, Controlled Study. Neurosurgery, 2001, 49, 593-606.	1.1	234
2	Traumatic Brain Damage in Minor Head Injury: Relation of Serum S-100 Protein Measurements to Magnetic Resonance Imaging and Neurobehavioral Outcome. Neurosurgery, 1999, 45, 468-476.	1.1	220
3	Neuropsychological Function and Symptoms in Subjects with Subclinical Hypothyroidism and the Effect of Thyroxine Treatment. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 145-153.	3.6	206
4	Effect of vitamin D supplement on depression scores in people with low levels of serum 25-hydroxyvitamin D: nested caseâ€"control study and randomised clinical trial. British Journal of Psychiatry, 2012, 201, 360-368.	2.8	175
5	Quantification of post-concussion symptoms 3 months after minor head injury in 100 consecutive patients. Journal of Neurology, 1998, 245, 609-612.	3.6	162
6	Neuropsychological function in relation to serum parathyroid hormone and serum 25–hydroxyvitamin D levels. Journal of Neurology, 2006, 253, 464-470.	3.6	158
7	Determination of Wall Tension in Cerebral Artery Aneurysms by Numerical Simulation. Stroke, 2008, 39, 3172-3178.	2.0	158
8	Evaluating the effectiveness and efficacy of unguided internetâ€based selfâ€help intervention for the prevention of depression: a randomized controlled trial. Clinical Psychology and Psychotherapy, 2013, 20, 10-27.	2.7	135
9	S100B Serum Level Predicts Computed Tomography Findings After Minor Head Injury. Journal of Trauma, 2007, 62, 1452-1456.	2.3	132
10	The Clinical Effectiveness of Web-Based Cognitive Behavioral Therapy With Face-to-Face Therapist Support for Depressed Primary Care Patients: Randomized Controlled Trial. Journal of Medical Internet Research, 2013, 15, e153.	4.3	119
11	Motivation to persist with internet-based cognitive behavioural treatment using blended care: a qualitative study. BMC Psychiatry, 2013, 13, 296.	2.6	114
12	Uptake and adherence of a self-directed internet-based mental health intervention with tailored e-mail reminders in senior high schools in Norway. BMC Psychiatry, 2014, 14, 14.	2.6	113
13	Effectiveness of cognitive behavioural therapy in primary health care: a review. Family Practice, 2011, 28, 489-504.	1.9	88
14	Early maladaptive schemas, temperament and character traits in clinically depressed and previously depressed subjects. Clinical Psychology and Psychotherapy, 2009, 16, 394-407.	2.7	83
15	A study of the psychometric properties of the Beck Depression Inventoryâ€∢scp>ll⟨/scp>, the Montgomery and Ã…sberg Depression Rating Scale, and the Hospital Anxiety and Depression Scale in a sample from a healthy population. Scandinavian Journal of Psychology, 2014, 55, 83-89.	1.5	82
16	Stability of dysfunctional attitudes and early maladaptive schemas: A 9-year follow-up study of clinically depressed subjects. Journal of Behavior Therapy and Experimental Psychiatry, 2010, 41, 389-396.	1.2	80
17	Evaluating the Translation Process of an Internet-Based Self-help Intervention for Prevention of Depression: A Cost-Effectiveness Analysis. Journal of Medical Internet Research, 2013, 15, e18.	4.3	70
18	Neuropsychological dysfunction in systemic lupus erythematosus is not associated with changes in cerebral blood flow. Journal of Neurology, 2001, 248, 595-602.	3.6	66

#	Article	IF	Citations
19	Dysfunctional Attitudes and Early Maladaptive Schemas as Predictors of Depression: A 9-Year Follow-Up Study. Cognitive Therapy and Research, 2010, 34, 368-379.	1.9	56
20	Accuracy of physical examination for chronic lumbar radiculopathy. BMC Musculoskeletal Disorders, 2013, 14, 206.	1.9	52
21	Metacognitions and Mindful Attention Awareness in Depression: A Comparison Of Currently Depressed, Previously Depressed and Never Depressed Individuals. Clinical Psychology and Psychotherapy, 2017, 24, 94-102.	2.7	52
22	Verbal memory performance of mildly to moderately depressed outpatient younger adults. Journal of Affective Disorders, 2006, 92, 283-286.	4.1	50
23	Cognitive function in unipolar major depression: A comparison of currently depressed, previously depressed, and never depressed individuals. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 782-790.	1.3	50
24	PREDICTION OF TIME TRENDS IN RECOVERY OF COGNITIVE FUNCTION AFTER MILD HEAD INJURY. Neurosurgery, 2009, 64, 698-704.	1.1	48
25	Sex differences in intracranial arterial bifurcations. Gender Medicine, 2010, 7, 149-155.	1.4	47
26	Patients' Experiences of Helpfulness in Guided Internet-Based Treatment for Depression: Qualitative Study of Integrated Therapeutic Dimensions. Journal of Medical Internet Research, 2013, 15, e126.	4.3	47
27	Analysis of protein S-100B in serum: a methodological study. Clinical Chemistry and Laboratory Medicine, 2006, 44, 1111-4.	2.3	45
28	Clinical significance of serum S100B levels in neurointensive care. Neurocritical Care, 2007, 6, 94-99.	2.4	45
29	Neuroanatomical correlates of verbal fluency in early Alzheimer's disease and normal aging. Brain and Language, 2016, 155-156, 24-35.	1.6	45
30	Effect of Long-Term Oxygen Therapy on Cognitive and Neurological Dysfunction in Chronic Obstructive Pulmonary Disease. European Neurology, 1999, 42, 27-35.	1.4	43
31	Metacognitions and Thought Control Strategies in Unipolar Major Depression: A Comparison of Currently Depressed, Previously Depressed, and Never-Depressed Individuals. Cognitive Therapy and Research, 2015, 39, 31-40.	1.9	42
32	Detecting At-Risk Alzheimer's Disease Cases. Journal of Alzheimer's Disease, 2017, 60, 97-105.	2.6	42
33	Norwegian General Practitioners' Perspectives on Implementation of a Guided Web-Based Cognitive Behavioral Therapy for Depression: A Qualitative Study. Journal of Medical Internet Research, 2014, 16, e208.	4.3	41
34	Invisible expressions evoke core impressions Emotion, 2010, 10, 573-586.	1.8	39
35	Symptoms and Cognitive Dysfunction in Patients With the Late Whiplash Syndrome. Applied Neuropsychology, 2003, 10, 170-175.	1.5	32
36	Serial Single-photon Emission Computed Tomographic and Transcranial Doppler Measurements for Evaluation of Vasospasm after Aneurysmal Subarachnoid Hemorrhage. Neurosurgery, 2005, 57, 237-242.	1.1	31

#	Article	IF	CITATIONS
37	Incidence of hospital referred head injuries in Norway: A population based survey from the Stavanger region. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2009, 17, 6.	2.6	31
38	Predictors of Response to Web-Based Cognitive Behavioral Therapy With High-Intensity Face-to-Face Therapist Guidance for Depression: A Bayesian Analysis. Journal of Medical Internet Research, 2015, 17, e197.	4.3	31
39	Cortisol levels and cognitive profile in major depression: A comparison of currently and previously depressed patients. Psychoneuroendocrinology, 2019, 99, 57-65.	2.7	27
40	The Eyes Remember It: Oculography and Pupillometry during Recollection in Three Amnesic Patients. Journal of Cognitive Neuroscience, 2007, 19, 1888-1904.	2.3	26
41	Verbal learning and memory in depression: A 9-year follow-up study. Psychiatry Research, 2011, 188, 350-354.	3.3	25
42	Cerebrospinal fluid neurogranin∫î²â€site APPâ€eleaving enzyme 1 predicts cognitive decline in preclinical Alzheimer's disease. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2018, 4, 617-627.	3.7	24
43	Mild Head Injuries: Impact of a National Strategy for Implementation of Management Guidelines. Journal of Trauma, 2003, 55, 1029-1034.	2.3	23
44	Age-related psychomotor slowing as an important component of verbal fluency. Journal of Neurology, 2006, 253, 1414-1427.	3.6	22
45	Outcome prediction in chronic unilateral lumbar radiculopathy: prospective cohort study. BMC Musculoskeletal Disorders, 2015, 16, 17.	1.9	22
46	Invisible emotional expressions influence social judgments and pupillary responses of both depressed and non-depressed individuals. Frontiers in Psychology, 2013, 4, 291.	2.1	20
47	Demographically adjusted CERAD wordlist test norms in a Norwegian sample from 40 to 80 years. Clinical Neuropsychologist, 2019, 33, 27-39.	2.3	20
48	Pharmacological classical conditioning in humans. Human Psychopharmacology, 1997, 12, 369-377.	1.5	19
49	No impact of early intervention on late outcome after minimal, mild and moderate head injury. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2010, 18, 10.	2.6	15
50	Demographically adjusted trail making test norms in a Scandinavian sample from 41 to 84 years. Clinical Neuropsychologist, 2020, 34, 110-126.	2.3	15
51	An observational study of compliance with the Scandinavian guidelines for management of minimal, mild and moderate head injury. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2012, 20, 32.	2.6	12
52	Coping, thought suppression, and perceived stress in currently depressed, previously depressed, and never depressed individuals. Clinical Psychology and Psychotherapy, 2018, 25, 401-407.	2.7	10
53	What does hand motor function tell us about our aging brain in association with WMH?. Aging Clinical and Experimental Research, 2021, 33, 1577-1584.	2.9	10
54	Does Personality Predict Depression and Use of an Internet-Based Intervention for Depression among Adolescents?. Depression Research and Treatment, 2012, 2012, 1-11.	1.3	9

#	Article	IF	CITATIONS
55	The impact of age-related hearing loss and lateralized auditory attention on spatiotemporal parameters of gait during dual-tasking among community dwelling older adults. Experimental Gerontology, 2018, 111, 253-262.	2.8	9
56	Screening for Alzheimer's Disease: Cognitive Impairment in Self-Referred and Memory Clinic-Referred Patients. Journal of Alzheimer's Disease, 2017, 60, 1621-1631.	2.6	8
57	IQ as a predictor of clinicianâ€rated mental health problems in children and adolescents. British Journal of Clinical Psychology, 2012, 51, 185-196.	3.5	7
58	The Norwegian Junior Temperament and Character Inventory (JTCI): An assessment of its psychometric properties. Comprehensive Psychiatry, 2013, 54, 904-910.	3.1	7
59	Amyloid Plaques and Symptoms of Depression Links to Medical Help-Seeking due to Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2020, 75, 879-890.	2.6	7
60	IQ as a moderator of outcome in severity of children's mental health status after treatment in outpatient clinics. Child and Adolescent Psychiatry and Mental Health, 2012, 6, 22.	2.5	6
61	The Role of Moderating Variables on BOLD fMRI Response During Semantic Verbal Fluency and Finger Tapping in Active and Educated Healthy Seniors. Frontiers in Human Neuroscience, 2020, 14, 203.	2.0	6
62	Regression-based norms for the FAS phonemic fluency test for ages 40–84 based on a Norwegian sample. Applied Neuropsychology Adult, 2023, 30, 159-168.	1.2	6
63	The effect of carisoprodol on performance on repeatedly administered neuropsychological tests. Human Psychopharmacology, 1997, 12, 393-396.	1.5	5
64	Predictive and diagnostic utility of brief neuropsychological assessment in detecting Alzheimer's pathology and progression to dementia Neuropsychology, 2020, 34, 851-861.	1.3	5
65	White matter correlates of gait perturbations resulting from spontaneous and lateralized attention in healthy older adults: A dual-task study. Experimental Gerontology, 2019, 128, 110744.	2.8	2
66	Neuropsychological Test Performance in Asymptomatic Carotid Stenosis. Acta Neurologica Scandinavica, 2003, 107, 427-428.	2.1	1
67	Pharmacological classical conditioning in humans. Human Psychopharmacology, 1997, 12, 369-377.	1.5	1
68	Assessing a Sensory-Motor-Cognition Triad in Amnestic Mild Cognitive Impairment With Dichotic Listening While Walking: A Dual-Task Paradigm. Frontiers in Aging Neuroscience, 2021, 13, 718900.	3.4	1
69	[P3–452]: SCREENING FOR ALZHEIMER's DISEASE: COGNITIVE IMPAIRMENT IN SELFâ€REFERRED AND MEMORY CLINICâ€REFERRED PATIENTS. Alzheimer's and Dementia, 2017, 13, P1145.	0.8	O
70	F4â€08â€03: INCREASED CSF NEUROGRANIN/BACE1 RATIO IN AMYLOID POSITIVE SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE. Alzheimer's and Dementia, 2018, 14, P1395.	0.8	0
71	Regressionâ€based normative data for the Rey Auditory Verbal Learning Test in Norwegian and Swedish adults ages 40 to 80. Alzheimer's and Dementia, 2020, 16, e044431.	0.8	0