

# Knut Waterloo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8831357/publications.pdf>

Version: 2024-02-01

71  
papers

3,652  
citations

117625

34  
h-index

133252

59  
g-index

74  
all docs

74  
docs citations

74  
times ranked

5310  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regression-based norms for the FAS phonemic fluency test for ages 40–84 based on a Norwegian sample. <i>Applied Neuropsychology Adult</i> , 2023, 30, 159-168.	1.2	6
2	What does hand motor function tell us about our aging brain in association with WMH?. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1577-1584.	2.9	10
3	Assessing a Sensory-Motor-Cognition Triad in Amnesic Mild Cognitive Impairment With Dichotic Listening While Walking: A Dual-Task Paradigm. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 718900.	3.4	1
4	Demographically adjusted trail making test norms in a Scandinavian sample from 41 to 84 years. <i>Clinical Neuropsychologist</i> , 2020, 34, 110-126.	2.3	15
5	Regression-based normative data for the Rey Auditory Verbal Learning Test in Norwegian and Swedish adults ages 40 to 80. <i>Alzheimer's and Dementia</i> , 2020, 16, e044431.	0.8	0
6	Amyloid Plaques and Symptoms of Depression Links to Medical Help-Seeking due to Subjective Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 879-890.	2.6	7
7	The Role of Moderating Variables on BOLD fMRI Response During Semantic Verbal Fluency and Finger Tapping in Active and Educated Healthy Seniors. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 203.	2.0	6
8	Predictive and diagnostic utility of brief neuropsychological assessment in detecting Alzheimer's pathology and progression to dementia.. <i>Neuropsychology</i> , 2020, 34, 851-861.	1.3	5
9	Cortisol levels and cognitive profile in major depression: A comparison of currently and previously depressed patients. <i>Psychoneuroendocrinology</i> , 2019, 99, 57-65.	2.7	27
10	Demographically adjusted CERAD wordlist test norms in a Norwegian sample from 40 to 80 years. <i>Clinical Neuropsychologist</i> , 2019, 33, 27-39.	2.3	20
11	White matter correlates of gait perturbations resulting from spontaneous and lateralized attention in healthy older adults: A dual-task study. <i>Experimental Gerontology</i> , 2019, 128, 110744.	2.8	2
12	Coping, thought suppression, and perceived stress in currently depressed, previously depressed, and never depressed individuals. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 401-407.	2.7	10
13	F403: INCREASED CSF NEUROGRANIN/BACE1 RATIO IN AMYLOID POSITIVE SUBJECTS WITH SUBJECTIVE COGNITIVE DECLINE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1395.	0.8	0
14	Cerebrospinal fluid neurogranin/APP-cleaving enzyme 1 predicts cognitive decline in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 617-627.	3.7	24
15	The impact of age-related hearing loss and lateralized auditory attention on spatiotemporal parameters of gait during dual-tasking among community dwelling older adults. <i>Experimental Gerontology</i> , 2018, 111, 253-262.	2.8	9
16	Metacognitions and Mindful Attention Awareness in Depression: A Comparison Of Currently Depressed, Previously Depressed and Never Depressed Individuals. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 94-102.	2.7	52
17	[P452]: SCREENING FOR ALZHEIMER'S DISEASE: COGNITIVE IMPAIRMENT IN SELF-REFERRED AND MEMORY CLINIC-REFERRED PATIENTS. <i>Alzheimer's and Dementia</i> , 2017, 13, P1145.	0.8	0
18	Screening for Alzheimer's Disease: Cognitive Impairment in Self-Referred and Memory Clinic-Referred Patients. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1621-1631.	2.6	8

#	ARTICLE	IF	CITATIONS
19	Detecting At-Risk Alzheimer's Disease Cases. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 97-105.	2.6	42
20	Neuroanatomical correlates of verbal fluency in early Alzheimer's disease and normal aging. <i>Brain and Language</i> , 2016, 155-156, 24-35.	1.6	45
21	Outcome prediction in chronic unilateral lumbar radiculopathy: prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 17.	1.9	22
22	Metacognitions and Thought Control Strategies in Unipolar Major Depression: A Comparison of Currently Depressed, Previously Depressed, and Never-Depressed Individuals. <i>Cognitive Therapy and Research</i> , 2015, 39, 31-40.	1.9	42
23	Predictors of Response to Web-Based Cognitive Behavioral Therapy With High-Intensity Face-to-Face Therapist Guidance for Depression: A Bayesian Analysis. <i>Journal of Medical Internet Research</i> , 2015, 17, e197.	4.3	31
24	A study of the psychometric properties of the Beck Depression Inventory, the Montgomery and Åsberg Depression Rating Scale, and the Hospital Anxiety and Depression Scale in a sample from a healthy population. <i>Scandinavian Journal of Psychology</i> , 2014, 55, 83-89.	1.5	82
25	Uptake and adherence of a self-directed internet-based mental health intervention with tailored e-mail reminders in senior high schools in Norway. <i>BMC Psychiatry</i> , 2014, 14, 14.	2.6	113
26	Norwegian General Practitioners' Perspectives on Implementation of a Guided Web-Based Cognitive Behavioral Therapy for Depression: A Qualitative Study. <i>Journal of Medical Internet Research</i> , 2014, 16, e208.	4.3	41
27	Evaluating the effectiveness and efficacy of unguided internet-based self-help intervention for the prevention of depression: a randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2013, 20, 10-27.	2.7	135
28	Accuracy of physical examination for chronic lumbar radiculopathy. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 206.	1.9	52
29	The Norwegian Junior Temperament and Character Inventory (JTCI): An assessment of its psychometric properties. <i>Comprehensive Psychiatry</i> , 2013, 54, 904-910.	3.1	7
30	Motivation to persist with internet-based cognitive behavioural treatment using blended care: a qualitative study. <i>BMC Psychiatry</i> , 2013, 13, 296.	2.6	114
31	Invisible emotional expressions influence social judgments and pupillary responses of both depressed and non-depressed individuals. <i>Frontiers in Psychology</i> , 2013, 4, 291.	2.1	20
32	Evaluating the Translation Process of an Internet-Based Self-help Intervention for Prevention of Depression: A Cost-Effectiveness Analysis. <i>Journal of Medical Internet Research</i> , 2013, 15, e18.	4.3	70
33	Patients' Experiences of Helpfulness in Guided Internet-Based Treatment for Depression: Qualitative Study of Integrated Therapeutic Dimensions. <i>Journal of Medical Internet Research</i> , 2013, 15, e126.	4.3	47
34	The Clinical Effectiveness of Web-Based Cognitive Behavioral Therapy With Face-to-Face Therapist Support for Depressed Primary Care Patients: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e153.	4.3	119
35	Does Personality Predict Depression and Use of an Internet-Based Intervention for Depression among Adolescents?. <i>Depression Research and Treatment</i> , 2012, 2012, 1-11.	1.3	9
36	An observational study of compliance with the Scandinavian guidelines for management of minimal, mild and moderate head injury. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012, 20, 32.	2.6	12

#	ARTICLE	IF	CITATIONS
37	Effect of vitamin D supplement on depression scores in people with low levels of serum 25-hydroxyvitamin D: nested case-control study and randomised clinical trial. <i>British Journal of Psychiatry</i> , 2012, 201, 360-368.	2.8	175
38	IQ as a moderator of outcome in severity of children's mental health status after treatment in outpatient clinics. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2012, 6, 22.	2.5	6
39	Cognitive function in unipolar major depression: A comparison of currently depressed, previously depressed, and never depressed individuals. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 782-790.	1.3	50
40	IQ as a predictor of clinician-rated mental health problems in children and adolescents. <i>British Journal of Clinical Psychology</i> , 2012, 51, 185-196.	3.5	7
41	Verbal learning and memory in depression: A 9-year follow-up study. <i>Psychiatry Research</i> , 2011, 188, 350-354.	3.3	25
42	Effectiveness of cognitive behavioural therapy in primary health care: a review. <i>Family Practice</i> , 2011, 28, 489-504.	1.9	88
43	Invisible expressions evoke core impressions.. <i>Emotion</i> , 2010, 10, 573-586.	1.8	39
44	Dysfunctional Attitudes and Early Maladaptive Schemas as Predictors of Depression: A 9-Year Follow-Up Study. <i>Cognitive Therapy and Research</i> , 2010, 34, 368-379.	1.9	56
45	Sex differences in intracranial arterial bifurcations. <i>Gender Medicine</i> , 2010, 7, 149-155.	1.4	47
46	No impact of early intervention on late outcome after minimal, mild and moderate head injury. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010, 18, 10.	2.6	15
47	Stability of dysfunctional attitudes and early maladaptive schemas: A 9-year follow-up study of clinically depressed subjects. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 389-396.	1.2	80
48	Early maladaptive schemas, temperament and character traits in clinically depressed and previously depressed subjects. <i>Clinical Psychology and Psychotherapy</i> , 2009, 16, 394-407.	2.7	83
49	Incidence of hospital referred head injuries in Norway: A population based survey from the Stavanger region. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2009, 17, 6.	2.6	31
50	PREDICTION OF TIME TRENDS IN RECOVERY OF COGNITIVE FUNCTION AFTER MILD HEAD INJURY. <i>Neurosurgery</i> , 2009, 64, 698-704.	1.1	48
51	Determination of Wall Tension in Cerebral Artery Aneurysms by Numerical Simulation. <i>Stroke</i> , 2008, 39, 3172-3178.	2.0	158
52	S100B Serum Level Predicts Computed Tomography Findings After Minor Head Injury. <i>Journal of Trauma</i> , 2007, 62, 1452-1456.	2.3	132
53	The Eyes Remember It: Oculography and Pupillometry during Recollection in Three Amnesic Patients. <i>Journal of Cognitive Neuroscience</i> , 2007, 19, 1888-1904.	2.3	26
54	Clinical significance of serum S100B levels in neurointensive care. <i>Neurocritical Care</i> , 2007, 6, 94-99.	2.4	45

#	ARTICLE	IF	CITATIONS
55	Neuropsychological Function and Symptoms in Subjects with Subclinical Hypothyroidism and the Effect of Thyroxine Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 145-153.	3.6	206
56	Neuropsychological function in relation to serum parathyroid hormone and serum 25-hydroxyvitamin D levels. <i>Journal of Neurology</i> , 2006, 253, 464-470.	3.6	158
57	Age-related psychomotor slowing as an important component of verbal fluency. <i>Journal of Neurology</i> , 2006, 253, 1414-1427.	3.6	22
58	Verbal memory performance of mildly to moderately depressed outpatient younger adults. <i>Journal of Affective Disorders</i> , 2006, 92, 283-286.	4.1	50
59	Analysis of protein S-100B in serum: a methodological study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 1111-4.	2.3	45
60	Serial Single-photon Emission Computed Tomographic and Transcranial Doppler Measurements for Evaluation of Vasospasm after Aneurysmal Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2005, 57, 237-242.	1.1	31
61	Neuropsychological Test Performance in Asymptomatic Carotid Stenosis. <i>Acta Neurologica Scandinavica</i> , 2003, 107, 427-428.	2.1	1
62	Symptoms and Cognitive Dysfunction in Patients With the Late Whiplash Syndrome. <i>Applied Neuropsychology</i> , 2003, 10, 170-175.	1.5	32
63	Mild Head Injuries: Impact of a National Strategy for Implementation of Management Guidelines. <i>Journal of Trauma</i> , 2003, 55, 1029-1034.	2.3	23
64	Prophylactic Hyperdynamic Postoperative Fluid Therapy after Aneurysmal Subarachnoid Hemorrhage: A Clinical, Prospective, Randomized, Controlled Study. <i>Neurosurgery</i> , 2001, 49, 593-606.	1.1	234
65	Neuropsychological dysfunction in systemic lupus erythematosus is not associated with changes in cerebral blood flow. <i>Journal of Neurology</i> , 2001, 248, 595-602.	3.6	66
66	Effect of Long-Term Oxygen Therapy on Cognitive and Neurological Dysfunction in Chronic Obstructive Pulmonary Disease. <i>European Neurology</i> , 1999, 42, 27-35.	1.4	43
67	Traumatic Brain Damage in Minor Head Injury: Relation of Serum S-100 Protein Measurements to Magnetic Resonance Imaging and Neurobehavioral Outcome. <i>Neurosurgery</i> , 1999, 45, 468-476.	1.1	220
68	Quantification of post-concussion symptoms 3 months after minor head injury in 100 consecutive patients. <i>Journal of Neurology</i> , 1998, 245, 609-612.	3.6	162
69	Pharmacological classical conditioning in humans. <i>Human Psychopharmacology</i> , 1997, 12, 369-377.	1.5	19
70	The effect of carisoprodol on performance on repeatedly administered neuropsychological tests. <i>Human Psychopharmacology</i> , 1997, 12, 393-396.	1.5	5
71	Pharmacological classical conditioning in humans. <i>Human Psychopharmacology</i> , 1997, 12, 369-377.	1.5	1