

# Xi-Yin Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8834325/publications.pdf>

Version: 2024-02-01

76  
papers

22,031  
citations

71102

41  
h-index

79698

73  
g-index

88  
all docs

88  
docs citations

88  
times ranked

16543  
citing authors

#	ARTICLE	IF	CITATIONS
1	MCSanX: a toolkit for detection and evolutionary analysis of gene synteny and collinearity. <i>Nucleic Acids Research</i> , 2012, 40, e49-e49.	14.5	4,252
2	The <i>Sorghum bicolor</i> genome and the diversification of grasses. <i>Nature</i> , 2009, 457, 551-556.	27.8	2,642
3	Early allopolyploid evolution in the post-Neolithic <i>Brassica napus</i> oilseed genome. <i>Science</i> , 2014, 345, 950-953.	12.6	2,089
4	The genome of the mesopolyploid crop species <i>Brassica rapa</i> . <i>Nature Genetics</i> , 2011, 43, 1035-1039.	21.4	1,893
5	Repeated polyploidization of <i>Gossypium</i> genomes and the evolution of spinnable cotton fibres. <i>Nature</i> , 2012, 492, 423-427.	27.8	1,204
6	Synteny and Collinearity in Plant Genomes. <i>Science</i> , 2008, 320, 486-488.	12.6	1,156
7	The draft genome of the transgenic tropical fruit tree papaya ( <i>Carica papaya</i> Linnaeus). <i>Nature</i> , 2008, 452, 991-996.	27.8	964
8	The <i>Brassica oleracea</i> genome reveals the asymmetrical evolution of polyploid genomes. <i>Nature Communications</i> , 2014, 5, 3930.	12.8	918
9	The Genomes of <i>Oryza sativa</i> : A History of Duplications. <i>PLoS Biology</i> , 2005, 3, e38.	5.6	808
10	PGDD: a database of gene and genome duplication in plants. <i>Nucleic Acids Research</i> , 2012, 41, D1152-D1158.	14.5	544
11	Unraveling ancient hexaploidy through multiply-aligned angiosperm gene maps. <i>Genome Research</i> , 2008, 18, 1944-1954.	5.5	515
12	Transcriptome and methylome profiling reveals relics of genome dominance in the mesopolyploid <i>Brassica oleracea</i> . <i>Genome Biology</i> , 2014, 15, R77.	9.6	456
13	SNPhylo: a pipeline to construct a phylogenetic tree from huge SNP data. <i>BMC Genomics</i> , 2014, 15, 162.	2.8	410
14	The genome of cultivated peanut provides insight into legume karyotypes, polyploid evolution and crop domestication. <i>Nature Genetics</i> , 2019, 51, 865-876.	21.4	398
15	Duplication and DNA segmental loss in the rice genome: implications for diploidization. <i>New Phytologist</i> , 2005, 165, 937-946.	7.3	318
16	Draft genome sequence of the mulberry tree <i>Morus notabilis</i> . <i>Nature Communications</i> , 2013, 4, 2445.	12.8	277
17	Angiosperm genome comparisons reveal early polyploidy in the monocot lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 472-477.	7.1	267
18	Draft genome of the peanut A-genome progenitor ( <i>Arachis duranensis</i> ) provides insights into geocarpy, oil biosynthesis, and allergens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 6785-6790.	7.1	235

#	ARTICLE	IF	CITATIONS
19	Sequencing of Cultivated Peanut, <i>Arachis hypogaea</i> , Yields Insights into Genome Evolution and Oil Improvement. <i>Molecular Plant</i> , 2019, 12, 920-934.	8.3	185
20	Comparative genomic analysis of C4 photosynthetic pathway evolution in grasses. <i>Genome Biology</i> , 2009, 10, R68.	9.6	144
21	Modes of Gene Duplication Contribute Differently to Genetic Novelty and Redundancy, but Show Parallels across Divergent Angiosperms. <i>PLoS ONE</i> , 2011, 6, e28150.	2.5	139
22	Genome Alignment Spanning Major Poaceae Lineages Reveals Heterogeneous Evolutionary Rates and Alters Inferred Dates for Key Evolutionary Events. <i>Molecular Plant</i> , 2015, 8, 885-898.	8.3	131
23	Statistical inference of chromosomal homology based on gene colinearity and applications to <i>Arabidopsis</i> and rice. <i>BMC Bioinformatics</i> , 2006, 7, 447.	2.6	123
24	Hierarchically Aligning 10 Legume Genomes Establishes a Family-Level Genomics Platform. <i>Plant Physiology</i> , 2017, 174, 284-300.	4.8	112
25	The wax gourd genomes offer insights into the genetic diversity and ancestral cucurbit karyotype. <i>Nature Communications</i> , 2019, 10, 5158.	12.8	94
26	An Overlooked Paleotetraploidization in Cucurbitaceae. <i>Molecular Biology and Evolution</i> , 2018, 35, 16-26.	8.9	89
27	Comparative Analysis of <i>Miscanthus</i> and <i>Saccharum</i> Reveals a Shared Whole-Genome Duplication but Different Evolutionary Fates. <i>Plant Cell</i> , 2014, 26, 2420-2429.	6.6	88
28	Prickly waterlily and rigid hornwort genomes shed light on early angiosperm evolution. <i>Nature Plants</i> , 2020, 6, 215-222.	9.3	88
29	Extensive Concerted Evolution of Rice Paralogs and the Road to Regaining Independence. <i>Genetics</i> , 2007, 177, 1753-1763.	2.9	85
30	Comparative inference of illegitimate recombination between rice and sorghum duplicated genes produced by polyploidization. <i>Genome Research</i> , 2009, 19, 1026-1032.	5.5	83
31	Seventy Million Years of Concerted Evolution of a Homoeologous Chromosome Pair, in Parallel, in Major Poaceae Lineages. <i>Plant Cell</i> , 2011, 23, 27-37.	6.6	80
32	<i>Brassica carinata</i> genome characterization clarifies U's triangle model of evolution and polyploidy in <i>Brassica</i> . <i>Plant Physiology</i> , 2021, 186, 388-406.	4.8	75
33	Comparative genomic deconvolution of the cotton genome revealed a decaploid ancestor and widespread chromosomal fractionation. <i>New Phytologist</i> , 2016, 209, 1252-1263.	7.3	65
34	Telomere-centric genome repatterning determines recurring chromosome number reductions during the evolution of eukaryotes. <i>New Phytologist</i> , 2015, 205, 378-389.	7.3	64
35	Comparative analysis of peanut NBS-LRR gene clusters suggests evolutionary innovation among duplicated domains and erosion of gene microsynteny. <i>New Phytologist</i> , 2011, 192, 164-178.	7.3	63
36	The celery genome sequence reveals sequential paleopolyploidizations, karyotype evolution and resistance gene reduction in apiales. <i>Plant Biotechnology Journal</i> , 2021, 19, 731-744.	8.3	62

#	ARTICLE	IF	CITATIONS
37	Gene body methylation shows distinct patterns associated with different gene origins and duplication modes and has a heterogeneous relationship with gene expression in <i>Oryza sativa</i> (rice). <i>New Phytologist</i> , 2013, 198, 274-283.	7.3	57
38	Deciphering the high-quality genome sequence of coriander that causes controversial feelings. <i>Plant Biotechnology Journal</i> , 2020, 18, 1444-1456.	8.3	56
39	Parallel subgenome structure and divergent expression evolution of allo-tetraploid common carp and goldfish. <i>Nature Genetics</i> , 2021, 53, 1493-1503.	21.4	52
40	Extensive and Biased Intergenomic Nonreciprocal DNA Exchanges Shaped a Nascent Polyploid Genome, <i>Gossypium</i> (Cotton). <i>Genetics</i> , 2014, 197, 1153-1163.	2.9	51
41	Gene Conversion in Angiosperm Genomes with an Emphasis on Genes Duplicated by Polyploidization. <i>Genes</i> , 2011, 2, 1-20.	2.4	47
42	Preferential gene retention increases the robustness of cold regulation in Brassicaceae and other plants after polyploidization. <i>Horticulture Research</i> , 2020, 7, 20.	6.3	47
43	Comprehensive analyses of the BES1 gene family in Brassica napus and examination of their evolutionary pattern in representative species. <i>BMC Genomics</i> , 2018, 19, 346.	2.8	45
44	Two Likely Auto-Tetraploidization Events Shaped Kiwifruit Genome and Contributed to Establishment of the Actinidiaceae Family. <i>IScience</i> , 2018, 7, 230-240.	4.1	44
45	A newly identified cluster of glutathione S-transferase genes provides Verticillium wilt resistance in cotton. <i>Plant Journal</i> , 2019, 98, 213-227.	5.7	44
46	Origination, Expansion, Evolutionary Trajectory, and Expression Bias of AP2/ERF Superfamily in Brassica napus. <i>Frontiers in Plant Science</i> , 2016, 7, 1186.	3.6	36
47	Recursive Paleohexaploidization Shaped the Durian Genome. <i>Plant Physiology</i> , 2019, 179, 209-219.	4.8	36
48	Coriander Genomics Database: a genomic, transcriptomic, and metabolic database for coriander. <i>Horticulture Research</i> , 2020, 7, 55.	6.3	35
49	High-quality reference genome sequences of two coconut cultivars provide insights into evolution of monocot chromosomes and differentiation of fiber content and plant height. <i>Genome Biology</i> , 2021, 22, 304.	8.8	32
50	Polyploidy Index and Its Implications for the Evolution of Polyploids. <i>Frontiers in Genetics</i> , 2019, 10, 807.	2.3	29
51	Reciprocal adaptation of rice and <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> cross-species 2D GWAS reveals the underlying genetics. <i>Plant Cell</i> , 2021, 33, 2538-2561.	6.6	21
52	Two Highly Similar Poplar Paleo-subgenomes Suggest an Autotetraploid Ancestor of Salicaceae Plants. <i>Frontiers in Plant Science</i> , 2017, 08, 571.	3.6	20
53	Chromosome-length genome assemblies of six legume species provide insights into genome organization, evolution, and agronomic traits for crop improvement. <i>Journal of Advanced Research</i> , 2022, 42, 315-329.	9.5	20
54	Sequencing Multiple Cotton Genomes Reveals Complex Structures and Lays Foundation for Breeding. <i>Frontiers in Plant Science</i> , 2020, 11, 560096.	3.6	16

#	ARTICLE	IF	CITATIONS
55	Paleo-polyploidization in Lycophytes. <i>Genomics, Proteomics and Bioinformatics</i> , 2020, 18, 333-340.	6.9	16
56	Comparative and Evolutionary Analysis of Major Peanut Allergen Gene Families. <i>Genome Biology and Evolution</i> , 2014, 6, 2468-2488.	2.5	15
57	Comparative Genomics Analysis of Rice and Pineapple Contributes to Understand the Chromosome Number Reduction and Genomic Changes in Grasses. <i>Frontiers in Genetics</i> , 2016, 7, 174.	2.3	15
58	Genomic, expressional, protein-protein interactional analysis of Trihelix transcription factor genes in <i>Setaria italica</i> and inference of their evolutionary trajectory. <i>BMC Genomics</i> , 2018, 19, 665.	2.8	14
59	Cotton Duplicated Genes Produced by Polyploidy Show Significantly Elevated and Unbalanced Evolutionary Rates, Overwhelmingly Perturbing Gene Tree Topology. <i>Frontiers in Genetics</i> , 2020, 11, 239.	2.3	14
60	Reconstruction of evolutionary trajectories of chromosomes unraveled independent genomic repatterning between Triticeae and Brachypodium. <i>BMC Genomics</i> , 2019, 20, 180.	2.8	12
61	Alignment of Common Wheat and Other Grass Genomes Establishes a Comparative Genomics Research Platform. <i>Frontiers in Plant Science</i> , 2017, 8, 1480.	3.6	11
62	Illegitimate Recombination Between Homeologous Genes in Wheat Genome. <i>Frontiers in Plant Science</i> , 2020, 11, 1076.	3.6	11
63	Evidence that Natural Selection is the Primary Cause of the Guanine-cytosine Content Variation in Rice Genes. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1393-1399.	8.5	10
64	RNA-Seq Profiling Shows Divergent Gene Expression Patterns in <i>Arabidopsis</i> Grown under Different Densities. <i>Frontiers in Plant Science</i> , 2017, 8, 2001.	3.6	10
65	Reply to: Evaluating two different models of peanut's origin. <i>Nature Genetics</i> , 2020, 52, 560-563.	21.4	8
66	Sequential Paleotetraploidization shaped the carrot genome. <i>BMC Plant Biology</i> , 2020, 20, 52.	3.6	8
67	An updated explanation of ancestral karyotype changes and reconstruction of evolutionary trajectories to form <i>Camelina sativa</i> chromosomes. <i>BMC Genomics</i> , 2020, 21, 705.	2.8	7
68	Discovery and annotation of a novel transposable element family in <i>Gossypium</i> . <i>BMC Plant Biology</i> , 2018, 18, 307.	3.6	6
69	Alignment of Rutaceae Genomes Reveals Lower Genome Fractionation Level Than Eudicot Genomes Affected by Extra Polyploidization. <i>Frontiers in Plant Science</i> , 2019, 10, 986.	3.6	6
70	Comparative Genomic Analysis of C4 Photosynthesis Pathway Evolution in Grasses. , 2013, , 447-477.		4
71	Comparative Analysis of Gene Conversion Between Duplicated Regions in <i>Brassica rapa</i> and <i>B. oleracea</i> Genomes. <i>Compendium of Plant Genomes</i> , 2015, , 121-129.	0.5	3
72	Genome structure and evolutionary history of frankincense producing <i>Boswellia sacra</i> . <i>IScience</i> , 2022, 25, 104574.	4.1	3

#	ARTICLE	IF	CITATIONS
73	Integrative genomics analysis of the ever-shrinking pectin methylesterase (PME) gene family in foxtail		