

Mette Brekke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8834409/publications.pdf>

Version: 2024-02-01

66
papers

1,468
citations

394421

19
h-index

345221

36
g-index

70
all docs

70
docs citations

70
times ranked

1928
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost-effectiveness analysis of acupuncture compared with usual care for acute non-specific low back pain: secondary analysis of a randomised controlled trial. <i>Acupuncture in Medicine</i> , 2022, 40, 123-132.	1.0	1
2	OUP accepted manuscript. <i>Family Practice</i> , 2022, , .	1.9	0
3	Unspecified opioids among opioid overdoses in Oslo, Norway. <i>BMC Research Notes</i> , 2022, 15, 134.	1.4	0
4	Sexual activity and functioning in long-term breast cancer survivors; exploring associated factors in a nationwide survey. <i>Breast Cancer Research and Treatment</i> , 2022, 193, 139-149.	2.5	17
5	Couple relationship problemsâ€™a task for the general practitioner? A cross-sectional survey from Norway. <i>Family Practice</i> , 2021, 38, 115-120.	1.9	2
6	Treatment for acute bronchiolitis before and after implementation of new national guidelines: a retrospective observational study from primary and secondary care in Oslo, Norway. <i>BMJ Paediatrics Open</i> , 2021, 5, e001111.	1.4	1
7	Somatic symptoms and associations with common psychological diagnoses: a retrospective cohort study from Norwegian urban general practice. <i>Family Practice</i> , 2021, 38, 766-772.	1.9	3
8	Treating patients with opioid overdose at a primary care emergency outpatient clinic: a cost-minimization analysis. <i>Cost Effectiveness and Resource Allocation</i> , 2021, 19, 48.	1.5	3
9	Childrenâ€™s and adolescentsâ€™ experiences with functional abdominal pain: a qualitative study in Norway. <i>BMJ Open</i> , 2021, 11, e048949.	1.9	4
10	General practitionersâ€™ experiences with children and adolescents with functional gastro-intestinal disorders: a qualitative study in Norway. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 543-551.	1.5	5
11	Point-of-care ultrasound (POCUS) in Norwegian general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 219-225.	1.5	11
12	Acupuncture for acute non-specific low back pain: a randomised, controlled, multicentre intervention study in general practiceâ€™the Acuback study. <i>BMJ Open</i> , 2020, 10, e034157.	1.9	9
13	Understanding parentsâ€™ experiences of disease course and influencing factors: a 3-year follow-up qualitative study among parents of children with functional abdominal pain. <i>BMJ Open</i> , 2020, 10, e037288.	1.9	6
14	Prevalence and distribution of psychological diagnoses and related frequency of consultations in Norwegian urban general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2020, 38, 124-131.	1.5	6
15	Primary care practitionersâ€™ diagnostic action when the patient may have cancer: an exploratory vignette study in 20 European countries. <i>BMJ Open</i> , 2020, 10, e035678.	1.9	9
16	Mortality, morbidity and follow-up after acute poisoning by substances of abuse: A prospective observational cohort study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 452-461.	2.3	18
17	Acute poisoning related to the recreational use of prescription drugs: an observational study from Oslo, Norway. <i>BMC Emergency Medicine</i> , 2019, 19, 55.	1.9	8
18	Mortality and repeated poisoning after self-discharge during treatment for acute poisoning by substances of abuse: a prospective observational cohort study. <i>BMC Emergency Medicine</i> , 2019, 19, 5.	1.9	10

#	ARTICLE	IF	CITATIONS
19	Gender differences in acute recreational drug toxicity: a case series from Oslo, Norway. <i>BMC Emergency Medicine</i> , 2019, 19, 29.	1.9	9
20	How European primary care practitioners think the timeliness of cancer diagnosis can be improved: a thematic analysis. <i>BMJ Open</i> , 2019, 9, e030169.	1.9	15
21	Exploring why patients with cancer consult GPs: a 1-year data extraction. <i>BJGP Open</i> , 2019, 3, bjgpopen19X101663.	1.8	5
22	Factors associated with rapidly repeated acute poisoning by substances of abuse: a prospective observational cohort study. <i>BMC Research Notes</i> , 2018, 11, 724.	1.4	3
23	Identifying important health system factors that influence primary care practitioners' referrals for cancer suspicion: a European cross-sectional survey. <i>BMJ Open</i> , 2018, 8, e022904.	1.9	17
24	Potentially Inappropriate Prescribing to Older Patients: Criteria, Prevalence and an Intervention to Reduce It: The Prescription Peer Academic Detailing (Rx-PAD) Study – A Cluster-Randomized, Educational Intervention in Norwegian General Practice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 380-391.	2.5	7
25	Gynecological cancer patients' attitudes toward follow-up care after cancer treatment: Do preferences reflect patients' experience? A cross-sectional questionnaire study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1325-1331.	2.8	7
26	Characteristics of GPs responding to an educational intervention to minimise inappropriate prescriptions: subgroup analyses of the Rx-PAD study. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101373.	1.8	2
27	Experiences with late effects-related care and preferences for long-term follow-up care among adult survivors of childhood lymphoma. <i>Supportive Care in Cancer</i> , 2017, 25, 2445-2454.	2.2	14
28	Do patients consult their GP for sexual concerns? A cross sectional explorative study. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 373-378.	1.5	11
29	Effect of Vitamin D on Thyroid Autoimmunity: A Randomized, Double-Blind, Controlled Trial Among Ethnic Minorities. <i>Journal of the Endocrine Society</i> , 2017, 1, 470-479.	0.2	15
30	Strengthening general practice/family medicine in Europe – advice from professionals from 30 European countries. <i>BMC Family Practice</i> , 2017, 18, 80.	2.9	19
31	Potentially inappropriate medication use in nursing homes: an observational study using the NORGE-P-NH criteria. <i>BMC Geriatrics</i> , 2017, 17, 220.	2.7	33
32	GPs' and child and adolescent psychiatry specialists' experiences of joint consultations in the GP's office: a qualitative study. <i>BMC Research Notes</i> , 2017, 10, 458.	1.4	6
33	Follow-up of young patients after acute poisoning by substances of abuse: a comparative cohort study at an emergency outpatient clinic. <i>BMC Research Notes</i> , 2016, 9, 398.	1.4	4
34	Outpatient treatment of acute poisoning by substances of abuse: a prospective observational cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 76.	2.6	11
35	Follow-up after acute poisoning by substances of abuse: a prospective observational cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 309-316.	1.5	3
36	Survey Email Scheduling and Monitoring in eRCTs (SESAMe): A Digital Tool to Improve Data Collection in Randomized Controlled Clinical Trials. <i>Journal of Medical Internet Research</i> , 2016, 18, e311.	4.3	8

#	ARTICLE	IF	CITATIONS
37	Effect of vitamin D3-supplementation on bone markers (serum PINP and CTX): A randomized, double blinded, placebo controlled trial among healthy immigrants living in Norway. <i>Bone Reports</i> , 2015, 2, 82-88.	0.4	17
38	'Big needles, small bodies'--the absence of acupuncture treatment for infants in contemporary Shanghai: a qualitative study. <i>BMJ Open</i> , 2015, 5, e009486-e009486.	1.9	4
39	What do patients bring up in consultations? An observational study in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 206-211.	1.5	30
40	General practitioners' attitudes toward follow-up after cancer treatment: A cross-sectional questionnaire study. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 223-232.	1.5	26
41	Effect of vitamin D3 supplementation on iron status: a randomized, double-blind, placebo-controlled trial among ethnic minorities living in Norway. <i>Nutrition Journal</i> , 2015, 15, 74.	3.4	25
42	Patients presenting with acute poisoning to an outpatient emergency clinic: a one-year observational study in Oslo, Norway. <i>BMC Emergency Medicine</i> , 2015, 15, 18.	1.9	27
43	The Norwegian General Practice "Nursing Home criteria (NORGE-P-NH) for potentially inappropriate medication use: A web-based Delphi study. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 134-141.	1.5	58
44	Levek�r i Oslos bydeler og legevaktbehandlet rusmiddelforgiftning. <i>Tidsskrift for Den Norske L�geforening</i> , 2015, 135, 1943-1948.	0.2	0
45	Effect of vitamin D on musculoskeletal pain and headache: A randomized, double-blind, placebo-controlled trial among adult ethnic minorities in Norway. <i>Pain</i> , 2014, 155, 2591-2598.	4.2	34
46	Effect of vitamin D ₃ supplementation on glycated hemoglobin (HbA1c), fructosamine, serum lipids, and body mass index: a randomized, double-blinded, placebo-controlled trial among healthy immigrants living in Norway. <i>BMJ Open Diabetes Research and Care</i> , 2014, 2, e000026.	2.8	19
47	Undergraduate medical education in general practice/family medicine throughout Europe "a descriptive study. <i>BMC Medical Education</i> , 2013, 13, 157.	2.4	32
48	Prescription peer academic detailing to reduce inappropriate prescribing for older patients: a cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2013, 63, e554-e562.	1.4	40
49	Poor communication on patients' medication across health care levels leads to potentially harmful medication errors. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 234-240.	1.5	38
50	Acupuncture for acute non-specific low back pain: a protocol for a randomised, controlled multicentre intervention study in general practice"the Acuback Study: Figure 1. <i>BMJ Open</i> , 2012, 2, e001164.	1.9	8
51	Inappropriate prescribing for the elderly"a modern epidemic?. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1085-1094.	1.9	67
52	A "minimal core curriculum" for Family Medicine in undergraduate medical education: A European Delphi survey among EURACT representatives. <i>European Journal of General Practice</i> , 2011, 17, 217-220.	2.0	33
53	Does present use of cardiovascular medication reflect elevated cardiovascular risk scores estimated ten years ago? A population based longitudinal observational study. <i>BMC Public Health</i> , 2011, 11, 144.	2.9	4
54	Vitamin D status in patients with musculoskeletal pain, fatigue and headache: A cross-sectional descriptive study in a multi-ethnic general practice in Norway. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 166-171.	1.5	112

#	ARTICLE	IF	CITATIONS
55	The Norwegian General Practice (NORGE) criteria for assessing potentially inappropriate prescriptions to elderly patients. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 153-159.	1.5	198
56	Acute abdominal pain in general practice: tentative diagnoses and handling. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 137-140.	1.5	15
57	Secondary cardiovascular risk prevention—we can do better. <i>Lancet, The</i> , 2009, 373, 873-875.	13.7	8
58	Somatic health among heroin addicts before and during opioid maintenance treatment: a retrospective cohort study. <i>BMC Public Health</i> , 2008, 8, 43.	2.9	32
59	Pharmacologically inappropriate prescriptions for elderly patients in general practice: How common?. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 80-85.	1.5	53
60	Which population groups should be targeted for cardiovascular prevention? A modelling study based on the Norwegian Hordaland Health Study (HUSK). <i>Scandinavian Journal of Primary Health Care</i> , 2007, 25, 105-111.	1.5	14
61	Antihypertensive and lipid lowering treatment in 70–74 year old individuals – predictors for treatment and blood-pressure control: a population based survey. <i>The Hordaland Health Study (HUSK). BMC Geriatrics</i> , 2006, 6, 16.	2.7	6
62	Self-reported drug utilization, health, and lifestyle factors among 70–74 year old community dwelling individuals in Western Norway. <i>The Hordaland Health Study (HUSK). BMC Public Health</i> , 2006, 6, 121.	2.9	16
63	A cluster-randomized educational intervention to reduce inappropriate prescription patterns for elderly patients in general practice – The Prescription Peer Academic Detailing (Rx-PAD) study [NCT00281450]. <i>BMC Health Services Research</i> , 2006, 6, 72.	2.2	36
64	Musculo-skeletal pain among 40- and 45-year olds in Oslo: differences between two socioeconomically contrasting areas, and their possible explanations. <i>International Journal for Equity in Health</i> , 2004, 3, 10.	3.5	12
65	Severity of musculoskeletal pain: relations to socioeconomic inequality. <i>Social Science and Medicine</i> , 2002, 54, 221-228.	3.8	143
66	Disease activity and severity in patients with rheumatoid arthritis: relations to socioeconomic inequality. <i>Social Science and Medicine</i> , 1999, 48, 1743-1750.	3.8	52