
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8836249/publications.pdf

Version: 2024-02-01



#	Article	lF	CITATIONS
1	Selective mRNA translation coordinates energetic and metabolic adjustments to cellular oxygen deprivation and reoxygenation in <i>Arabidopsis thaliana</i> . Plant Journal, 2008, 56, 743-755.	5.7	317
2	Methanobactin, a Copper-Acquisition Compound from Methane-Oxidizing Bacteria. Science, 2004, 305, 1612-1615.	12.6	303
3	Effects of Three Pharmaceutical and Personal Care Products on Natural Freshwater Algal Assemblages. Environmental Science & Technology, 2003, 37, 1713-1719.	10.0	299
4	NMR Spectroscopy for Metabolomics and Metabolic Profiling. Analytical Chemistry, 2015, 87, 133-146.	6.5	192
5	Quantitative NMR for bioanalysis and metabolomics. Analytical and Bioanalytical Chemistry, 2012, 404, 1165-1179.	3.7	168
6	Diffusion Coefficients and Polydispersities of the Suwannee River Fulvic Acid:Â Comparison of Fluorescence Correlation Spectroscopy, Pulsed-Field Gradient Nuclear Magnetic Resonance, and Flow Field-Flow Fractionation. Environmental Science & Technology, 2000, 34, 3508-3513.	10.0	143
7	Two Rumex Species from Contrasting Hydrological Niches Regulate Flooding Tolerance through Distinct Mechanisms. Plant Cell, 2013, 25, 4691-4707.	6.6	133
8	Arabidopsis P-Glycoprotein19 Participates in the Inhibition of Gravitropism by Gravacin. Chemistry and Biology, 2007, 14, 1366-1376.	6.0	128
9	Factors Affecting the Fate of Ciprofloxacin in Aquatic Field Systems. Water, Air, and Soil Pollution, 2005, 161, 383-398.	2.4	122
10	Comparison of GC-MS and NMR for Metabolite Profiling of Rice Subjected to Submergence Stress. Journal of Proteome Research, 2013, 12, 898-909.	3.7	117
11	Chemical genetic interrogation of natural variation uncovers a molecule that is glycoactivated. Nature Chemical Biology, 2007, 3, 716-721.	8.0	103
12	Analysis and characterization of heparin impurities. Analytical and Bioanalytical Chemistry, 2011, 399, 527-539.	3.7	96
13	Copper-Binding Compounds from <i>Methylosinus trichosporium</i> OB3b. Journal of Bacteriology, 1998, 180, 3606-3613.	2.2	93
14	Fate and Effects of Enrofloxacin in Aquatic Systems under Different Light Conditions. Environmental Science & Technology, 2005, 39, 9140-9146.	10.0	90
15	Occurrence of Halogenated Transformation Products of Selected Pharmaceuticals and Personal Care Products in Secondary and Tertiary Treated Wastewaters from Southern California. Environmental Science & Technology, 2015, 49, 2044-2051.	10.0	90
16	Measuring ligand-protein binding using NMR diffusion experiments. Concepts in Magnetic Resonance, 2004, 20A, 24-41.	1.3	88
17	Characterization of distinct root and shoot responses to lowâ€oxygen stress in <scp>A</scp> rabidopsis with a focus on primary <scp>C</scp> â€and <scp>N</scp> â€metabolism. Plant, Cell and Environment, 2014, 37, 2366-2380.	5.7	88
18	Heparin Characterization: Challenges and Solutions. Annual Review of Analytical Chemistry, 2011, 4, 439-465.	5.4	86

CYNTHIA K LARIVE

#	Article	IF	CITATIONS
19	Determination of the Acid Dissociation Constant of the Biosurfactant Monorhamnolipid in Aqueous Solution by Potentiometric and Spectroscopic Methods. Analytical Chemistry, 2006, 78, 7649-7658.	6.5	85
20	Separation and Analysis of Peptides and Proteins. Analytical Chemistry, 1999, 71, 389-423.	6.5	84
21	Applications of NMR spectroscopy in environmental science. Progress in Nuclear Magnetic Resonance Spectroscopy, 2004, 45, 209-238.	7.5	75
22	Purification and Physicalâ^'Chemical Properties of Methanobactin:Â A Chalkophore fromMethylosinus trichosporiumOB3bâ€. Biochemistry, 2005, 44, 5140-5148.	2.5	75
23	Advances in the separation, sensitive detection, and characterization of heparin and heparan sulfate. Analytical and Bioanalytical Chemistry, 2009, 393, 155-169.	3.7	75
24	The 2D-J-DOSY Experiment: Resolving Diffusion Coefficients in Mixtures. Journal of Magnetic Resonance, 2002, 156, 138-145.	2.1	69
25	Analysis of Diffusion Coefficient Distributions in Humic and Fulvic Acids by Means of Diffusion Ordered NMR Spectroscopy. Analytical Chemistry, 1999, 71, 5315-5321.	6.5	65
26	Metolachlor and Alachlor Breakdown Product Formation Patterns in Aquatic Field Mesocosms. Environmental Science & Technology, 1999, 33, 4471-4476.	10.0	65
27	Synthesis and Properties of Metal–Ligand Complexes with Endohedral Amine Functionality. Inorganic Chemistry, 2011, 50, 9430-9442.	4.0	64
28	Rice <i>SUB1A</i> constrains remodelling of the transcriptome and metabolome during submergence to facilitate postâ€submergence recovery. Plant, Cell and Environment, 2018, 41, 721-736.	5.7	64
29	Ultraperformance Ion-Pair Liquid Chromatography Coupled to Electrospray Time-of-Flight Mass Spectrometry for Compositional Profiling and Quantification of Heparin and Heparan Sulfate. Analytical Chemistry, 2008, 80, 1297-1306.	6.5	63
30	Detection of Insulin Aggregates with Pulsed-Field Gradient Nuclear Magnetic Resonance Spectroscopy. Analytical Biochemistry, 1995, 229, 214-220.	2.4	61
31	Quantitative Analysis of Peptides with NMR Spectroscopy. Applied Spectroscopy, 1997, 51, 1531-1536.	2.2	60
32	Measurement of SDS Micelleâ^'Peptide Association Using1H NMR Chemical Shift Analysis and Pulsed-Field Gradient NMR Spectroscopy. Analytical Chemistry, 1998, 70, 1339-1345.	6.5	60
33	Differential Metabolic Regulation Governed by the Rice <i>SUB1A</i> Gene during Submergence Stress and Identification of Alanylglycine by ¹ H NMR Spectroscopy. Journal of Proteome Research, 2012, 11, 320-330.	3.7	60
34	Cis/trans conformational equilibrium across the cysteine6-proline peptide bond of oxytocin, arginine vasopressin, and lysine vasopressin. Journal of the American Chemical Society, 1992, 114, 7331-7337.	13.7	58
35	Capillary Isotachophoresis/NMR:Â Extension to Trace Impurity Analysis and Improved Instrumental Coupling. Analytical Chemistry, 2002, 74, 2306-2313.	6.5	58
36	Nuclear magnetic resonance spectroscopic analysis of the selective complexation of the cis and trans isomers of phenylalanylproline by β-cyclodextrin. Analytica Chimica Acta, 1995, 307, 449-457.	5.4	56

#	Article	IF	CITATIONS
37	Measurement of peptide aggregation with pulsed-field gradient nuclear magnetic resonance spectroscopy. BBA - Proteins and Proteomics, 1998, 1382, 257-265.	2.1	54
38	Analysis of Protein/Ligand Interactions with NMR Diffusion Measurements: The Importance of Eliminating the Protein Background. Journal of Magnetic Resonance, 2002, 155, 217-225.	2.1	52
39	A comparison of metabolite extraction strategies for ¹ Hâ€NMRâ€based metabolic profiling using mature leaf tissue from the model plant <i>Arabidopsis thaliana</i> . Magnetic Resonance in Chemistry, 2009, 47, S147-56.	1.9	51
40	Modified Pulsed-Field Gradient NMR Experiments for Improved Selectivity in the Measurement of Diffusion Coefficients in Complex Mixtures:Â Application to the Analysis of the Suwannee River Fulvic Acid. Analytical Chemistry, 1997, 69, 2122-2128.	6.5	49
41	13C NMR Relaxation and 1H Diffusion (DOSY) Studies of an Acidic Chloroaluminate Melt. The Journal of Physical Chemistry, 1996, 100, 4724-4728.	2.9	48
42	A mechanistic study of danazol dissolution in ionic surfactant solutions. Journal of Pharmaceutical Sciences, 2003, 92, 424-435.	3.3	48
43	Could smaller really be better? Current and future trends in high-resolution microcoil NMR spectroscopy. Analytical and Bioanalytical Chemistry, 2012, 402, 61-68.	3.7	48
44	Analytical and Biological Characterization of Halogenated Gemfibrozil Produced through Chlorination of Wastewater. Environmental Science & Technology, 2012, 46, 5583-5589.	10.0	47
45	Sulfamate proton solvent exchange in heparin oligosaccharides: Evidence for a persistent hydrogen bond in the antithrombin-binding pentasaccharide Arixtra. Glycobiology, 2012, 22, 1173-1182.	2.5	46
46	Dynamics of cis/trans isomerization of the cysteine6-proline peptide bonds of oxytocin and arginine-vasopressin in aqueous and methanol solutions. Journal of the American Chemical Society, 1993, 115, 2833-2836.	13.7	44
47	NMR diffusion analysis of surfactant–humic substance interactions. Journal of Colloid and Interface Science, 2003, 261, 508-513.	9.4	44
48	Tissue targeted metabonomics: Metabolic profiling by microdialysis sampling and microcoil NMR. Journal of Pharmaceutical and Biomedical Analysis, 2005, 38, 904-909.	2.8	44
49	Epitope Mapping and Competitive Binding of HSA Drug Site II Ligands by NMR Diffusion Measurements. Journal of the American Chemical Society, 2004, 126, 14258-14266.	13.7	43
50	Improved Spin-Echo-Edited NMR Diffusion Measurements. Journal of Magnetic Resonance, 2001, 153, 273-276.	2.1	40
51	Characterization of humic substances: Implications for trihalomethane formation. Analytical and Bioanalytical Chemistry, 2004, 378, 1579-1586.	3.7	40
52	Understanding Chiral Molecular Micellar Separations Using Steady-State Fluorescence Anisotropy, Capillary Electrophoresis, and NMR. Langmuir, 2007, 23, 425-435.	3.5	40
53	Analysis of Molecular Square Size and Purity via Pulsed-Field Gradient NMR Spectroscopy. Inorganic Chemistry, 2002, 41, 6172-6174.	4.0	39
54	Measurement of Cadmium(II) and Calcium(II) Complexation by Fulvic Acids Using113Cd NMR. Environmental Science & Technology, 2001, 35, 1463-1468.	10.0	37

#	Article	IF	CITATIONS
55	Separation and Analysis of Peptides and Proteins. Analytical Chemistry, 1997, 69, 29-58.	6.5	36
56	Polymer additives mixture analysis using pulsed-field gradient NMR spectroscopy. Magnetic Resonance in Chemistry, 1998, 36, 755-760.	1.9	36
57	Use of NMR Binding Interaction Mapping Techniques to Examine Interactions of Chiral Molecules with Molecular Micelles. Journal of Physical Chemistry B, 2006, 110, 17359-17369.	2.6	36
58	NMR characterization of the host–guest inclusion complex between β yclodextrin and doxepin. Magnetic Resonance in Chemistry, 2008, 46, 838-845.	1.9	36
59	113Cd NMR Binding Studies of Cdâ^ Fulvic Acid Complexes:  Evidence of Fast Exchange. Environmental Science & Technology, 1996, 30, 2828-2831.	10.0	35
60	Insights into the cITP Process Using On-Line NMR Spectroscopy. Analytical Chemistry, 2002, 74, 4191-4197.	6.5	35
61	Transferred Nuclear Overhauser Effect in Nuclear Magnetic Resonance Diffusion Measurements of Ligandâ^'Protein Binding. Analytical Chemistry, 2003, 75, 627-634.	6.5	35
62	Insights into the mechanism of separation of heparin and heparan sulfate disaccharides by reverse-phase ion-pair chromatography. Journal of Chromatography A, 2010, 1217, 479-488.	3.7	35
63	1H and 15N NMR Characterization of the Amine Groups of Heparan Sulfate Related Glucosamine Monosaccharides in Aqueous Solution. Analytical Chemistry, 2015, 87, 6842-6848.	6.5	35
64	Analytical applications of NMR diffusion measurements. Analytical and Bioanalytical Chemistry, 2004, 378, 1405-1407.	3.7	34
65	Role of Undergraduate Research in an Excellent and Rigorous Undergraduate Chemistry Curriculum. Journal of Chemical Education, 2012, 89, 7-9.	2.3	34
66	Separations coupled with NMR detection. TrAC - Trends in Analytical Chemistry, 2003, 22, 766-775.	11.4	32
67	Diffusion Ordered Spectroscopy of Room Temperature Chloroaluminate Melts. The Journal of Physical Chemistry, 1995, 99, 12409-12412.	2.9	31
68	A Mechanistic Study of Griseofulvin Dissolution into Surfactant Solutions under Laminar Flow Conditions. Journal of Pharmaceutical Sciences, 1997, 86, 1132-1137.	3.3	31
69	NMR Investigation of the Interactions between 4 -Fluoro-1 -acetonaphthone and the Suwannee River Fulvic Acid. Environmental Science & Technology, 1999, 33, 958-964.	10.0	31
70	Solutionâ€&tate ¹⁷ Oâ€Quadrupole Centralâ€Transition NMR Spectroscopy in the Active Site of Tryptophan Synthase. Angewandte Chemie - International Edition, 2016, 55, 1350-1354.	13.8	31
71	Progress toward automated metabolic profiling of human serum: Comparison of CPMG and gradient-filtered NMR analytical methods. Journal of Pharmaceutical and Biomedical Analysis, 2005, 39, 156-163.	2.8	30
72	On-line NMR detection of microgram quantities of heparin-derived oligosaccharides and their structure elucidation by microcoil NMR. Analytical and Bioanalytical Chemistry, 2007, 388, 1707-1716.	3.7	30

#	Article	IF	CITATIONS
73	Detection of the1H and15N NMR Resonances of Sulfamate Groups in Aqueous Solution: A New Tool for Heparin and Heparan Sulfate Characterization. Analytical Chemistry, 2011, 83, 8006-8010.	6.5	30
74	Characterizing the Microstructure of Heparin and Heparan Sulfate Using <i>N</i> -Sulfoglucosamine ¹ H and ¹⁵ N NMR Chemical Shift Analysis. Analytical Chemistry, 2013, 85, 1247-1255.	6.5	30
75	Separation and Analysis of Nanomole Quantities of Heparin Oligosaccharides Using On-Line Capillary Isotachophoresis Coupled with NMR Detection. Analytical Chemistry, 2005, 77, 5998-6003.	6.5	29
76	Using NMR to Develop Insights into Electrokinetic Chromatography. Analytical Chemistry, 2005, 77, 254 A-263 A.	6.5	29
77	NMR Spectroscopy with Spectral Editing for the Analysis of Complex Mixtures. Applied Spectroscopy, 1999, 53, 426A-440A.	2.2	28
78	Nutrient level, microbial activity, and alachlor transformation in aerobic aquatic systems. Water Research, 2003, 37, 4761-4769.	11.3	28
79	Separation and Analysis of Trace Degradants in a Pharmaceutical Formulation Using On-Line Capillary Isotachophoresis-NMR. Analytical Chemistry, 2007, 79, 8446-8453.	6.5	28
80	NMR assignments and the acid–base characterization of the pomegranate ellagitannin punicalagin in the acidic pH-range. Analytical and Bioanalytical Chemistry, 2013, 405, 5807-5816.	3.7	28
81	Correlation of the capacity factor in vesicular electrokinetic chromatography with the octanol:water partition coefficient for charged and neutral analytes. Pharmaceutical Research, 2001, 18, 104-111.	3.5	27
82	Sources and Haloacetic Acid/Trihalomethane Formation Potentials of Aquatic Humic Substances in the Wakarusa River and Clinton Lake near Lawrence, Kansas. Environmental Science & Technology, 2000, 34, 4278-4286.	10.0	26
83	Epimerization of Cypermethrin Stereoisomers in Alcohols. Journal of Agricultural and Food Chemistry, 2009, 57, 6938-6943.	5.2	26
84	Characterization of Heparin Impurities with HPLC-NMR Using Weak Anion Exchange Chromatography. Analytical Chemistry, 2009, 81, 10116-10123.	6.5	26
85	Metabolite biomarkers of chlorothalonil exposure in earthworms, coelomic fluid, and coelomocytes. Science of the Total Environment, 2019, 681, 435-443.	8.0	26
86	Examination of Cadmium(II) Complexation by the Suwannee River Fulvic Acid Using113Cd NMR Relaxation Measurements. Environmental Science & Technology, 2001, 35, 4900-4904.	10.0	25
87	Use of ¹ H Nuclear Magnetic Resonance To Measure Intracellular Metabolite Levels during Growth and Asexual Sporulation in Neurospora crassa. Eukaryotic Cell, 2011, 10, 820-831.	3.4	25
88	Reversed-phase ion-pair ultra-high-performance-liquid chromatography–mass spectrometry for fingerprinting low-molecular-weight heparins. Journal of Chromatography A, 2013, 1292, 201-210.	3.7	25
89	Novel compstatin family peptides inhibit complement activation by drusen-like deposits in human retinal pigmented epithelial cell cultures. Experimental Eye Research, 2013, 116, 96-108.	2.6	25
90	Separation of ten phosphorylated mono-and disaccharides using HILIC and ion-pairing interactions. Analytica Chimica Acta, 2017, 972, 102-110.	5.4	25

#	Article	IF	CITATIONS
91	Conformational Analysis of the β-amyloid Peptide Fragment, β(12–28). Journal of Biomolecular Structure and Dynamics, 1995, 13, 229-244.	3.5	24
92	Insights into cyclodextrin interactions during sample stacking using capillary isotachophoresis with on-line microcoil NMR detection. Magnetic Resonance in Chemistry, 2005, 43, 755-761.	1.9	24
93	NMR methods to monitor the enzymatic depolymerization of heparin. Analytical and Bioanalytical Chemistry, 2011, 399, 593-603.	3.7	23
94	A closer look at the nitrogen next door: 1H–15N NMR methods for glycosaminoglycan structural characterization. Journal of Magnetic Resonance, 2012, 216, 169-174.	2.1	23
95	Hydroxyl-Proton Hydrogen Bonding in the Heparin Oligosaccharide Arixtra in Aqueous Solution. Journal of Physical Chemistry B, 2014, 118, 482-491.	2.6	23
96	1H NMR Characterization of the Product from Single Solid-Phase Resin Beads Using Capillary NMR Flow Probes. Journal of Magnetic Resonance, 2001, 153, 215-222.	2.1	22
97	Insights into the Capillary Electrophoresis Separation of Heparin Disaccharides from Nuclear Magnetic Resonance, p <i>K</i> _a , and Electrophoretic Mobility Measurements. Analytical Chemistry, 2009, 81, 7406-7415.	6.5	21
98	Metabolic Impacts of Using Nitrogen and Copper-Regulated Promoters to Regulate Gene Expression in <i>Neurospora crassa</i> . G3: Genes, Genomes, Genetics, 2015, 5, 1899-1908.	1.8	21
99	13C and 27Al NMR Relaxation, Viscosity, and 1H Diffusion Studies of an Ethylaluminum Dichloride Melt. Journal of Physical Chemistry B, 1998, 102, 1717-1723.	2.6	20
100	Getting to know the nitrogen next door: HNMBC measurements of amino sugars. Journal of Magnetic Resonance, 2011, 209, 323-331.	2.1	20
101	Cracking the glycan sequence code. Nature Chemical Biology, 2011, 7, 758-759.	8.0	20
102	¹ H NMR Metabolic Profiling of Earthworm (<i>Eisenia fetida</i>) Coelomic Fluid, Coelomocytes, and Tissue: Identification of a New Metabolite—Malylglutamate. Journal of Proteome Research, 2017, 16, 3407-3418.	3.7	19
103	Metabolic Profiling of Chloroacetanilide Herbicides in Earthworm Coelomic Fluid Using ¹ H NMR and GC–MS. Journal of Proteome Research, 2018, 17, 2611-2622.	3.7	19
104	Development of tissue-targeted metabonomics. Part 1. Analytical considerations. Journal of Pharmaceutical and Biomedical Analysis, 2008, 46, 737-747.	2.8	18
105	Understanding the Effect of the Counterion on the Reverse-Phase Ion-Pair High-Performance Liquid Chromatography (RPIP-HPLC) Resolution of Heparin-Related Saccharide Anomers. Analytical Chemistry, 2011, 83, 6762-6769.	6.5	18
106	Problem-based learning in the analytical chemistry laboratory course. Analytical and Bioanalytical Chemistry, 2004, 380, 357-359.	3.7	17
107	New Compstatin Peptides Containing N-Terminal Extensions and Non-Natural Amino Acids Exhibit Potent Complement Inhibition and Improved Solubility Characteristics. Journal of Medicinal Chemistry, 2015, 58, 814-826.	6.4	17
108	Two-dimensional1H NMR spectroscopy of aqueous solutions with elimination of the water resonance by transverse relaxation: Application to assignment of the1H NMR spectrum of reduced arginine vasopressin. Magnetic Resonance in Chemistry, 1991, 29, 409-417.	1.9	16

#	Article	IF	CITATIONS
109	Concentration Profiling in Rat Tissue by High-Resolution Magic-Angle Spinning NMR Spectroscopy:Â Investigation of a Model Drug. Analytical Chemistry, 2005, 77, 2978-2984.	6.5	16
110	Absorptive transport of amino acids by the rat colon. American Journal of Physiology - Renal Physiology, 2020, 318, G189-G202.	3.4	16
111	The efficient structure elucidation of minor components in heparin digests using microcoil NMR. Carbohydrate Research, 2011, 346, 2244-2254.	2.3	15
112	Analysis of the (Trimethylsilyl)propionic Acidâ^'β(12â^'28) Peptide Binding Equilibrium with NMR Spectroscopy. Analytical Chemistry, 1999, 71, 2117-2122.	6.5	14
113	New ACS Guidelines Approved by CPT. Journal of Chemical Education, 2008, 85, 484.	2.3	14
114	Quantification of punicalagins in commercial preparations and pomegranate cultivars, by liquid chromatography–mass spectrometry. Journal of the Science of Food and Agriculture, 2019, 99, 4036-4042.	3.5	14
115	19F diffusion NMR analysis of enzyme-inhibitor binding. Magnetic Resonance in Chemistry, 2002, 40, S98-S105.	1.9	13
116	Probing the Binding of Propranolol Enantiomers to α ₁ -Acid Glycoprotein with Ligand-Detected NMR Experiments. Journal of Physical Chemistry B, 2008, 112, 13581-13587.	2.6	13
117	Anionic deep cavitands enable the adhesion of unmodified proteins at a membrane bilayer. Soft Matter, 2014, 10, 9651-9656.	2.7	13
118	Complementary Analysis of Peptide Aggregation by NMR and Time-Resolved Laser Spectroscopy. Journal of Physical Chemistry B, 1999, 103, 2262-2269.	2.6	12
119	Use of PFG-NMR for Mixture Analysis: Measurement of Diffusion Coefficients of Cis and Trans Isomers of Proline-Containing Peptides. Applied Spectroscopy, 1999, 53, 1595-1600.	2.2	12
120	A picture is worth a thousand words: animations and simulations in the teaching of analytical science. Analytical and Bioanalytical Chemistry, 2008, 390, 71-75.	3.7	12
121	Microcoil NMR Study of the Interactions between Doxepin, Î ² -Cyclodextrin, and Acetate during Capillary Isotachophoresis. Analytical Chemistry, 2012, 84, 7099-7106.	6.5	12
122	Physicochemical characterization of psychosine by 1H nuclear magnetic resonance and electron microscopy. Lipids, 1997, 32, 1035-1040.	1.7	11
123	High-performance liquid chromatographic–nuclear magnetic resonance investigation of the isomerization of alachlor–ethanesulfonic acid. Journal of Chromatography A, 2004, 1022, 131-137.	3.7	11
124	Visualizing Ion Electromigration during Isotachophoretic Separations with Capillary Isotachophoresis-NMR. Analytical Chemistry, 2006, 78, 7078-7087.	6.5	11
125	Tissue-targeted metabonomics: biological considerations and application to doxorubicin-induced hepatic oxidative stress. Metabolomics, 2009, 5, 219-228.	3.0	11
126	The interaction of enoxaparin and fondaparinux with calcium. Carbohydrate Research, 2014, 384, 13-19.	2.3	11

#	Article	IF	CITATIONS
127	Direct Determination of NMR Correlation Times:Â Analysis of the Cdâ^'CyDTA Complex by the Relaxation Rate Ratio Method. Journal of Physical Chemistry A, 1998, 102, 10573-10578.	2.5	10
128	Affinity capillary electrophoresis for the determination of binding affinities for low molecular weight heparins and antithrombinâ€III. Electrophoresis, 2014, 35, 1469-1477.	2.4	10
129	1H high-resolution magic-angle spinning (HR-MAS) NMR analysis of ligand density on resins using a resin internal standard. Analytical and Bioanalytical Chemistry, 2004, 380, 627-631.	3.7	9
130	Heterogeneity of depolymerized heparin SEC fractions: to pool or not to pool?. Carbohydrate Research, 2008, 343, 2963-2970.	2.3	9
131	The Analytical Sciences Digital Library: a resource to promote active learning. Reviews in Analytical Chemistry, 2014, 33, 1-9.	3.2	9
132	Peak alignment of one-dimensional NMR spectra by means of an intensity fluctuation frequency difference (IFFD) segment-wise algorithm. Analytical Methods, 2015, 7, 9673-9682.	2.7	9
133	An improved method for suppressing protein background in PFG NMR experiments to determine ligand diffusion coefficients in the presence of receptor. Journal of Magnetic Resonance, 2006, 181, 327-330.	2.1	8
134	The Analytical Sciences Digital Library: Your Online Resource for Teaching Instrumentation. Journal of Chemical Education, 2011, 88, 375-377.	2.3	8
135	Glycosaminoglycans: Oligosaccharide Analysis by Liquid Chromatography, Capillary Electrophoresis, and Specific Labeling. Methods in Molecular Biology, 2012, 836, 131-144.	0.9	8
136	Celebrating the 75th Anniversary of the ACS Division of Analytical Chemistry: A Special Collection of the Most Highly Cited Analytical Chemistry Papers Published between 1938 and 2012. Analytical Chemistry, 2013, 85, 4201-4202.	6.5	8
137	¹ H and ¹³ C NMR spectral assignments of halogenated transformation products of pharmaceuticals and related environmental contaminants. Magnetic Resonance in Chemistry, 2014, 52, 310-317.	1.9	8
138	Evaluating sub-lethal stress from Roundup® exposure in Artemia franciscana using 1H NMR and GC–MS. Aquatic Toxicology, 2019, 212, 77-87.	4.0	8
139	Instruction in bioanalytical chemistry. Analytical and Bioanalytical Chemistry, 2005, 382, 855-856.	3.7	7
140	Synthesis and conformational analysis of cyclic pentapeptide endothelin antagonists. International Journal of Peptide and Protein Research, 1996, 48, 229-239.	0.1	7
141	Screening enoxaparin tetrasaccharide SEC fractions for 3-O-sulfo-N-sulfoglucosamine residues using [1H,15N] HSQC NMR. Analytical and Bioanalytical Chemistry, 2016, 408, 1545-1555.	3.7	7
142	¹ H NMR-Based Identification of Intestinally Absorbed Metabolites by Ussing Chamber Analysis of the Rat Cecum. Analytical Chemistry, 2018, 90, 4196-4202.	6.5	7
143	TDCIPP exposure affects Artemia franciscana growth and osmoregulation. Science of the Total Environment, 2019, 694, 133486.	8.0	7
144	Juice quality traits, potassium content, and 1H NMR derived metabolites of 14 pomegranate cultivars. Journal of Berry Research, 2019, 9, 209-225.	1.4	7

#	Article	IF	CITATIONS
145	Metabonomics, metabolomics, and metabolic profiling. Analytical and Bioanalytical Chemistry, 2007, 387, 523-523.	3.7	6
146	Happy New Year—renewal, welcome, and farewell. Analytical and Bioanalytical Chemistry, 2013, 405, 3-5.	3.7	6
147	1H NMR-Based Metabolomics Methods for Chemical Genomics Experiments. Methods in Molecular Biology, 2014, 1056, 225-239.	0.9	6
148	Educational approaches for analytical science. Analytical and Bioanalytical Chemistry, 2004, 378, 1399-1400.	3.7	5
149	Revising the quantitative analysis laboratory: What to keep? What to change?. Analytical and Bioanalytical Chemistry, 2006, 386, 1191-1194.	3.7	5
150	The Analytical Sciences Digital Library (ASDL). Analytical and Bioanalytical Chemistry, 2009, 395, 2425-2429.	3.7	5
151	Tips for effective poster presentations. Analytical and Bioanalytical Chemistry, 2006, 385, 1347-1349.	3.7	4
152	The Analytical Sciences Digital Library: A Useful Resource for Active Learning. ACS Symposium Series, 2007, , 188-198.	0.5	4
153	Methods for Measuring Exchangeable Protons in Glycosaminoglycans. Methods in Molecular Biology, 2015, 1229, 173-187.	0.9	4
154	The Scope of Analytical Chemistry. Analytical Chemistry, 2015, 87, 6425-6425.	6.5	4
155	Solutionâ€6tate 17 Oâ€Quadrupole Centralâ€Transition NMR Spectroscopy in the Active Site of Tryptophan Synthase. Angewandte Chemie, 2016, 128, 1372-1376.	2.0	4
156	Rotating-frame nuclear overhauser enhancement spectroscopy of aqueous solutions with elimination of the water resonance by transverse relaxation. Journal of Magnetic Resonance, 1990, 87, 352-356.	0.5	3
157	LC/MS/MS and LC/NMR for the Structure Elucidation of Ciprofloxacin Transformation Products in Pond Water Solution. ACS Symposium Series, 2003, , 146-160.	0.5	3
158	Diffusion-edited NMR spectra of heparin contaminants. Analytical Methods, 2012, 4, 1168.	2.7	3
159	VIZR—an automated chemometric technique for metabolic profiling. Analytical and Bioanalytical Chemistry, 2013, 405, 8409-8417.	3.7	3
160	1H NMR characterization of chitin tetrasaccharide in binary H2O:DMSO solution: Evidence for anomeric end-effect propagation. International Journal of Biological Macromolecules, 2019, 129, 744-749.	7.5	3
161	Using Visible Spectrophotometers and pH Measurements To Study Speciation in a Guided-Inquiry Laboratory. Journal of Chemical Education, 2005, 82, 1552.	2.3	2
162	New developments in the characterization of heparin and its impurities. Analytical and Bioanalytical Chemistry, 2011, 399, 525-526.	3.7	2

CYNTHIA K LARIVE

#	Article	IF	CITATIONS
163	Determination of the binding epitope of lidocaine with AGP: minimizing the effects of nonspecific binding in saturation transfer difference experiments. Analytical and Bioanalytical Chemistry, 2012, 402, 337-347.	3.7	2
164	Investigation of the Amide Proton Solvent Exchange Properties of Glycosaminoglycan Oligosaccharides. Journal of Physical Chemistry B, 2019, 123, 4653-4662.	2.6	2
165	Synthesis and Structure Reassignment of Malylglutamate, a Recently Discovered Earthworm Metabolite. Journal of Natural Products, 2019, 82, 417-421.	3.0	2
166	Quantitative Analysis in Organic Synthesis with NMR Spectroscopy. , 2004, , 1-36.		1
167	Synopsis of the ACS CPT Fall 2009 Faculty Status Survey. Journal of Chemical Education, 2011, 88, 11-13.	2.3	1
168	Bioanalytical Nuclear Magnetic Resonance Spectroscopy. Analytical and Bioanalytical Chemistry, 2004, 378, 1401-1402.	3.7	0
169	Digital resources to enhance instruction. Analytical and Bioanalytical Chemistry, 2004, 379, 321-322.	3.7	0
170	Graduate student internships: developing scientists with real-world experiences. Analytical and Bioanalytical Chemistry, 2005, 381, 993-995.	3.7	0
171	Contributions of Ted Kuwana to Analytical Sciences Education. Electroanalysis, 0, , .	2.9	0
172	Methods for Measuring Exchangeable Protons in Glycosaminoglycans. Methods in Molecular Biology, 2022, 2303, 349-364.	0.9	0