

Zai-Ping Guo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8839354/publications.pdf>

Version: 2024-02-01

538
papers

46,537
citations

996

114
h-index

3321

184
g-index

549
all docs

549
docs citations

549
times ranked

27333
citing authors

#	ARTICLE	IF	CITATIONS
1	Constructing ultrastable electrode/electrolyte interface for rapid potassium ion storage capability via salt chemistry and interfacial engineering. <i>Nano Research</i> , 2022, 15, 2083-2091.	5.8	13
2	Synergistic effect of lithiophilic Zn nanoparticles and N-doping for stable Li metal anodes. <i>Journal of Energy Chemistry</i> , 2022, 65, 439-447.	7.1	16
3	Tuning Mixed Electronic/Ionic Conductivity of 2D CdPS ₃ Nanosheets as an Anode Material by Synergistic Intercalation and Vacancy Engineering. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	19
4	Harnessing Plasma-Assisted Doping Engineering to Stabilize Metallic Phase MoSe ₂ for Fast and Durable Sodium-Ion Storage. <i>Advanced Materials</i> , 2022, 34, e2200397.	11.1	70
5	Encapsulation of BiOCl nanoparticles in N-doped carbon nanotubes as a highly efficient anode for potassium ion batteries. <i>Nanoscale</i> , 2022, 14, 5814-5823.	2.8	18
6	Electrolyte Engineering Enables High Performance Zinc-Ion Batteries. <i>Small</i> , 2022, 18, e2107033.	5.2	118
7	Synergistic Inorganic-Organic Dual-Additive Electrolytes Enable Practical High-Voltage Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 10447-10456.	4.0	23
8	Defect Engineering in a Multiple Confined Geometry for Robust Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	58
9	Challenges and prospects of lithium-CO ₂ batteries. , 2022, 1, e9120001.		99
10	From room temperature to harsh temperature applications: Fundamentals and perspectives on electrolytes in zinc metal batteries. <i>Science Advances</i> , 2022, 8, eabn5097.	4.7	164
11	Recent Progress and Future Advances on Aqueous Monovalent-Ion Batteries towards Safe and High-Power Energy Storage. <i>Advanced Materials</i> , 2022, 34, e2107965.	11.1	48
12	Design and tailoring of carbon-Al ₂ O ₃ double coated nickel-based cation-disordered cathodes towards high-performance Li-ion batteries. <i>Nano Energy</i> , 2022, 96, 107071.	8.2	26
13	High-Polarity Fluoroalkyl Ether Electrolyte Enables Solvation-Free Li ⁺ Transfer for High-Rate Lithium Metal Batteries. <i>Advanced Science</i> , 2022, 9, e2104699.	5.6	54
14	Introducing 4 <i>s</i> Orbital Hybridization to Stabilize Spinel Oxide Cathodes for Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	26
15	Organic electrolyte design for practical potassium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 19090-19106.	5.2	30
16	Regulating Polysulfide Diffusion and Deposition via Rational Design of Core-Shell Active Materials in Li-S Batteries. <i>ACS Nano</i> , 2022, 16, 7982-7992.	7.3	29
17	Introducing 4 <i>s</i> Orbital Hybridization to Stabilize Spinel Oxide Cathodes for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	12
18	Toward practical lithium-ion battery recycling: adding value, tackling circularity and recycling-oriented design. <i>Energy and Environmental Science</i> , 2022, 15, 2732-2752.	15.6	110

#	ARTICLE	IF	CITATIONS
19	Ultrannarrow Bandgap Se-Deficient Bimetallic Selenides for High Performance Alkali Metal-Ion Batteries. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	30
20	High-rate and durable sulfide-based all-solid-state lithium battery with in situ Li ₂ O buffering. <i>Energy Storage Materials</i> , 2022, 51, 306-316.	9.5	33
21	Rational Design of Core-Shell ZnTe@N-Doped Carbon Nanowires for High Gravimetric and Volumetric Alkali Metal Ion Storage. <i>Advanced Functional Materials</i> , 2021, 31, 2006425.	7.8	75
22	Protonic acid catalysis to generate fast electronic transport channels in O-functionalized carbon textile with enhanced energy storage capability. <i>Nano Energy</i> , 2021, 80, 105572.	8.2	11
23	Manipulating the Solvation Structure of Nonflammable Electrolyte and Interface to Enable Unprecedented Stability of Graphite Anodes beyond 2 Years for Safe Potassium-Ion Batteries. <i>Advanced Materials</i> , 2021, 33, e2006313.	11.1	155
24	A Robust Coin-Cell Design for In Situ Synchrotron-based X-Ray Powder Diffraction Analysis of Battery Materials. <i>Batteries and Supercaps</i> , 2021, 4, 380-384.	2.4	11
25	Li ₂ S-Based Li-Ion Sulfur Batteries: Progress and Prospects. <i>Small</i> , 2021, 17, e1903934.	5.2	41
26	A CoSe-C@C core-shell structure with stable potassium storage performance realized by an effective solid electrolyte interphase layer. <i>Journal of Materials Chemistry A</i> , 2021, 9, 11397-11404.	5.2	28
27	A General Strategy for Antimony-Based Alloy Nanocomposite Embedded in Swiss-Cheese-Like Nitrogen-Doped Porous Carbon for Energy Storage. <i>Advanced Functional Materials</i> , 2021, 31, 2009433.	7.8	62
28	Constructing nitrated interfaces for stabilizing Li metal electrodes in liquid electrolytes. <i>Chemical Science</i> , 2021, 12, 8945-8966.	3.7	72
29	Liquid metal batteries for future energy storage. <i>Energy and Environmental Science</i> , 2021, 14, 4177-4202.	15.6	149
30	Template-Free Self-Caging Nanochemistry for Large-Scale Synthesis of Sulfonated-Graphene@Sulfur Nanocage for Long-Life Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2008652.	7.8	37
31	Boosting Zinc Electrode Reversibility in Aqueous Electrolytes by Using Low-Cost Antisolvents. <i>Angewandte Chemie</i> , 2021, 133, 7442-7451.	1.6	87
32	Boosting Zinc Electrode Reversibility in Aqueous Electrolytes by Using Low-Cost Antisolvents. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 7366-7375.	7.2	516
33	Electrolyte Design for In Situ Construction of Highly Zn ²⁺ -Conductive Solid Electrolyte Interphase to Enable High-Performance Aqueous Zn-Ion Batteries under Practical Conditions. <i>Advanced Materials</i> , 2021, 33, e2007416.	11.1	484
34	Engineering Textile Electrode and Bacterial Cellulose Nanofiber Reinforced Hydrogel Electrolyte to Enable High-Performance Flexible All-Solid-State Supercapacitors. <i>Advanced Energy Materials</i> , 2021, 11, 2003010.	10.2	128
35	Biomass-Derived Carbon Materials for High-Performance Supercapacitors: Current Status and Perspective. <i>Electrochemical Energy Reviews</i> , 2021, 4, 219-248.	13.1	118
36	Synchrotron X-Ray Absorption Spectroscopy and Electrochemical Study of Bi ₂ O ₂ Se Electrode for Lithium/Potassium-Ion Storage. <i>Advanced Energy Materials</i> , 2021, 11, 2100185.	10.2	29

#	ARTICLE	IF	CITATIONS
37	Lithium Metal Electrode with Increased Air Stability and Robust Solid Electrolyte Interphase Realized by Silane Coupling Agent Modification. <i>Advanced Materials</i> , 2021, 33, e2008133.	11.1	122
38	Learning from biology: biomimetic carbon cells promote high-power potassium ion batteries. <i>National Science Review</i> , 2021, 8, nwab043.	4.6	4
39	Progress and Perspective on Rechargeable Magnesium-Sulfur Batteries. <i>Small Methods</i> , 2021, 5, e2001303.	4.6	19
40	In Situ Synchrotron X-Ray Absorption Spectroscopy Studies of Anode Materials for Rechargeable Batteries. <i>Batteries and Supercaps</i> , 2021, 4, 1547-1566.	2.4	25
41	Phase Engineering of Nickel Sulfides to Boost Sodium- and Potassium-Ion Storage Performance. <i>Advanced Functional Materials</i> , 2021, 31, 2010832.	7.8	86
42	Challenges and future perspectives on sodium and potassium ion batteries for grid-scale energy storage. <i>Materials Today</i> , 2021, 50, 400-417.	8.3	161
43	Polysulfide Filter and Dendrite Inhibitor: Highly Graphitized Wood Framework Inhibits Polysulfide Shuttle and Lithium Dendrites in Li-S Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2102458.	7.8	42
44	Electron-Injection-Engineering Induced Phase Transition toward Stabilized 1T-MoS ₂ with Extraordinary Sodium Storage Performance. <i>ACS Nano</i> , 2021, 15, 8896-8906.	7.3	77
45	Rechargeable Potassium-Selenium Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2102326.	7.8	30
46	Phase Compatible NiFe ₂ O ₄ Coating Tunes Oxygen Redox in Li-Rich Layered Oxide. <i>ACS Nano</i> , 2021, 15, 11607-11618.	7.3	95
47	Accelerated Polysulfide Redox in Binder-Free Li ₂ S Cathodes Promises High-Energy-Density Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2100957.	10.2	35
48	Revealing the mechanism of saturated ether electrolyte for improving the long-cycling stability of Na-O ₂ batteries. <i>Nano Energy</i> , 2021, 84, 105927.	8.2	13
49	Constructing Layered Nanostructures from Non-Layered Sulfide Crystals via Surface Charge Manipulation Strategy. <i>Advanced Functional Materials</i> , 2021, 31, 2101676.	7.8	20
50	Tuning the Electrolyte Solvation Structure to Suppress Cathode Dissolution, Water Reactivity, and Zn Dendrite Growth in Zinc-Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2104281.	7.8	225
51	Fatigue-Resistant Interfacial Layer for Safe Lithium Metal Batteries. <i>Angewandte Chemie</i> , 2021, 133, 25712-25717.	1.6	7
52	Chain engineering of carbonyl polymers for sustainable lithium-ion batteries. <i>Materials Today</i> , 2021, 50, 170-198.	8.3	36
53	Crystallographic-Site-Specific Structural Engineering Enables Extraordinary Electrochemical Performance of High-Voltage LiNi _{0.5} Mn _{1.5} O ₄ Spinel Cathodes for Lithium-Ion Batteries. <i>Advanced Materials</i> , 2021, 33, e2101413.	11.1	52
54	Enabling Atomic-Scale Imaging of Sensitive Potassium Metal and Related Solid Electrolyte Interphases Using Ultralow-Dose Cryo-TEM. <i>Advanced Materials</i> , 2021, 33, e2102666.	11.1	19

#	ARTICLE	IF	CITATIONS
55	Fundamental understanding and practical challenges of lithium-rich oxide cathode materials: Layered and disordered-rocksalt structure. <i>Energy Storage Materials</i> , 2021, 40, 51-71.	9.5	61
56	Fatigue-Resistant Interfacial Layer for Safe Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 25508-25513.	7.2	73
57	Recent progress on pristine metal/covalent-organic frameworks and their composites for lithium-sulfur batteries. <i>Energy and Environmental Science</i> , 2021, 14, 1835-1853.	15.6	150
58	Bio-inspired design of an <i>in situ</i> multifunctional polymeric solid electrolyte interphase for Zn metal anode cycling at 30 mA cm ⁻² and 30 mA h cm ⁻² . <i>Energy and Environmental Science</i> , 2021, 14, 5947-5957.	15.6	289
59	Achieving High-Performance Metal Phosphide Anode for Potassium Ion Batteries via Concentrated Electrolyte Chemistry. <i>Advanced Energy Materials</i> , 2021, 11, 2003346.	10.2	62
60	Interfacial Engineering Regulates Deposition Kinetics of Zinc Metal Anodes. <i>ACS Applied Energy Materials</i> , 2021, 4, 11743-11751.	2.5	8
61	Cathode materials for high-performance potassium-ion batteries. <i>Cell Reports Physical Science</i> , 2021, 2, 100657.	2.8	9
62	Horizontally arranged zinc platelet electrodeposits modulated by fluorinated covalent organic framework film for high-rate and durable aqueous zinc ion batteries. <i>Nature Communications</i> , 2021, 12, 6606.	5.8	369
63	Coupling efficient biomass upgrading with H ₂ production <i>via</i> bifunctional Cu _x S@NiCo-LDH core-shell nanoarray electrocatalysts. <i>Journal of Materials Chemistry A</i> , 2020, 8, 1138-1146.	5.2	132
64	Understanding Rechargeable Battery Function Using <i>In Operando</i> Neutron Powder Diffraction. <i>Advanced Materials</i> , 2020, 32, e1904528.	11.1	52
65	Uniform Polypyrrole Layer-Coated Sulfur/Graphene Aerogel via the Vapor-Phase Deposition Technique as the Cathode Material for Li-S Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 5958-5967.	4.0	29
66	Flexible free-standing sulfurized polyacrylonitrile electrode for stable Li/Na storage. <i>Electrochimica Acta</i> , 2020, 333, 135493.	2.6	29
67	High-Performance CO ₂ Batteries Based on Metal-Free Carbon Electrocatalysts. <i>Angewandte Chemie</i> , 2020, 132, 3498-3502.	1.6	8
68	High-Performance CO ₂ Batteries Based on Metal-Free Carbon Electrocatalysts. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 3470-3474.	7.2	66
69	An Intrinsically Non-flammable Electrolyte for High-Performance Potassium Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 3638-3644.	7.2	211
70	Coupling Topological Insulator SnSb ₂ Te ₄ Nanodots with Highly Doped Graphene for High-Rate Energy Storage. <i>Advanced Materials</i> , 2020, 32, e1905632.	11.1	78
71	Recent Progress in Designing Stable Composite Lithium Anodes with Improved Wettability. <i>Advanced Science</i> , 2020, 7, 2002212.	5.6	95
72	Elucidation of the high-voltage phase in the layered sodium ion battery cathode material P ₃ Na _{0.5} Ni _{0.25} Mn _{0.75} O ₂ . <i>Journal of Materials Chemistry A</i> , 2020, 8, 21151-21162.	5.2	20

#	ARTICLE	IF	CITATIONS
73	Synergy of binders and electrolytes in enabling micro-sized alloy anodes for high performance potassium-ion batteries. <i>Nano Energy</i> , 2020, 77, 105118.	8.2	82
74	Ultrafast Li-ion migration in eggshell-inspired 2D@2D dual porous construction towards high rate energy storage. <i>Carbon</i> , 2020, 170, 66-74.	5.4	10
75	Post-lithium battery materials and technology. <i>EcoMat</i> , 2020, 2, e12048.	6.8	6
76	Deeply understanding the Zn anode behaviour and corresponding improvement strategies in different aqueous Zn-based batteries. <i>Energy and Environmental Science</i> , 2020, 13, 3917-3949.	15.6	480
77	Building Artificial Solid-Electrolyte Interphase with Uniform Intermolecular Ionic Bonds toward Dendrite-Free Lithium Metal Anodes. <i>Advanced Functional Materials</i> , 2020, 30, 2002414.	7.8	104
78	Rational design of perfect interface coupling to boost electrocatalytic oxygen reduction. <i>Nano Energy</i> , 2020, 76, 105055.	8.2	20
79	Interfacing MXene flakes on fiber fabric as an ultrafast electron transport layer for high performance textile electrodes. <i>Energy Storage Materials</i> , 2020, 33, 62-70.	9.5	67
80	Designing Dendrite-Free Zinc Anodes for Advanced Aqueous Zinc Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 2001263.	7.8	598
81	A Long Cycle-Life High-Voltage Spinel Lithium-Ion Battery Electrode Achieved by Site-Selective Doping. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 10594-10602.	7.2	144
82	A Long Cycle-Life High-Voltage Spinel Lithium-Ion Battery Electrode Achieved by Site-Selective Doping. <i>Angewandte Chemie</i> , 2020, 132, 10681-10689.	1.6	20
83	Low-Coordinate Step Atoms via Plasma-Assisted Calcinations to Enhance Electrochemical Reduction of Nitrogen to Ammonia. <i>Small</i> , 2020, 16, e2000421.	5.2	24
84	Potassium-sulfur batteries: Status and perspectives. <i>EcoMat</i> , 2020, 2, e12038.	6.8	41
85	An In-Depth Study of Zn Metal Surface Chemistry for Advanced Aqueous Zn-Ion Batteries. <i>Advanced Materials</i> , 2020, 32, e2003021.	11.1	707
86	Boosted Charge Transfer in Twinborn $\text{I}^{\pm}\text{-(Mn}_{2}\text{O}_{3}\text{-MnO}_{2})$ Heterostructures: Toward High-Rate and Ultralong-Life Zinc-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 32526-32535.	4.0	70
87	Natural Soft/Rigid Superlattices as Anodes for High-Performance Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 17494-17498.	7.2	20
88	Toward a Reversible $\text{Mn}^{4+}/\text{Mn}^{2+}$ Redox Reaction and Dendrite-Free Zn Anode in Near-Neutral Aqueous Zn/ MnO_{2} Batteries via Salt Anion Chemistry. <i>Advanced Energy Materials</i> , 2020, 10, 1904163.	10.2	221
89	Natural Soft/Rigid Superlattices as Anodes for High-Performance Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2020, 132, 17647-17651.	1.6	2
90	2020 Roadmap on Carbon Materials for Energy Storage and Conversion. <i>Chemistry - an Asian Journal</i> , 2020, 15, 995-1013.	1.7	154

#	ARTICLE	IF	CITATIONS
91	Phase Evolution and Intermittent Disorder in Electrochemically Lithiated Graphite Determined Using in Operando Neutron Diffraction. <i>Chemistry of Materials</i> , 2020, 32, 2518-2531.	3.2	67
92	Ultrathin Few-Layer GeP Nanosheets via Lithiation-Assisted Chemical Exfoliation and Their Application in Sodium Storage. <i>Advanced Energy Materials</i> , 2020, 10, 1903826.	10.2	41
93	Metal chalcogenides for potassium storage. <i>Informa-Materials</i> , 2020, 2, 437-465.	8.5	154
94	Approaching High-Performance Supercapacitors via Enhancing Pseudocapacitive Nickel Oxide-Based Materials. <i>Advanced Sustainable Systems</i> , 2020, 4, 1900137.	2.7	49
95	Eliminating Transition Metal Migration and Anionic Redox to Understand Voltage Hysteresis of Lithium-Rich Layered Oxides. <i>Advanced Energy Materials</i> , 2020, 10, 1903634.	10.2	45
96	An Intrinsically Non-flammable Electrolyte for High-Performance Potassium Batteries. <i>Angewandte Chemie</i> , 2020, 132, 3667-3673.	1.6	16
97	Ultrahigh and Durable Volumetric Lithium/Sodium Storage Enabled by a Highly Dense Graphene-Encapsulated Nitrogen-Doped Carbon@Sn Compact Monolith. <i>Nano Letters</i> , 2020, 20, 2034-2046.	4.5	74
98	Enhanced lithium storage for MoS ₂ -based composites via a vacancy-assisted method. <i>Applied Surface Science</i> , 2020, 515, 146103.	3.1	13
99	Topological design of ultrastrong MXene paper hosted Li enables ultrathin and fully flexible lithium metal batteries. <i>Nano Energy</i> , 2020, 74, 104817.	8.2	112
100	Designing a hybrid electrode toward high energy density with a staged Li ⁺ and PF ₆ ⁻ deintercalation/intercalation mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2815-2823.	3.3	50
101	Dehydration-Triggered Ionic Channel Engineering in Potassium Niobate for Li/K ⁺ Ion Storage. <i>Advanced Materials</i> , 2020, 32, e2000380.	11.1	85
102	Developing high-voltage spinel LiNi _{0.5} Mn _{1.5} O ₄ cathodes for high-energy-density lithium-ion batteries: current achievements and future prospects. <i>Journal of Materials Chemistry A</i> , 2020, 8, 15373-15398.	5.2	186
103	Pothole-Rich Ultrathin WO ₃ Nanosheets that Trigger N ₂ Bond Activation of Nitrogen for Direct Nitrate Photosynthesis. <i>Angewandte Chemie</i> , 2019, 131, 741-745.	1.6	21
104	Graphene-tailored molecular bonds for advanced hydrogen and lithium storage performance. <i>Energy Storage Materials</i> , 2019, 17, 178-185.	9.5	14
105	Bimetallic metal-organic frameworks derived Ni-Co-Se@C hierarchical bundle-like nanostructures with high-rate pseudocapacitive lithium ion storage. <i>Energy Storage Materials</i> , 2019, 17, 374-384.	9.5	117
106	Encapsulating MnSe Nanoparticles Inside 3D Hierarchical Carbon Frameworks with Lithium Storage Boosted by in Situ Electrochemical Phase Transformation. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 33022-33032.	4.0	40
107	Interfacial Engineering of Nickel Boride/Metaborate and Its Effect on High Energy Density Asymmetric Supercapacitors. <i>ACS Nano</i> , 2019, 13, 9376-9385.	7.3	129
108	Insight of a Phase Compatible Surface Coating for Long-Durable Li-Rich Layered Oxide Cathode. <i>Advanced Energy Materials</i> , 2019, 9, 1901795.	10.2	129

#	ARTICLE	IF	CITATIONS
109	Recent progress and perspectives on dual-ion batteries. <i>EnergyChem</i> , 2019, 1, 100004.	10.1	93
110	Highly porous, low band-gap Ni _x Mn _{3~x} O ₄ (0.55 $\leq x \leq$ 1.2) spinel nanoparticles with <i>in situ</i> coated carbon as advanced cathode materials for zinc-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 17854-17866.	5.2	65
111	An amorphous Zn@P/graphite composite with chemical bonding for ultra-reversible lithium storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 16785-16792.	5.2	30
112	Surface@Electron Coupling for Efficient Hydrogen Evolution. <i>Angewandte Chemie</i> , 2019, 131, 17873-17881.	1.6	8
113	Heterocarbides Reinforced Electrochemical Energy Storage. <i>Small</i> , 2019, 15, 1903652.	5.2	7
114	Surface@Electron Coupling for Efficient Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17709-17717.	7.2	42
115	Synthesis of ZnMoO ₄ with different polymorphs anode materials for lithium-ion batteries application. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 20213-20220.	1.1	3
116	The critical role of carbon in marrying silicon and graphite anodes for high-energy lithium-ion batteries. , 2019, 1, 57-76.		261
117	Insight into the improved cycling stability of sphere-nanorod-like micro-nanostructured high voltage spinel cathode for lithium-ion batteries. <i>Nano Energy</i> , 2019, 66, 104100.	8.2	38
118	Multiple Anionic Transition-Metal Oxycarbide for Better Lithium Storage and Facilitated Multielectron Reactions. <i>ACS Nano</i> , 2019, 13, 11665-11675.	7.3	28
119	Superior Stability Secured by a Four-Phase Cathode Electrolyte Interface on a Ni-Rich Cathode for Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 36742-36750.	4.0	76
120	Li Alginate-Based Artificial SEI Layer for Stable Lithium Metal Anodes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 37726-37731.	4.0	60
121	Anion Vacancies Regulating Endows MoSSe with Fast and Stable Potassium Ion Storage. <i>ACS Nano</i> , 2019, 13, 11843-11852.	7.3	210
122	GO@Se@Ni Cathode Materials for Lithium-Selenium Battery. <i>Journal of the Electrochemical Society</i> , 2019, 166, A5259-A5264.	1.3	6
123	Ultrafast Li-ion migration in holey-graphene-based composites constructed by a generalized <i>ex situ</i> method towards high capacity energy storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 4788-4796.	5.2	34
124	Toward High-Performance Hybrid Zn-Based Batteries via Deeply Understanding Their Mechanism and Using Electrolyte Additive. <i>Advanced Functional Materials</i> , 2019, 29, 1903605.	7.8	259
125	Zn(Cu)Si ₂₊ <i>x</i> P ₃ Solid Solution Anodes for High-Performance Li-ion Batteries with Tunable Working Potentials. <i>Advanced Functional Materials</i> , 2019, 29, 1903638.	7.8	14
126	Hollow-Carbon-Templated Few-Layered V ₅ S ₈ Nanosheets Enabling Ultrafast Potassium Storage and Long-Term Cycling. <i>ACS Nano</i> , 2019, 13, 7939-7948.	7.3	136

#	ARTICLE	IF	CITATIONS
127	Lithiophobic-lithiophilic composite architecture through co-deposition technology toward high-performance lithium metal batteries. <i>Nano Energy</i> , 2019, 63, 103854.	8.2	100
128	Structural Insight into Layer Gliding and Lattice Distortion in Layered Manganese Oxide Electrodes for Potassium-ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1900568.	10.2	125
129	A new family of cation-disordered Zn(Cu)-Si-P compounds as high-performance anodes for next-generation Li-ion batteries. <i>Energy and Environmental Science</i> , 2019, 12, 2286-2297.	15.6	53
130	Constructing CoO/Co ₃ S ₄ Heterostructures Embedded in N-doped Carbon Frameworks for High-Performance Sodium-ion Batteries. <i>Advanced Functional Materials</i> , 2019, 29, 1901925.	7.8	169
131	Approaching high-performance potassium-ion batteries via advanced design strategies and engineering. <i>Science Advances</i> , 2019, 5, eaav7412.	4.7	790
132	Advances in nanostructures fabricated via spray pyrolysis and their applications in energy storage and conversion. <i>Chemical Society Reviews</i> , 2019, 48, 3015-3072.	18.7	260
133	Recent progress and perspectives on aqueous Zn-based rechargeable batteries with mild aqueous electrolytes. <i>Energy Storage Materials</i> , 2019, 20, 410-437.	9.5	525
134	A self-healing layered GeP anode for high-performance Li-ion batteries enabled by low formation energy. <i>Nano Energy</i> , 2019, 61, 594-603.	8.2	76
135	Integrated Polypyrrole@Sulfur@Graphene Aerogel 3D Architecture via Advanced Vapor Polymerization for High-Performance Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 18448-18455.	4.0	53
136	In situ incorporation of nanostructured antimony in an N-doped carbon matrix for advanced sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12842-12850.	5.2	25
137	Li-Rich Layered Oxides and Their Practical Challenges: Recent Progress and Perspectives. <i>Electrochemical Energy Reviews</i> , 2019, 2, 277-311.	13.1	158
138	Re-synthesis of nano-structured LiFePO ₄ /graphene composite derived from spent lithium-ion battery for booming electric vehicle application. <i>Journal of Power Sources</i> , 2019, 419, 192-202.	4.0	87
139	Structural Engineering of Hierarchical Micro-nanostructured Ge-C Framework by Controlling the Nucleation for Ultralong-Life Li Storage. <i>Advanced Energy Materials</i> , 2019, 9, 1900081.	10.2	99
140	Constructing the best symmetric full K-ion battery with the NASICON-type K ₃ V ₂ (PO ₄) ₃ . <i>Nano Energy</i> , 2019, 60, 432-439.	8.2	67
141	Intrinsically Optimizing Charge Transfer via Tuning Charge/Discharge Mode for Lithium-Oxygen Batteries. <i>Small</i> , 2019, 15, 1900154.	5.2	7
142	Surface engineering of commercial Ni foams for stable Li metal anodes. <i>Energy Storage Materials</i> , 2019, 23, 547-555.	9.5	148
143	Yolk-Shell Structured FeP@C Nanoboxes as Advanced Anode Materials for Rechargeable Lithium-Potassium-ion Batteries. <i>Advanced Functional Materials</i> , 2019, 29, 1808291.	7.8	232
144	LiFePO ₄ Particles Embedded in Fast Bifunctional Conductor rGO&C@Li ₃ V ₂ (PO ₄) ₃ Nanosheets as Cathodes for High-Performance Li-ion Hybrid Capacitors. <i>Advanced Functional Materials</i> , 2019, 29, 1807895.	7.8	42

#	ARTICLE	IF	CITATIONS
145	Frontispiz: Surfaceâ€Electron Coupling for Efficient Hydrogen Evolution. <i>Angewandte Chemie</i> , 2019, 131, .	1.6	0
146	Frontispiece: Surfaceâ€Electron Coupling for Efficient Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2019, 58, .	7.2	0
147	Directly grown nanostructured electrodes for high-power and high-stability alkaline nickel/bismuth batteries. <i>Science China Materials</i> , 2019, 62, 487-496.	3.5	35
148	W3Nb14O44 nanowires: Ultrastable lithium storage anode materials for advanced rechargeable batteries. <i>Energy Storage Materials</i> , 2019, 16, 535-544.	9.5	96
149	Tuning nitrogen species in three-dimensional porous carbon via phosphorus doping for ultra-fast potassium storage. <i>Nano Energy</i> , 2019, 57, 728-736.	8.2	323
150	Potholeâ€rich Ultrathin WO ₃ Nanosheets that Trigger Nâ€N Bond Activation of Nitrogen for Direct Nitrate Photosynthesis. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 731-735.	7.2	202
151	Synthesis of porous MoV2O8 nanosheets as anode material for superior lithium storage. <i>Energy Storage Materials</i> , 2019, 22, 128-137.	9.5	28
152	Three-Dimensional Porous Cobalt Phosphide Nanocubes Encapsulated in a Graphene Aerogel as an Advanced Anode with High Coulombic Efficiency for High-Energy Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 5373-5379.	4.0	78
153	Borohydrideâ€Scaffolded Li/Na/Mg Fast Ionic Conductors for Promising Solidâ€State Electrolytes. <i>Advanced Materials</i> , 2019, 31, e1803533.	11.1	105
154	Recent Advances in 3D Graphene Architectures and Their Composites for Energy Storage Applications. <i>Small</i> , 2019, 15, e1803858.	5.2	99
155	Lanthanide doping induced electrochemical enhancement of Na ₂ Ti ₃ O ₇ anodes for sodium-ion batteries. <i>Chemical Science</i> , 2018, 9, 3421-3425.	3.7	66
156	Synthesis of porous Co3O4/C nanoparticles as anode for Li-ion battery application. <i>Applied Surface Science</i> , 2018, 443, 401-406.	3.1	36
157	Ni(OH)2 nanoflakes supported on 3D hierarchically nanoporous gold/Ni foam as superior electrodes for supercapacitors. <i>Science China Materials</i> , 2018, 61, 353-362.	3.5	29
158	Fluorinated phosphazene derivative â€“ A promising electrolyte additive for high voltage lithium ion batteries: From electrochemical performance to corrosion mechanism. <i>Nano Energy</i> , 2018, 46, 404-414.	8.2	137
159	Free-standing sulfur-polypyrrole cathode in conjunction with polypyrrole-coated separator for flexible Li-S batteries. <i>Energy Storage Materials</i> , 2018, 13, 312-322.	9.5	105
160	Boosting the Potassium Storage Performance of Alloyâ€Based Anode Materials via Electrolyte Salt Chemistry. <i>Advanced Energy Materials</i> , 2018, 8, 1703288.	10.2	382
161	Two-dimensional nanostructures for sodium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3284-3303.	5.2	224
162	Tri-functional coating to enhance the capacity retention of LiNi 0.5 Mn 1.5 O 4 for high power lithium ion battery. <i>Materials Letters</i> , 2018, 214, 68-71.	1.3	13

#	ARTICLE	IF	CITATIONS
163	Rational design of hybrid porous nanotubes with robust structure of ultrafine Li ₄ Ti ₅ O ₁₂ nanoparticles embedded in bamboo-like CNTs for superior lithium ion storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3342-3349.	5.2	27
164	Graphene-tailored Thermodynamics and Kinetics to Fabricate Metal Borohydride Nanoparticles with High Purity and Enhanced Reversibility. <i>Advanced Energy Materials</i> , 2018, 8, 1702975.	10.2	48
165	Hierarchically Bicontinuous Porous Copper as Advanced 3D Skeleton for Stable Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 13552-13561.	4.0	95
166	Synthesis of hierarchical mesoporous lithium nickel cobalt manganese oxide spheres with high rate capability for lithium-ion batteries. <i>Applied Surface Science</i> , 2018, 428, 1036-1045.	3.1	15
167	Synthesis and Performance of Tungsten Disulfide/Carbon (WS ₂ /C) Composite as Anode Material. <i>Journal of Electronic Materials</i> , 2018, 47, 251-260.	1.0	20
168	Effect of AlF ₃ -Coated Li ₄ Ti ₅ O ₁₂ on the Performance and Function of the LiNi _{0.5} Mn _{1.5} O ₄ Li ₄ Ti ₅ O ₁₂ Full Battery—An in-operando Neutron Powder Diffraction Study. <i>Frontiers in Energy Research</i> , 2018, 6, .	1.2	12
169	Heterostructure Manipulation via in Situ Localized Phase Transformation for High-Rate and Highly Durable Lithium Ion Storage. <i>ACS Nano</i> , 2018, 12, 10430-10438.	7.3	138
170	Future Energy Technology: Enabling New Science for a Sustainable Future. <i>ChemPlusChem</i> , 2018, 83, 890-892.	1.3	2
171	Unraveling the effect of salt chemistry on long-durability high-phosphorus-concentration anode for potassium ion batteries. <i>Nano Energy</i> , 2018, 53, 967-974.	8.2	151
172	Cathode Materials for Potassium-Ion Batteries: Current Status and Perspective. <i>Electrochemical Energy Reviews</i> , 2018, 1, 625-658.	13.1	201
173	Boosting potassium-ion batteries by few-layered composite anodes prepared via solution-triggered one-step shear exfoliation. <i>Nature Communications</i> , 2018, 9, 3645.	5.8	204
174	Advances in Polar Materials for Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1707520.	7.8	268
175	Understanding High-Energy-Density Sn ₄ P ₃ Anodes for Potassium-Ion Batteries. <i>Joule</i> , 2018, 2, 1534-1547.	11.7	468
176	Mn ₃ O ₄ Quantum Dots Supported on Nitrogen-Doped Partially Exfoliated Multiwall Carbon Nanotubes as Oxygen Reduction Electrocatalysts for High-Performance Zn-Air Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 23900-23909.	4.0	55
177	Hierarchical Porous NiO/NiMoO ₄ Heterostructure as Superior Anode Material for Lithium Storage. <i>ChemPlusChem</i> , 2018, 83, 915-923.	1.3	15
178	Molecular-Scale Functionality on Graphene To Unlock the Energy Capabilities of Metal Hydrides for High-Capacity Lithium-Ion Batteries. <i>ACS Nano</i> , 2018, 12, 8177-8186.	7.3	11
179	Recent progress on sodium ion batteries: potential high-performance anodes. <i>Energy and Environmental Science</i> , 2018, 11, 2310-2340.	15.6	561
180	Construction of Hierarchical MoSe ₂ Hollow Structures and Its Effect on Electrochemical Energy Storage and Conversion. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 25483-25492.	4.0	53

#	ARTICLE	IF	CITATIONS
181	Graphitic Carbon Nanocage as a Stable and High Power Anode for Potassium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1801149.	10.2	442
182	Creating fast ion conducting composites via in-situ introduction of titanium as oxygen getter. <i>Nano Energy</i> , 2018, 49, 549-554.	8.2	18
183	Plasma-Induced Amorphous Shell and Deep Cation-Site S Doping Endow TiO_2 with Extraordinary Sodium Storage Performance. <i>Advanced Materials</i> , 2018, 30, e1801013.	11.1	180
184	Carbon hollow nanobubbles on porous carbon nanofibers: An ideal host for high-performance sodium-sulfur batteries and hydrogen storage. <i>Energy Storage Materials</i> , 2018, 14, 314-323.	9.5	110
185	Generalized Synthesis of Ternary Sulfide Hollow Structures with Enhanced Photocatalytic Performance for Degradation and Hydrogen Evolution. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 17911-17922.	4.0	55
186	In Situ Chelating Synthesis of Hierarchical $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ Polyhedron Assemblies with Ultralong Cycle Life for Li-Ion Batteries. <i>Small</i> , 2018, 14, e1704354.	5.2	27
187	$\text{ZnSn}(\text{OH})_6$ nanocubes as a high-performance anode for lithium-ion batteries. <i>Advanced Materials Letters</i> , 2018, 9, 880-884.	0.3	0
188	Li-Ion Cells: Surface Engineering Strategies of Layered LiCoO_2 Cathode Material to Realize High-Energy and High-Voltage Li-Ion Cells (Adv. Energy Mater. 1/2017). <i>Advanced Energy Materials</i> , 2017, 7, .	10.2	5
189	Phosphorus-Based Alloy Materials for Advanced Potassium-Ion Battery Anode. <i>Journal of the American Chemical Society</i> , 2017, 139, 3316-3319.	6.6	755
190	Feasibility of Cathode Surface Coating Technology for High-Energy Lithium-Ion and Beyond-Lithium-Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1605807.	11.1	168
191	Rational synthesis of $\text{MnO}_2@\text{CMK/S}$ composite as cathode materials for lithium-sulfur batteries. <i>Materials Letters</i> , 2017, 195, 236-239.	1.3	18
192	Hierarchical Structural Evolution of Zn_2GeO_4 in Binary Solvent and Its Effect on Li-ion Storage Performance. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 9778-9784.	4.0	26
193	Atomic Interface Engineering and Electric-Field Effect in Ultrathin Bi_2MoO_6 Nanosheets for Superior Lithium Ion Storage. <i>Advanced Materials</i> , 2017, 29, 1700396.	11.1	343
194	$\text{Li}_2\text{TiSiO}_5$: a low potential and large capacity Ti-based anode material for Li-ion batteries. <i>Energy and Environmental Science</i> , 2017, 10, 1456-1464.	15.6	93
195	Oxygen-free Layer-by-Layer Assembly of Lithiated Composites on Graphene for Advanced Hydrogen Storage. <i>Advanced Science</i> , 2017, 4, 1600257.	5.6	30
196	High-Performance Hydrogen Storage Nanoparticles Inside Hierarchical Porous Carbon Nanofibers with Stable Cycling. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 15502-15509.	4.0	20
197	Ultra-light and flexible pencil-trace anode for high performance potassium-ion and lithium-ion batteries. <i>Green Energy and Environment</i> , 2017, 2, 278-284.	4.7	75
198	p-Type SnO thin layers on n-type SnS_2 nanosheets with enriched surface defects and embedded charge transfer for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 512-518.	5.2	97

#	ARTICLE	IF	CITATIONS
199	Unique Structural Design and Strategies for Germanium-Based Anode Materials Toward Enhanced Lithium Storage. <i>Advanced Energy Materials</i> , 2017, 7, 1700488.	10.2	103
200	Improved rate and cycle performance of nano-sized $5\text{LiFePO}_4 \cdot \text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ via high-energy ball milling assisted carbothermal reduction. <i>Journal of Alloys and Compounds</i> , 2017, 719, 281-287.	2.8	12
201	Walnut shell derived activated carbon: Synthesis and its application in the sulfur cathode for lithium-sulfur batteries. <i>Journal of Alloys and Compounds</i> , 2017, 718, 373-378.	2.8	44
202	Graphene aerogel supported crystalline $\text{ZnO}@$ amorphous Zn_2GeO_4 core-shell hierarchical structure for lithium storage. <i>RSC Advances</i> , 2017, 7, 17769-17772.	1.7	8
203	A new energy storage system: Rechargeable potassium-selenium battery. <i>Nano Energy</i> , 2017, 35, 36-43.	8.2	168
204	MnO_2 -introduced-tunnels strategy for the preparation of nanotunnel inserted hierarchical-porous carbon as electrode material for high-performance supercapacitors. <i>Chemical Engineering Journal</i> , 2017, 320, 634-643.	6.6	33
205	Large-scale synthesis of ternary $\text{Sn}_5\text{SbP}_3/\text{C}$ composite by ball milling for superior stable sodium-ion battery anode. <i>Electrochimica Acta</i> , 2017, 235, 107-113.	2.6	45
206	Enhanced Structural Stability of Nickel-Cobalt Hydroxide via Intrinsic Pillar Effect of Metaborate for High-Power and Long-Life Supercapacitor Electrodes. <i>Nano Letters</i> , 2017, 17, 429-436.	4.5	241
207	Synthesis and electrochemical properties of FeCO_3 with different morphology for lithium-ion battery application. <i>Journal of Alloys and Compounds</i> , 2017, 698, 87-93.	2.8	23
208	Nano-sized cathode material $\text{LiMn}_0.5\text{Fe}_0.5\text{PO}_4/\text{C}$ synthesized via improved sol-gel routine and its magnetic and electrochemical properties. <i>Electrochimica Acta</i> , 2017, 255, 205-211.	2.6	27
209	CoS Quantum Dot Nanoclusters for High-Energy Potassium-Ion Batteries. <i>Advanced Functional Materials</i> , 2017, 27, 1702634.	7.8	391
210	Potassium ferrous ferricyanide nanoparticles as a high capacity and ultralong life cathode material for nonaqueous potassium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 22465-22471.	5.2	128
211	An All-Integrated Anode via Interlinked Chemical Bonding between Double-Shelled Yolk-Structured Silicon and Binder for Lithium-Ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1703028.	11.1	238
212	Self-Assembled $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ Nanosheet Cathode with High Electrochemical Performance. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 39560-39568.	4.0	55
213	Phosphorus-Based Materials as the Anode for Sodium-Ion Batteries. <i>Small Methods</i> , 2017, 1, 1700216.	4.6	98
214	In Situ Construction of 3D Interconnected $\text{FeS}@$ $\text{Fe}_3\text{C}@$ Graphitic Carbon Networks for High-Performance Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2017, 27, 1703390.	7.8	219
215	Local Electric Field Facilitates High-Performance Li-Ion Batteries. <i>ACS Nano</i> , 2017, 11, 8519-8526.	7.3	155
216	Synergetic Effects toward Catalysis and Confinement of Magnesium Hydride on Modified Graphene: A First-Principles Study. <i>Journal of Physical Chemistry C</i> , 2017, 121, 18401-18411.	1.5	13

#	ARTICLE	IF	CITATIONS
217	<i>In situ</i> formation of a carbon fiber@Ni ₃ S ₂ non-woven electrode with ultrahigh areal and volumetric capacitance. <i>Journal of Materials Chemistry A</i> , 2017, 5, 23476-23480.	5.2	19
218	Self-supported Zn ₃ P ₂ nanowires-assembly bundles grafted on Ti foil as an advanced integrated electrodes for lithium/sodium ion batteries with high performances. <i>Journal of Alloys and Compounds</i> , 2017, 724, 932-939.	2.8	36
219	Rational design of Si@carbon with robust hierarchically porous custard-apple-like structure to boost lithium storage. <i>Nano Energy</i> , 2017, 39, 253-261.	8.2	126
220	Synthesis and Electrochemical Properties of Molybdenum Disulfide/Carbon Microsphere Composite. <i>Journal of Electronic Materials</i> , 2017, 46, 1079-1087.	1.0	9
221	Synthesis and electrochemical properties of ZnMn ₂ O ₄ microspheres for lithium-ion battery application. <i>Journal of Alloys and Compounds</i> , 2017, 690, 72-79.	2.8	36
222	Ultrathin Cobaltic Oxide Nanosheets as an Effective Sulfur Encapsulation Matrix with Strong Affinity Toward Polysulfides. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 4320-4325.	4.0	59
223	Improvement in capacity retention of cathode material for high power density lithium ion batteries: The route of surface coating. <i>Applied Energy</i> , 2017, 194, 540-548.	5.1	30
224	Surface Engineering Strategies of Layered LiCoO ₂ Cathode Material to Realize High-Energy and High-Voltage Li-Ion Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1601507.	10.2	257
225	Boosted Charge Transfer in SnS/SnO ₂ Heterostructures: Toward High Rate Capability for Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2016, 128, 3469-3474.	1.6	116
226	Highly Ordered Dual Porosity Mesoporous Cobalt Oxide for Sodium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500464.	1.9	60
227	Boosted Charge Transfer in SnS/SnO ₂ Heterostructures: Toward High Rate Capability for Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3408-3413.	7.2	621
228	Na ₂ Ti ₆ O ₁₃ Nanorods with Dominant Large Interlayer Spacing Exposed Facet for High-Performance Na-Ion Batteries. <i>Small</i> , 2016, 12, 2991-2997.	5.2	78
229	Ammonium Aminodiboranate: A Long-Sought Isomer of Diammoniate of Diborane and Ammonia Borane Dimer. <i>Chemistry - A European Journal</i> , 2016, 22, 7727-7729.	1.7	15
230	Biomass carbon micro/nano-structures derived from ramie fibers and corncobs as anode materials for lithium-ion and sodium-ion batteries. <i>Applied Surface Science</i> , 2016, 379, 73-82.	3.1	208
231	<i>In situ</i> fabrication of three-dimensional nitrogen and boron co-doped porous carbon nanofibers for high performance lithium-ion batteries. <i>Journal of Power Sources</i> , 2016, 324, 294-301.	4.0	50
232	Super high-rate, long cycle life of europium-modified, carbon-coated, hierarchical mesoporous lithium-titanate anode materials for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 9949-9957.	5.2	86
233	An improved synthesis of unsolvated NaB ₃ H ₈ and its application in preparing Na ₂ B ₁₂ H ₁₂ . <i>International Journal of Hydrogen Energy</i> , 2016, 41, 15471-15476.	3.8	19
234	Facile low-temperature synthesis of hematite quantum dots anchored on a three-dimensional ultra-porous graphene-like framework as advanced anode materials for asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 11247-11255.	5.2	35

#	ARTICLE	IF	CITATIONS
235	Two-dimensional dysprosium-modified bamboo-slip-like lithium titanate with high-rate capability and long cycle life for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17782-17790.	5.2	35
236	Effects of substituting Cu for Sn on the microstructure and hydrogen absorption properties of Co-free AB5 alloys. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 17022-17028.	3.8	17
237	Integrated Carbon/Red Phosphorus/Graphene Aerogel 3D Architecture via Advanced Vapor-Redistribution for High-Energy Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1601037.	10.2	198
238	Simple in situ synthesis of carbon-supported and nanosheet-assembled vanadium oxide for ultra-high rate anode and cathode materials of lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 13907-13915.	5.2	49
239	Spinel Oxide Cathode Material for High Power Lithium Ion Batteries for Electrical Vehicles. <i>Energy Procedia</i> , 2016, 88, 689-692.	1.8	1
240	General Synthesis of Transition Metal Oxide Ultrafine Nanoparticles Embedded in Hierarchically Porous Carbon Nanofibers as Advanced Electrodes for Lithium Storage. <i>Advanced Functional Materials</i> , 2016, 26, 6188-6196.	7.8	61
241	Improved rate capability and cycling stability of novel terbium-doped lithium titanate for lithium-ion batteries. <i>Electrochimica Acta</i> , 2016, 210, 935-941.	2.6	20
242	Encapsulation of Fe ₃ O ₄ Nanoparticles into N, S co-Doped Graphene Sheets with Greatly Enhanced Electrochemical Performance. <i>Scientific Reports</i> , 2016, 6, 27957.	1.6	48
243	A New Strategy for Achieving a High Performance Anode for Lithium Ion Batteries—Encapsulating Germanium Nanoparticles in Carbon Nanoboxes. <i>Advanced Energy Materials</i> , 2016, 6, 1501666.	10.2	111
244	Integrated Intercalation-Based and Interfacial Sodium Storage in Graphene-Wrapped Porous Li ₄ Ti ₅ O ₁₂ Nanofibers Composite Aerogel. <i>Advanced Energy Materials</i> , 2016, 6, 1600322.	10.2	141
245	A Strategy for Configuration of an Integrated Flexible Sulfur Cathode for High-Performance Lithium-Sulfur Batteries. <i>Angewandte Chemie</i> , 2016, 128, 4060-4064.	1.6	19
246	Graphene-wrapped reversible reaction for advanced hydrogen storage. <i>Nano Energy</i> , 2016, 26, 488-495.	8.2	86
247	General Synthesis of Porous Mixed Metal Oxide Hollow Spheres with Enhanced Supercapacitive Properties. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 17226-17232.	4.0	80
248	Strong affinity of polysulfide intermediates to multi-functional binder for practical application in lithium-sulfur batteries. <i>Nano Energy</i> , 2016, 26, 722-728.	8.2	72
249	Synthesis and electrochemical performances of Mn _x Co _y Ni _z CO ₃ as novel anode material. <i>Ceramics International</i> , 2016, 42, 7888-7894.	2.3	12
250	Boron and nitrogen co-doped porous carbon nanotubes webs as a high-performance anode material for lithium ion batteries. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 14252-14260.	3.8	68
251	A Strategy for Configuration of an Integrated Flexible Sulfur Cathode for High-Performance Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3992-3996.	7.2	200
252	Synthesis and electrochemical performances of MoS ₂ /C fibers as anode material for lithium-ion battery. <i>Materials Letters</i> , 2016, 164, 595-598.	1.3	27

#	ARTICLE	IF	CITATIONS
253	Synthesis of Cu ₂ ZnSnS ₄ as Novel Anode material for Lithium-ion Battery. <i>Electrochimica Acta</i> , 2016, 190, 703-712.	2.6	35
254	MoO ₂ /Mo ₂ C/C spheres as anode materials for lithium ion batteries. <i>Carbon</i> , 2016, 96, 1200-1207.	5.4	96
255	Nitrogen-Doped Carbon-Encapsulated SnO ₂ @Sn Nanoparticles Uniformly Grafted on Three-Dimensional Graphene-like Networks as Anode for High-Performance Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 197-207.	4.0	84
256	Heterogeneous Spin States in Ultrathin Nanosheets Induce Subtle Lattice Distortion To Trigger Efficient Hydrogen Evolution. <i>Journal of the American Chemical Society</i> , 2016, 138, 5087-5092.	6.6	351
257	Regeneration of alkaline metal amidoboranes with high purity. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 407-412.	3.8	13
258	Facile synthesis of nickel-foam-based nano-architectural composites as binder-free anodes for high capacity Li-ion batteries. <i>Journal of Power Sources</i> , 2016, 304, 311-318.	4.0	16
259	Growth of Lithium Lanthanum Titanate Nanosheets and Their Application in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 1486-1492.	4.0	27
260	Effect of Magnesium Bromide on the Electrical and Electrochemical Properties of PVA and Tetraethylene Glycol Dimethyl Ether Polymer Electrolyte for Solid State Magnesium Batteries. <i>Energy and Environment Focus</i> , 2016, 5, 125-130.	0.3	2
261	Surface Engineering and Design Strategy for Surface-Amorphized TiO ₂ @Graphene Hybrids for High Power Li-ion Battery Electrodes. <i>Advanced Science</i> , 2015, 2, 1500027.	5.6	182
262	Facile Synthesis of Coaxial CNTs/MnO _x -Carbon Hybrid Nanofibers and Their Greatly Enhanced Lithium Storage Performance. <i>Scientific Reports</i> , 2015, 5, 17473.	1.6	45
263	Unique Urchin-like Ca ₂ Ge ₇ O ₁₆ Hierarchical Hollow Microspheres as Anode Material for the Lithium Ion Battery. <i>Scientific Reports</i> , 2015, 5, 11326.	1.6	21
264	Hydrogen Storage Materials for Mobile and Stationary Applications: Current State of the Art. <i>ChemSusChem</i> , 2015, 8, 2789-2825.	3.6	302
265	The Unique Structural Evolution of the O ₃ Phase Na _{2/3} Fe _{2/3} Mn _{1/3} O ₂ during High Rate Charge/Discharge: A Sodium-Centred Perspective. <i>Advanced Functional Materials</i> , 2015, 25, 4994-5005.	7.8	66
266	Monodisperse Magnesium Hydride Nanoparticles Uniformly Self-Assembled on Graphene. <i>Advanced Materials</i> , 2015, 27, 5981-5988.	11.1	298
267	In-Situ Powder Diffraction Studies of Electrode Materials in Rechargeable Batteries. <i>ChemSusChem</i> , 2015, 8, 2826-2853.	3.6	59
268	Effects of Cu Substitution for Sn on the Electrochemical Performance of La _{0.7} Mg _{0.3} Al _{0.3} Mn _{0.4} Sn _{0.5} -xCu _x Ni _{3.8} (x = 0-0.5) Alloys for Ni-MH Batteries. <i>Batteries</i> , 2015, 1, 3-10.	2.1	4
269	Hollow carbon spheres with encapsulated germanium as an anode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 978-981.	5.2	75
270	Nano-confined multi-synthesis of a Li-Mg-Na-H nanocomposite towards low-temperature hydrogen storage with stable reversibility. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12646-12652.	5.2	25

#	ARTICLE	IF	CITATIONS
271	Lithium-ion Batteries: 3D Hierarchical Porous Fe_2O_3 Nanosheets for High-Performance Lithium-Ion Batteries (Adv. Energy Mater. 4/2015). Advanced Energy Materials, 2015, 5, .	10.2	5
272	Self-Assembled Sandwich-like Vanadium Oxide/Graphene Mesoporous Composite as High-Capacity Anode Material for Lithium Ion Batteries. Inorganic Chemistry, 2015, 54, 11799-11806.	1.9	52
273	Synthesis of $\text{Ni}(\text{OH})_2/\text{RGO}$ pseudocomposite on nickel foam for supercapacitors with superior performance. Journal of Materials Chemistry A, 2015, 3, 3641-3650.	5.2	149
274	Effect of Sn substitution for Co on microstructure and electrochemical performance of AB5 type $\text{La}_{0.7}\text{Mg}_{0.3}\text{Al}_{0.3}\text{Mn}_{0.4}\text{Co}_{0.5-x}\text{Sn}_x\text{Ni}_{3.8}$ ($x=0\text{--}0.5$) alloys. Transactions of Nonferrous Metals Society of China, 2015, 25, 520-526.	1.7	8
275	Underwater Self-Cleaning Scaly Fabric Membrane for Oily Water Separation. ACS Applied Materials & Interfaces, 2015, 7, 4336-4343.	4.0	113
276	Facile synthesis of LiMn_2O_4 octahedral nanoparticles as cathode materials for high capacity lithium ion batteries with long cycle life. Journal of Power Sources, 2015, 278, 574-581.	4.0	83
277	Selenium/carbon-rich core-shell composites as cathode materials for rechargeable lithium-selenium batteries. Journal of Power Sources, 2015, 279, 88-93.	4.0	63
278	Synthesis and electrochemical performance of ZnCo_2O_4 for lithium-ion battery application. Electrochimica Acta, 2015, 155, 297-304.	2.6	64
279	A $\text{Fe}_3\text{O}_4/\text{N}$ -carbon composite with hierarchical porous structure and in situ formed N-doped graphene-like layers for high-performance lithium ion batteries. Dalton Transactions, 2015, 44, 4594-4600.	1.6	28
280	Novel three-dimensional tin/carbon hybrid core/shell architecture with large amount of solid cross-linked micro/nanochannels for lithium ion battery application. Energy, 2015, 82, 960-967.	4.5	24
281	Best Practices for Reporting on Energy Storage. ACS Applied Materials & Interfaces, 2015, 7, 16131-16132.	4.0	3
282	Sodium and Lithium Storage Properties of Spray-Dried Molybdenum Disulfide-Graphene Hierarchical Microspheres. Scientific Reports, 2015, 5, 11989.	1.6	58
283	Porous Ni nanofibers with enhanced catalytic effect on the hydrogen storage performance of MgH_2 . Journal of Materials Chemistry A, 2015, 3, 15843-15848.	5.2	121
284	Hydrothermal growth of $\text{Mn}_2\text{O}_3/\text{RGO}/\text{Ni}(\text{OH})_2$ on nickel foam with superior supercapacitor performance. RSC Advances, 2015, 5, 62571-62576.	1.7	40
285	Solvothermal synthesis and electrochemical performance of hollow LiFePO_4 nanoparticles. Journal of Alloys and Compounds, 2015, 640, 95-100.	2.8	31
286	Hydrothermal Synthesis of $\text{Mn}_x\text{Co}_y\text{Ni}_{1-x-y}(\text{OH})_2$ as a Novel Anode Material for the Lithium-Ion Battery. Journal of Electronic Materials, 2015, 44, 2877-2882.	1.0	2
287	Bioinspired Carbon/ SnO_2 Composite Anodes Prepared from a Photonic Hierarchical Structure for Lithium Batteries. ACS Applied Materials & Interfaces, 2015, 7, 11146-11154.	4.0	48
288	V_2O_5 /Mesoporous Carbon Composite as a Cathode Material for Lithium-ion Batteries. Electrochimica Acta, 2015, 173, 172-177.	2.6	36

#	ARTICLE	IF	CITATIONS
289	Sodium borohydride hydrazinates: synthesis, crystal structures, and thermal decomposition behavior. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11269-11276.	5.2	19
290	Guanidinium octahydrotriborate: an ionic liquid with high hydrogen storage capacity. <i>Journal of Materials Chemistry A</i> , 2015, 3, 11411-11416.	5.2	25
291	Interplay between Electrochemistry and Phase Evolution of the P2-type $\text{Na}_{1-x}\text{(Fe}_{1/2}\text{Mn}_{1/2})\text{O}_2$ Cathode for Use in Sodium-Ion Batteries. <i>Chemistry of Materials</i> , 2015, 27, 3150-3158.	3.2	121
292	Rapid microwave-assisted synthesis of various MnO_2 nanostructures and their magnetic properties. <i>Materials Chemistry and Physics</i> , 2015, 166, 42-48.	2.0	13
293	Synthesis and electrochemical properties of ZnMn_2O_4 anode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2015, 178, 847-855.	2.6	47
294	Ammonia borane confined by nitrogen-containing carbon nanotubes: enhanced dehydrogenation properties originating from synergetic catalysis and nanoconfinement. <i>Journal of Materials Chemistry A</i> , 2015, 3, 20494-20499.	5.2	34
295	Toward Understanding the Lithium Transport Mechanism in Garnet-type Solid Electrolytes: Li^{+} Ion Exchanges and Their Mobility at Octahedral/Tetrahedral Sites. <i>Chemistry of Materials</i> , 2015, 27, 6650-6659.	3.2	107
296	3D Hierarchical Porous Fe_2O_3 Nanosheets for High-Performance Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1401421.	10.2	321
297	One-dimensional nanostructured design of $\text{Li}_{1+x}\text{(Mn}_{1/3}\text{Ni}_{1/3}\text{Fe}_{1/3})\text{O}_2$ as a dual cathode for lithium-ion and sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 250-257.	5.2	32
298	Large-scale synthesis of ordered mesoporous carbon fiber and its application as cathode material for lithium-sulfur batteries. <i>Carbon</i> , 2015, 81, 782-787.	5.4	170
299	Coaxial-cable structure composite cathode material with high sulfur loading for high performance lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2015, 274, 338-344.	4.0	38
300	A novel type of one-dimensional organic selenium-containing fiber with superior performance for lithium-selenium and sodium-selenium batteries. <i>RSC Advances</i> , 2014, 4, 61673-61678.	1.7	80
301	Synthesis and Electrochemical Properties of Nano WO_3/C Composite for Lithium-Ion Batteries. <i>ECS Transactions</i> , 2014, 62, 9-18.	0.3	4
302	A facile synthesis approach to micro-macroporous carbon from cotton and its application in the lithium-sulfur battery. <i>RSC Advances</i> , 2014, 4, 65074-65080.	1.7	50
303	Preparation and electrochemical properties of high-capacity $\text{LiFePO}_4/\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ composite for lithium-ion batteries. <i>Journal of Power Sources</i> , 2014, 246, 912-917.	4.0	39
304	Mass production of three-dimensional hierarchical microfibers constructed from silicon-carbon core-shell architectures with high-performance lithium storage. <i>Carbon</i> , 2014, 72, 169-175.	5.4	34
305	Phototunable Underwater Oil Adhesion of Micro/Nanoscale Hierarchical-Structured ZnO Mesh Films with Switchable Contact Mode. <i>Advanced Functional Materials</i> , 2014, 24, 536-542.	7.8	67
306	Nitrogen-Doped Ordered Mesoporous Carbon with a High Surface Area, Synthesized through Organic-Inorganic Coassembly, and Its Application in Supercapacitors. <i>ChemPhysChem</i> , 2014, 15, 2084-2093.	1.0	56

#	ARTICLE	IF	CITATIONS
307	SnSb@carbon nanocable anchored on graphene sheets for sodium ion batteries. Nano Research, 2014, 7, 1466-1476.	5.8	108
308	Mass production of $\text{Li}_{0.4}\text{Ti}_{0.5}\text{O}_{12}$ with a conductive network via in situ spray pyrolysis as a long cycle life, high rate anode material for lithium ion batteries. RSC Advances, 2014, 4, 38568-38574.	1.7	8
309	Controllable synthesis of $\text{RGO}/\text{Fe}_x\text{O}_y$ nanocomposites as high-performance anode materials for lithium ion batteries. Journal of Materials Chemistry A, 2014, 2, 9844-9850.	5.2	68
310	Electrochemistry and structure of the cobalt-free $\text{Li}_{1+x}\text{MO}_2$ (M = Li, Ni, Mn). Tj ETQq0 0 0 rrgBT /Overlock 10 T	1.3	26
311	Evidence of Solid-Solution Reaction upon Lithium Insertion into Cryptomelane $\text{K}_{0.25}\text{Mn}_2\text{O}_4$ Material. Journal of Physical Chemistry C, 2014, 118, 3976-3983.	1.5	35
312	Coal based activated carbon nanofibers prepared by electrospinning. Journal of Materials Chemistry A, 2014, 2, 9338-9344.	5.2	122
313	Reversible sodium storage via conversion reaction of a MoS_2 @C composite. Chemical Communications, 2014, 50, 10730-10733.	2.2	105
314	Enhanced Sodium-Ion Battery Performance by Structural Phase Transition from Two-Dimensional Hexagonal- SnS_2 to Orthorhombic-SnS. ACS Nano, 2014, 8, 8323-8333.	7.3	592
315	Mechanically strong high performance layered polypyrrole nano fibre/graphene film for flexible solid state supercapacitor. Carbon, 2014, 79, 554-562.	5.4	109
316	TiO ₂ coated three-dimensional hierarchically ordered porous sulfur electrode for the lithium/sulfur rechargeable batteries. Energy, 2014, 75, 597-602.	4.5	49
317	Well-dispersed lithium amidoborane nanoparticles through nanoreactor engineering for improved hydrogen release. Nanoscale, 2014, 6, 12333-12339.	2.8	15
318	One-Step Synthesis of Graphene/Polypyrrole Nanofiber Composites as Cathode Material for a Biocompatible Zinc/Polymer Battery. ACS Applied Materials & Interfaces, 2014, 6, 16679-16686.	4.0	65
319	Highly Reversible and Large Lithium Storage in Mesoporous Si/C Nanocomposite Anodes with Silicon Nanoparticles Embedded in a Carbon Framework. Advanced Materials, 2014, 26, 6749-6755.	11.1	260
320	Synthesis and hydrogen release properties of alkyl-substituted amine-boranes. Journal of Materials Chemistry A, 2014, 2, 10682-10687.	5.2	10
321	High rate capability core-shell lithium titanate@ceria nanosphere anode material synthesized by one-pot co-precipitation for lithium-ion batteries. Journal of Power Sources, 2014, 257, 280-285.	4.0	50
322	Nitrogen-containing carbon nanostructures: A promising carrier for catalysis of ammonia borane dehydrogenation. Carbon, 2014, 68, 462-472.	5.4	27
323	Synthesis and electrochemical properties of VO ₂ /C nanofiber composite for lithium ion battery application. Materials Letters, 2014, 117, 134-137.	1.3	8
324	Electrospun P2-type $\text{Na}_{2/3}(\text{Fe}_{1/2}\text{Mn}_{1/2})\text{O}_2$ Hierarchical Nanofibers as Cathode Material for Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2014, 6, 8953-8958.	4.0	131

#	ARTICLE	IF	CITATIONS
325	Improved cyclability of lithium-sulfur battery cathode using encapsulated sulfur in hollow carbon nanofiber@nitrogen-doped porous carbon core-shell composite. <i>Carbon</i> , 2014, 78, 1-9.	5.4	108
326	In Situ Neutron Powder Diffraction Using Custom-made Lithium-ion Batteries. <i>Journal of Visualized Experiments</i> , 2014, , e52284.	0.2	4
327	Hierarchical Porous Li ₂ Mg(NH) ₂ @C Nanowires with Long Cycle Life Towards Stable Hydrogen Storage. <i>Scientific Reports</i> , 2014, 4, 6599.	1.6	16
328	A Facile Fabrication of Fe ₃ O ₄ /Graphene Nanosheets for Lithium-Ion Battery. <i>Science of Advanced Materials</i> , 2014, 6, 283-289.	0.1	9
329	TiO ₂ nanoparticles on nitrogen-doped graphene as anode material for lithium ion batteries. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	32
330	Polypyrrole as cathode materials for Zn-polymer battery with various biocompatible aqueous electrolytes. <i>Electrochimica Acta</i> , 2013, 95, 212-217.	2.6	35
331	The effects of FEC (fluoroethylene carbonate) electrolyte additive on the lithium storage properties of NiO (nickel oxide) nanocuboids. <i>Energy</i> , 2013, 58, 707-713.	4.5	26
332	Combined effects of hydrogen back-pressure and NbF ₅ addition on the dehydrogenation and rehydrogenation kinetics of the LiBH ₄ -MgH ₂ composite system. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 3650-3660.	3.8	41
333	Tetraethoxysilane as a new facilitative film-forming additive for the lithium-ion battery with LiMn ₂ O ₄ cathode. <i>Solid State Ionics</i> , 2013, 232, 19-23.	1.3	15
334	Highly uniform TiO ₂ /SnO ₂ /carbon hybrid nanofibers with greatly enhanced lithium storage performance. <i>Journal of Materials Chemistry A</i> , 2013, 1, 10395.	5.2	58
335	Mixed-metal (Li, Al) amidoborane: synthesis and enhanced hydrogen storage properties. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1810-1820.	5.2	37
336	A unique sandwich-structured C/Ge/graphene nanocomposite as an anode material for high power lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14115.	5.2	80
337	Facile Synthesis of Hierarchical Networks Composed of Highly Interconnected V ₂ O ₅ Nanosheets Assembled on Carbon Nanotubes and Their Superior Lithium Storage Properties. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 12394-12399.	4.0	75
338	Electrospun lithium metal oxide cathode materials for lithium-ion batteries. <i>RSC Advances</i> , 2013, 3, 25576.	1.7	65
339	Reversible storage of hydrogen in NaF@MB ₂ (M = Mg, Al) composites. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2806.	5.2	13
340	Stabilization of NaZn(BH ₄) ₃ via nanoconfinement in SBA-15 towards enhanced hydrogen release. <i>Journal of Materials Chemistry A</i> , 2013, 1, 250-257.	5.2	34
341	Flexible cellulose based polypyrrole-multiwalled carbon nanotube films for bio-compatible zinc batteries activated by simulated body fluids. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14300.	5.2	29
342	Additive-free synthesis of 3D porous V ₂ O ₅ hierarchical microspheres with enhanced lithium storage properties. <i>Energy and Environmental Science</i> , 2013, 6, 974.	15.6	217

#	ARTICLE	IF	CITATIONS
343	Simple fabrication of a Fe ₂ O ₃ /carbon composite for use in a high-performance lithium ion battery. Carbon, 2013, 52, 565-573.	5.4	131
344	Preparation and electrochemical properties of LiFePO ₄ /C nanoparticles using different organic carbon sources. Journal of Nanoparticle Research, 2013, 15, 1.	0.8	7
345	Synthesis of Mn ₃ O ₄ -anchored graphene sheet nanocomposites via a facile, fast microwave hydrothermal method and their supercapacitive behavior. Electrochimica Acta, 2013, 87, 801-808.	2.6	101
346	Nanoconfinement significantly improves the thermodynamics and kinetics of co-infiltrated 2LiBH ₄ •LiAlH ₄ composites: Stable reversibility of hydrogen absorption/resorption. Acta Materialia, 2013, 61, 6882-6893.	3.8	30
347	Highly reversible lithium storage in uniform Li ₄ Ti ₅ O ₁₂ /carbon hybrid nanowebs as anode material for lithium-ion batteries. Energy, 2013, 55, 925-932.	4.5	40
348	Catalytic Role of Ge in Highly Reversible GeO ₂ /Ge/C Nanocomposite Anode Material for Lithium Batteries. Nano Letters, 2013, 13, 1230-1236.	4.5	261
349	Synthesis and electrochemical properties of MoO ₃ /C nanocomposite. Electrochimica Acta, 2013, 93, 101-106.	2.6	42
350	Controlled fabrication of Si nanoparticles on graphene sheets for Li-ion batteries. RSC Advances, 2013, 3, 6141.	1.7	69
351	Self-assembly of hierarchical star-like Co ₃ O ₄ micro/nanostructures and their application in lithium ion batteries. Nanoscale, 2013, 5, 1922.	2.8	117
352	Enhanced rate performance of cobalt oxide/nitrogen doped graphene composite for lithium ion batteries. RSC Advances, 2013, 3, 5003.	1.7	44
353	Synthesis of hollow GeO ₂ nanostructures, transformation into Ge@C, and lithium storage properties. Journal of Materials Chemistry A, 2013, 1, 7666.	5.2	66
354	Carbon-Coated Li ₃ N Nanofibers for Advanced Hydrogen Storage. Advanced Materials, 2013, 25, 6238-6244.	11.1	66
355	Smart Multifunctional Fluids for Lithium Ion Batteries: Enhanced Rate Performance and Intrinsic Mechanical Protection. Scientific Reports, 2013, 3, 2485.	1.6	54
356	Morphology Tunable Self-Assembled Sr ₂ P ₂ O ₇ •Mn ²⁺ Phosphor and Luminescence Properties. Journal of the American Ceramic Society, 2013, 96, 1198-1202.	1.9	16
357	Synthesis and Electrochemical Properties of Sn•SnO ₂ /C Nanocomposite. Journal of Nanoscience and Nanotechnology, 2012, 12, 7747-7751.	0.9	1
358	Hydrogen De-/Absorption Improvement of NaBH ₄ Catalyzed by Titanium-Based Additives. Journal of Physical Chemistry C, 2012, 116, 1596-1604.	1.5	74
359	Enhanced hydrogen storage properties of NaAlH ₄ co-catalysed with niobium fluoride and single-walled carbon nanotubes. RSC Advances, 2012, 2, 1569-1576.	1.7	25
360	K _{0.25} Mn ₂ O ₄ nanofiber microclusters as high power cathode materials for rechargeable lithium batteries. RSC Advances, 2012, 2, 1643-1649.	1.7	44

#	ARTICLE	IF	CITATIONS
361	Enhanced electrochemical properties of LiFePO ₄ by Mo-substitution and graphitic carbon-coating via a facile and fast microwave-assisted solid-state reaction. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 3634.	1.3	40
362	Rapid microwave-assisted synthesis of Mn ₃ O ₄ @graphene nanocomposite and its lithium storage properties. <i>Journal of Materials Chemistry</i> , 2012, 22, 3600.	6.7	183
363	Direct Evidence of Concurrent Solid-Solution and Two-Phase Reactions and the Nonequilibrium Structural Evolution of LiFePO ₄ . <i>Journal of the American Chemical Society</i> , 2012, 134, 7867-7873.	6.6	135
364	Confining Sulfur in Double-Shelled Hollow Carbon Spheres for Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 9592-9595.	7.2	692
365	Enhanced Electrochemical Performance of MoS ₂ for Lithium Ion Batteries by Simple Chemical Lithiation. <i>Journal of the Chinese Chemical Society</i> , 2012, 59, 1196-1200.	0.8	8
366	Microwave-Assisted Synthesis of Flower-Like Structure γ -MnO ₂ as Cathode for Lithium Ion Batteries. <i>Journal of the Chinese Chemical Society</i> , 2012, 59, 1211-1215.	0.8	21
367	Synthesis of uniform TiO ₂ @carbon composite nanofibers as anode for lithium ion batteries with enhanced electrochemical performance. <i>Journal of Materials Chemistry</i> , 2012, 22, 5848.	6.7	165
368	Carbon-coated SnO ₂ @C with hierarchically porous structures and graphite layers inside for a high-performance lithium-ion battery. <i>Journal of Materials Chemistry</i> , 2012, 22, 2766-2773.	6.7	129
369	Self-Assembled Germanium/Carbon Nanostructures as High-Power Anode Material for the Lithium-Ion Battery. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5657-5661.	7.2	231
370	Facile synthesis of graphene-molybdenum dioxide and its lithium storage properties. <i>Journal of Materials Chemistry</i> , 2012, 22, 16072.	6.7	53
371	Synthesis of MoS ₂ @C One-Dimensional Nanostructures with Improved Lithium Storage Properties. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 3765-3768.	4.0	183
372	Preparation and electrochemical performance of LiFePO ₄ /C nanorods by room-temperature solid-state reaction and microwave heating. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	7
373	Synthesis and electrochemical properties of spinel Li ₄ Ti ₅ O ₁₂ -xCl _x anode materials for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 2011-2016.	1.2	39
374	Carbon-coated SnO ₂ /graphene nanosheets as highly reversible anode materials for lithium ion batteries. <i>Carbon</i> , 2012, 50, 1897-1903.	5.4	276
375	Facile synthesis of carbon-coated MoS ₂ nanorods with enhanced lithium storage properties. <i>Electrochemistry Communications</i> , 2012, 20, 7-10.	2.3	151
376	Synthesis and electrochemical properties of non-stoichiometric Li-Mn-spinel (Li _{1.02} M _x Mn _{1.95} O ₄ -yF _y) for lithium ion battery application. <i>Electrochimica Acta</i> , 2012, 61, 87-93.	2.6	20
377	Fe ₃ O ₄ fuzzy spheroids as anode materials for lithium-ion batteries. <i>Materials Letters</i> , 2012, 71, 151-153.	1.3	18
378	Preparation and characterization of spinel Li ₄ Ti ₅ O ₁₂ nanoparticles anode materials for lithium ion battery. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	13

#	ARTICLE	IF	CITATIONS
379	Preparation and characterization of high-rate and long-cycle LiFePO ₄ /C nanocomposite as cathode material for lithium-ion battery. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 17-24.	1.2	23
380	Encapsulation of TiO ₂ (B) nanowire cores into SnO ₂ /carbon nanoparticle shells and their high performance in lithium storage. <i>Nanoscale</i> , 2011, 3, 4440.	2.8	42
381	A GBH/LiBH ₄ coordination system with favorable dehydrogenation. <i>Journal of Materials Chemistry</i> , 2011, 21, 7138.	6.7	27
382	Self-assembly of [101̄,0] grown ZnO nanowhiskers with exposed reactive (0001) facets on hollow spheres and their enhanced gas sensitivity. <i>CrystEngComm</i> , 2011, 13, 3425.	1.3	45
383	Nanoconfinement of lithium borohydride in Cu-MOFs towards low temperature dehydrogenation. <i>Dalton Transactions</i> , 2011, 40, 5673.	1.6	64
384	Heterogeneous ZnS hollow urchin-like hierarchical nanostructures and their structure-enhanced photocatalytic properties. <i>Nanoscale</i> , 2011, 3, 1470.	2.8	38
385	TiO ₂ (B)@carbon composite nanowires as anode for lithium ion batteries with enhanced reversible capacity and cyclic performance. <i>Journal of Materials Chemistry</i> , 2011, 21, 8591.	6.7	71
386	MoO ₃ nanoparticles dispersed uniformly in carbon matrix: a high capacity composite anode for Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 9350.	6.7	127
387	Time-Dependent in-Situ Neutron Diffraction Investigation of a Li(Co _{0.16} Mn _{1.84})O ₄ Cathode. <i>Journal of Physical Chemistry C</i> , 2011, 115, 21473-21480.	1.5	44
388	Dispersion of SnO ₂ nanocrystals on TiO ₂ (B) nanowires as anode material for lithium ion battery applications. <i>RSC Advances</i> , 2011, 1, 1834.	1.7	79
389	Improved reversible dehydrogenation of 2LiBH ₄ +MgH ₂ system by introducing Ni nanoparticles. <i>Journal of Materials Research</i> , 2011, 26, 1143-1150.	1.2	18
390	Highly porous metal oxide polycrystalline nanowire films with superior performance in gas sensors. <i>Journal of Materials Chemistry</i> , 2011, 21, 11412.	6.7	36
391	Enhanced hydrogen sorption properties in the LiBH ₄ –MgH ₂ system catalysed by Ru nanoparticles supported on multiwalled carbon nanotubes. <i>Journal of Alloys and Compounds</i> , 2011, 509, 5012-5016.	2.8	25
392	Preparation and electrochemical performance of hollow-spherical polypyrrole/V ₂ O ₅ composite. <i>Transactions of Nonferrous Metals Society of China</i> , 2011, 21, 1303-1308.	1.7	12
393	Graphene–V ₂ O ₅ ·nH ₂ O xerogel composite cathodes for lithium ion batteries. <i>RSC Advances</i> , 2011, 1, 690.	1.7	84
394	In-situ neutron diffraction study of the MoS ₂ anode using a custom-built Li-ion battery. <i>Solid State Ionics</i> , 2011, 199-200, 37-43.	1.3	60
395	Electrochemical properties of Fe ₂ O ₃ /MWCNTs as anode materials for lithium-ion batteries. <i>Solid State Ionics</i> , 2011, 201, 54-59.	1.3	29
396	Microwave homogeneous synthesis of porous nanowire Co ₃ O ₄ arrays with high capacity and rate capability for lithium ion batteries. <i>Materials Chemistry and Physics</i> , 2011, 126, 747-754.	2.0	55

#	ARTICLE	IF	CITATIONS
397	Comparison of hydrogen storage properties of Mg-Ni from different preparation methods. <i>Materials Chemistry and Physics</i> , 2011, 127, 405-408.	2.0	11
398	Fe ₂ O ₃ as an anode material with capacity rise and high rate capability for lithium-ion batteries. <i>Materials Research Bulletin</i> , 2011, 46, 858-864.	2.7	90
399	Layered MnO ₂ as positive electrode for lithium intercalation. <i>Materials Letters</i> , 2011, 65, 1319-1322.	1.3	32
400	Solvothermal synthesis of Mn ₂ P ₂ O ₇ and its application in lithium-ion battery. <i>Materials Letters</i> , 2011, 65, 3265-3268.	1.3	33
401	Preparation, microstructure and electrochemical performance of nanoparticles LiMn ₂ O ₃ . ₉ Br _{0.1} . <i>Materials Letters</i> , 2011, 65, 3486-3488.	1.3	11
402	Preparation and characterization of core-shell structure Fe ₃ O ₄ /C nanoparticles with unique stability and high electrochemical performance for lithium-ion battery anode material. <i>Electrochimica Acta</i> , 2011, 56, 9233-9239.	2.6	47
403	Hydrazine bisborane as a promising material for chemical hydrogen storage. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 13640-13644.	3.8	23
404	Improved hydrogen sorption performance of NbF ₅ -catalysed NaAlH ₄ . <i>International Journal of Hydrogen Energy</i> , 2011, 36, 14503-14511.	3.8	39
405	Multiferroic double-perovskite Bi ₂ FeMnO ₆ hollow particles. <i>Current Applied Physics</i> , 2011, 11, S236-S239.	1.1	7
406	Improved Hydrogen Storage Properties of NaBH ₄ Destabilized by CaH ₂ and Ca(BH ₄) ₂ . <i>Journal of Physical Chemistry C</i> , 2011, 115, 9283-9290.	1.5	41
407	Preparation and characterization of Ag/C nanocables-modified nanosized C-LiFePO ₄ . <i>Journal of Nanoparticle Research</i> , 2011, 13, 4815-4820.	0.8	6
408	Preparation and performance comparison of LiMn ₂ O ₃ . ₉₅ Br _{0.05} and LiMn ₂ O ₃ . ₉₅ Br _{0.05} /SiO ₂ cathode materials for lithium-ion battery. <i>Journal of Solid State Electrochemistry</i> , 2011, 15, 725-730.	1.2	10
409	Three-dimensional nanocarbon and the electrochemistry of nanocarbon/tin oxide for lithium ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2011, 15, 2645-2652.	1.2	14
410	B-doped Li ₄ Ti ₅ O ₁₂ and Composite TiO ₂ Anodes for Li-ion Batteries: Synchrotron X-ray and in situ Neutron Diffraction Studies. <i>Advanced Functional Materials</i> , 2011, 21, 3990-3997.	7.8	157
411	TiO ₂ (B)@anatase hybrid nanowires with highly reversible electrochemical performance. <i>Electrochemistry Communications</i> , 2011, 13, 46-49.	2.3	42
412	Free-standing V ₂ O ₅ electrode for flexible lithium ion batteries. <i>Electrochemistry Communications</i> , 2011, 13, 383-386.	2.3	93
413	Enhanced hydrogen storage performance of LiAlH ₄ -MgH ₂ -TiF ₃ composite. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 5369-5374.	3.8	58
414	Synthesis of Co ₃ O ₄ /Carbon composite nanowires and their electrochemical properties. <i>Journal of Power Sources</i> , 2011, 196, 6987-6991.	4.0	118

#	ARTICLE	IF	CITATIONS
415	SnSb/Graphene Composite as Anode Materials for Lithium Ion Batteries. <i>Advanced Science Letters</i> , 2011, 4, 18-23.	0.2	32
416	Effect of Annealing on Electrochemical Performance of Anodized TiO ₂ Nanotubes for Lithium Ion Batteries. <i>Advanced Science Letters</i> , 2011, 4, 469-473.	0.2	10
417	Submicron-Sized Clusters of LiFePO ₄ -C Nanoparticles for Lithium-Ion Battery Cathodes. <i>Advanced Science Letters</i> , 2011, 4, 3523-3527.	0.2	0
418	Electrochemical properties of Fe ₂ O ₃ thin film fabricated by electrostatic spray deposition for lithium-ion batteries. <i>Physica Scripta</i> , 2010, T139, 014066.	1.2	7
419	Significantly improved dehydrogenation of LiBH ₄ destabilized by TiF ₃ . <i>Energy and Environmental Science</i> , 2010, 3, 465-470.	15.6	96
420	Submicron-sized cube-like γ -Fe ₂ O ₃ agglomerates as an anode material for Li-ion batteries. <i>Electrochimica Acta</i> , 2010, 55, 8521-8526.	2.6	43
421	Synthesis and electrochemical properties of nanosized carbon-coated Li _{1-3x} La _x FePO ₄ composites. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 889-895.	1.2	18
422	Growth of V ₂ O ₅ nanorods from ball-milled powders and their performance in cathodes and anodes of lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 1841-1846.	1.2	39
423	Synthesis and Characterization of Cobalt-Doped WS ₂ Nanorods for Lithium Battery Applications. <i>Nanoscale Research Letters</i> , 2010, 5, 1301-1306.	3.1	33
424	Hydrothermal Synthesis of Molybdenum Disulfide for Lithium Ion Battery Applications. <i>Chinese Journal of Chemical Engineering</i> , 2010, 18, 910-913.	1.7	53
425	Synthesis and modification of non-stoichiometric spinel (Li _{1.02} Mn _{1.90} Y _{0.02} O _{4-y} F _{0.08}) for lithium-ion batteries. <i>Materials Chemistry and Physics</i> , 2010, 119, 82-85.	2.0	7
426	Carbon-coated MoO ₃ nanobelts as anode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 2372-2376.	4.0	187
427	In situ synthesis of ultra-fine, porous, tin oxide-carbon nanocomposites via a molten salt method for lithium-ion batteries. <i>Journal of Power Sources</i> , 2010, 195, 5382-5386.	4.0	45
428	Enhanced hydrogen sorption properties of Ni and Co-catalyzed MgH ₂ . <i>International Journal of Hydrogen Energy</i> , 2010, 35, 4569-4575.	3.8	149
429	Effects of CNTs on the hydrogen storage properties of MgH ₂ and MgH ₂ -BCC composite. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 7821-7826.	3.8	90
430	Solvent-assisted molten salt process: A new route to synthesise γ -Fe ₂ O ₃ /C nanocomposite and its electrochemical performance in lithium-ion batteries. <i>Electrochimica Acta</i> , 2010, 55, 5006-5013.	2.6	107
431	Synthesis of uniform polycrystalline tin dioxide nanofibers and electrochemical application in lithium-ion batteries. <i>Electrochimica Acta</i> , 2010, 55, 5485-5491.	2.6	65
432	Stress evolution and lattice distortion induced by thickness variation and lattice misfit in La _{0.67} Sr _{0.33} MnO ₃ films. <i>Solid State Communications</i> , 2010, 150, 66-69.	0.9	11

#	ARTICLE	IF	CITATIONS
433	LiCoO ₂ cathode thin film fabricated by RF sputtering for lithium ion microbatteries. Surface and Coatings Technology, 2010, 204, 1710-1714.	2.2	36
434	Tin dioxide/carbon nanotube composites with high uniform SnO ₂ loading as anode materials for lithium ion batteries. Electrochimica Acta, 2010, 55, 2582-2586.	2.6	119
435	Porous Co ₃ O ₄ nanoplatelets by self-supported formation as electrode material for lithium-ion batteries. Electrochimica Acta, 2010, 55, 4805-4811.	2.6	55
436	Three-dimensional reticular tin-manganese oxide composite anode materials for lithium ion batteries. Electrochimica Acta, 2010, 55, 4982-4986.	2.6	25
437	Easy preparation of SnO ₂ @carbon composite nanofibers with improved lithium ion storage properties. Journal of Materials Research, 2010, 25, 1516-1524.	1.2	52
438	Superior stability and high capacity of restacked molybdenum disulfide as anode material for lithium ion batteries. Chemical Communications, 2010, 46, 1106-1108.	2.2	527
439	Dehydrogenation Promotion of LiBH ₄ -NH ₃ Through Heating in Ammonia or Mixing with Metal Hydrides. Journal of Physical Chemistry C, 2010, 114, 12823-12827.	1.5	21
440	Reversible Hydrogen Storage in Destabilized LiAlH ₄ -MgH ₂ -LiBH ₄ Ternary-Hydride System Doped with TiF ₃ . Journal of Physical Chemistry C, 2010, 114, 11643-11649.	1.5	48
441	A Combined Hydrogen Storage System of Mg(BH ₄) ₂ -LiNH ₂ with Favorable Dehydrogenation. Journal of Physical Chemistry C, 2010, 114, 4733-4737.	1.5	82
442	Study on the dehydrogenation kinetics and thermodynamics of Ca(BH ₄) ₂ . Journal of Alloys and Compounds, 2010, 500, 200-205.	2.8	53
443	Synthesis and characterization of tin dioxide/multiwall carbon nanotube composites. Journal of Alloys and Compounds, 2010, 504, 457-461.	2.8	22
444	SnO ₂ nanocrystals on self-organized TiO ₂ nanotube array as three-dimensional electrode for lithium ion microbatteries. Journal of Materials Chemistry, 2010, 20, 5689.	6.7	80
445	Plum-branch-like carbon nanofibers decorated with SnO ₂ nanocrystals. Nanoscale, 2010, 2, 1011.	2.8	46
446	Si-based anode materials for lithium rechargeable batteries. Journal of Materials Chemistry, 2010, 20, 10055.	6.7	120
447	Peashell-like nanostructure—a new kind of one-dimensional nanostructure: the case of magnesium oxide. Chemical Communications, 2010, 46, 3887.	2.2	14
448	SnO ₂ -NiO-C nanocomposite as a high capacity anode material for lithium-ion batteries. Journal of Materials Chemistry, 2010, 20, 9707.	6.7	80
449	Hydrogen Storage Properties of Mg-BCC Composite. International Journal of Green Energy, 2009, 6, 607-615.	2.1	7
450	Nanostructured NiO/C Composite for Lithium-Ion Battery Anode. Journal of Nanoscience and Nanotechnology, 2009, 9, 1951-1955.	0.9	12

#	ARTICLE	IF	CITATIONS
451	Dehydrogenation/rehydrogenation mechanism in aluminum destabilized lithium borohydride. <i>Journal of Materials Research</i> , 2009, 24, 2720-2727.	1.2	11
452	Synthesis of catalyzed magnesium hydride with low absorption/desorption temperature. <i>Scripta Materialia</i> , 2009, 61, 469-472.	2.6	38
453	Hydrogen storage properties of MgH ₂ /SiC composites. <i>Materials Chemistry and Physics</i> , 2009, 114, 168-172.	2.0	65
454	Nickel-cobalt oxides/carbon nanoflakes as anode materials for lithium-ion batteries. <i>Materials Research Bulletin</i> , 2009, 44, 140-145.	2.7	28
455	Synthesis of molybdenum disulfide (MoS ₂) for lithium ion battery applications. <i>Materials Research Bulletin</i> , 2009, 44, 1811-1815.	2.7	339
456	Tin Oxide Thin Film with Three-Dimensional Ordered Reticular Morphology as a Lithium Ion Battery Anode. <i>ChemPhysChem</i> , 2009, 10, 3101-3104.	1.0	7
457	Synthesis and electrochemical properties of nanostructured LiAl _x Mn ₂ O ₄ Br _y particles. <i>Journal of Solid State Electrochemistry</i> , 2009, 13, 799-805.	1.2	20
458	Preparation of tin nanocomposite as anode material by molten salts method and its application in lithium ion batteries. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2546-2550.	0.8	4
459	Preparation and characterization of novel spinel Li ₄ Ti ₅ O ₁₂ -xBr _x anode materials. <i>Electrochimica Acta</i> , 2009, 54, 4772-4776.	2.6	175
460	Multiwalled carbon nanotube-supported Pt/Sn and Pt/Sn/PMo ₁₂ electrocatalysts for methanol electro-oxidation. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 2426-2434.	3.8	80
461	Effects of SiC nanoparticles with and without Ni on the hydrogen storage properties of MgH ₂ . <i>International Journal of Hydrogen Energy</i> , 2009, 34, 7263-7268.	3.8	62
462	Real-time measurement of desorption temperature and kinetics of magnesium hydride powder sample based on optical reflection. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 9168-9172.	3.8	2
463	Ethanol gas sensor based on Al-doped ZnO nanomaterial with many gas diffusing channels. <i>Sensors and Actuators B: Chemical</i> , 2009, 140, 549-556.	4.0	174
464	Three-dimensional Li ₂ O-NiO-CoO composite thin-film anode with network structure for lithium-ion batteries. <i>Journal of Power Sources</i> , 2009, 189, 566-570.	4.0	29
465	Investigation of discharge reaction mechanism of lithium liquid electrolyte sulfur battery. <i>Journal of Power Sources</i> , 2009, 189, 1179-1183.	4.0	134
466	Synthesis of LiFe _{1-x} Ni _x PO ₄ /C composites and their electrochemical performance. <i>Journal of Power Sources</i> , 2009, 194, 786-793.	4.0	47
467	Improvement of the LiAlH ₄ /NaBH ₄ System for Reversible Hydrogen Storage. <i>Journal of Physical Chemistry C</i> , 2009, 113, 10813-10818.	1.5	42
468	Preparation and Characteristics of LiFePO ₄ Thin Film by Radio Frequency Magnetron Sputtering for Lithium Microbatteries. <i>Journal of Physical Chemistry C</i> , 2009, 113, 14518-14522.	1.5	33

#	ARTICLE	IF	CITATIONS
469	Synthesis and properties of Li ⁺ Ti ⁺ O spinel (LiTi ₂ O ₄). Journal of Alloys and Compounds, 2009, 478, 767-770.	2.8	21
470	Enhanced hydrogen storage performances of NaBH ₄ -MgH ₂ system. Journal of Alloys and Compounds, 2009, 479, 619-623.	2.8	93
471	Dehydrogenation characteristics of Ti- and Ni/Ti-catalyzed Mg hydrides. Journal of Alloys and Compounds, 2009, 481, 152-155.	2.8	53
472	Reversible hydrogen storage in titanium-catalyzed LiAlH ₄ -LiBH ₄ system. Journal of Alloys and Compounds, 2009, 487, 434-438.	2.8	51
473	Highly porous reticular tin-cobalt oxide composite thin film anodes for lithium ion batteries. Journal of Materials Chemistry, 2009, 19, 8360.	6.7	88
474	Ultra-fine porous SnO ₂ nanopowder prepared via a molten salt process: a highly efficient anode material for lithium-ion batteries. Journal of Materials Chemistry, 2009, 19, 3253.	6.7	103
475	Controlled synthesis of γ -Fe ₂ O ₃ nanostructures and their size-dependent electrochemical properties for lithium-ion batteries. Journal of Power Sources, 2008, 184, 456-461.	4.0	117
476	Preparation of γ -Fe ₂ O ₃ submicro-flowers by a hydrothermal approach and their electrochemical performance in lithium-ion batteries. Electrochimica Acta, 2008, 53, 4213-4218.	2.6	86
477	Polyoxometallate-stabilized Pt-Ru catalysts on multiwalled carbon nanotubes: Influence of preparation conditions on the performance of direct methanol fuel cells. Journal of Power Sources, 2008, 184, 361-369.	4.0	48
478	Synthesis of spherical porous vanadium pentoxide and its electrochemical properties. Journal of Power Sources, 2008, 184, 485-488.	4.0	66
479	Polyoxometallate-stabilized platinum catalysts on multi-walled carbon nanotubes for fuel cell applications. Electrochimica Acta, 2008, 53, 6410-6416.	2.6	33
480	NiCo ₂ O ₄ /C Nanocomposite as a Highly Reversible Anode Material for Lithium-Ion Batteries. Electrochemical and Solid-State Letters, 2008, 11, A64.	2.2	79
481	Diffusion and Kinetics of Solvent-Free Reaction between Molecular Crystals by Time-Resolved Powder UV-Vis Reflection Spectrum. Journal of Physical Chemistry A, 2008, 112, 5390-5394.	1.1	0
482	Shape Evolution of γ -Fe ₂ O ₃ and Its Size-Dependent Electrochemical Properties for Lithium-Ion Batteries. Journal of the Electrochemical Society, 2008, 155, A196.	1.3	89
483	Effects of carbon black, graphite and carbon nanotube additives on hydrogen storage properties of magnesium. Journal of Alloys and Compounds, 2007, 427, 94-100.	2.8	107
484	Low-Temperature Synthesis of Polypyrrole-Coated LiV ₃ O ₈ Composite with Enhanced Electrochemical Properties. Journal of the Electrochemical Society, 2007, 154, A633.	1.3	62
485	Synthesis of tungsten disulfide (WS ₂) nanoflakes for lithium ion battery application. Electrochemistry Communications, 2007, 9, 119-122.	2.3	167
486	Synthesis and optical properties of ultra-fine Sr ₅ Al ₂ O ₈ :Eu ³⁺ nanorod phosphor from a low-heating-temperature solid-state precursor method. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2007, 145, 23-27.	1.7	16

#	ARTICLE	IF	CITATIONS
487	Titania nanotube supported tin anodes for lithium intercalation. <i>Electrochemistry Communications</i> , 2007, 9, 697-702.	2.3	36
488	Novel nano-silicon/polypyrrole composites for lithium storage. <i>Electrochemistry Communications</i> , 2007, 9, 941-946.	2.3	141
489	A new class of cathode materials for rechargeable magnesium batteries: Organosulfur compounds based on sulfur-sulfur bonds. <i>Electrochemistry Communications</i> , 2007, 9, 1913-1917.	2.3	132
490	Noticeable improvement in the desorption temperature from graphite in rehydrogenated MgH ₂ /graphite composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 447, 180-185.	2.6	36
491	Spray-pyrolyzed silicon/disordered carbon nanocomposites for lithium-ion battery anodes. <i>Journal of Power Sources</i> , 2007, 174, 823-827.	4.0	43
492	Synthesis and characterization of SnO ₂ -polypyrrole composite for lithium-ion battery. <i>Journal of Power Sources</i> , 2007, 174, 1183-1187.	4.0	96
493	Synthesis and electrochemical properties of Li _{0.1} V ₃ O ₈ . <i>Journal of Power Sources</i> , 2007, 174, 548-551.	4.0	31
494	Improvement in hydrogen cycling properties of magnesium through added graphite. <i>Materials Letters</i> , 2007, 61, 3163-3166.	1.3	18
495	Improved Hydrogen Storage of LiBH ₄ Catalyzed Magnesium. <i>Journal of Physical Chemistry C</i> , 2007, 111, 12495-12498.	1.5	58
496	An investigation of polypyrrole-LiV ₃ O ₈ composite cathode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , 2007, 174, 1095-1099.	4.0	66
497	Preparation of spherical clusters of metal oxide nanorods and their hydrogen storage behavior. <i>Materials Letters</i> , 2006, 60, 3891-3894.	1.3	14
498	Spherical Clusters of NiO Nanoshafths for Lithium-Ion Battery Anodes. <i>Electrochemical and Solid-State Letters</i> , 2006, 9, A524.	2.2	92
499	Effects of iron oxide (Fe ₂ O ₃ , Fe ₃ O ₄) on hydrogen storage properties of Mg-based composites. <i>Journal of Alloys and Compounds</i> , 2006, 422, 299-304.	2.8	70
500	Thermal stability and hydrogen storage property of Mg _{1.9} Cu _{0.1} Ni _x (x=1.8, 1.9, 2.0 and 2.1) alloys. <i>Journal of Alloys and Compounds</i> , 2006, 426, 335-340.	2.8	4
501	Electrochemical Hydrogen Storage in Single-Walled Carbon Nanotube Paper. <i>Journal of Nanoscience and Nanotechnology</i> , 2006, 6, 713-718.	0.9	11
502	In situ fabrication of spherical porous tin oxide via a spray pyrolysis technique. <i>Electrochimica Acta</i> , 2006, 51, 3680-3684.	2.6	19
503	Sulphur-polypyrrole composite positive electrode materials for rechargeable lithium batteries. <i>Electrochimica Acta</i> , 2006, 51, 4634-4638.	2.6	265
504	Novel ionic liquid supported synthesis of platinum-based electrocatalysts on multiwalled carbon nanotubes. <i>Electrochemistry Communications</i> , 2006, 8, 245-250.	2.3	51

#	ARTICLE	IF	CITATIONS
505	LiMn ₂ O ₄ cathode materials synthesized by the cellulose-citric acid method for lithium ion batteries. Journal of Power Sources, 2006, 158, 608-613.	4.0	22
506	Optimizing synthesis of silicon/disordered carbon composites for use as anode materials in lithium-ion batteries. Journal of Power Sources, 2006, 159, 332-335.	4.0	29
507	Nano-structured spherical porous SnO ₂ anodes for lithium-ion batteries. Journal of Power Sources, 2006, 159, 345-348.	4.0	91
508	Enhanced electrochemical properties of nonstoichiometric amorphous Mg ₂ Ni _{1.3} electrodes. Journal of Applied Electrochemistry, 2006, 36, 11-16.	1.5	2
509	Synthesis and electrochemical performance of LiCr _x Mn _{2-x} O ₄ (x=0,0.02,0.05,0.08,0.10) powders by ultrasonic coprecipitation. Journal of Solid State Electrochemistry, 2006, 10, 929-933.	1.2	17
510	Electrochemical hydrogen storage properties of nonstoichiometric amorphous MgNi _{1+x} MgNi _{1-x} carbon composites (x=0.05x=0.05-0.3). International Journal of Hydrogen Energy, 2006, 31, 2032-2039.	3.8	30
511	Highly Reversible Lithium Storage in Spheroidal Carbon-Coated Silicon Nanocomposites as Anodes for Lithium-Ion Batteries. Angewandte Chemie - International Edition, 2006, 45, 6896-6899.	7.2	656
512	Rapid Synthesis of Amino Acid Polyoxometalate Nanotubes by One-Step Solid-State Chemical Reaction at Room Temperature. Advanced Functional Materials, 2006, 16, 687-692.	7.8	107
513	Nanomaterials for Lithium-ion Rechargeable Batteries. Journal of Nanoscience and Nanotechnology, 2006, 6, 1-15.	0.9	127
514	Non-aqueous synthesis of crystalline Co ₃ O ₄ powders using alcohol and cobalt chloride as a versatile reaction system for controllable morphology. Journal of Power Sources, 2005, 147, 264-268.	4.0	32
515	Study of silicon/polypyrrole composite as anode materials for Li-ion batteries. Journal of Power Sources, 2005, 146, 448-451.	4.0	172
516	Lithium insertion in Si-TiC nanocomposite materials produced by high-energy mechanical milling. Journal of Power Sources, 2005, 146, 190-194.	4.0	37
517	Crystal structure and spectroscopic study on photochromism of 1,3-diphenyl-4-(4-fluoro)benzal-5-pyrazolone N(4)-phenyl semicarba-zone. Journal of Molecular Structure, 2005, 752, 124-129.	1.8	9
518	Electrochemical lithiation and de-lithiation of MWNT-Sn/SnNi nanocomposites. Carbon, 2005, 43, 1392-1399.	5.4	151
519	Single wall carbon nanotube paper as anode for lithium-ion battery. Electrochimica Acta, 2005, 51, 23-28.	2.6	263
520	Silicon/Disordered Carbon Nanocomposites for Lithium-Ion Battery Anodes. Journal of the Electrochemical Society, 2005, 152, A2211.	1.3	86
521	Start-Fine-Particle Carbon-enriched Li _{0.98} Mg _{0.02} FePO ₄ Synthesized by A Novel Modified Solid-State Reaction. Synthetic Metals, 2005, 153, 113-116.	2.1	13
522	Characterization of Nanoparticles of LiMn ₂ O ₄ Synthesized by a One-Step Intermediate-Temperature Solid-State Reaction. Journal of Nanoscience and Nanotechnology, 2004, 4, 162-166.	0.9	8

#	ARTICLE	IF	CITATIONS
523	Electrochemical and in situ synchrotron X-ray diffraction studies of Li[Li _{0.3} Cr _{0.1} Mn _{0.6}]O ₂ cathode materials. <i>Solid State Ionics</i> , 2004, 167, 183-189.	1.3	6
524	Lead-coated glass fibre mesh grids for lead-acid batteries. <i>Journal of Applied Electrochemistry</i> , 2003, 33, 1057-1061.	1.5	6
525	Preparation of orthorhombic LiMnO ₂ material via the sol-gel process. <i>Journal of Power Sources</i> , 2003, 119-121, 221-225.	4.0	34
526	Multiple-ion-doped lithium nickel oxides as cathode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , 2003, 119-121, 189-194.	4.0	18
527	Structure and electrochemical characteristics of LiMn _{0.7} MO ₃ O ₂ (M=Ti, V, Zn, Mo, Co, Mg, Cr). <i>Journal of Alloys and Compounds</i> , 2003, 348, 231-235.	2.8	24
528	Manganese-Ion Doped Layered Nanocrystalline Li-Co-Mn-O Powders Prepared from Sol-Gel Processing. <i>Journal of Metastable and Nanocrystalline Materials</i> , 2003, 15-16, 727-732.	0.1	1
529	Nanocrystalline γ -Ni(OH) ₂ Prepared by Ultrasonic Precipitation. <i>Journal of Nanoscience and Nanotechnology</i> , 2002, 2, 45-46.	0.9	5
530	Synthesis of Layered-Structure LiMn _{1-x} Cr _x O ₂ by the Pechini Method and Characterization as a Cathode for Rechargeable Li/LiMnO ₂ Cells. <i>Journal of the Electrochemical Society</i> , 2002, 149, A792.	1.3	23
531	Electrochemical properties of orthorhombic LiMnO ₂ prepared by one-step middle-temperature solid-state reaction. <i>Journal of Alloys and Compounds</i> , 2002, 346, 255-259.	2.8	12
532	Structure and electrochemistry of LiCr _x Mn _{1-x} O ₂ cathode for lithium-ion batteries. <i>Solid State Ionics</i> , 2002, 148, 359-366.	1.3	13
533	Studies on electrochemical performance of partially reduced MnO ₂ used as cathode for MH/MnO ₂ rechargeable battery. <i>Journal of Power Sources</i> , 2002, 109, 11-16.	4.0	12
534	A novel silver oxide electrode and its charge-discharge performance. <i>Journal of Applied Electrochemistry</i> , 2002, 32, 275-279.	1.5	12
535	Studies on a Novel Secondary Battery: MH/MnO ₂ Rechargeable Battery: II. Characteristics of the Cathode. <i>Journal of the Electrochemical Society</i> , 1997, 144, L213-L216.	1.3	12
536	Characterization of Pd Nano-Thin Films for High-Speed Switchable Mirrors. <i>Materials Science Forum</i> , 0, 700, 166-169.	0.3	0
537	In situ growth of NiS ₂ nanosheet array on Ni foil as cathode to improve the performance of lithium/sodium-sulfur batteries. <i>Science China Technological Sciences</i> , 0, , 1.	2.0	0
538	Building a House for Stabilizing Lithium-Metal Anodes. <i>Batteries and Supercaps</i> , 0, , .	2.4	2