

Jason Oke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8840856/publications.pdf>

Version: 2024-02-01

69
papers

3,542
citations

430874

18
h-index

161849

54
g-index

75
all docs

75
docs citations

75
times ranked

7285
citing authors

#	ARTICLE	IF	CITATIONS
1	Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0158765.	2.5	2,336
2	Efficacy and effectiveness of screen and treat policies in prevention of type 2 diabetes: systematic review and meta-analysis of screening tests and interventions. BMJ, The, 2017, 356, i6538.	6.0	222
3	Development of a cost-effectiveness model for optimisation of the screening interval in diabetic retinopathy screening. Health Technology Assessment, 2015, 19, 1-116.	2.8	90
4	Faecal immunochemical testing for adults with symptoms of colorectal cancer attending English primary care: a retrospective cohort study of 14,487 consecutive test requests. Alimentary Pharmacology and Therapeutics, 2020, 52, 1031-1041.	3.7	51
5	Excess mortality in the first COVID pandemic peak: cross-sectional analyses of the impact of age, sex, ethnicity, household size, and long-term conditions in people of known SARS-CoV-2 status in England. British Journal of General Practice, 2020, 70, e890-e898.	1.4	51
6	Reference values for skeletal muscle mass and fat mass measured by bioelectrical impedance in 390 UK adults. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 487-496.	7.3	48
7	The Suspected CANcer (SCAN) pathway: protocol for evaluating a new standard of care for patients with non-specific symptoms of cancer. BMJ Open, 2018, 8, e018168.	1.9	43
8	Early detection of multiple myeloma in primary care using blood tests: a case-control study in primary care. British Journal of General Practice, 2018, 68, e586-e593.	1.4	42
9	Association Between Blood Pressure Control and Coronavirus Disease 2019 Outcomes in 418 Symptomatic Patients With Hypertension. Hypertension, 2021, 77, 846-855.	2.7	41
10	People's willingness to accept overdiagnosis in cancer screening: population survey. BMJ, The, 2015, 350, h980-h980.	6.0	38
11	Disparities in the excess risk of mortality in the first wave of COVID-19: Cross sectional study of the English sentinel network. Journal of Infection, 2020, 81, 785-792.	3.3	36
12	The association between unexpected weight loss and cancer diagnosis in primary care: a matched cohort analysis of 65,000 presentations. British Journal of Cancer, 2020, 122, 1848-1856.	6.4	33
13	B-type natriuretic peptide-guided treatment for heart failure. The Cochrane Library, 2016, 2016, CD008966.	2.8	30
14	Optimal strategies for identifying kidney disease in diabetes: properties of screening tests, progression of renal dysfunction and impact of treatment – systematic review and modelling of progression and cost-effectiveness. Health Technology Assessment, 2014, 18, 1-128.	2.8	29
15	Quantifying intervals to diagnosis in myeloma: a systematic review and meta-analysis. BMJ Open, 2018, 8, e019758.	1.9	26
16	Using fractional exhaled nitric oxide to guide step-down treatment decisions in patients with asthma: a systematic review and individual patient data meta-analysis. European Respiratory Journal, 2020, 55, 1902150.	6.7	26
17	Development of practical recommendations for diagnostic accuracy studies in low-prevalence situations. Journal of Clinical Epidemiology, 2019, 114, 38-48.	5.0	25
18	The mapping of cancer incidence and mortality trends in the UK from 1980–2013 reveals a potential for overdiagnosis. Scientific Reports, 2018, 8, 14663.	3.3	24

#	ARTICLE	IF	CITATIONS
19	Discharge pathways and relapse following treatment from early intervention in psychosis services. <i>BJPsych Open</i> , 2018, 4, 368-374.	0.7	23
20	Practice variation in the use of tests in UK primary care: a retrospective analysis of 16 million tests performed over 3.3 million patient years in 2015/16. <i>BMC Medicine</i> , 2018, 16, 229.	5.5	21
21	Natriuretic peptide-guided treatment for heart failure: a systematic review and meta-analysis. <i>BMJ Evidence-Based Medicine</i> , 2020, 25, 33-37.	3.5	19
22	Experience of adopting faecal immunochemical testing to meet the NICE colorectal cancer referral criteria for low-risk symptomatic primary care patients in Oxfordshire, UK. <i>Frontline Gastroenterology</i> , 2019, 10, 347-355.	1.8	18
23	Variation in Direct Access to Tests to Investigate Cancer: A Survey of English General Practitioners. <i>PLoS ONE</i> , 2016, 11, e0159725.	2.5	16
24	Patterns in Weight and Physical Activity Tracking Data Preceding a Stop in Weight Monitoring: Observational Analysis. <i>Journal of Medical Internet Research</i> , 2020, 22, e15790.	4.3	16
25	Physician Support of Smoking Cessation After Diagnosis of Lung, Bladder, or Upper Aerodigestive Tract Cancer. <i>Annals of Family Medicine</i> , 2017, 15, 443-450.	1.9	15
26	Combining simple blood tests to identify primary care patients with unexpected weight loss for cancer investigation: Clinical risk score development, internal validation, and net benefit analysis. <i>PLoS Medicine</i> , 2021, 18, e1003728.	8.4	15
27	The feasibility and acceptability of self-testing for proteinuria during pregnancy: A mixed methods approach. <i>Pregnancy Hypertension</i> , 2018, 12, 161-168.	1.4	14
28	Primary cam morphology; bump, burden or bog-standard? A concept analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, 1212-1221.	6.7	14
29	Do medical schools teach medical humanities? Review of curricula in the United States, Canada and the United Kingdom. <i>Journal of Evaluation in Clinical Practice</i> , 2022, 28, 86-92.	1.8	13
30	The effect of a brief action planning intervention on adherence to double-blind study medication, compared to a standard trial protocol, in the Atorvastatin in Factorial with Omega EE90 Risk Reduction in Diabetes (AFORRD) clinical trial: A cluster randomised sub-study. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, 56-64.	2.8	12
31	Variation in diagnostic test requests and outcomes: a preliminary metric for OpenPathology.net. <i>Scientific Reports</i> , 2018, 8, 4752.	3.3	12
32	Trends in kidney function testing in UK primary care since the introduction of the quality and outcomes framework: a retrospective cohort study using CPRD. <i>BMJ Open</i> , 2019, 9, e028062.	1.9	11
33	Clinical prediction tools to identify patients at highest risk of myeloma in primary care: a retrospective open cohort study. <i>British Journal of General Practice</i> , 2021, 71, e347-e355.	1.4	11
34	Effect of weight loss on cardiometabolic risk: observational analysis of two randomised controlled trials of community weight-loss programmes. <i>British Journal of General Practice</i> , 2021, 71, e312-e319.	1.4	11
35	Home self-testing kits: helpful or harmful?. <i>British Journal of General Practice</i> , 2018, 68, 360-361.	1.4	10
36	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003385.	8.4	10

#	ARTICLE	IF	CITATIONS
37	Development and validation of clinical prediction models to risk stratify patients presenting with small pulmonary nodules: a research protocol. <i>Diagnostic and Prognostic Research</i> , 2018, 2, 22.	1.8	8
38	Temporal trends in childhood cancer survival in Egypt, 2007 to 2017: A large retrospective study of 14808 children with cancer from the Children's Cancer Hospital Egypt. <i>International Journal of Cancer</i> , 2021, 148, 1562-1574.	5.1	8
39	Reference values for body composition and associations with blood pressure in Kenyan adults aged ≥50 years old. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 558-565.	2.9	7
40	Rapid community point-of-care testing for COVID-19 (RAPTOR-C19): protocol for a platform diagnostic study. <i>Diagnostic and Prognostic Research</i> , 2021, 5, 4.	1.8	7
41	The impact of primary care supported shielding on the risk of mortality in people vulnerable to COVID-19: English sentinel network matched cohort study. <i>Journal of Infection</i> , 2021, 83, 228-236.	3.3	7
42	Long-term health outcomes of people with reduced kidney function in the UK: A modelling study using population health data. <i>PLoS Medicine</i> , 2020, 17, e1003478.	8.4	7
43	Combining faecal immunochemical testing with blood test results for colorectal cancer risk stratification: a consecutive cohort of 16,604 patients presenting to primary care. <i>BMC Medicine</i> , 2022, 20, 116.	5.5	7
44	Trends in Cancer Antigen 125 testing 2003-2014: A primary care population-based cohort study using laboratory data. <i>European Journal of Cancer Care</i> , 2019, 28, e12914.	1.5	6
45	Trends in serum creatinine testing in Oxfordshire, UK, 1993–2013: a population-based cohort study. <i>BMJ Open</i> , 2015, 5, e009459.	1.9	5
46	Childhood cancer hospital resource utilization and costs in Egypt, 2013–2017; patterns, trends, and associated factors for 8886 patients from Children's Cancer Hospital, Egypt. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29347.	1.5	4
47	Childhood, teenage and young adult cancer diagnosis during the first wave of the COVID-19 pandemic: a population-based observational cohort study in England. <i>Archives of Disease in Childhood</i> , 2022, 107, 740-746.	1.9	4
48	Additional insulin dosing for fat and protein in children with type 1 diabetes using multiple daily injections. <i>Pediatric Diabetes</i> , 2022, 23, 742-748.	2.9	4
49	Monitoring young people with type 1 diabetes for diabetic nephropathy: Potential errors of annual ACR testing. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 307-314.	2.8	2
50	Essential components in natriuretic peptide-guided management of heart failure: an intervention synthesis. <i>Open Heart</i> , 2018, 5, e000826.	2.3	2
51	Letter: extending FIT from DG30 to NG12 patients. Letter: faecal immunochemical testing for adults with symptoms of colorectal cancer – ready for prime time? Authors' reply: a unified approach to safety netting negative FITs is required. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 1420-1421.	3.7	2
52	18–Variation in diagnostic test requests and outcomes: a preliminary metric for openpathology.net. , 2018, , .		1
53	A year in statistics—the view from the trenches. <i>BMJ Evidence-Based Medicine</i> , 2020, 25, 81-82.	3.5	1
54	Long-term monitoring in primary care for chronic kidney disease and chronic heart failure: a multi-method research programme. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-218.	1.0	1

#	ARTICLE	IF	CITATIONS
55	Statistical models for the deterioration of kidney function in a primary care population: A retrospective database analysis. F1000Research, 0, 8, 1618.	1.6	1
56	Cancer survival figures are misleading. BMJ, The, 2014, 348, g3315-g3315.	6.0	0
57	NMDAR antibodies in first episode psychosis: conclusions too inflammatory given results? " Authors' reply. Lancet Psychiatry,the, 2017, 4, 356-357.	7.4	0
58	Using fractional exhaled nitric oxide to guide step-down treatment decisions in asthma: practical considerations. European Respiratory Journal, 2020, 56, 2002809.	6.7	0
59	Title is missing!. , 2020, 17, e1003385.		0
60	Title is missing!. , 2020, 17, e1003385.		0
61	Title is missing!. , 2020, 17, e1003385.		0
62	Title is missing!. , 2020, 17, e1003385.		0
63	Title is missing!. , 2020, 17, e1003385.		0
64	Title is missing!. , 2020, 17, e1003478.		0
65	Title is missing!. , 2020, 17, e1003478.		0
66	Title is missing!. , 2020, 17, e1003478.		0
67	Title is missing!. , 2020, 17, e1003478.		0
68	Title is missing!. , 2020, 17, e1003478.		0
69	Systematic review of costs and cost-effectiveness of treatment for relapsed/refractory acute leukemia in children and young adults. Expert Review of Hematology, 2022, 15, 345-357.	2.2	0