

# Erwan Guyot

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8841023/publications.pdf>

Version: 2024-02-01

12  
papers

898  
citations

840776

11  
h-index

1199594

12  
g-index

12  
all docs

12  
docs citations

12  
times ranked

1613  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between the <i>PNPLA3</i> (rs738409 C>G) variant and hepatocellular carcinoma: Evidence from a meta-analysis of individual participant data. <i>Hepatology</i> , 2014, 59, 2170-2177.	7.3	193
2	Inflammatory Pathway Genes Belong to Major Targets of Persistent Organic Pollutants in Adipose Cells. <i>Environmental Health Perspectives</i> , 2012, 120, 508-514.	6.0	140
3	The AhR twist: ligand-dependent AhR signaling and pharmaco-toxicological implications. <i>Drug Discovery Today</i> , 2013, 18, 479-486.	6.4	115
4	PNPLA3 rs738409, hepatocellular carcinoma occurrence and risk model prediction in patients with cirrhosis. <i>Journal of Hepatology</i> , 2013, 58, 312-318.	3.7	112
5	A $\beta$ -Hydroxysteroid Dehydrogenase 13 Variant Protects From Hepatocellular Carcinoma Development in Alcoholic Liver Disease. <i>Hepatology</i> , 2019, 70, 231-240.	7.3	75
6	PNPLA3 and TM6SF2 variants as risk factors of hepatocellular carcinoma across various etiologies and severity of underlying liver diseases. <i>International Journal of Cancer</i> , 2019, 144, 533-544.	5.1	72
7	<i>PNPLA3</i> (rs738409 C>G) is a common risk variant associated with hepatocellular carcinoma in alcoholic cirrhosis. <i>Hepatology</i> , 2012, 55, 1307-1308.	7.3	69
8	Serum Proteoglycans as Prognostic Biomarkers of Hepatocellular Carcinoma in Patients with Alcoholic Cirrhosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1343-1352.	2.5	65
9	Impact of cytokine gene variants on the prediction and prognosis of hepatocellular carcinoma in patients with cirrhosis. <i>Journal of Hepatology</i> , 2014, 61, 342-350.	3.7	21
10	Identification of a new stilbene-derived inducer of paraoxonase 1 and ligand of the Aryl hydrocarbon Receptor. <i>Biochemical Pharmacology</i> , 2012, 83, 627-632.	4.4	15
11	The CRP level and STATE score predict survival in cirrhotic patients with hepatocellular carcinoma treated by transarterial embolization. <i>Digestive and Liver Disease</i> , 2016, 48, 1088-1092.	0.9	14
12	<i>BRIP1</i> coding variants are associated with a high risk of hepatocellular carcinoma occurrence in patients with HCV- or HBV-related liver disease. <i>Oncotarget</i> , 2017, 8, 62842-62857.	1.8	7