Sara Mercurio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8841917/publications.pdf Version: 2024-02-01



SADA MEDCUDIO

#	Article	IF	CITATIONS
1	A G Protein–Coupled Receptor Is Essential for Schwann Cells to Initiate Myelination. Science, 2009, 325, 1402-1405.	12.6	298
2	Wise, a context-dependent activator and inhibitor of Wnt signalling. Development (Cambridge), 2003, 130, 4295-4305.	2.5	294
3	Connective-tissue growth factor modulates WNT signalling and interacts with the WNT receptor complex. Development (Cambridge), 2004, 131, 2137-2147.	2.5	181
4	EMX2 protein in the developing mouse brain and olfactory area. Mechanisms of Development, 1998, 77, 165-172.	1.7	141
5	The Lack of Emx2 Causes Impairment ofReelin Signaling and Defects of Neuronal Migration in the Developing Cerebral Cortex. Journal of Neuroscience, 2000, 20, 1109-1118.	3.6	132
6	The Wnt/β-Catenin Pathway Posteriorizes Neural Tissue in Xenopus by an Indirect Mechanism Requiring FGF Signalling. Developmental Biology, 2001, 239, 148-160.	2.0	117
7	<i>Emx2</i> regulates the proliferation of stem cells of the adult mammalian central nervous system. Development (Cambridge), 2002, 129, 1633-1644.	2.5	115
8	KBP is essential for axonal structure, outgrowth and maintenance in zebrafish, providing insight into the cellular basis of Goldberg-Shprintzen syndrome. Development (Cambridge), 2008, 135, 599-608.	2.5	82
9	Monorail/Foxa2 regulates floorplate differentiation and specification of oligodendrocytes, serotonergic raphel•neurones and cranial motoneurones. Development (Cambridge), 2005, 132, 645-658.	2.5	81
10	Neurogenin1 is a determinant of zebrafish basal forebrain dopaminergic neurons and is regulated by the conserved zinc finger protein Tof/Fezl. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5143-5148.	7.1	78
11	Mapping the Global Chromatin Connectivity Network for Sox2 Function in Neural Stem Cell Maintenance. Cell Stem Cell, 2019, 24, 462-476.e6.	11.1	72
12	More than just Stem Cells: Functional Roles of the Transcription Factor Sox2 in Differentiated Glia and Neurons. International Journal of Molecular Sciences, 2019, 20, 4540.	4.1	69
13	Sox2 is required for embryonic development of the ventral telencephalon through the activation of the ventral determinants Nkx2.1 and Shh. Development (Cambridge), 2013, 140, 1250-1261.	2.5	48
14	notch3 is essential for oligodendrocyte development and vascular integrity in zebrafish. DMM Disease Models and Mechanisms, 2013, 6, 1246-59.	2.4	32
15	Sox2 is required for olfactory pit formation and olfactory neurogenesis through BMP restriction and <i>Hes5</i> upregulation. Development (Cambridge), 2018, 145, .	2.5	32
16	Sox2 Acts in Thalamic Neurons to Control the Development of Retina-Thalamus-Cortex Connectivity. IScience, 2019, 15, 257-273.	4.1	29
17	<scp>S</scp> ox2 conditional mutation in mouse causes ataxic symptoms, cerebellar vermis hypoplasia, and postnatal defects of <scp>B</scp> ergmann glia. Glia, 2018, 66, 1929-1946.	4.9	28
18	Deconstructing Sox2 Function in Brain Development and Disease. Cells, 2022, 11, 1604.	4.1	21

#	Article	IF	CITATIONS
19	An early Sox2-dependent gene expression programme required for hippocampal dentate gyrus development. Open Biology, 2021, 11, 200339.	3.6	15
20	Dynamic expression of NR2F1 and SOX2 in developing and adult human cortex: comparison with cortical malformations. Brain Structure and Function, 2021, 226, 1303-1322.	2.3	11
21	Sox2-Dependent Regulation of Neural Stem Cells and CNS Development. , 2016, , 187-216.		3