
Marie-Christine Ouellet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8845459/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Insomnia in Patients With Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2006, 21, 199-212.	1.7	262
2	Cognitive-Behavioral Therapy for Insomnia: Comparison of Individual Therapy, Group Therapy, and Telephone Consultations Journal of Consulting and Clinical Psychology, 2004, 72, 653-659.	2.0	204
3	Impact of the COVID-19 Pandemic on Older Adults: Rapid Review. JMIR Aging, 2021, 4, e26474.	3.0	193
4	Sleep-wake disturbances after traumatic brain injury. Lancet Neurology, The, 2015, 14, 746-757.	10.2	183
5	Efficacy of Cognitive-Behavioral Therapy for Insomnia Associated With Traumatic Brain Injury: A Single-Case Experimental Design. Archives of Physical Medicine and Rehabilitation, 2007, 88, 1581-1592.	0.9	163
6	Subjective and objective measures of insomnia in the context of traumatic brain injury: A preliminary study. Sleep Medicine, 2006, 7, 486-497.	1.6	159
7	Fatigue following traumatic brain injury: Frequency, characteristics, and associated factors Rehabilitation Psychology, 2006, 51, 140-149.	1.3	96
8	Cognitive behavioral therapy for insomnia associated with traumatic brain injury: A single-case study11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2004, 85,	0.9	82
9	1298-1302. Cumulative Incidence of Functional Decline After Minor Injuries in Previously Independent Older Canadian Individuals in the Emergency Department. Journal of the American Geriatrics Society, 2013, 61, 1661-1668.	2.6	80
10	MEMO+: Efficacy, Durability and Effect of Cognitive Training and Psychosocial Intervention in Individuals with Mild Cognitive Impairment. Journal of the American Geriatrics Society, 2018, 66, 655-663.	2.6	71
11	Decline in Activities of Daily Living After a Visit to a Canadian Emergency Department for Minor Injuries in Independent Older Adults: Are Frail Older Adults with Cognitive Impairment at Greater Risk?. Journal of the American Geriatrics Society, 2015, 63, 860-868.	2.6	61
12	A Systematic Review and Meta-analysis on PTSD Following TBI Among Military/Veteran and Civilian Populations. Journal of Head Trauma Rehabilitation, 2020, 35, E21-E35.	1.7	61
13	Post-Traumatic Stress among Evacuees from the 2016 Fort McMurray Wildfires: Exploration of Psychological and Sleep Symptoms Three Months after the Evacuation. International Journal of Environmental Research and Public Health, 2019, 16, 1604.	2.6	55
14	A Preliminary Study to Identify Locomotor-Cognitive Dual Tasks That Reveal Persistent Executive Dysfunction After Mild Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1594-1597.	0.9	43
15	Fatigue in the first year after traumatic brain injury: course, relationship with injury severity, and correlates. Neuropsychological Rehabilitation, 2017, 27, 983-1001.	1.6	39
16	The impact of poor sleep on cognition and activities of daily living after traumatic brain injury: A review. Australian Occupational Therapy Journal, 2015, 62, 2-12.	1.1	38
17	Volunteer Work and Psychological Health Following Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2009, 24, 262-271.	1.7	35
18	Alcohol and Drug Use Before and During the First Year After Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2018, 33, E51-E60.	1.7	33

MARIE-CHRISTINE OUELLET

#	Article	IF	CITATIONS
19	Depression in the First Year after Traumatic Brain Injury. Journal of Neurotrauma, 2018, 35, 1620-1629.	3.4	30
20	Executive dysfunction following a mild traumatic brain injury revealed in early adolescence with locomotor-cognitive dual-tasks. Brain Injury, 2016, 30, 1648-1655.	1.2	27
21	Persistent Postconcussion Symptoms: An Expert Consensus-Based Definition Using the Delphi Method. Journal of Head Trauma Rehabilitation, 2021, 36, 96-102.	1.7	27
22	Using dual task walking as an aid to assess executive dysfunction ecologically in neurological populations: A narrative review. Neuropsychological Rehabilitation, 2017, 27, 722-743.	1.6	26
23	Prognostic value of neuron-specific enolase (NSE) for prediction of post-concussion symptoms following a mild traumatic brain injury: a systematic review. Brain Injury, 2018, 32, 29-40.	1.2	26
24	Psychological Symptoms Among Evacuees From the 2016 Fort McMurray Wildfires: A Population-Based Survey One Year Later. Frontiers in Public Health, 2021, 9, 655357.	2.7	23
25	Long-Term Functional Outcome of Older Adults After a Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2012, 27, 379-390.	1.7	21
26	Measuring the impact of cognitive and psychosocial interventions in persons with mild cognitive impairment with a randomized single-blind controlled trial: rationale and design of the MEMO+ study. International Psychogeriatrics, 2015, 27, 511-525.	1.0	20
27	Prognostic Value of S-100β Protein for Prediction of Post-Concussion Symptoms after a Mild Traumatic Brain Injury: Systematic Review and Meta-Analysis. Journal of Neurotrauma, 2018, 35, 609-622.	3.4	16
28	Perceived mental health and needs for mental health services following trauma with and without brain injury. Journal of Rehabilitation Medicine, 2009, 41, 179-186.	1.1	14
29	Caregivers' emotional distress due to neuropsychiatric symptoms of persons with amnestic mild cognitive impairment or Alzheimer's disease. Aging and Mental Health, 2020, 24, 423-430.	2.8	14
30	Is Cognitive Function a Concern in Independent Elderly Adults Discharged Home from the Emergency Department in Canada After a Minor Injury?. Journal of the American Geriatrics Society, 2014, 62, 2130-2135.	2.6	13
31	Virtual realityâ€based assessment of cognitiveâ€locomotor interference in healthy young adults. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 53.	4.6	11
32	Efficacy of cognitive-behavioural therapy interventions on reducing burden for caregivers of older adults with a neurocognitive disorder: a systematic review and meta-analysis. Cognitive Behaviour Therapy, 2021, 50, 19-46.	3.5	10
33	A descriptive portrait of human assistance required by individuals with brain injury. Brain Injury, 2009, 23, 693-701.	1.2	9
34	Characteristics of patients included and enrolled in studies on the prognostic value of serum biomarkers for prediction of postconcussion symptoms following a mild traumatic brain injury: a systematic review. BMJ Open, 2017, 7, e017848.	1.9	9
35	Identifying clinicians' priorities for the implementation of best practices in cognitive rehabilitation post-acquired brain injury. Disability and Rehabilitation, 2021, 43, 2952-2962.	1.8	9
36	Correlates of cognitive functioning in independent elderly patients discharged home from the emergency department after a minor injury. International Psychogeriatrics, 2016, 28, 1313-1322.	1.0	7

#	Article	IF	CITATIONS
37	A Portrait of Mental Health Services Utilization and Perceived Barriers to Care in Men and Women Evacuated During the 2016 Fort McMurray Wildfires. Administration and Policy in Mental Health and Mental Health Services Research, 2021, 48, 1006-1018.	2.1	7
38	Comparison of functional outcomes in elderly who have sustained a minor trauma with or without head injury: a prospective multicenter cohort study. Canadian Journal of Emergency Medicine, 2017, 19, 329-337.	1.1	6
39	For a structured response to the psychosocial consequences of the restrictive measures imposed by the global COVID-19 health pandemic: the MAVIPAN longitudinal prospective cohort study protocol. BMJ Open, 2022, 12, e048749.	1.9	5
40	Dual-Task Abilities During Activities Representative of Daily Life in Community-Dwelling Stroke Survivors: A Pilot Study. Frontiers in Neurology, 2022, 13, 855226.	2.4	5
41	Using the Bergman-Paris Question to screen seniors in the emergency department. Canadian Journal of Emergency Medicine, 2018, 20, 753-761.	1.1	4
42	Performance during dual-task walking in a corridor after mild traumatic brain injury: A potential functional marker to assist return-to-function decisions. Brain Injury, 2021, 35, 173-179.	1.2	4
43	The Experience and Perceived Consequences of the 2016 Fort McMurray Fires and Evacuation. Frontiers in Public Health, 2021, 9, 641151.	2.7	4
44	Barriers and facilitators linked to discharge destination following inpatient rehabilitation after traumatic brain injury in older adults: a qualitative study. Disability and Rehabilitation, 2022, 44, 4738-4749.	1.8	3
45	Influence of concomitant injuries on post-concussion symptoms after a mild traumatic brain injury – a prospective multicentre cohort study. Brain Injury, 2021, 35, 1028-1034.	1.2	3
46	Anxiety symptoms and disorders in the first year after sustaining mild traumatic brain injury Rehabilitation Psychology, 2022, 67, 90-99.	1.3	3
47	Research Priorities for Optimizing Long-term Community Integration after Brain Injury. Canadian Journal of Neurological Sciences, 2018, 45, 643-651.	0.5	2
48	Adapting two American Decision Aids for Mild Traumatic Brain Injury to the Canadian Context Using the Nominal Group Technique. Patient, 2020, 13, 729-743.	2.7	2
49	Autonomie et expérience de la dépendance chez les personnes âgées ayant subi un traumatisme craniocérébral. Service Social, 2016, 62, 49-63.	0.1	1
50	Evaluation of Cognitive Functioning in the Context of Rehabilitation for Visual Impairment in Older Adults: A Case Series. Physical and Occupational Therapy in Geriatrics, 2017, 35, 132-155.	0.4	1
51	Alterations in dual-task walking persist two months after mild traumatic brain injury in young adults. Journal of Concussion, 2019, 3, 205970021987829.	0.6	1
52	Insomnia and Fatigue Following Traumatic Brain Injury: Prevalence, Correlates Evolution, and Treatment Options. , 2020, , 3-59.		1
53	Données d'utilisation d'un autotraitement guidé en ligne pour promouvoir la résilience après uneÂcatastrophe naturelle. Sante Mentale Au Quebec, 0, 46, 203-227.	0.1	1

54 Self-help Treatment for Insomniaâ⁻†. , 2017, , .

#	Article	IF	CITATIONS
55	Sleep–Wake Disturbances and Fatigue in Individuals with Traumatic Brain Injury. , 2012, , .		Ο
56	Criteria for Prioritizing Best Practices to Implement in Cognitive Rehabilitation. Global Implementation Research and Applications, 0, , 1.	1.1	0