

# Joel T Mague

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8850719/publications.pdf>

Version: 2024-02-01

481  
papers

3,433  
citations

186265  
28  
h-index

276875  
41  
g-index

485  
all docs

485  
docs citations

485  
times ranked

2665  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diastereoselective Synthesis of Polysubstituted Tetrahydropyrans and Thiacyclohexanes via Indium Trichloride Mediated Cyclizations1. Journal of Organic Chemistry, 2001, 66, 739-747.	3.2	114
2	Rationalization of Noncovalent Interactions within Six New $M^{II}$ -8-Aminoquinoline Supramolecular Complexes ( $M^{II}$ = Mn, Cu, and Cd): A Combined Experimental and Theoretical DFT Study. Crystal Growth and Design, 2015, 15, 1351-1361.	3.0	97
3	Novel Carbocycle Enlargement in Aqueous Medium. Journal of the American Chemical Society, 1996, 118, 4216-4217.	13.7	78
4	On the importance of tetrel bonding interactions in lead( $\langle scp \rangle ii \langle /scp \rangle$ ) complexes with (iso)nicotinohydrazide based ligands and several anions. Dalton Transactions, 2016, 45, 10708-10716.	3.3	78
5	Crystal engineering with coordination compounds of Ni <sup>II</sup> , Co <sup>II</sup> , and Cr <sup>III</sup> bearing dipicolinic acid driven by the nature of the noncovalent interactions. CrystEngComm, 2014, 16, 5352.	2.6	73
6	Tetranuclear Rhodium(I) Macrocycle Containing Cyclodiphosphazane [Rh <sub>2</sub> ( $\text{I}^{\text{1/4-Cl}}$ ) <sub>2</sub> (CO) <sub>2</sub> {(tBuNP(OC <sub>6</sub> H <sub>4</sub> OMe-o)) <sub>2</sub> -P}] <sub>2</sub> and Its Reversible Conversion into trans-[Rh(CO)Cl{(tBuNP(OC <sub>6</sub> H <sub>4</sub> OMe-o)) <sub>2</sub> -P}] <sub>2</sub> . Organometallics, 2005, 24, 3780-3783.	2.3	68
7	Synthesis, structural and molecular characterization of 2,2-diphenyl-2H,3H,5H,6H,7H-imidazo[2,1-b][1,3]thiazin-3-one. Journal of Molecular Structure, 2019, 1197, 369-376.	3.6	60
8	On the importance of non covalent interactions in the structure of coordination Cu( $\langle scp \rangle ii \langle /scp \rangle$ ) and Co( $\langle scp \rangle ii \langle /scp \rangle$ ) complexes of pyrazine- and pyridine-dicarboxylic acid derivatives: experimental and theoretical views. CrystEngComm, 2014, 16, 6149-6158.	2.6	57
9	Crystal engineering with coordination compounds of 2,6-dicarboxy-4-hydroxypyridine and 9-aminoacridine fragments driven by different nature of the face-to-face $\pi-\pi$ stacking. CrystEngComm, 2014, 16, 1359-1377.	2.6	56
10	Synthesis of a novel phenytoin derivative: Crystal structure, Hirshfeld surface analysis and DFT calculations. Journal of Molecular Structure, 2020, 1205, 127630.	3.6	56
11	Importance of polarization assisted/resonance assisted hydrogen bonding interactions and unconventional interactions in crystal formations of five new complexes bearing chelidamic acid through a proton transfer mechanism. RSC Advances, 2015, 5, 72923-72936.	3.6	50
12	Facile Reductive Elimination of Ethane from Strained Dimethylpalladium(II) Complexes. Journal of the American Chemical Society, 2001, 123, 4081-4082.	13.7	47
13	Dodecaphenyltetracene. Angewandte Chemie - International Edition, 2019, 58, 2831-2833.	13.8	45
14	Thioether-Functionalized Ferrocenyl-bis(phosphonite), Fe{[(C <sub>5</sub> H <sub>4</sub> )P(OC <sub>10</sub> H <sub>6</sub> ( $\text{I}^{\text{1/4-S}}$ )C <sub>10</sub> H <sub>6</sub> O)] <sub>2</sub> } <sub>2</sub> : Synthesis, Coordination Behavior, and Application in Suzuki-Miyaura Cross-Coupling Reactions. Inorganic Chemistry, 2007, 46, 10268-10275.	4.0	43
15	Structural scope of six new layered to pillar-layered hybrid inorganic-organic networks bearing [BW <sub>12</sub> O <sub>40</sub> ] <sup>5-</sup> and lanthanoid-cluster; database study toward ligand role in assemblies. CrystEngComm, 2016, 18, 6724-6737.	2.6	41
16	An inorganic-organic hybrid material based on a Keggin-type polyoxometalate@Dysprosium as an effective and green catalyst in the synthesis of 2-amino-4 <i>H</i> -chromenes via multicomponent reactions. Applied Organometallic Chemistry, 2020, 34, e5793.	3.5	41
17	Synthesis, spectroscopic characterization, crystal structure, DFT, molecular docking and inÂvitro antibacterial potential of novel quinoline derivatives. Journal of Molecular Structure, 2020, 1209, 127940.	3.6	40
18	Synthesis, crystal structure, DFT calculations, Hirshfeld surface analysis, energy frameworks, molecular dynamics and docking studies of novel isoxazolequinoxaline derivative (IZQ) as anti-cancer drug. Journal of Molecular Structure, 2021, 1232, 130004.	3.6	40

#	ARTICLE	IF	CITATIONS
19	Two Triazole-Based Phosphine Ligands Prepared via Temperature-Mediated Li/H Exchange: Cu <sup>+</sup> and Au <sup>+</sup> Complexes and Structural Studies. <i>Inorganic Chemistry</i> , 2016, 55, 8514-8526.	4.0	39
20	Novel Co(II) and Cu(II) coordination complexes constructed from pyrazole-acetamide: Effect of hydrogen bonding on the self assembly process and antioxidant activity. <i>Journal of Inorganic Biochemistry</i> , 2019, 191, 21-28.	3.5	39
21	Synthetic and Structural Studies of the Coordination Behavior of 2-Pyridylbis(diphenylphosphino)methane. <i>Inorganic Chemistry</i> , 2001, 40, 1962-1971.	4.0	38
22	Synthesis and derivatization, structures and transition metal chemistry of a new large bite bis(phosphinite) derived from bis(2-hydroxy-1-naphthyl)methane. <i>Dalton Transactions RSC</i> , 2002, , 4617-4621.	2.3	36
23	Hydrothermal synthesis, X-ray structure and DFT and magnetic studies of a (H <sub>2</sub> SiW <sub>12</sub> O <sub>40</sub> ) <sup>2-</sup> based one-dimensional linear coordination polymer. <i>Dalton Transactions</i> , 2015, 44, 8824-8832.	3.3	34
24	Novel antioxidant quinoxaline derivative: Synthesis, crystal structure, theoretical studies, antidiabetic activity and molecular docking study. <i>Journal of Molecular Structure</i> , 2021, 1239, 130484.	3.6	34
25	Sterically Demanding Phosphines with 2,6-Dibenzhydryl-4-methylphenyl Core: Synthesis of Ru <sup>II</sup> , Pd <sup>II</sup> , and Pt <sup>II</sup> Complexes, and Structural and Catalytic Studies. <i>Inorganic Chemistry</i> , 2018, 57, 7468-7480.	4.0	33
26	Synthesis, crystal structure, spectroscopic characterization, Hirshfeld surface analysis, molecular docking studies and DFT calculations, and antioxidant activity of 2-oxo-1,2-dihydroquinoline-4-carboxylate derivatives. <i>Journal of Molecular Structure</i> , 2019, 1188, 255-268.	3.6	32
27	Curcumin and derivatives. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, o608-o610.	0.4	31
28	Supramolecular network of a framework material supported by the anion- linkage of Keggin-type heteropolyoxotungstates: experimental and theoretical insights. <i>Dalton Transactions</i> , 2021, 50, 1895-1900.	3.3	31
29	Hierarchical Assembly of Organic/Inorganic Building Molecules with <i>i</i> -linkage. <i>Advanced Functional Materials</i> , 2008, 18, 1526-1535.	14.9	29
30	Two polyoxometalate-based hybrids constructed from trinuclear lanthanoid clusters with single-molecule magnet behavior. <i>Polyhedron</i> , 2021, 194, 114903.	2.2	29
31	Potential antidiabetic activity and molecular docking studies of novel synthesized 3,6-dimethyl-5-oxo-pyrido[3,4-f][1,2,4]triazepino[2,3-a]benzimidazole and 10-amino-2-methyl-4-oxo pyrimido[1,2-a]benzimidazole derivatives. <i>Journal of Molecular Modeling</i> , 2018, 24, 179.	1.8	28
32	Tribenzodecacyclene and Hexabenzodecacyclene. <i>Journal of Organic Chemistry</i> , 2015, 80, 4824-4827.	3.2	27
33	Synthesis, crystal structure, DFT, molecular dynamics simulation and evaluation of the anticorrosion performance of a new pyrazolotriazole derivative. <i>Journal of Molecular Structure</i> , 2019, 1176, 290-297.	3.6	27
34	Buffer and Salt Effects in Aqueous Host-Guest Systems: Screening, Competitive Binding, or Both?. <i>Journal of the American Chemical Society</i> , 2021, 143, 18605-18616.	13.7	27
35	The Hairpin Furans: Easily Prepared Hybrids of Helicenes and Twisted Acenes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13957-13960.	13.8	25
36	Synthesis, transition metal chemistry and catalytic reactions of ferrocenylbis(phosphonite), [Fe{C <sub>5</sub> H <sub>4</sub> P(OC <sub>6</sub> H <sub>3</sub> (OMe)-)(C <sub>3</sub> H <sub>5</sub> -p)} <sub>2</sub> ]. <i>Dalton Transactions</i> , 2013, 42, 11695.	3.3	24



#	ARTICLE	IF	CITATIONS
55	A possible potential COVID-19 drug candidate: Diethyl 2-(2-(2-(3-methyl-2-oxoquinolin-1(2H)-yl)acetyl)hydrazono)malonate: Docking of disordered independent molecules of a novel crystal structure, HSA/DFT/XRD and cytotoxicity. Arabian Journal of Chemistry, 2022, 15, 103595.	4.9	17
56	Mono-, Bi-, Tri- and Tetranuclear Palladium(II), Copper(I), and Gold(I) Complexes of Morpholine- and N-Methylpiperazine-Functionalized Cyclodiphosph(III)azans, cis-[(tBuN <sup>+</sup> ) <sub>4</sub> ] <sub>2</sub> (PNC <sub>4</sub> H <sub>8</sub> X) <sub>2</sub> ] (X = O, NMe). European Journal of Inorganic Chemistry, 2010, 2010, 4201-4210.	2.0	16
57	Co(III) and Fe(III) complexes of Schiff bases derived from 2,4-dihydroxybenzaldehyde <i>S</i>-allyl-isothiosemicarbazonehydrobromide. Journal of Coordination Chemistry, 2013, 66, 3915-3925.	2.2	16
58	Two new copper and nickel complexes of pyridine-2,6-dicarboxylic acid N-oxide and their proton transferred salts: Solid state and DFT insights. Inorganica Chimica Acta, 2015, 438, 135-145.	2.4	16
59	Synthesis, X-ray characterization and DFT study of a novel Fe(III)-“pyridine-2,6-dicarboxylic acid N-oxide complex with unusual coordination mode. Inorganica Chimica Acta, 2016, 449, 44-51.	2.4	16
60	Synthesis, crystal structure, spectroscopic characterization, Hirshfeld surface analysis, and DFT calculations of 1,4-dimethyl-2-oxo-pyrimido[1,2-a]benzimidazole hydrate. Journal of Molecular Structure, 2018, 1152, 154-162.	3.6	16
61	HSA-interaction studies of uranyl complexes of alkyl substituted isothiosemicarbazone. Journal of Molecular Structure, 2019, 1193, 53-61.	3.6	16
62	Synthesis and Spectroscopic and Thermal Decomposition Studies of Alkali Metal Salts of 2-Oximidopropionate. Inorganic Chemistry, 1997, 36, 2656-2661.	4.0	15
63	Surface-grafted lanthanoid complexes of the tungstosilicate polyanion [SiW <sub>12</sub> O <sub>40</sub> ] <sup>4-</sup> : a synthetic, structural and computational investigation. Acta Crystallographica Section C, Structural Chemistry, 2018, 74, 1300-1309.	0.5	15
64	Solvent induced supramolecular polymorphism in Cu(II) coordination complex built from 1,2,4-triazolo[1,5-a]pyrimidine: Crystal structures and anti-oxidant activity. Journal of Inorganic Biochemistry, 2020, 208, 111092.	3.5	15
65	2-pyridylbis(diphenylphosphino)methane chemistry. Synthesis and structures of [Cu( <sup>1</sup> H <sub>4</sub> <sup>2</sup> - <sup>1</sup> H <sub>2</sub> <sup>1</sup> H <sub>1</sub> (Ph <sub>2</sub> P) <sub>2</sub> <sup>2</sup> H <sub>5</sub> H <sub>4</sub> N)(THF)] <sub>2</sub> (BF <sub>4</sub> ) <sub>2</sub> and [Ni(Ph <sub>2</sub> PCH <sub>2</sub> C <sub>5</sub> H <sub>4</sub> N) <sub>2</sub> ]-[NiCl <sub>4</sub> ]-0.85CH <sub>2</sub> Cl <sub>2</sub> and [Ni(Ph <sub>2</sub> PCH <sub>2</sub> C <sub>5</sub> H <sub>4</sub> N) <sub>2</sub> ]-[NiCl <sub>4</sub> ]-0.85CH <sub>2</sub> Cl <sub>2</sub> . Journal of Chemical Crystallography, 1997, 27, 603-608.	1.1	14
66	Facile and convenient synthesis of 2,4-disubstituted and 2,3,4-trisubstituted 1,3-thiazoles. Journal of Sulfur Chemistry, 2016, 37, 162-175.	2.0	14
67	Redox-Active Metallocithiolene Groups Separated by Insulating Tetraphosphinobenzene Spacers. Inorganic Chemistry, 2018, 57, 4023-4038.	4.0	14
68	Title is missing!. Journal of Chemical Crystallography, 2001, 31, 295-300.	1.1	13
69	1,1-Bis(dipyrrolylphosphino)ferrocene: Synthesis, coordination chemistry and structural studies. Journal of Organometallic Chemistry, 2016, 824, 15-24.	1.8	13
70	A Straightforward Approach for the Synthesis of Novel Derivatives of Benzo[b]pyrazolo[5,4 <sup>2</sup> ,1 <sup>4</sup> :2,3]pyrimido[4,5- <sup>4</sup> ]thiazine. Journal of Heterocyclic Chemistry, 2016, 53, 1231-1235.	2.6	13
71			

#	ARTICLE	IF	CITATIONS
73	Ethyl 2-(2,5-dioxo-4,4-diphenylimidazolidin-1-yl)acetate. IUCrData, 2017, 2, .	0.3	13
74	1-Benzyl-3-methylquinoxalin-2(1 <i>&lt; i&gt;H&lt;/i&gt;</i> -one. IUCrData, 2018, 3, .	0.3	13
75	Ring Opening of Epoxides by Pendant Silanols. Organic Letters, 2022, 24, 939-943.	4.6	13
76	Synthesis of a tert-butyl substituted bis(silirane) and comparison with its methyl and phenyl analogs. Journal of Organometallic Chemistry, 2011, 696, 1957-1963.	1.8	12
77	Synthesis and Structures of [LCu(I)(SSi <sup>sup"&gt;&lt; i&gt;i&lt;/i&gt;&lt;/sup&gt;Pr<sub>3</sub>)] (L = triphos, carbene) and Related Compounds. Inorganic Chemistry, 2016, 55, 9173-9177.</sup>	4.0	12
78	Synthesis, single crystal X-ray characterization, and solution studies of Zn(II)-, Cu(II)-, Ag(I)- and Ni(II)-pyridine-2,6-dipicolinate N-oxide complexes with different topologies and coordination modes. Inorganica Chimica Acta, 2017, 458, 84-96.	2.4	12
79	An inorganic-organic hybrid supramolecular framework based on the $\text{Mo}_{26}\text{O}_{26}^{4-}$ cluster and cobalt complex of aspartic acid: X-ray structure and DFT study. Acta Crystallographica Section C, Structural Chemistry, 2019, 75, 469-477.	0.5	12
80	Syntheses of N-substituted benzimidazolone derivatives: DFT calculations, Hirshfeld surface analysis, molecular docking studies and antibacterial activities. Journal of Molecular Structure, 2020, 1200, 127174.	3.6	12
81	Syntheses of novel 1,<sup>5</sup>benzodiazepine derivatives: Crystal structures, spectroscopic characterizations, Hirshfeld surface analyses, molecular docking studies, DFT calculations, corrosion inhibition anticipation, and antibacterial activities. Journal of Heterocyclic Chemistry, 2021, 58, 270-289.	2.6	12
82	Crystal structure, Hirshfeld surface analysis and interaction energy and DFT studies of 3-{(2 <i>&lt; i&gt;Z&lt;/i&gt;</i> -2-[(2,4-dichlorophenyl)methylidene]-3-oxo-3,4-dihydro-2 <i>&lt; i&gt;H&lt;/i&gt;</i> -1,4-benzothiazin-4-yl}propanenitrile. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 721-727.	0.5	12
83	Title is missing!. Journal of Chemical Crystallography, 2000, 30, 311-320.	1.1	11
84	Crystal structure of 2-(2,3-dimethylanilino)- <i>N</i> -[2-hydroxybenzylidene]benzohydrazide. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o957-o958.	0.5	11
85	A Novel Method for the Synthesis of Furo-imido[3.3.3]propellanes from Thiocarbonohydrazides. Synlett, 2016, 27, 412-416.	1.8	11
86	Structure and characterization of charge transfer complexes of benzo[1,2-b:3,4-bâ€²:5,6-bâ€²â€²]trithiophene [C <sub>3</sub> -BTT]. CrystEngComm, 2017, 19, 6355-6364.	2.6	11
87	Photocatalytic H <sub>2</sub> -Evolution by Homogeneous Molybdenum Sulfide Clusters Supported by Dithiocarbamate Ligands. Inorganic Chemistry, 2019, 58, 16458-16474.	4.0	11
88	New alkyl (cyclohexyl) 2-oxo-1-(prop-2-yn-1-yl)-1, 2-dihydroquinoline-4-carboxylates: Synthesis, crystal structure, spectroscopic characterization, hirshfeld surface analysis, molecular docking studies and DFT calculations. Journal of Molecular Structure, 2021, 1227, 129520.	3.6	11
89	Synthesis, structural characterisation and theoretical studies of a novel pyridazine derivative: Investigations of anti-inflammatory activity and inhibition of Î±-glucosidase. Journal of Molecular Structure, 2021, 1234, 130177.	3.6	11
90	Highly Regio- and Diastereoselective Tethered Aza-Wacker Cyclizations of Alkenyl Phosphoramides. Journal of Organic Chemistry, 2021, 86, 14732-14758.	3.2	11

#	ARTICLE	IF	CITATIONS
91	Aryl acetylene inhibitors for cytochrome P450-based monooxygenase isozymes. <i>Journal of Chemical Crystallography</i> , 1997, 27, 183-189.	1.1	10
92	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2003, 33, 391-402.	1.1	10
93	Ni(II), Co(II), and Cu(II) complexes incorporating 2-pyrazinecarboxylic acid: Synthesis, characterization, electrochemical evaluation, and catalytic activity for the synthesis of 2H-indazolo[2,1-b]phthalazine-triones. <i>Chinese Journal of Catalysis</i> , 2015, 36, 1101-1108.	14.0	10
94	Hairpin Furans and Giant Biaryls. <i>Journal of Organic Chemistry</i> , 2016, 81, 3838-3847.	3.2	10
95	Palladium-catalyzed regioselective direct CH arylation of $\text{\AA}$ pyrazolo[3,4-d]pyrimidines. <i>Comptes Rendus Chimie</i> , 2017, 20, 927-933.	0.5	10
96	Synthesis, crystal structure, Hirshfeld surface analysis, and DFT calculations of new 1-[(1-benzyl-1H-1,2,3-triazol-4-yl)methyl]-6-methoxy-1H-benzimidazol-2(3H)-one. <i>Chemical Data Collections</i> , 2018, 17-18, 472-482.	2.3	10
97	Synthesis, anticancer evaluation in $\text{\AA}$ vitro, DFT, Hirshfeld surface analysis of some new 4-(1,3-benzothiazol-2-yl)-3-methyl-1-phenyl-4,5-dihydro-1H-pyrazol-5-one derivatives. <i>Journal of Molecular Structure</i> , 2019, 1198, 126910.	3.6	10
98	Synthesis, spectroscopic characterization, thermal, XRD crystal structure, the PLATON structural analysis, and theoretical studies of a new 1,2,4-triazolo-[1,5-a]pyrimidines derivatives. <i>Journal of Molecular Structure</i> , 2019, 1184, 12-24.	3.6	10
99	Synthesis, characterization and bioactivity studies of new dithiocarbazate complexes. <i>New Journal of Chemistry</i> , 2020, 44, 8878-8889.	2.8	10
100	Tethered Silanoxyiodination of Alkenes. <i>Journal of Organic Chemistry</i> , 2021, 86, 9233-9243.	3.2	10
101	Synthesis, Crystal structure, Hirshfeld surface Analysis and computational approach of new 2-methylbenzimidazo[1,2-a]pyrimidin-4(1H)-one. <i>Journal of Molecular Structure</i> , 2021, 1239, 130497.	3.6	10
102	Coordination complexes constructed from pyrazole-“acetamide and pyrazole-“quinoxaline: effect of hydrogen bonding on the self-assembly process and antibacterial activity. <i>RSC Advances</i> , 2022, 12, 5324-5339.	3.6	10
103	Structural characterization and excited-state properties of luminescent Tris-(?-3-methyl-5-) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.1	50
104	Synthesis and Identification of Novel Potential Molecules Against COVID-19 Main Protease Through Structure-Guided Virtual Screening Approach. <i>Applied Biochemistry and Biotechnology</i> , 2021, 193, 3602-3623.	2.9	9
105	3-Ethyl-5,5-diphenylimidazolidine-2,4-dione. <i>IUCrData</i> , 2017, 2, .	0.3	9
106	Synthesis and crystal structure of 2-azido-<i>N</i>-phenylacetamide, C<sub>8</sub>H<sub>8</sub>N<sub>2</sub>O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2021, 236, 133-134.	0.3	9
107	Greener pastures in evaluating antidiabetic drug for a quinoxaline Derivative: Synthesis, Characterization, Molecular Docking, in vitro and HSA/DFT/XRD studies. <i>Arabian Journal of Chemistry</i> , 2022, 15, 103851.	4.9	9
108	A co-crystal of 2-(1- $\text{\AA}$ -pyrenyl)-4,4,5,5-tetramethyl-4,5-dihydro-1H-imidazole-3-oxide-1-oxyl with octafluoronaphthalene. <i>CrystEngComm</i> , 2013, 15, 831-835.	2.6	8

#	ARTICLE	IF	CITATIONS
109	Square planar nickel(II) complexes derived from 5-bromo-2-hydroxybenzaldehyde S-ethylisothiosemicarbazone: Preparation, characterization and structural studies. <i>Polyhedron</i> , 2014, 80, 243-249.	2.2	8
110	The first mixed-ligand coordination compound involving 8-aminoquinoline and pyridine-2,6-dicarboxylate: synthesis, X-ray crystal structure, and DFT studies. <i>Journal of Coordination Chemistry</i> , 2015, 68, 3599-3610.	2.2	8
111	An Unexpected Diastereoselective Synthesis of Novel Substituted Pyridines via One-Pot, Four-Component Reaction. <i>Synlett</i> , 2016, 27, 1669-1673.	1.8	8
112	Synthesis and HSA-interaction of a new mixed ligand Cu-isothiosemicarbazone complex with adenine nucleobase. <i>Polyhedron</i> , 2020, 179, 114357.	2.2	8
113	Group 10 Metal Dithiolene Bis(isonitrile) Complexes: Synthesis, Structures, Properties, and Reactivity. <i>Organometallics</i> , 2020, 39, 2854-2870.	2.3	8
114	Synthesis and Structures of Polyphenylphenanthrenes. <i>Chemistry - A European Journal</i> , 2020, 26, 8458-8464.	3.3	8
115	Unusual rearrangementâ€“remercuration reactions of allylic silanols. <i>Organic Chemistry Frontiers</i> , 2021, 8, 5361-5368.	4.5	8
116	Dimroth rearrangement-based synthesis of novel derivatives of [1,3]selenazolo[5,4-e][1,2,4]triazolo[1,5-c]pyrimidine as a new class of selenium-containing heterocyclic architecture. <i>Molecular Diversity</i> , 2022, 26, 923-937.	3.9	8
117	Crystal structure and Hirshfeld surface analysis of <math>\text{N}(\text{H})\text{-}\{2\text{-}[(\text{E})\text{-}(4\text{-methylbenzylidene})\text{amino}]\text{phenyl}\}\text{-}2\text{-}(5\text{-methyl-1}\text{-H}\text{-})\text{pyrazol-3-yl}\text{acetamide hemihydrate}. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 154-158.	0.5	8
118	Ethyl 2-[(3-methylquinoxalin-2-yl)sulfanyl]acetate. <i>IUCrData</i> , 2017, 2, .	0.3	8
119	Synthesis of New Pyrimido[4,5- $\alpha$ ][1,2,4]triazolo[3,4- $\beta$ ][1,3,4]thiadiazine Derivatives via S/N Smiles Rearrangement. <i>Journal of Heterocyclic Chemistry</i> , 2017, 54, 235-241.	2.6	7
120	Unexpected synthesis of novel 2-pyrone derivatives: crystal structures, Hirshfeld surface analysis and computational studies. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021, 39, 4859-4877.	3.5	7
121	Synthesis, Crystal Structure and Computational Investigation of New 4-Phenyldecahydro-1-H-1,5-benzodiazepin-2-one as Potent Inhibitor of Mu-Opioid Receptor. <i>ChemistrySelect</i> , 2020, 5, 4601-4607.	1.5	7
122	Synthesis and Characterization of Novel Functionally Substituted Planar Pyrimidothienoisoquinolines and Nonplanar (3a-H-R, 4a-S-)Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 217 Td (9a-S-)pyrazolo		
123	Crystal structure and Hirshfeld surface analysis of (4-Z)-1-butyl-4-(2-oxopropylidene)-2,3,4,5-tetrahydro-1-H-1,5-benzodiazepin-2-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1669-1673.	0.5	7
124	Crystal structure and Hirshfeld surface analysis of a new benzodiazepine derivative: 4-dichloromethyl-2,3-dihydro-1-H-1,5-benzodiazepin-2-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 33-37.	0.5	7
125	3-[2-(5-Oxo-4,4-diphenyl-2-sulfanylideneimidazolidin-1-yl)ethyl]-1,3-oxazolidin-2-one. <i>IUCrData</i> , 2017, 2, .	0.3	7
126	2-{3-[2-(2-Chlorophenyl)ethyl]-2-oxo-1,2-dihydroquinoxalin-1-yl}acetohydrazide. <i>IUCrData</i> , 2017, 2, .	0.3	7

#	ARTICLE	IF	CITATIONS
127	3-Methyl-5,5-diphenylimidazolidine-2,4-dione. IUCrData, 2017, 2, .	0.3	7
128	Coordination complexes of zinc and manganese based on pyridine-2,5-dicarboxylic acid <i>&lt; i&gt;N&lt;/i&gt;-oxide</i> : DFT studies and antiproliferative activities consideration. RSC Advances, 2021, 11, 37403-37412.	3.6	7
129	Nitrophenyl-Group-Containing Heterocycles. I. Synthesis, Characterization, Crystal Structure, Anticancer Activity, and Antioxidant Properties of Some New 5,6,7,8-Tetrahydroisoquinolines Bearing 3(4)-Nitrophenyl Group. ACS Omega, 2022, 7, 8767-8776.	3.5	7
130	Lower rim modification of calix[4]arenes to incorporate a single group functionality. Single crystal X-ray structures of 5-(3-bromopropyl)-25,26,27,28-tetrahydroxycalix[4]arene and 25,27-diallyloxy-26,28-dibenzoyloxycalix[4]arene. Supramolecular Chemistry, 1993, 2, 53-60.	1.2	6
131	2-Cyano-1-methylpyridinium nitrate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o1653-o1653.	0.2	6
132	Effect of solvents in mixed-ligand supramolecular self-assembly architectures. Polyhedron, 2017, 134, 41-49.	2.2	6
133	Synthesis, X-ray and Fluorescence Characteristics of Pyrimido[5,4-e]thiazolo[3,2-a]pyrimidine as a Novel Heterocyclic System. Journal of Fluorescence, 2017, 27, 1183-1190.	2.5	6
134	Binding properties and supramolecular polymerization of a water-soluble resorcin[4]arene. Organic Chemistry Frontiers, 2019, 6, 1236-1243.	4.5	6
135	A theoretical and experimental study of six novel new complexes of alkyl substituted isothiosemicarbazone. Inorganica Chimica Acta, 2019, 484, 322-331.	2.4	6
136	Versatile Coordination Modes of 2,6-Bis(2-(diphenylphosphanyl)-H-imidazolyl)pyridine in Cu(I) and Au(I) Complexes. European Journal of Inorganic Chemistry, 2020, 2020, 2718-2725.	2.0	6
137	A Dimroth rearrangement approach for the synthesis of selenopheno[2,3-e][1,2,4]triazolo[1,5-c]pyrimidines with cytotoxic activity on breast cancer cells. Molecular Diversity, 2022, 26, 1621-1633.	3.9	6
138	2-Cyano-1-methylpyridinium iodide. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1281-o1281.	0.2	6
139	Crystal structure, Hirshfeld surface analysis, interaction energy and DFT studies of 4-[(4-allyl-2-methoxyphenoxy)methyl]-1-(4-methoxyphenyl)-1-H-1,2,3-triazole. Acta Crystallographica Section E: Crystallographic Communications, 2020, 76, 962-966.	0.5	6
140	3-n-Pentyl-5,5-diphenylimidazolidine-2,4-dione. IUCrData, 2017, 2, .	0.3	6
141	2-(3-Methyl-2-oxo-1,2-dihydroquinoxalin-1-yl)acetic acid dihydrate. IUCrData, 2018, 3, .	0.3	6
142	Roles of Organic Fragments in Redirecting Crystal/Molecular Structures of Inorganic-Organic Hybrids Based on Lacunary Keggin-Type Polyoxometalates. Molecules, 2021, 26, 5994.	3.8	6
143	Crystal structure, Hirshfeld surface analysis and DFT study of (2-Z)-2-(4-fluorobenzylidene)-4-(prop-2-yn-1-yl)-3,4-dihydro-2-H-1,4-benzothiazin-3-one. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 372-377.	0.5	6
144	Crystal structure, Hirshfeld surface analysis and DFT study of (2-Z)-2-(2,4-dichlorobenzylidene)-4-[2-(2-oxo-1,3-oxazolidin-3-yl)ethyl]-3,4-dihydro-2-H-1,4-benzothiazin-3-one. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 593-599.	0.5	6

#	ARTICLE	IF	CITATIONS
145	Synthesis, crystal structure, and a molecular modeling approach to identify effective antiviral hydrazide derivative against the main protease of SARS-CoV-2. <i>Journal of Molecular Structure</i> , 2022, 1265, 133391.	3.6	6
146	Structural characterization and photophysical properties of a luminescent trinuclear zinc(II) complex exhibiting multiple coordination geometries. <i>Journal of Chemical Crystallography</i> , 2005, 35, 327-338.	1.1	5
147	A Comparison Between Zeolites and Crystalline State as Reaction Media: Asymmetric Induction During Photocyclization of $\beta$ -Mesitylacetophenones to 2-Indanols. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 456, 71-84.	0.9	5
148	4-Cyano-1-methylpyridinium iodide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2514-o2514.	0.2	5
149	New 5-bromo-2-hydroxybenzaldehyde S-ethylisothiosemicarbazone and its mixed-ligand Cu(II) complex with imidazole: synthesis, characterization and DFT calculation. <i>Open Chemistry</i> , 2013, 11, 1844-1851.	1.9	5
150	Crystal structure of 1-(2-aminophenyl)-3-phenylurea. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o88-o89.	0.5	5
151	Crystal structure of 2-oxo- $\langle i \rangle N \langle /i \rangle \text{--} \text{C}_6\text{H}_4\text{--}$ phenyl-2- $\langle i \rangle H \langle /i \rangle$ -chromene-3-carbohydrazide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o1005-o1006.	0.5	5
152	Synthesis of 1,3-Thiazolidin-4-Ones; Reactivity of the Thiosemicarbazone Function towards Dimethyl Acetylenedicarboxylate. <i>Journal of Chemical Research</i> , 2016, 40, 173-177.	1.3	5
153	Synthesis, Characterization and Fluorescence Properties of Zn(II) and Cu(II) Complexes: DNA Binding Study of Zn(II) Complex. <i>Journal of Fluorescence</i> , 2016, 26, 333-344.	2.5	5
154	The Behavior of (cyclic $\epsilon$ alkylidene)hydrazinecarbothioamides in Cyclization with Dimethyl acetylenedicarboxylate. <i>Journal of Heterocyclic Chemistry</i> , 2017, 54, 2043-2053.	2.6	5
155	The $2\text{--}(4\text{--}(\text{Phenyl})\text{--}1\text{--}H\text{--}1,2,3\text{--}\text{Triazol}\text{--}1\text{--}C_6\text{H}_4\text{--})\text{ethanol}\text{--}$ Based Phosphinite Ligand $\text{Ph}\langle sub\rangle 2\langle /sub\rangle \text{POCH}\langle sub\rangle 2\langle /sub\rangle \text{CH}\langle sub\rangle 2\langle /sub\rangle [1,2,3\text{--}N\langle sub\rangle 3\langle /sub\rangle \text{C}(\text{Ph})\text{C}(\text{H})]$ $\text{--}^{\text{a}}$ Synthesis, Transition $\text{--}^{\text{b}}$ Metal Complexes, and Structural Studies. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1707-1714.	2.0	5
156	Multiple Isomers of a Small, Strained Phosphaphane. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 5706-5710.	2.4	5
157	Regioselective synthesis of new $5\text{--}H\langle /i \rangle, 10\text{--}H\langle /i \rangle$ -dipyrimido[2,1- $\langle i \rangle b\langle /i \rangle$ :4- $\text{C}_6\text{H}_4\text{--}2\langle i \rangle d\langle /i \rangle$ ][1,3]thiazine: a combined experimental and computational study. <i>Journal of Sulfur Chemistry</i> , 2019, 40, 265-276.	2.0	5
158	Insights into the crystal structure of two newly synthesized quinoxalines derivatives as potent inhibitor for $\text{c-Jun N-terminal kinases}$ . <i>Journal of Biomolecular Structure and Dynamics</i> , 2022, 40, 2797-2814.	3.5	5
159	Crystallographic and spectroscopic characterization of 2-[ $(7\text{-acetyl-4-cyano-6-hydroxy-1,6-dimethyl-8-phenyl-5,6,7,8-tetrahydroisoquinolin-3-yl})\text{sulfanyl}$ ]- $\langle i \rangle N \langle /i \rangle$ -phenylacetamide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 121-125.	5	5
160	Synthesis, Crystal structure, Hirshfeld surface analysis, Spectral characterizations and Quantum computational assessments of 1-hydroxy-3-methyl-11H-pyrido[2,1-b] quinazolin-11-one. <i>Journal of Molecular Structure</i> , 2021, , 131592.	3.6	5
161	Crystal structure and Hirshfeld surface analysis of 5-methyl-1,2,4-triazolo[1,5- $\langle i \rangle a\langle /i \rangle$ ]pyrimidine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1833-1837.	0.5	5
162	Crystal structure and DFT study of benzyl 1-benzyl-2-oxo-1,2-dihydroquinoline-4-carboxylate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 980-983.	0.5	5

#	ARTICLE	IF	CITATIONS
163	2-Oxo-1,2-dihydroquinoline-4-carboxylic acid monohydrate. IUCrData, 2016, 1, .	0.3	5
164	5,5-Diphenyl-3-propylimidazolidine-2,4-dione. IUCrData, 2017, 2, .	0.3	5
165	3-Butyl-5,5-diphenylimidazolidine-2,4-dione. IUCrData, 2018, 3, .	0.3	5
166	3-Hexyl-5,5-diphenylimidazolidine-2,4-dione. IUCrData, 2018, 3, .	0.3	5
167	Ethyl 2-{[2-(2-ethoxy-2-oxoethoxy)quinolin-4-yl]carbonyloxy}acetate. IUCrData, 2018, 3, .	0.3	5
168	Synthesis and crystal structure of 1-octyl-3-phenylquinoxalin-2(1 <i>H</i> )-one, C <sub>22</sub> H <sub>26</sub> N <sub>2</sub> O. Zeitschrift Fur Kristallographie - New Crystal Structures, 2021, 236, 173-175.	0.3	5
169	Ethyl 2-(2-oxo-3-phenyl-1,2-dihydroquinoxalin-1-yl)acetate. IUCrData, 2018, 3, .	0.3	5
170	Synthesis and crystal structure of ( <i>E</i> -1-benzyl-3-(4-methoxystyryl)quinoxalin-2(1 <i>H</i> )-one, C <sub>24</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1323-1325.	0.3	5
171	New styrylquinoxaline: synthesis, structural, biological evaluation, ADMET prediction and molecular docking investigations. Journal of Biomolecular Structure and Dynamics, 2023, 41, 2861-2877.	3.5	5
172	RHENIUM(I) COMPLEXES OF BIS(DIFLUOROPHOSPHINO) METHYLAMINE. THE CRYSTAL AND MOLECULAR STRUCTURE OF HEXACARBONYLDI- $\frac{1}{4}$ -BROMO- $\frac{1}{4}$ -BIS (DIFLUOROPHOSPHINO) METHYLAMINEDIRHENIUM(I). Journal of Coordination Chemistry, 1995, 34, 45-53.	2.2	4
173	Two crystalline modifications of 1,1- $\alpha$ -thiobis(2-naphthol). Acta Crystallographica Section C: Crystal Structure Communications, 2007, 63, o487-o488.	0.4	4
174	Mono-, di- and tetrานuclear rhodium(I) complexes of morpholine and N-methylpiperazine functionalized cyclodiphosph(III)azanes, cis-[( <i>t</i> BuN- $\frac{1}{4}$ ) <sub>2</sub> (PNC <sub>4</sub> H <sub>8</sub> X) <sub>2</sub> ] (X = O, NMe). Journal of Chemical Sciences, 2011, 123, 861-868.	1.5	4
175	4-Cyano-1-methylpyridinium bromide. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2409-o2409.	0.2	4
176	2-((1E)-1-{2-[(2Z)-3,4-Diphenyl-2,3-dihydro-1,3-thiazol-2-ylidene]hydrazin-1-ylidene}ethyl)pyridin-1-ium bromide monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o478-o479.	0.2	4
177	1-{{(Z)-Cyclopentylidene}amino}-3-phenylthiourea. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o515-o515.	0.2	4
178	Chiral Polyaryl Cyclophanes. European Journal of Organic Chemistry, 2017, 2017, 4194-4200.	2.4	4
179	An efficient diastereoselective synthesis of novel fused 5H-furo[2,3-d]thiazolo[3,2-a]pyrimidin-5-ones via one-pot three-component reaction. Molecular Diversity, 2022, 26, 183-190.	3.9	4
180	(1Z,2E)-1-(3,4-Diphenyl-2,3-dihydro-1,3-thiazol-2-ylidene)-2-(1-p-tolylethylidene)hydrazine. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1324-o1324.	0.2	4

#	ARTICLE	IF	CITATIONS
181	Ethyl (2E)-3-dimethylamino-2-(5-methyl-1,2,4-triazolo[1,5-a]pyrimidin-7-yl)prop-2-enoate. IUCrData, 2016, 1, .	0.3	4
182	Synthesis and crystal structure of 3-octyl-5,5-diphenylimidazolidine-2,4-dione, C <sub>23</sub> H <sub>28</sub> N <sub>2</sub> O <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1425-1427.	0.3	4
183	Synthesis, characterization and crystal structure of some novel partially hydrogenated isoquinolines and their fused heterocyclic systems. Journal of Heterocyclic Chemistry, 0, .	2.6	4
184	Novel 3-chloro-6-nitro-1 <i>H</i> -indazole derivatives as promising antileishmanial candidates: synthesis, biological activity, and molecular modelling studies. Journal of Enzyme Inhibition and Medicinal Chemistry, 2022, 37, 151-167.	5.2	4
185	Incorporation of Radionuclides into Mineral Phases via a Thermally Unstable Complexant Ligand. Materials Research Society Symposia Proceedings, 1992, 294, 123.	0.1	3
186	Solid state structure of oxalato-(bis(dicyclohexylphosphino)-ethane) platinum(II)-acetonitrile solvate. Journal of Chemical Crystallography, 1994, 24, 193-195.	1.1	3
187	HETEROBIMETALLIC COMPLEXES DERIVED FROM CYCLOPENTADIENYL CYANO (I <sub>4</sub> -BIS(DIPHENYLPHOSPHINO)METHANE) NICKEL. THE CRYSTAL AND MOLECULAR STRUCTURE OF CYCLOPENTADIENYL NICKEL (I <sub>4</sub> -BIS(DIPHENYLPHOSPHINO)METHANE) CYANO(TRIPHENYLPHOSPHINE) PLATINUM. Journal of Coordination Chemistry, 1997, 41, 327-337.	2.2	3
188	4-Cyano-1-methylpyridinium nitrate. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o981-o982.	0.2	3
189	2-Methoxy-4,6-diphenylnicotinonitrile. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o228-o228.	0.2	3
190	2-((1E)-1-{2-[(2Z)-4-(4-Bromophenyl)-3-phenyl-2,3-dihydro-1,3-thiazol-2-ylidene]hydrazin-1-ylidene}ethyl)pyridin-1-i um bromide monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o328-o329.	0.2	3
191	2-Cycloheptylidene-N-phenylhydrazinecarbothioamide. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o359-o359.	0.2	3
192	4-Chloro- <i>N</i> -[( <i>i</i> E)-2-chlorobenzylidene]benzohydrazide monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o612-o612.	0.2	3
193	Crystal structure of 2-[( <i>i</i> E)-2-(2-chlorobenzylidene)hydrazin-1-yl]-4-phenyl-1,3-thiazole. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o907-o908.	0.2	3
194	Crystal structure of 1-(2,4-dinitrophenyl)-3,5-diphenyl-1 <i>H</i> -pyrazole. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o931-o932.	0.5	3
195	Crystal structure of ethyl 2-[(1E)-2-[2-(2-ethoxy-2-oxoethoxy)benzylidene]hydrazin-1-ylidene]methyl)phenoxy]acetate. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o16-o16.	0.5	3
196	Crystal structure of methyl 2-hydroxy-5-[(4-oxo-4,5-dihydro-1,3-thiazol-2-yl)amino]benzoate. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o282-o283.	0.5	3
197	Crystal structure of 4-amino-3-(3-methyl-5-phenyl-1 <i>H</i> -pyrazol-1-yl)-1 <i>H</i> -1,2,4-triazole-5(4 <i>H</i> )-thione. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o417-o417.	0.5	3
198	Efficient One-Pot Three-Component Synthesis of Novel Spiro(Indoline-3,7- <i>H</i> -Thiazolo[3,2- <i>i</i> : <i>a</i> ]Pyrimidine) Derivatives. Journal of Chemical Research, 2016, 40, 471-474.	1.3	3

#	ARTICLE	IF	CITATIONS
199	(Substituted Ylidene)Amino- $\alpha$ -Oxo- $\beta$ -indolylidene Thioureas and Bis(2- $\alpha$ -Oxo- $\beta$ -indolylidene)Urea from (Ylidene)Thiocarbonohydrazides and Isatylidene Malononitrile. <i>Journal of Heterocyclic Chemistry</i> , 2017, 54, 959-964.	2.6	3
200	Hydrazone derivatives appended to diphenylphosphine oxide as anion sensors. <i>Journal of Chemical Sciences</i> , 2017, 129, 471-481.	1.5	3
201	$\langle i>in,in</i>$ -Cyclophanes with Bridgehead Methyl Groups. <i>Organic Letters</i> , 2018, 20, 2576-2579.	4.6	3
202	The 2-(4-Phenyl-1H-1,2,3-triazol-1-yl)ethanol-Based Phosphinitite Ligand Ph <sub>2</sub> POCH <sub>2</sub> CH <sub>2</sub> [1,2,3-N <sub>3</sub> C(Ph)C(H)] - Synthesis, Transition-Metal Complexes, and Structural Studies. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1694-1694.	2.0	3
203	Crystal structure, Hirshfeld surface analysis and DFT study of 1-ethyl-3-phenyl-1,2-dihydroquinoxalin-2-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 18-22.	0.5	3
204	Synthesis, Characterization, and Crystal Structure of Some New Tetrahydroisoquinolines and Related Tetrahydrothieno[2,3- $\langle i>c</i>$ ]isoquinolines. <i>ACS Omega</i> , 2021, 6, 8332-8339.	3.5	3
205	Crystal structure, Hirshfeld surface analysis and DFT study of $\langle i>N</i>(2-amino-5-methylphenyl)-2-(5-methyl-1-\langle i>H</i>-pyrazol-3-yl)acetamide. Acta Crystallographica Section E: Crystallographic Communications, 2021, 77, 638-642.$	0.5	3
206	Synthesis, structure elucidation, Hirshfeld surface analysis, DFT, molecular docking and Monte Carlo simulation of new quinoline-4-carboxylate derivatives. <i>Journal of Molecular Structure</i> , 2021, 1234, 130195.	3.6	3
207	Synthesis, X-ray, spectroscopic characterization, Hirshfeld surface analysis, DFT calculation and molecular docking investigations of a novel 7-phenyl-2,3,4,5-tetrahydro-1H-1,4-diazepin-5-one derivative. <i>Journal of Molecular Structure</i> , 2021, 1234, 130146.	3.6	3
208	Open-Ended Metallothiolene Complexes with the 1,2,4,5-Tetrakis(diphenylphosphino)benzene Ligand: Modular Building Elements for the Synthesis of Multimetal Complexes. <i>Inorganic Chemistry</i> , 2021, 60, 13177-13192.	4.0	3
209	Biological insights of a chiral hybrid-based $\hat{\beta}$ <sup>3</sup> -octamolybdate and proline. <i>Journal of Molecular Structure</i> , 2022, 1247, 131401.	3.6	3
210	Monoclinic form of 1,2,4,5-tetracyclohexylbenzene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o375-o375.	0.2	3
211	Crystal structure of ethyl 3-amino-6-methyl-2-[(4-methylphenyl)carbamoyl]-4-[( $\langle i>E</i>$ -2-phenylethenyl]thieno[2,3- $\langle i>b</i>$ ]pyridine-5-carboxylate monohydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016, 72, 297-299.	0.3	3
212	Crystal structure and Hirshfeld surface analysis of 1-{[2-oxo-3-(prop-1-en-2-yl)-2,3-dihydro-1- $\langle i>H</i>$ -1,3-benzodiazol-1-yl]methyl}-3-(prop-1-en-2-yl)-2,3-dihydro-1- $\langle i>H</i>$ -1,3-benzodiazol-1-yl. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1746-1750.	0.5	3
213	Crystal structure and Hirshfeld surface analysis of 1-benzyl-3-(prop-2-yn-1-yl)-2,3-dihydro-1- $\langle i>H</i>$ -1,3-benzodiazol-2-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1842-1846.	0.5	3
214	Synthesis, crystal structure, DFT calculations and Hirshfeld surface analysis of 2-(1-decyl-2-oxoindolin-3-ylidene)propanedinitrile. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 21-25.	0.5	3
215	Crystal structures of two charge- $\alpha$ “transfer complexes of benzo[1,2- $\langle i>c</i>$ :3,4- $\langle i>c</i>$ ]â $\epsilon$ <sup>2</sup> :5,6- $\langle i>c</i>$ â $\epsilon$ <sup>2</sup> ]trithiophene ( $\langle i>D</i>$ $\langle sub>3</sub>$ $\langle i>h</i>$ $\langle /sub>$ -BTT). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1573-1577.	0.5	3
216	A redetermination of the crystal structure of the mannitol complex NH $\langle sub>4</sub>$ [Mo $\langle sub>2</sub>$ O $\langle sub>5</sub>$ (C $\langle sub>6</sub>$ H $\langle sub>11</sub>$ O $\langle sub>6</sub>$ )] $\hat{A}$ ·H $\langle sub>2</sub>$ O $\langle sub>3</sub>$ <sub>0.5</sub> hydrogen-bonding scheme and Hirshfeld surface analysis. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 518-522.	0.5	3

#	ARTICLE	IF	CITATIONS
217	1-Ethyl-5-nitro-1 <i>H</i> -indazole. IUCrData, 2016, 1, .	0.3	3
218	3-Chloro-2-ethyl-6-nitro-2 <i>H</i> -indazole. IUCrData, 2017, 2, .	0.3	3
219	2-(1-Hexyl-2-oxo-2,3-dihydro-1 <i>H</i> -indol-3-ylidene)propanedinitrile. IUCrData, 2017, 2, .	0.3	3
220	Ethyl 2-(5-methyl-1,2,4-triazolo[1,5- <i>a</i> ]pyrimidin-7-yl)pent-4-enoate. IUCrData, 2018, 3, .	0.3	3
221	1-Benzyl-5-nitro-1 <i>H</i> -indazole. IUCrData, 2016, 1, .	0.3	3
222	Crystal structure and Hirshfeld surface analysis of 5-[(5-nitro-1 <i>H</i> -indazol-1-yl)methyl]-3-phenyl-4,5-dihydroisoxazole. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 71-74.	0.5	3
223	Crystal structure, Hirshfeld surface analysis and interaction energy and DFT studies of (2 <i>i</i> -Z <i>l</i> -)-4-benzyl-2-(2,4-dichlorobenzylidene)-2 <i>H</i> -1,4-benzothiazin-3(4 <i>i</i> -H <i>l</i> )-one. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 1650-1656.	0.5	3
224	Synthesis, structural, characterization and Hirshfeld analysis of a bis(selenide) and a zinc complex of a new hemilabile ferrocenylbisphosphane, [Fe{C <sub>5</sub> H <sub>4</sub> P(C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> NMe <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> ] <sub>0.5</sub> <sup>2</sup> . Acta Crystallographica Section C, Structural Chemistry, 2021, 77, 725-733.		
225	Synthesis and crystal structure of 2-azido- <i>i</i> N <sub>2</sub> -(4-nitrophenyl)acetamide, C <sub>8</sub> H <sub>7</sub> N <sub>3</sub> O <sub>3</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2020, 235, 1429-1430.	0.3	3
226	One-step Synthesis of novel N1-substituted benzimidazole derivatives: Experimental and theoretical investigations. Journal of Heterocyclic Chemistry, 0, .	2.6	3
227	Bis[1,2-bis(4-chlorophenyl)ethylene-1,2-dithiolato(1-)]nickel(II). IUCrData, 2022, 7, .	0.3	3
228	A new synthetic route for the preparation of 2,2â€²,5â€²â€¢trimethylâ€¢oxoâ€¢4,7â€¢dihydroâ€¢[6,7â€²â€¢bipyrazolo[1,5â€¢ <i>a</i> ]pyrimidine]â€¢3,3â€¢dicarbonitrile, structural elucidation, Hirshfeld surface analysis, energy framework, density functional theory and molecular docking investigations. Journal of the Chinese Chemical Society, 2022, 69, 717-730.		
229	Synthesis, crystal structure investigation and computational approach to discover potential hydrazide derivatives as a potent inhibitor of cyclooxygenase-2 enzyme. Journal of Biochemical and Molecular Toxicology, 2022, , e23082.	3.0	3
230	On the Nature of Guest Complexation in Water: Triggered Wettingâ€“Water-Mediated Binding. Journal of Physical Chemistry B, 2022, 126, 3150-3160.	2.6	3
231	3-Cyano-N-methylpyridinium perchlorate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o811-o811.	0.2	2
232	Methyl (2 <i>Z</i> )-2-[(2 <i>Z</i> )-3-[(cyclopentylidene)amino]-4-oxo-2-phenylimino-1,3-thiazolidin-5-ylidene}acetate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o366-o367.	0.2	2
233	4-Cyano-1-methylpyridinium perchlorate. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o756-o757.	0.2	2
234	Crystal structure of ethyl 2-[(1 <i>E</i> )-[(E)-2-(2-hydroxybenzylidene)hydrazin-1-ylidene]methyl]phenoxy)acetate. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o70-o71.	0.5	2

#	ARTICLE	IF	CITATIONS
235	A mixed-valent cyclodiphosphazane: Transition metal chemistry and cis/trans isomerisation. <i>Journal of Chemical Sciences</i> , 2015, 127, 979-986.	1.5	2
236	Macrocyclic cyclodiphosphazane $\text{P}(\mu\text{BuN})_2\text{O}_m$ . <i>Tetrahedron Letters</i> , 2010, 10, 1531-1537.	1.5	2
237	An Exceptionally Close, Non-Bonded Hydrogen-Hydrogen Contact with Strong Through-Space Spin-Spin Coupling. <i>Angewandte Chemie</i> , 2018, 130, 2266-2269.	2.0	2
238	Synthesis of 2-substituted-4-methyl-5,13-dihydropyrimido[4,5- <i>b</i> ][1,4]thiazepino[2,3- <i>i</i> ]quinoxaline as a new heterocyclic system. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2018, 193, 545-551.	1.6	2
239	A Simple, Serendipitous Synthesis of Heterohexahelicenes. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 6534-6538.	2.4	2
240	A newly synthesized 6-methyl-7- <i>H</i> -8- <i>H</i> -9- <i>H</i> -[1,2,4]triazolo[4,3- <i>i</i> ]b[1,2,4]triazepin-8-one for potential inhibitor of adenosine A1 receptor: a combined experimental and computational studies. <i>Journal of Biomolecular Structure and Dynamics</i> , 2020, 38, 3578-3586.	3.5	2
241	Synthesis, structural elucidation, and antioxidant activity of new phenolic derivatives containing piperidine moiety: Experimental and theoretical investigations. <i>Journal of Heterocyclic Chemistry</i> , 2021, 58, 1268-1277.	2.6	2
242	Crystal structure, Hirshfeld surface analysis and interaction energy calculation of 1-decyl-2,3-dihydro-1- <i>H</i> -benzimidazol-2-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 559-563.	0.5	2
243	Triclinic form of 1,2,4,5-tetracyclohexylbenzene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o376-o376.	0.2	2
244	Methyl (2Z)-((2Z)-2-{(2E)-[1-(4-methylphenyl)ethylidene]hydrazinylidene}-4-oxo-3-phenyl-1,3-thiazolidin-5-ylidene)ethanoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1401-o1402.	0.2	2
245	Dimethyl (2Z)-2-[4-((1Z)-1-{2-[(2Z,5Z)-5-(2-methoxy-2-oxoethylidene)-4-oxo-3-phenyl-1,3-thiazolidin-2-ylidene]hydrazin-1-ylidene}ethyl)anilino]butanoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o1844-o1845.	0.2	2
246	Crystal structure and Hirshfeld surface analysis of ethyl 2-{4-[(3-methyl-2-oxo-1,2-dihydroquinoxalin-1-yl)methyl]-1- <i>H</i> -1,2,3-triazol-1-yl}acetate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1648-1652.	0.5	2
247	Crystal structure, DFT calculations and Hirshfeld surface analysis of 3-(4-methylphenyl)-6-nitro-1- <i>H</i> -indazole. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1857-1861.	0.5	2
248	Crystal structure and Hirshfeld surface analysis of 3,4-dihydro-2-(2,4-dioxo-6-methylpyran-3-ylidene)-4-(4-pyridin-4-yl)-1,5-benzodiazepine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 94-98.	0.5	2
249	Crystal structure, Hirshfeld surface analysis and interaction energy and DFT studies of 2-chloroethyl 2-oxo-1-(prop-2-yn-1-yl)-1,2-dihydroquinoline-4-carboxylate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1411-1417.	0.5	2
250	Crystal structure and Hirshfeld surface analysis of <i>N</i> -tert-butyl-2-(phenylethynyl)imidazo[1,2- <i>a</i> ]pyridin-3-amine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1564-1567.	0.5	2
251	Crystal structure, Hirshfeld surface analysis and DFT studies of 1,3-bis[2-methoxy-4-(prop-2-en-1-yl)phenoxy]propane. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 344-348.	0.5	2
252	4-Benzyl-2-(4-chlorobenzylidene)-3,4-dihydro-2- <i>H</i> -1,4-benzothiazin-3(4- <i>H</i> -)-one. <i>IUCrData</i> , 2016, 1, .	0.3	2

#	ARTICLE	IF	CITATIONS
253	Dichlorido{2-[(5-methyl-1 <i>H</i> -pyrazol-3-yl- <i>N</i> ) <sup>2</sup> methyl]-1 <i>H</i> -1,3-benzimidazole- <i>N</i> <sub>0.3</sub> <sup>2</sup> } IUCrData, 2017, 2, .		
254	trans-Bis(N-[2-[2-(3-methyl-1 <i>H</i> -pyrazol-5-yl- <i>N</i> 2)acetamido- <i>O</i> ]phenyl)benzamide)bis(perchlorato- <i>O</i> )copper(II). IUCrData, 2017, 2, .	0.3	2
255	1-{[3-(Thiophen-2-yl)-4,5-dihydro-1,2-oxazol-5-yl]methyl}-2,3-dihydro-1 <i>H</i> -indole-2,3-dione. IUCrData, 2017, 2, .	0.3	2
256	7-Acetyl-8-(4-chlorophenyl)-3-ethylsulfanyl-6-hydroxy-1,6-dimethyl-5,6,7,8-tetrahydroisoquinoline-4-carbonitrile. IUCrData, 2017, 2, .	0.3	2
257	(E)-N-[(Anthracen-9-yl)methylidene]hydroxylamine. IUCrData, 2017, 2, .	0.3	2
258	Methyl 2-{{(6 <i>S</i> <sup>*</sup> ,7 <i>R</i> <sup>*</sup> ,8 <i>S</i> <sup>*</sup> )-7-acetyl-8-(4-chlorophenyl)-4-cyano-6-hydroxy-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl}sulfanyl}acetate. IUCrData, 2017, 2, .		
259	Ethyl 2-allyl-2-(5-methyl-1,2,4-triazolo[1,5-a]pyrimidin-7-yl)pent-4-enoate. IUCrData, 2017, 2, .	0.3	2
260	3-Benzyl-5,5-diphenylimidazolidine-2,4-dione. IUCrData, 2018, 3, .	0.3	2
261	(Z)-1-(1,3-Diphenyl-1 <i>H</i> -pyrazol-4-yl)-N-phenylmethanimineN-oxide. IUCrData, 2018, 3, .	0.3	2
262	Ethyl 2-(3-oxo-1,2,3,4-tetrahydroquinoxalin-2-yl)acetate. IUCrData, 2018, 3, .	0.3	2
263	Ethyl 2-[(2 <i>E</i> -4-decyloxy-3-oxo-1,2,3,4-tetrahydroquinoxalin-2-ylidene]acetate. IUCrData, 2018, 3, .	0.3	2
264	Ethyl 2-[2-(4-oxo-4 <i>H</i> -chromen-2-yl)phenoxy]acetate. IUCrData, 2018, 3, .	0.3	2
265	5-{{(2-Hydroxyethyl)sulfanyl}methyl}quinolin-8-ol. IUCrData, 2019, 4, .	0.3	2
266	1-Bromo-2,4,6-tricyclohexylbenzene. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o335-o335.	0.2	2
267	2-(5-Methoxy-2-methyl-1 <i>H</i> -indol-3-yl)- <i>N</i> <sup>2</sup> -[(1 <i>E</i> ,2 <i>E</i> )3-phenylprop-2-en-1-ylidene]acetohydrazide. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1493-o1493.	0.2	2
268	<math>\text{N}^{\text{+}}\text{H}_2</math> <sup>2-</sup> -[(<math>\text{E}</math>)-4-Methoxybenzylidene]-2-(5-methoxy-2-methyl-1 <i>H</i> -indol-3-yl)acetohydrazide. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1660-o1661.	0.2	2
269	Crystal structure of 2-cyano-1-methylpyridinium tetrafluoroborate. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o697-o698.	0.5	2
270	1-(5-Nitro-1 <i>H</i> -indazol-1-yl)ethanone. IUCrData, 2016, 1, .	0.3	2

#	ARTICLE	IF	CITATIONS
271	Cyclohexane-1,4-diammonium dithiocyanate. IUCrData, 2016, 1, .	0.3	2
272	4-Methyl-3,4-dihydro-2H-1,4-benzothiazin-3-one. IUCrData, 2017, 2, .	0.3	2
273	Ethyl 2-(6-nitro-1 <i>H</i> -indazol-1-yl)acetate. IUCrData, 2017, 2, .	0.3	2
274	1-(6-Nitro-1 <i>H</i> -indazol-1-yl)ethanone. IUCrData, 2017, 2, .	0.3	2
275	(4 <i>Z</i> )-4-(2-Oxopropylidene)-2,3,4,5-tetrahydro-1 <i>H</i> -1,5-benzodiazepin-2-one. IUCrData, 2017, 2, .	0.3	2
276	5-Nitro-1-(prop-2-en-1-yl)-1 <i>H</i> -indazole. IUCrData, 2017, 2, .	0.3	2
277	Ethyl 2-(4-benzyl-3-methyl-6-oxo-1,6-dihdropyridazin-1-yl)acetate: crystal structure and Hirshfeld surface analysis. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 392-396.	0.5	2
278	Crystal structure, DFT study and Hirshfeld surface analysis of 1-nonyl-2,3-dihydro-1 <i>H</i> -indole-2,3-dione. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 1140-1144.	0.5	2
279	Crystal structure, Hirshfeld surface analysis and DFT studies of 6-bromo-3-(12-bromododecyl)-2-(4-nitrophenyl)-4 <i>H</i> -imidazo[4,5- <i>i</i> ]b <i>i</i> ]pyridine. Acta Crystallographica Section E: Crystallographic Communications, 2020, 76, 677-682.	0.5	2
280	A rare example of a double metamagnetic transition leading to 2D and 3D long-range order in the two-dimensional pyrazine- and azido-bridged cobalt( <i>scp</i> ) <i>ii</i> ( <i>scp</i> ) compound [Co(pyz)(N <sub>3</sub> ) <sub>2</sub> ]. Dalton Transactions, 2022, 51, 5617-5623.	3.3	2
281	Crystal structure, Hirshfeld surface analysis, interaction energy and DFT calculations and energy frameworks of methyl 6-chloro-1-methyl-2-oxo-1,2-dihydroquinoline-4-carboxylate. Acta Crystallographica Section E: Crystallographic Communications, 2022, 78, 425-432.	0.5	2
282	Synthesis, virtual screening and computational approach of a quinoxaline derivative as potent anti-HIV agent targeting the reverse transcriptase enzyme. Journal of Biomolecular Structure and Dynamics, 0, , 1-14.	3.5	2
283	Crystal structure and Hirshfeld surface analysis of 2-chloro- <i>N</i> -(4-methoxyphenyl)acetamide. Acta Crystallographica Section E: Crystallographic Communications, 2022, 78, 687-690.	0.5	2
284	Title is missing!. Journal of Chemical Crystallography, 1998, 28, 925-929.	1.1	1
285	Title is missing!. Journal of Chemical Crystallography, 2003, 33, 497-501.	1.1	1
286	Silylated gallium and indium chalcogenide ring systems as potential precursors to ME (E=O, S) materials. Open Chemistry, 2013, 11, 1225-1238.	1.9	1
287	2,2-[(1,3,4-Thiadiazole-2,5-diyl)bis(sulfanediyl)]diacetonitrile. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1855-o1855.	0.2	1
288	N-[ <i>E</i> -Benzylidene]-2-(6-methoxynaphthalen-2-yl)propanohydrazide. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1614-o1614.	0.2	1

#	ARTICLE	IF	CITATIONS
289	Crystal structure of (E)-4-{[2-(2,4-dinitrophenyl)hydrazin-1-ylidene]methyl}-3-methyl-1-phenyl-5-(1H-pyrrol-1-yl)-1H-pyrazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1246-o1247.	0.2	1
290	3-[2-(4-Fluorophenyl)-2-oxoethyl]-5,5-diphenylimidazolidine-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o226-o227.	0.2	1
291	4-Phenyl-1,2,4-triazaspiro[4.4]non-1-ene-3-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o433-o434.	0.2	1
292	4-Chloro-<i>N</i>-[(3<i>Z</i>)-2-oxo-2,3-dihydro-1<i>H</i>-indol-3-ylidene]benzohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o47-o47.	0.2	1
293	N-(12-Amino-9,10-dihydro-9,10-ethanoanthracen-11-yl)-4-methylbenzenesulfonamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o248-o249.	0.2	1
294	3-Amino-5,5-diphenylimidazolidine-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o262-o263.	0.2	1
295	4-[(1,3-Dioxoisooindolin-2-yl)methyl]benzenesulfonamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o291-o292.	0.2	1
296	Methyl 2-((2Z,5Z)-4-oxo-3-phenyl-2-{2-[(1E)-1,2,3,4-tetrahydronaphthalen-1-ylidene]hydrazin-1-ylidene}-1,3-thiazolidin-5-ylidene)acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o436-o437.		
297	N<sup>2</sup>-[(E)-2-Chlorobenzylidene]-2-(6-methoxynaphthalen-2-yl)propanohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o631-o632.	0.2	1
298	4-Phenyl-1,2,4-triazaspiro[4.6]undec-1-ene-3-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o640-o640.	0.2	1
299	(Z)-1-[(2E)-3,4-Diphenyl-2,3-dihydro-1,3-thiazol-2-ylidene]-2-[1-(4-hydroxyphenyl)ethylidene]hydrazinium bromide including an unknown solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o647-o648.	0.2	1
300	(2E)-4-(4-Bromophenyl)-2-{2-[(1E)-cyclopentylidene]hydrazin-1-ylidene}-3-phenyl-2,3-dihydro-1,3-thiazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o669-o669.	0.2	1
301	Ethyl 2-[[{[4-amino-5-cyano-6-(methylsulfanyl)pyridin-2-yl]carbamoyl}methyl]sulfanyl]acetate monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o745-o746.	0.2	1
302	Crystal structure of ethyl 2-{{[4<i>Z</i>)-3,5-dioxo-1-phenylpyrazolidin-4-ylidene]methyl}amino)acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o938-o939.	0.2	1
303	Crystal structure of 3-methyl-1-phenyl-5-(1<i>H</i>-pyrrol-1-yl)-1<i>H</i>-pyrazole-4-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1131-o1132.	0.2	1
304	Crystal structure of 2-[12-methyl-14-phenyl-10,13,14,16-tetraazatetracyclo[7.7.0.02,7.011,15]hexadeca-1(16),2,4,6,9,11(15),12-heptae-8-ylidene]propane. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1244-o1245.		
305	Crystal structure of 5-(4,5-dihydro-1H-imidazol-2-yl)-3-methyl-1-phenyl-1H-pyrazolo[3,4-b]pyrazin-6-amine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1212-o1213.	0.2	1
306	Crystal structure of ethyl 2-{2-[(1Z)-1-hydroxy-3-(4-nitrophenyl)-3-oxoprop-1-en-1-yl]phenoxy}acetate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o917-o918.	0.5	1

#	ARTICLE	IF	CITATIONS
307	Crystal structure of [(E)-{[2-[3-(2-{(1E)-[(carbamothioylamino)imino]methyl}phenoxy]propoxy]phenyl)methylidene]amino]thiourea with an unknown solvate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o530-o531.	0.5	1
308	Crystal structure of poly[di- $\text{H}_2\text{O}$ -aqua-{5-[(1Z)-2-(4-chlorophenyl)-1-cyanoethenyl]-1,2,3,4-tetrazol-1-ido- $\text{N}^1$ }sodium]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, m102-m103.	0.5	1
309	Non-covalent interactions in tungsten-doped sodium ammonium decavanadate decahydrate. <i>Journal of the Iranian Chemical Society</i> , 2016, 13, 773-777.	2.2	1
310	Convenient one-pot access to novel densely functionalized pyrano[2,3-d][1,3,4]thiadiazolo[3,2-a]pyrimidines via three component reaction. <i>Research on Chemical Intermediates</i> , 2017, 43, 4683-4696.	2.7	1
311	Synthesis, resolution and crystal structures of two enantiomeric rhodamine derivatives. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 327-333.	0.5	1
312	Crystal structure of unsymmetrical $\text{Pd}^{II}$ -diimine palladium(II) complex cis- $[\{\text{ArN}=\text{C}(\text{Me})=\text{Et}\}\text{C}=\text{NAr}]\text{PdCl}_2$ [ $\text{Ar} = 2,6\text{-}(i\text{Pr})_2\text{C}_6\text{H}_3$ ]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 1148-1150.	0.5	1
313	Synthesis, Crystal Structure, DFT Calculations and Hirshfeld Surface Analysis of 5-Bromo-1-decyl-2,3-dihydro-1H-indolin-2-one. <i>Journal of Chemical Crystallography</i> , 2020, 50, 330-337.	1.1	1
314	Crystal structure and Hirshfeld surface analysis of 2- $\{\text{[7-acetyl-8-(4-chlorophenyl)-4-cyano-6-hydroxy-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl]sulfanyl}\}-\text{iN}(\text{4-chlorophenyl})\text{acetamide}$ . <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 527-531.		
315	Crystal structure and Hirshfeld surface analysis of 2- $\{\text{[7-acetyl-4-cyano-6-hydroxy-8-(4-methoxyphenyl)-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl]sulfanyl}\}-\text{iN}(\text{4-phenyl})\text{acetamide}$ . <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 663-667.		
316	Crystal structure, Hirshfeld surface analysis and density functional theory study of benzyl 2-oxo-1-(prop-2-yn-1-yl)-1,2-dihydroquinoline-4-carboxylate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 824-828.	0.5	1
317	Synthesis and characterization of Mo(0) and W(0) complexes of bis(azol-1-yl)methane based bisphosphines. <i>Journal of Coordination Chemistry</i> , 2021, 74, 2253-2262.	2.2	1
318	Crystal structures of three sterically congested disilanes. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017, 73, 448-452.	0.5	1
319	Crystal structure and Hirshfeld surface analysis of 1-[(1-butyl-1 <i>H</i> -1,2,3-triazol-4-yl)methyl]-3-methylquinoxalin-2(1 <i>H</i> -1 <i>H</i> )-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 1815-1820.	0.5	1
320	Crystal structure, Hirshfeld surface analysis and DFT studies of 1-benzyl-3-[(1-benzyl-1 <i>H</i> -1,2,3-triazol-5-yl)methyl]-2,3-dihydro-1 <i>H</i> -1,3-benzodiazol-2-one monohydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 95-101.	0.5	1
321	Crystal structure, Hirshfeld surface analysis and interaction energy and DFT studies of 1-(1,3-benzothiazol-2-yl)-3-(2-hydroxyethyl)imidazolidin-2-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 370-376.	0.5	1
322	1-Ethyl-4-phenyl-1,5-benzodiazepine-2-thione. <i>IUCrData</i> , 2017, 2, .	0.3	1
323	3-Phenylisoxazolin-5-one: a redetermination. <i>IUCrData</i> , 2017, 2, .	0.3	1
324	3-Hydroxy-3-(2-oxo-2,3-dihydro-1H-indol-3-yl)-2,3-dihydro-1H-indol-2-one. <i>IUCrData</i> , 2017, 2, .	0.3	1

#	ARTICLE	IF	CITATIONS
325	1-[(1-{{[({1S,2R,6R,8R,9S})-4,4,11,11-Tetramethyl-3,5,7,10,12-pentaoxatricyclo[7.3.0.02,6]dodecan-8-yl]methyl}-1H-1,2,3-triazol-4-yl)methyl]IUCrData, 2017, 2, .	0.3	1
326	2-[(Prop-2-yn-1-yl)amino]anilinium chloride. IUCrData, 2017, 2, .	0.3	1
327	Bis(2-formylphenyl) benzene-1,2-dicarboxylate. IUCrData, 2018, 3, .	0.3	1
328	(Pyridin-2-yl)methyl 6-bromo-2-oxo-1-[(pyridin-2-yl)methyl]-1,2-dihydroquinoline-4-carboxylate. IUCrData, 2018, 3, .	0.3	1
329	(3 <i>i</i> R <i>i</i> ,4 <i>i</i> Z <i>i</i> )-1,3-Diethyl-4-(2-oxopropylidene)-2,3,4,5-tetrahydro-1 <i>i</i> H <i>i</i> -1,5-benzodiazepin-2-one. IUCrData, 2018, 3, .	0.3	1
330	2-Methyl-4-(pyridin-2-yl)-3 <i>i</i> H <i>i</i> -1,5-benzodiazepine. IUCrData, 2018, 3, .	0.3	1
331	Crystal structure of ( <i>i</i> E <i>i</i> )- <i>i</i> N <i>i</i> -{[3-methyl-1-phenyl-5-(1 <i>i</i> H <i>i</i> -pyrrol-1-yl)-1 <i>i</i> H <i>i</i> -pyrazol-4-yl]methylidene}hydroxylamin <sup>0.2</sup> . Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o1216-o1217.	1	
332	Crystal structure of (4-methoxyphenyl)[(4-methoxyphenyl)phosphonato]dioxidophosphate(1 $\text{\AA}$ ) 2-amino-6-benzyl-3-ethoxycarbonyl-4,5,6,7-tetrahydrothieno[2,3-c]pyridin-6-i <sup>um</sup> . Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o997-o998.	0.5	1
333	Crystal structure of 3-benzyl-1-[(1,2,3,4-tetrahydronaphthalen-1-ylidene)amino]thiourea. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o974-o975.	0.5	1
334	5-Nitro-1-(prop-2-yn-1-yl)-1H-indazole. IUCrData, 2016, 1, .	0.3	1
335	2-(2-Amino-5-methyl-1,2,4-triazolo[1,5-a]pyrimidin-7-yl)acetohydrazide monohydrate. IUCrData, 2016, 1, .	0.3	1
336	2-[(2Z)-2-Benzylidene-3-oxo-3,4-dihydro-2H-1,4-benzothiazin-4-yl]acetic acid. IUCrData, 2016, 1, .	0.3	1
337	N,N,N-Triethylethanaminium 5,11,17,23-tetra-tert-butyl-25-[(ethoxycarbonyl)methoxy]-26,28-dihydroxy-27-oxido-2,8,14,20-tetrathiocalix[4]arene <sup>0.23</sup> a molecular salt. IUCrData, 2016, 1, .	1	
338	(E)-N <sup>2</sup> -Benzylidene-2-phenylquinoline-4-carbohydrazide. IUCrData, 2016, 1, .	0.3	1
339	IUCrData, 2016, 1, .	0.3	1
340	3-[2-(9H-Carbazol-9-yl)ethyl]-4-phenyl-1H-1,2,4-triazole-5(4H)-thione dimethyl sulfoxide monosolvate. IUCrData, 2016, 1, .	0.3	1
341	(4Z)-1-Dodecyl-4-(2-oxopropylidene)-2,3,4,5-tetrahydro-1H-1,5-benzodiazepin-2-one. IUCrData, 2016, 1, .	0.3	1
342	(2Z)-2-Benzylidene-4-[(1-benzyl-1H-1,2,3-triazol-4-yl)methyl]-3,4-dihydro-2H-1,4-benzothiazin-3-one. IUCrData, 2016, 1, .	0.3	1

#	ARTICLE	IF	CITATIONS
343	2-Methyl-3-(3-methylisoxazol-5-yl)-4-oxo-4 <i>H</i> -pyrido[1,2- <i>i</i> : <i>a</i> ]pyrimidin-1-ium chloride. IUCrData, 2016, 1, .	0.3	1
344	(5 <i>Z</i> )-3-(2-Oxopropyl)-5-(3,4,5-trimethoxybenzylidene)-1,3-thiazolidine-2,4-dione. IUCrData, 2016, 1, .	0.3	1
345	(E)-4-Methoxy-3,5-dimethyl-2-[(3-nitrophenyl)ethenyl]pyridine. IUCrData, 2016, 1, .	0.3	1
346	2,3-Dihydrobenz[4,5]imidazo[2,1- <i>b</i> ]thiazole. IUCrData, 2016, 1, .	0.3	1
347	N-{2-[2-(5-Methyl-1 <i>H</i> -pyrazol-3-yl)acetamido]phenyl}benzamide monohydrate. IUCrData, 2017, 2, .	0.3	1
348	3-Chloro-6-nitro-1-[(1-octyl-1 <i>H</i> -1,2,3-triazol-4-yl)methyl]-1 <i>H</i> -indazole. IUCrData, 2017, 2, .	0.3	1
349	(4 <i>Z</i> )-4-(2-Oxopropylidene)-1,3-bis(prop-2-en-1-yl)-2,3,4,5-tetrahydro-1 <i>H</i> -1,5-benzodiazepin-2-one. IUCrData, 2017, 2, .	0.3	1
350	(2 <i>Z</i> )-2-Benzylidene-4-octadecyl-3,4-dihydro-2 <i>H</i> -1,4-benzothiazin-3-one. IUCrData, 2017, 2, .	0.3	1
351	(2 <i>Z</i> )-2-(4-Chlorobenzylidene)-4-[2-(2-oxooxazoliden-3-yl)ethyl]-3,4-dihydro-2 <i>H</i> -1,4-benzothiazin-3-one. IUCrData, 2017, 2, .	0.3	1
352	1-(3-Bromo-6-nitro-1 <i>H</i> -indazol-1-yl)ethan-1-one. IUCrData, 2017, 2, .	0.3	1
353	1-Chloro-3-(6-nitro-1 <i>H</i> -indazol-1-yl)propan-2-ol. IUCrData, 2017, 2, .	0.3	1
354	3-Acetyl-2-methyl-4 <i>H</i> -pyrido[1,2- <i>i</i> : <i>a</i> ]pyrimidin-4-one. IUCrData, 2017, 2, .	0.3	1
355	4-{(E)-[(2-Hydroxynaphthalen-1-yl)methylidene]amino}-1,5-dimethyl-2-phenyl-2,3-dihydro-1 <i>H</i> -pyrazol-3-one: a new polymorph ( $\beta^2$ -phase). IUCrData, 2017, 2, .	0.3	1
356	N,N-Dimethyl-1 <i>H</i> -pyrazolo[3,4- <i>d</i> ]pyrimidin-4-amine monohydrate. IUCrData, 2018, 3, .	0.3	1
357	A monoclinic modification of (4 <i>Z</i> )-1-benzyl-4-(2-oxopropylidene)-2,3,4,5-tetrahydro-1 <i>H</i> -1,5-benzodiazepin-2-one. IUCrData, 2018, 3, .	0.3	1
358	1-Methyl-4-phenyl-3-[4-(trifluoromethyl)phenyl]-1 <i>H</i> -pyrazolo[3,4- <i>i</i> : <i>d</i> ]pyrimidine. IUCrData, 2018, 3, .	0.3	1
359	4-Phenyl-5 <i>a</i> ,6,7,8,9,9 <i>a</i> -hexahydro-1 <i>H</i> -1,5-benzodiazepin-2(5 <i>H</i> )-one. IUCrData, 2018, 3, .	0.3	1
360	Diethyl 4-(4-chloro-2-propyl-1 <i>H</i> -imidazol-5-yl)-2,6-dimethyl-1,4-dihdropyridine-3,5-dicarboxylate monohydrate. IUCrData, 2018, 3, .	0.3	1

#	ARTICLE	IF	CITATIONS
361	Crystal structure and Hirshfeld surface analysis of 3-(4-methoxyphenyl)-1-methyl-4-phenyl-1 <i>H</i> -pyrazolo[3,4- <i>i</i> ]d <i>H</i> ]pyrimidine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 638-641.	0.5	1
362	Crystal structure, Hirshfeld surface analysis and interaction energy and DFT studies of 4-[(prop-2-en-1-yl)oxy]methyl]-3,6-bis(pyridin-2-yl)pyridazine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1321-1326.	0.5	1
363	Crystal structure, computational study and Hirshfeld surface analysis of ethyl (2 <i>S</i> ,3 <i>i</i> ,R <i>i</i> )-3-(3-amino-1 <i>H</i> -1,2,4-triazol-1-yl)-2-hydroxy-3-phenylpropanoate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2019, 75, 1919-1924.	0.5	1
364	Crystal structure, Hirshfeld surface analysis, interaction energy and DFT studies of (2 <i>i</i> Z <i>i</i> )-2-(2,4-dichlorobenzylidene)-4-nonyl-3,4-dihydro-2 <i>H</i> -1,4-benzothiazin-3-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 281-287.	0.5	1
365	Crystal structure, Hirshfeld surface analysis and interaction energy, DFT and antibacterial activity studies of ethyl 2-[(2 <i>i</i> Z <i>i</i> )-2-(2-chlorobenzylidene)-3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzothiazin-4-yl]acetate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 629-636.	0.5	1
366	Crystal and molecular structure of [Ni{2-H <sub>2</sub> NC(=O)C <sub>5</sub> H <sub>4</sub> N} <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ] <sub>1.1</sub> . DFT studies on hydrogen bonding energies in the crystal. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2020, 76, 591-603.		
367	Crystal structure, Hirshfeld surface analysis and DFT study of 6-bromo-3-(5-bromohexyl)-2-[4-(dimethylamino)phenyl]-3 <i>H</i> -imidazo[4,5- <i>i</i> ]b <i>H</i> ]pyridine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 1234-1238.	0.5	1
368	Synthesis, Crystal Structures and Hirshfeld Surface Analysis of Bis-[di(2-methoxyphenyl)phosphoroselenoyl]-2,4-cyclopentadien-1-yl]iron(II) and Ruthenium(II)-6-arene Complex of Bis-[di(2-allylphenyl)phosphonite]-2,4-cyclopentadien-1-yl]iron(II). <i>Journal of Chemical Crystallography</i> , 0, , 1.	1.1	1
369	Crystal structure and Hirshfeld surface analysis of (< i>E</i>)-3-benzylidene-4-oxopentanoic acid. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2022, 78, 563-567.	0.5	1
370	Ethyl 2-[4-(4-methoxybenzyl)-3-methyl-6-oxopyridazin-1-yl]acetate. <i>IUCrData</i> , 2022, 7, .	0.3	1
371	Synthesis and structure of a bicyclo[2.4.0]-2-nonene. <i>Journal of Chemical Crystallography</i> , 2001, 31, 363-367.	1.1	0
372	Conformational Studies of Substituted Chromans: Crystal Structures of 2,2â€²-(1E,1â€²E)-(2,3-Dimethylchroman-2,4-diyl)bis(Azan-1-yl-1-ylidene)bis(Methan-1-yl-1-ylidene)Diphenol (I) and 2,2â€²-(1E,1â€²E)-(2-Ethyl-3-Methylchroman-2,4-diyl)bis(Azan-1-yl-1-ylidene)bis(Methan-1-yl-1-ylidene)Diphenol (II). <i>Journal of Chemical Crystallography</i> , 2010, 40, 1129-1136.	1.1	0
373	2-Bromo-1,3-bis[2-(2-naphthyl)vinyl]benzene benzene hemisolvate and 9-bromodinaphth[1,2-a:2â€²,1â€²-j]anthracene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, o43-o46.	0.4	0
374	3,6-Dichloro-9-(prop-2-yn-1-yl)-9 <i>H</i> -carbazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o27-o27.	0.2	0
375	Bis(2-amino-5-benzyl-3-ethoxycarbonyl-4,5,6,7-tetrahydrothieno[3,2-c]pyridin-5-ium) bis(4-methoxyphenyl)diphosphonate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o348-o349.	0.2	0
376	3,4,6-Triamino-N-phenylthieno[2,3-b]pyridine-2-carboxamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o805-o805.	0.2	0
377	Crystal structure of 4-((1E)-1-{(2Z)-2-[4-(4-bromophenyl)-3-phenyl-2,3-dihydro-1,3-thiazol-2-ylidene]hydrazin-1-ylidene}ethyl)phenol hemihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1124-o1125.	0.2	0
378	1-Acetyl-5-methoxy-4-(phenylsulfanyl)imidazolidin-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o145-o146.	0.2	0

#	ARTICLE	IF	CITATIONS
379	N <sup>ε</sup> -[(E)-(Furan-2-yl)methylidene]-2-[4-(2-methylpropyl)phenyl]propanohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o356-o356.	0.2	0
380	A new polymorph of N-(2-{N <sup>ε</sup> -[(1E)-2-hydroxybenzylidene]hydrazinecarbonyl}phenyl)benzamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o645-o646.	0.2	0
381	3-Oxo-N <sup>ε</sup> -2-diphenyl-2,3-dihydro-1H-pyrazole-4-carbohydrazide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o819-o820.	0.2	0
382	4 <sup>ε</sup> -Phenyl-3,4-dihydro-2H-spiro[naphthalene-1,3 <sup>ε</sup> -[1,2,4]triazole]-5 <sup>ε</sup> -thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o740-o741.	0.2	0
383	1-[(Cyclohexylidene)amino]-3-(prop-2-en-1-yl)thiourea. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o827-o828.	0.2	0
384	Crystal structure of N-[4-amino-5-cyano-6-(methylsulfanyl)pyridin-2-yl]-2-(cyclohexylsulfanyl)acetamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1031-o1032.	0.2	0
385	The interplay of solvation, molecular conformation and supramolecular assembly in 1,1 <sup>ε</sup> -{[(ethane-1,2-diyl)dioxy](1,2-phenylene)}bis(methanlylidene))bis(thiosemicarbazide) and its N,N-dimethylformamide disolvate. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2015, 71, 959-964.	0.5	0
386	Crystal structure of 3-benzyl-1-[(cyclohexylidene)amino]thiourea. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o933-o934.	0.5	0
387	Crystal structure of ethyl (4R)-2-amino-7-hydroxy-4-phenyl-4H-chromene-3-carboxylate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o519-o520.	0.5	0
388	Crystal structure of 2-amino-4-(4-methoxyphenyl)-4H-benzo[g]chromene-3-carbonitrile. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o1017-o1018.	0.5	0
389	Crystal structure of 1-(cyclopentylideneamino)-3-(prop-2-en-1-yl)thiourea. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o924-o925.	0.5	0
390	Crystal structure of 4-[(E)-(4-hydroxybenzylidene)amino]-1,5-dimethyl-2-phenyl-1H-pyrazol-3(2H)-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o947-o948.	0.5	0
391	Crystal structure of 2-(11-oxo-10H,11H-indeno[1,2-b]chromen-10-yl)-2,3-dihydro-1H-indene-1,3-dione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o333-o334.	0.5	0
392	Crystal structure of 1-{3-acetyl-2-(4-chlorophenyl)-6-hydroxy-4-[(2-hydroxypropyl)amino]-6-methylcyclohex-3-en-1-yl}ethanone. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o369-o370.	0.5	0
393	Crystal structure of 5-(4-methylphenyl)-3-[(E)-2-(4-methylphenyl)ethenyl]cyclohex-2-en-1-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o436-o437.	0.5	0
394	Crystal structure of 4-bromo-2-[(E)-N-(2,2,6,6-tetramethylpiperidin-4-yl)carboximidoyl]phenol dihydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o349-o350.	0.5	0
395	Crystal structure of a palladium(II) complex containing the wide bite-angle bis(selenium) ligand, cis-[( <i>t</i> ) <sub>2</sub> Tj ETQq1 1 0.784314 rgBT /Overline{O}]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 180-183.	0.5	0
396	The [4 <sup>ε</sup> ...+4 <sup>ε</sup> ] thermocyclization of 9-anthrinaldehyde: synthesis, crystal structure, experimental and theoretical UV spectra, natural bonding orbital analysis and prediction of third-order nonlinear optical properties. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018, 74, 480-486.	0.5	0

#	ARTICLE	IF	CITATIONS
397	Crystal structure, Hirshfeld surface analysis, DFT and molecular docking investigation of 2-(2-oxo-1,3-oxazolidin-3-yl)ethyl 2-[2-(2-oxo-1,3-oxazolidin-3-yl)ethoxy]quinoline-4-carboxylate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 28-33.	0.5	0
398	A redetermination of the structure and Hirshfeld surface analysis of poly[diaqua $\text{di-}\frac{1}{4}$ -hydroxido-tetrakis( $\frac{1}{4}$ -nicotinato $\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle$ -oxide)tricopper(II)]. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 309-313.	0.5	0
399	Crystal structure and Hirshfeld surface analysis of 3-[ $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ ]-4-{4-[ $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ )-(3-hydroxybenzylidene)amino]phenoxy}phenylimino)methyl]phenol. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 266-269.	0.5	0
400	Crystal structures of two hydrazide derivatives of mefenamic acid, 3-(2,3-dimethylanilino)- $\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle$ -2-[ $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ )-(furan-2-yl)methylidene]benzohydrazide and $\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle$ -2-[ $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ )-benzylidene]-2-(2,3-dimethylanilino)benzohydrazide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 242-246.	0.5	0
401	Crystal structure of $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ -1-(3-benzyl-5-phenyl-1,3-thiazol-2-ylidene)-2-[ $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ )-1,2,3,4-tetrahydronaphthalen-1-ylidene]hydrazindium bromide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 420-423.	0.5	0
402	Crystal structure and Hirshfeld surface analysis of (3 <i>i</i> S <i>s</i> /i,3 <i>a</i> <i>i</i> R <i>s</i> /i,6 <i>a</i> <i>i</i> S <i>s</i> /i)-3-(1,3-diphenyl-1 <i>i</i> H <i>s</i> /i-pyrazol-4-yl)-5-(4-methoxyphenyl)-2-phenyl-3,3 <i>a</i> ,4,5,6,6 <i>a</i> hexahydro-2 <i>i</i> H <i>s</i> /i. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 356-359.	0.5	0
403	Crystal structure and Hirshfeld surface analysis of $\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle$ -[ $\langle\text{i}\rangle\text{Z}\langle/\text{i}\rangle$ )-(2-hydroxyphenyl)methylidene]aniline $\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle$ -oxide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 596-599.	0.5	0
404	Crystal structure and Hirshfeld surface analysis of 2-(2-oxo-3-phenyl-1,2,3,8 <i>a</i> -tetrahydroquinoxalin-1-yl)ethyl acetate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 643-646.	0.5	0
405	Crystal structure and Hirshfeld surface analysis of ethyl 2-{5-acetyl-3-cyano-6-methyl-4-[ $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ )-2-phenylethenyl]pyridin-2-yl}sulfanylacetate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 730-733.	0.5	0
406	Crystal structure, Hirshfeld surface analysis and interaction energy calculation of 4(furan-2-yl)-2-(6-methyl-2,4-dioxopyran-3-ylidene)-2,3,4,5-tetrahydro-1 <i>i</i> H <i>s</i> /i-1,5-benzodiazepine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 834-838.	0.5	0
407	Crystal structure and Hirshfeld surface analysis study of $\langle\text{i}\rangle\text{E}\langle/\text{i}\rangle$ -1-(4-chlorophenyl)- $\langle\text{i}\rangle\text{N}\langle/\text{i}\rangle$ -(4-ferrocenylphenyl)methanimine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2021, 77, 875-879.	0.5	0
408	Crystal structure of ethyl (2 <i>Z</i> )-2-cyano-3-[(3-methyl-1-phenyl-1 <i>H</i> -pyrazol-5-yl)amino]prop-2-enoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2014, 70, o1214-o1215.	0.2	0
409	Crystal structure of $\text{OFn}-[(8\text{E})-12\text{-methyl-14-phenyl-10,13,14,16-tetraazatetracyclo[7.7.0.02,7.011,15]hexadeca-1(16),2,4,6,9,11(15),12-heptaen-8-ylidene}]$ 1,4-dioxane hemisolvate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o75-o76.	0.5	0
410	Crystal structure of 2-(5-bromo-2-hydroxybenzylidene)-2,3-dihydro-1 <i>H</i> -indene-1,3-dione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o324-o325.	0.5	0
411	Crystal structure of ethyl 4-(2-methoxyphenyl)-6-methyl-2-sulfanylidene-1,2,3,4-tetrahydropyrimidine-5-carboxylate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o444-o445.	0.5	0
412	Crystal structure of (4 <i>Z</i> )-4-[(dimethylamino)methylidene]-3,5-dioxo-2-phenylpyrazolidine-1-carbaldehyde. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o440-o441.	0.5	0
413	Crystal structure of 2-cyano-1-methylpyridinium bromide. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o854-o855.	0.5	0
414	Crystal structure of 2-cyano-1-methylpyridinium perchlorate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o852-o853.	0.5	0

#	ARTICLE	IF	CITATIONS
415	Crystal structure of ( <i>5Z</i> )-5-(2-hydroxybenzylidene)-1,3-thiazolidine-2,4-dione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o965-o966.	0.5	0
416	Crystal structure of ( <i>5Z</i> )-5-(5-bromo-2-hydroxybenzylidene)-1,3-thiazolidine-2,4-dione. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o919-o920.	0.5	0
417	Crystal structure of 3-(prop-2-en-1-yl)-1-{{[(1 <i>E</i> )-1,2,3,4-tetrahydronaphthalen-1-ylidene]amino}thiourea}. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, o976-o977.	0.5	0
418	(4 <i>Z</i> )-1-Benzyl-4-(2-oxopropylidene)-2,3,4,5-tetrahydro-1 <i>H</i> -1,5-benzodiazepin-2-one. <i>IUCrData</i> , 2016, 1, .	0.3	0
419	7,9-Didodecyl-6-methyl-3 <i>H</i> ,7 <i>H</i> ,8 <i>H</i> ,9 <i>H</i> ,9 <i>aH</i> -[1,2,4]triazolo[4,3-b][1,2,4]triazepin-8-one. <i>IUCrData</i> , 2016, 1, .	0.3	0
420	Methyl 2-phenylquinoline-4-carboxylate. <i>IUCrData</i> , 2016, 1, .	0.3	0
421	1-[(5-[(4-Methylphenoxy)methyl]-4-phenyl-4 <i>H</i> -1,2,4-triazol-3-yl)sulfanyl)methyl]-1 <i>H</i> -benzo[d][1,2,3]triazole. <i>IUCrData</i> , 2016, 1, .	0.3	0
422	4-Amino-3-[2-(9 <i>H</i> -carbazol-9-yl)ethyl]-1 <i>H</i> -1,2,4-triazole-5(4 <i>H</i> )-thione dimethyl sulfoxide monosolvate. <i>IUCrData</i> , 2016, 1, .	0.3	0
423	4-Amino-5-tetradecylamino-4 <i>H</i> -1,2,4-triazol-1-ium chloride. <i>IUCrData</i> , 2016, 1, .	0.3	0
424	(3 <i>Z</i> )-3-Benzylidene-1 <i>H</i> -benzimidazo[1,2-a]imidazol-2(3 <i>H</i> )-one. <i>IUCrData</i> , 2016, 1, .	0.3	0
425	Ethyl 2-(6-bromo-2-phenyl-3 <i>H</i> -imidazo[4,5-b]pyridin-3-yl)acetate. <i>IUCrData</i> , 2016, 1, .	0.3	0
426	1-Benzyl-4-phenyl-1 <i>H</i> -1,5-benzodiazepin-2(3 <i>H</i> )-one. <i>IUCrData</i> , 2016, 1, .	0.3	0
427	4-Cyclohexyl-3-[(3,5-dimethyl-1 <i>H</i> -pyrazol-1-yl)methyl]-4,5-dihydro-1 <i>H</i> -1,2,4-triazole-5-thione. <i>IUCrData</i> , 2017, 2, .	0.3	0
428	5-Fluoro-1-(prop-2-en-1-yl)-2,3-dihydro-1 <i>H</i> -indole-2,3-dione. <i>IUCrData</i> , 2017, 2, .	0.3	0
429	2-(2-Oxo-4-phenyl-2,3-dihydro-1 <i>H</i> -1,5-benzodiazepin-1-yl)acetic acid. <i>IUCrData</i> , 2017, 2, .	0.3	0
430	2-[4,5-Diphenyl-2-(pyridin-4-yl)-1 <i>H</i> -imidazol-1-yl]ethanol. <i>IUCrData</i> , 2017, 2, .	0.3	0
431	3-[(3,5-Dimethyl-1 <i>H</i> -pyrazol-1-yl)methyl]-4-(4-methylphenyl)-4,5-dihydro-1 <i>H</i> -1,2,4-triazole-5-thione. <i>IUCrData</i> , 2017, 2, .	0.3	0
432	(4 <i>Z</i> )-4-[1-(2-Aminoanilino)ethylidene]-3-methyl-1-phenyl-4,5-dihydro-1 <i>H</i> -pyrazol-5-one. <i>IUCrData</i> , 2017, 2, .	0.3	0

#	ARTICLE	IF	CITATIONS
433	4-(3-Methylphenyl)-3-[(3-methyl-5-phenyl-1H-pyrazol-1-yl)methyl]-4,5-dihydro-1H-1,2,4-triazole-5-thione. IUCrData, 2017, 2, .	0.3	0
434	5-{[5-(4-Chlorophenyl)-3-methyl-1H-pyrazol-1-yl]methyl}-1,3,4-oxadiazole-2(3H)-thione. IUCrData, 2017, 2, .	0.3	0
435	1-(3-Phenyl-1H-pyrazol-5-yl)-1,2,3,4-tetrahydroquinoxaline-2,3-dione. IUCrData, 2017, 2, .	0.3	0
436	(3<i>S</i>)-3,8-Dibromo-4-phenyl-2,3-dihydro-1<i>H</i>-1,5-benzodiazepin-2-one. IUCrData, 2017, 2, .	0.3	0
437	4-{[5-Methyl-2-(propan-2-yl)phenoxy]methyl}-1-(4-nitrobenzyl)-1H-1,2,3-triazole. IUCrData, 2017, 2, .	0.3	0
438	1,4-Di-n-octyl-1,2,3,4-tetrahydroquinoxaline-2,3-dione. IUCrData, 2017, 2, .	0.3	0
439	5-Fluoro-1-[(1-{[(1S,2R,6R,8S,9R)-4,4,11,11-tetramethyl-3,5,7,10,12-pentaoxatricyclo[7.3.0.02,6]dodecan-8-yl]methyl}-1H-1,2,3-triazol-6-yl]methyl]-1H-1,2,3-triazole. IUCrData, 2017, 2, .	0.3	0
440	1-(Prop-2-en-1-yl)-3-[(prop-2-en-1-yl)oxy]quinoxalin-2(1H)-one. IUCrData, 2017, 2, .	0.3	0
441	1-[(1-Benzyl-1H-1,2,3-triazol-4-yl)methyl]-1H-1,3-benzodiazole. IUCrData, 2017, 2, .	0.3	0
442	5-Methyl-4-(3-methyl-1-phenyl-1H-pyrazol-4-yl)-2-phenyl-2,3-dihydro-1H-pyrazol-3-one. IUCrData, 2017, 2, .	0.3	0
443	1,4-Dihexyl-1,2,3,4-tetrahydroquinoxaline-2,3-dione. IUCrData, 2017, 2, .	0.3	0
444	5,6-Dimethyl-2-[(5-methyl-1,2-oxazol-3-yl)methyl]-1-(prop-2-en-1-yl)-1H-1,3-benzodiazole. IUCrData, 2017, 2, .	0.3	0
445	1,5-Dimethyl-3â€²,5â€²-diphenyl-1,5-dihydro-3â€²H-spiro[pyrazolo[3,4-d]pyrimidine-4,2â€²-[1,3,4]-thiadiazole]. IUCrData, 2017, 2, .	0.3	0
446	7-Bromo-1,4-dibutyl-1,2,3,4-tetrahydropyrido[2,3-b]pyrazine-2,3-dione. IUCrData, 2017, 2, .	0.3	0
447	(Pyridin-2-yl)methyl 2-oxo-1-[(pyridin-2-yl)methyl]-1,2-dihydroquinoline-4-carboxylate hemihydrate. IUCrData, 2017, 2, .	0.3	0
448	1-(3-Chloro-6-nitro-1H-indazol-1-yl)ethan-1-one. IUCrData, 2017, 2, .	0.3	0
449	1-Methyl-4-phenyl-1H-pyrazolo[3,4-d]pyrimidine. IUCrData, 2017, 2, .	0.3	0
450	(3E)-4-(3,4,5-Trimethoxyphenyl)but-3-en-2-one. IUCrData, 2017, 2, .	0.3	0

#	ARTICLE	IF	CITATIONS
451	4-(Prop-2-yn-1-ylsulfanyl)-1H-pyrazolo[3,4-d]pyrimidine. IUCrData, 2017, 2, .	0.3	0
452	Nâ€“-[ <i>(1Z)-1-(3-Methyl-5-oxo-1-phenyl-4,5-dihydro-1H-pyrazol-4-ylidene)ethyl</i> ]-2-[ <i>(4-methylphenyl)sulfanyl</i> ]acetohydrazide. IUCrData, 2017, 2, .	0.3	0
453	Ethyl 3-amino-2-cyano-4-(4-methoxyphenyl)-6- methylthieno[2,3-b]pyridine-5-carboxylate. IUCrData, 2017, 2, .	0.3	0
454	5-Acetyl-3-amino-4-(4-methoxyphenyl)-6-methylthieno[2,3-b]pyridine-2-carbonitrile. IUCrData, 2017, 2, .	0.3	0
455	3-Bromo-6-nitro-1-(prop-2-en-1-yl)-1H-indazole. IUCrData, 2018, 3, .	0.3	0
456	Nâ€“-[ <i>(1E)-2,5-Dimethoxybenzylidene</i> ]pyridine-2-carbohydrazide. IUCrData, 2018, 3, .	0.3	0
457	2-Benzyl-6-nitro-2H-indazole. IUCrData, 2018, 3, .	0.3	0
458	1-Methyl-1H-pyrazolo[3,4-d]pyrimidin-4(5H)-one. IUCrData, 2018, 3, .	0.3	0
459	1-[ <i>(Oxiran-2-yl)methyl</i> ]-3-phenyl-1,2-dihydroquinoxalin-2-one. IUCrData, 2018, 3, .	0.3	0
460	Ethyl 3-methyl-1-oxo-4 <i>H</i> -1,4-benzothiazine-2-carboxylate monohydrate. IUCrData, 2018, 3, .	0.3	0
461	Ethyl 5-(4-methylphenyl)-2,4,5,7-tetraazatricyclo[6.4.0.0 <sup>2,6</sup> ]dodeca-1(8),3,6,9,11-pentaene-3-carboxylate. IUCrData, 2018, 3, .	0.3	0
462	2-(4-Hydroxyphenyl)-4,6-dimethyl-2,3-dihydropyrimidin-1-i um acetate. IUCrData, 2018, 3, .	0.3	0
463	4,4-Diphenyl-1-propyl-2-propylsulfanyl-4,5-dihydro-1H-imidazol-5-one. IUCrData, 2018, 3, .	0.3	0
464	Crystal structures of the hexafluoridophosphate salts of the isomeric 2-, 3- and 4-cyano-1-methylpyridinium cations and determination of solid-state interaction energies. Acta Crystallographica Section E: Crystallographic Communications, 2018, 74, 1322-1329.	0.5	0
465	4-Phenyl-2,5,5a,6,7,8,9,9a-hexahydro-1 <i>H</i> -1,5-benzodiazepine-2-thione ethanol monosolvate. IUCrData, 2018, 3, .	0.3	0
466	Ethyl 4-(3,4,6-trimethyl-1-phenyl-1 <i>H</i> -pyrazolo[3,4- <i>b</i> ]pyridin-5-yl)benzoate. IUCrData, 2018, 3, .	0.3	0
467	3,4,6-Trimethyl-1-phenyl-5-(thiophen-3-yl)-1 <i>H</i> -pyrazolo[3,4- <i>b</i> ]pyridine. IUCrData, 2018, 3, .	0.3	0
468	1-(3-Hydroxypropyl)-3-phenylquinoxalin-2( <i>1H</i> -one). IUCrData, 2018, 3, .	0.3	0

#	ARTICLE	IF	CITATIONS
469	2-Amino-5-methyl-1,2,4-triazolo[1,5- <i>a</i> ]pyrimidin-7(4 <i>i</i> H- <i>i</i> )-one. IUCrData, 2018, 3, .	0.3	0
470	Crystal structure, Hirshfeld surface analysis and interaction energy and DFT studies of methyl 4-[3,6-bis(pyridin-2-yl)pyridazin-4-yl]benzoate. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 1672-1678.	0.5	0
471	Crystal structure, Hirshfeld surface analysis and interaction energy and DFT studies of 1-methyl-3-(prop-2-yn-1-yl)-2,3-dihydro-1 <i>i</i> H- <i>i</i> -1,3-benzodiazol-2-one. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 1940-1946.	0.5	0
472	Crystal structure and Hirshfeld surface analysis of hexyl 1-hexyl-2-oxo-1,2-dihydroquinoline-4-carboxylate. Acta Crystallographica Section E: Crystallographic Communications, 2020, 76, 642-645.	0.5	0
473	Crystal structure, Hirshfeld surface analysis and interaction energy, DFT and antibacterial activity studies of ( <i>i</i> Z- <i>i</i> )4-hexyl-2-(4-methylbenzylidene)-2 <i>i</i> H- <i>i</i> -benzo[ <i>i</i> b- <i>i</i> ][1,4]thiazin-3(4 <i>i</i> H- <i>i</i> )-one. Acta Crystallographica Section E: Crystallographic Communications, 2020, 76, 889-895.	0.5	0
474	4-[( <i>i</i> E- <i>i</i> )-3-(4-Methylphenyl)-3-oxoprop-1-en-1-yl]benzonitrile. IUCrData, 2020, 5, .	0.3	0
475	Syntheses and crystal structures of 2,2,5-trimethyl-1,3-dioxane-5-carboxylic acid and 2,2,5-trimethyl-1,3-dioxane-5-carboxylic anhydride. Acta Crystallographica Section E: Crystallographic Communications, 2020, 76, 86-90.	0.5	0
476	Crystal structure and Hirshfeld surface analysis of 5-acetyl-3-amino-6-methyl- <i>i</i> N-phenyl-4-[( <i>i</i> E- <i>i</i> )-2-phenylethenyl]thieno[2,3- <i>i</i> b- <i>i</i> ]pyridine-2-carboxamide. Acta Crystallographica Section E: Crystallographic Communications, 2022, 78, 225-230.	0.5	0
477	Crystal structure and Hirshfeld surface analysis of 2-{[7-acetyl-4-cyano-6-hydroxy-8-(4-methoxyphenyl)-1,6-dimethyl-5,6,7,8-tetrahydroisoquinolin-3-yl]sulfanyl}acetic acid ethyl ester. Acta Crystallographica Section E: Crystallographic Communications, 2022, 78, 220-224.	0.5	0
478	Synthesis, structural characterization, antioxidant and antidiabetic activities, DFT calculation, and molecular docking of novel substituted phenolic and heterocyclic compounds. Journal of Biomolecular Structure and Dynamics, 2022, , 1-13.	3.5	0
479	3-Isobutyl-5,5-diphenylimidazolidine-2,4-dione. IUCrData, 2022, 7, .	0.3	0
480	Charge Transfer Complexes of New Sulfur- and Selenium-Rich Aromatic Donors. ACS Omega, 2022, 7, 23362-23367.	3.5	0
481	Crystal structure of ethyl 2-{4-[(2-oxo-3-phenyl-1,2-dihydroquinoxalin-1-yl)methyl]-1 <i>i</i> H- <i>i</i> -1,2,3-triazol-1-yl}acetate. IUCrData, 2022, 7, .	0.3	0