

Farid Zand

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8851253/publications.pdf>

Version: 2024-02-01

74
papers

2,246
citations

516710

16
h-index

223800

46
g-index

79
all docs

79
docs citations

79
times ranked

3803
citing authors

#	ARTICLE	IF	CITATIONS
1	Usability of Venous Thromboembolism Prophylaxis Recommender System: A Pilot Study. <i>Studies in Health Technology and Informatics</i> , 2022, 289, 220-223.	0.3	1
2	Identification of data elements for blood gas analysis dataset: a base for developing registries and artificial intelligence-based systems. <i>BMC Health Services Research</i> , 2022, 22, 317.	2.2	2
3	Evaluation Criteria for the Effects of Decision Support Integrated into Computerized Provider Order Entry System: A Scoping Review. <i>Shiraz E Medical Journal</i> , 2022, In Press, .	0.3	0
4	Nutritional adequacy in critically ill patients: Result of PNSI study. <i>Clinical Nutrition</i> , 2021, 40, 511-517.	5.0	9
5	Epidemiology of candidemia in Shiraz, southern Iran: A prospective multicenter study (2016â€“2018). <i>Medical Mycology</i> , 2021, 59, 422-430.	0.7	15
6	Clinical and microbiological features of candiduria in critically ill adult patients in Shiraz, Iran (2016â€“2018): deviations from international guidelines and fluconazole therapeutic failure. <i>Medical Mycology</i> , 2021, 59, 600-607.	0.7	4
7	Challenges of diagnosis of COVID-19 in trauma patients: A case series. <i>Trauma</i> , 2021, 23, 218-229.	0.5	2
8	Use of heart rate variability to predict hospital length of stay for COVID-19 patients: A prospective observational study. <i>International Journal of Critical Illness and Injury Science</i> , 2021, 11, 134.	0.6	6
9	Identification and Prioritization of Clinical Decision Support Functionalities Built Within A Computerized Provider Order Entry System. <i>Health Scope</i> , 2021, 10, .	0.6	3
10	A brief ICU residentsâ€™ guide: Pharmacotherapy, pharmacokinetic aspects and dose adjustments in critically ill adult patients admitted to ICU. <i>Trends in Anaesthesia and Critical Care</i> , 2021, 41, 11-31.	0.9	6
11	Effectiveness of application of a manual for improvement of alarms management by nurses in Intensive Care Units. <i>Investigacion Y Educacion En Enfermeria</i> , 2021, 39, .	0.8	2
12	Inappropriate hospital stays and association with lack of homecare services. <i>Eastern Mediterranean Health Journal</i> , 2021, 27, 656-664.	0.8	2
13	Adequacy of maternal anesthesia depth with two sodium thiopental doses in elective caesarean section: a randomized clinical trial. <i>BMC Anesthesiology</i> , 2021, 21, 201.	1.8	1
14	International Nosocomial Infection Control Consortium (INICC) report, data summary of 45 countries for 2013-2018, Adult and Pediatric Units, Device-associated Module. <i>American Journal of Infection Control</i> , 2021, 49, 1267-1274.	2.3	54
15	International Nosocomial Infection Control Consortium (INICC) report, data summary of 45 countries for 2012-2017: Device-associated module. <i>American Journal of Infection Control</i> , 2020, 48, 423-432.	2.3	77
16	Antimicrobial de-escalation in the critically ill patient and assessment of clinical cure: the DIANA study. <i>Intensive Care Medicine</i> , 2020, 46, 1404-1417.	8.2	54
17	Six-year multicenter study on short-term peripheral venous catheters-related bloodstream infection rates in 727 intensive care units of 268 hospitals in 141 cities of 42 countries of Africa, the Americas, Eastern Mediterranean, Europe, South East Asia, and Western Pacific Regions: International Nosocomial Infection Control Consortium (INICC) findings. <i>Infection Control and Hospital Epidemiology</i> , 2020, 41, 553-563.	1.8	9
18	The clinical relevance of oliguria in the critically ill patient: analysis of a large observational database. <i>Critical Care</i> , 2020, 24, 171.	5.8	18

#	ARTICLE	IF	CITATIONS
19	Six-year multicenter study on short-term peripheral venous catheters-related bloodstream infection rates in 246 intensive units of 83 hospitals in 52 cities of 14 countries of Middle East: Bahrain, Egypt, Iran, Jordan, Kingdom of Saudi Arabia, Kuwait, Lebanon, Morocco, Pakistan, Palestine, Sudan, Tunisia, Turkey, and United Arab Emirates"International Nosocomial Infection Control Consortium (INICC) findings. <i>Journal of Infection and Public Health</i> , 2020, 13, 1134-1141.	4.1	23
20	Vitamin E in the prevention of vancomycin-induced nephrotoxicity. <i>Research in Pharmaceutical Sciences</i> , 2020, 15, 137.	1.8	11
21	A simple and validated HPLC method for vancomycin assay in plasma samples: the necessity of TDM center development in Southern Iran. <i>Research in Pharmaceutical Sciences</i> , 2020, 15, 529.	1.8	11
22	Infection Control Important Points During Anesthesia and Surgery in the COVID-19 Era: A Concise Summary. <i>Archives of Pediatric Infectious Diseases</i> , 2020, 8, .	0.3	0
23	Development of Minimum Data Set for Electronic Documentation of Progress Note in the General Intensive Care Unit. <i>Frontiers in Health Informatics</i> , 2020, 9, 37.	0.5	2
24	Epidemiology of intra-abdominal infection and sepsis in critically ill patients: "AbSe", a multinational observational cohort study and ESICM Trials Group Project. <i>Intensive Care Medicine</i> , 2019, 45, 1703-1717.	8.2	103
25	Nutritional status of patients hospitalized in the intensive care unit: A comprehensive report from Iranian hospitals, 2018. <i>Journal of Critical Care</i> , 2019, 54, 151-158.	2.2	13
26	Effect of instruction and implementation of a preventive urinary tract infection bundle on the incidence of catheter associated urinary tract infection in intensive care unit patients. <i>Electronic Journal of General Medicine</i> , 2019, 16, em131.	0.7	2
27	A Comparison Between Thiopental Sodium and Propofol for Induction of Anesthesia in Elective Cesarean Section Using Bispectral Index and Isolated Forearm Technique: A Randomized, Double-Blind Study. <i>Asian Journal of Anesthesiology</i> , 2019, 57, 93-100.	0.6	2
28	Prevalence of Healthcare-Associated Infections in Pediatric Wards of Nemazee Teaching Hospital in Shiraz: A Comparison with the Whole Hospital. <i>Archives of Pediatric Infectious Diseases</i> , 2019, In Press, .	0.3	0
29	Comparing the ventilator-associated pneumonia incidence when pantoprazole or ranitidine is used for stress ulcer prophylaxis in critically ill adult patients. <i>International Archives of Health Sciences</i> , 2019, 6, 160.	0.2	0
30	Reply to the letter: Evaluation of hyoscine N-butyl bromide efficacy on the prevention of catheter-related bladder discomfort after transurethral resection of prostate: a prospective randomized, double-blind control trial. <i>International Urology and Nephrology</i> , 2018, 50, 1447-1447.	1.4	0
31	Predictive factors associated with mortality and discharge in intensive care units: a retrospective cohort study. <i>Electronic Physician</i> , 2018, 10, 6540-6547.	0.2	2
32	The Beneficial Effects of α -Lipoic Acid in Critically Ill Patients: A Prospective, Randomized, Double-Blind, Placebo-Controlled Trial. <i>Asian Journal of Anesthesiology</i> , 2018, 56, 45-55.	0.6	4
33	The effects of oral rinse with 0.2% and 2% chlorhexidine on oropharyngeal colonization and ventilator associated pneumonia in adults' intensive care units. <i>Journal of Critical Care</i> , 2017, 40, 318-322.	2.2	49
34	Evaluation of hyoscine N-butyl bromide efficacy on the prevention of catheter-related bladder discomfort after transurethral resection of prostate: a randomized, double-blind control trial. <i>International Urology and Nephrology</i> , 2017, 49, 1907-1913.	1.4	5
35	A nurses'™ alarm fatigue questionnaire: development and psychometric properties. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 1305-1312.	1.6	42
36	A study on the efficacy of APACHE-IV for predicting mortality and length of stay in an intensive care unit in Iran. <i>F1000Research</i> , 2017, 6, 2032.	1.6	16

#	ARTICLE	IF	CITATIONS
37	The impact of computerized physician order entry on prescription orders: A quasi-experimental study in Iran. <i>Medical Journal of the Islamic Republic of Iran</i> , 2017, 31, 396-400.	0.9	9
38	Health Recommendations for the Elderly in the Viewpoint of Traditional Persian Medicine. <i>Shiraz E Medical Journal</i> , 2017, In Press, .	0.3	8
39	Comparing Gain and Loss Framed Message Texting (SMS) on Foot Self-Care Behaviors Among Women with Type 2 Diabetes. <i>Shiraz E Medical Journal</i> , 2017, 19, .	0.3	1
40	Comparing Gain and Loss Framed Message Texting (SMS) on Foot Self-Care Behaviors Among Women with Type 2 Diabetes. <i>Shiraz E Medical Journal</i> , 2017, 19, .	0.3	0
41	International Nosocomial Infection Control Consortium report, data summary of 50 countries for 2010-2015: Device-associated module. <i>American Journal of Infection Control</i> , 2016, 44, 1495-1504.	2.3	252
42	Designing Computerized Provider Order Entry Software in Iran. <i>CIN - Computers Informatics Nursing</i> , 2016, 34, 413-420.	0.5	11
43	Invasive fungal infections in critically-ill patients: A literature review and position statement from the IFI-clinical forum, Shiraz, Iran. <i>Bioscience Biotechnology Research Communications</i> , 2016, 9, 371-381.	0.1	3
44	Physical and Mental Health of Patients Immediately After Discharge From Intensive Care Unit and 24 Hours Later. <i>Trauma Monthly</i> , 2016, 21, e29231.	0.2	8
45	Nutritional Assessment in Critically Ill Patients. <i>Iranian Journal of Medical Sciences</i> , 2016, 41, 171-9.	0.4	30
46	Prescribing errors in two ICU wards in a large teaching hospital in Iran. <i>International Journal of Risk and Safety in Medicine</i> , 2015, 27, 169-175.	0.6	11
47	The Effect of Methylalntrexone on the Side Effects of Intrathecal Morphine after Orthopedic Surgery under Spinal Anesthesia. <i>Pain Practice</i> , 2015, 15, 348-354.	1.9	16
48	Assessment of three "who" patient safety solutions: Where do we stand and what can we do?. <i>International Journal of Preventive Medicine</i> , 2015, 6, 120.	0.4	3
49	Early Acute Kidney Injury based on Serum Creatinine or Cystatin C in Intensive Care Unit after Major Trauma. <i>Iranian Journal of Medical Sciences</i> , 2015, 40, 485-92.	0.4	1
50	Invasive candidiasis in critical care setting, updated recommendations from "Invasive Fungal Infections-Clinical Forum", Iran. <i>World Journal of Critical Care Medicine</i> , 2014, 3, 102.	1.8	1
51	Prophylactic effect of ephedrine to reduce hemodynamic changes associated with anesthesia induction with propofol and remifentanyl. <i>Journal of Anaesthesiology Clinical Pharmacology</i> , 2014, 30, 217.	0.7	22
52	Assessment of the worldwide burden of critical illness: the Intensive Care Over Nations (ICON) audit. <i>Lancet Respiratory Medicine</i> , 2014, 2, 380-386.	10.7	864
53	International Nosocomial Infection Control Consortiu (INICC) report, data summary of 43 countries for 2007-2012. Device-associated module. <i>American Journal of Infection Control</i> , 2014, 42, 942-956.	2.3	233
54	Survey on the adequacy of depth of anaesthesia with bispectral index and isolated forearm technique in elective Caesarean section under general anaesthesia with sevoflurane. <i>British Journal of Anaesthesia</i> , 2014, 112, 871-878.	3.4	48

#	ARTICLE	IF	CITATIONS
55	A Model for Decision Making for Intensive Care Unit Admission in Source Limited Hospitals. Iranian Red Crescent Medical Journal, 2014, 16, e15497.	0.5	3
56	Erythropoietin plus methylprednisolone or methylprednisolone in the treatment of acute spinal cord injury: a preliminary report. Acta Medica Iranica, 2014, 52, 275-9.	0.8	9
57	Implementation of a protocol for integrated management of pain, agitation, and delirium can improve clinical outcomes in the intensive care unit: A randomized clinical trial. Journal of Critical Care, 2013, 28, 918-922.	2.2	77
58	Role of Nanoparticles-Mixed Carbon Nanostructures in Chemically Protection of Environment from Bacterial Microorganisms. Journal of Nanoengineering and Nanomanufacturing, 2013, 3, 84-89.	0.3	0
59	Effect of timing of morphine administration during propofol - remifentanil anesthesia on the requirements of post-operative analgesia. Korean Journal of Anesthesiology, 2012, 63, 233.	2.5	6
60	Presenting an effective EEG-based index to monitor the depth of anesthesia. , 2012, , .		6
61	Postoperative agitation in preschool children following emergence from sevoflurane or halothane anesthesia: A randomized study on the forestalling effect of midazolam premedication versus parental presence at induction of anesthesia. Acta Anaesthesiologica Taiwanica, 2011, 49, 96-99.	1.0	8
62	Improved Clinical Outcome of Digoxin Toxicity Despite Increased Serum Potassium Levels. Iranian Red Crescent Medical Journal, 2011, 13, 680-1.	0.5	2
63	Tubo laríngeo com sucção descartável versus reutilizável para ventilação de pacientes submetidos à colecistectomia laparoscópica. Revista Brasileira De Anestesiologia, 2010, 60, 32-41.	0.6	0
64	Disposable Versus Reusable Laryngeal Tube Suction for Ventilation in Patients Undergoing Laparoscopic Cholecystectomy. Revista Brasileira De Anestesiologia, 2010, 60, 32-41.	0.6	7
65	Acute respiratory distress syndrome associated with H1N1 influenza during pregnancy. International Journal of Obstetric Anesthesia, 2010, 19, 465-466.	0.4	4
66	Evaluation of the Adequacy of General Anesthesia in Cesarean Section by Auditory Evoked Potential Index: An Observational Study. Acta Anaesthesiologica Taiwanica, 2008, 46, 16-24.	1.0	4
67	A comparison of the laryngeal tube-Sö, Ą and Prosealö, Ą laryngeal mask during outpatient surgical procedures. European Journal of Anaesthesiology, 2007, 24, 847-851.	1.7	9
68	A comparison of the disposable vs the reusable laryngeal tube in paralysed adult patients. Anaesthesia, 2007, 62, 1167-1170.	3.8	6
69	Blood-sparing efficiency of transdermal nitroglycerine during open fixation of femur shaft fractures: a randomized, double-blind study. Journal of Clinical Anesthesia, 2006, 18, 495-498.	1.6	2
70	Left renal vein transposition for treatment of the Nutcracker syndrome. Archives of Iranian Medicine, 2006, 9, 161-2.	0.6	7
71	Use of the Laryngeal Tube-Sö, Ą for Airway Management and Prevention of Aspiration after a Failed Tracheal Intubation in a Parturient. Anesthesiology, 2005, 102, 481-483.	2.5	13
72	Molecular modeling and QSAR analysis of the anticonvulsant activity of some N-phenyl-NÉ-(4-pyridinyl)-urea derivatives. Computational and Theoretical Chemistry, 2004, 684, 43-49.	1.5	10

#	ARTICLE	IF	CITATIONS
73	The influence of surgical site on early postoperative hypoxemia. Middle East Journal of Anesthesiology, 2004, 17, 1127-33.	0.2	1
74	Experience with Pharmacological Prophylaxis for Venous Thromboembolism in Surgical ICUs in Tertiary Care Hospitals in Southwest Asia. Indian Journal of Surgery, 0, , 1.	0.3	0