

# Yong Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8851450/publications.pdf>

Version: 2024-02-01

173  
papers

17,557  
citations

11651  
70  
h-index

13771  
129  
g-index

173  
all docs

173  
docs citations

173  
times ranked

16725  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Template-Free Synthesis of SnO <sub>2</sub> Hollow Nanostructures with High Lithium Storage Capacity. <i>Advanced Materials</i> , 2006, 18, 2325-2329.   | 21.0 | 1,609     |
| 2  | Li Storage Properties of Disordered Graphene Nanosheets. <i>Chemistry of Materials</i> , 2009, 21, 3136-3142.  | 6.7  | 970       |
| 3  | Boosting lithium storage in covalent organic framework via activation of 14-electron redox chemistry. <i>Nature Communications</i> , 2018, 9, 576.   | 12.8 | 497       |
| 4  | Highly Reversible Lithium Storage in Porous SnO <sub>2</sub> Nanotubes with Coaxially Grown Carbon Nanotube Overlayers. <i>Advanced Materials</i> , 2006, 18, 645-649.   | 21.0 | 477       |
| 5  | Cd <sub>0.2</sub> Zn <sub>0.8</sub> S@UiO-66-NH <sub>2</sub> nanocomposites as efficient and stable visible-light-driven photocatalyst for H <sub>2</sub> evolution and CO <sub>2</sub> reduction. <i>Applied Catalysis B: Environmental</i> , 2017, 200, 448-457. | 20.2 | 433       |
| 6  | Polycrystalline SnO <sub>2</sub> Nanotubes Prepared via Infiltration Casting of Nanocrystallites and Their Electrochemical Application. <i>Chemistry of Materials</i> , 2005, 17, 3899-3903.   | 6.7  | 430       |
| 7  | Nanoengineering of 2D MXene-Based Materials for Energy Storage Applications. <i>Small</i> , 2021, 17, e1902085.  | 10.0 | 398       |
| 8  | Crystalline Carbon Hollow Spheres, Crystalline Carbon@SnO <sub>2</sub> Hollow Spheres, and Crystalline SnO <sub>2</sub> Hollow Spheres: A Synthesis and Performance in Reversible Li-Ion Storage. <i>Chemistry of Materials</i> , 2006, 18, 1347-1353.             | 6.7  | 381       |
| 9  | NiO nanosheets grown on graphene nanosheets as superior anode materials for Li-ion batteries. <i>Nanoscale</i> , 2011, 3, 2615.  | 5.6  | 342       |
| 10 | Multilayer CuO@NiO Hollow Spheres: Microwave-Assisted Metal-Organic-Framework Derivation and Highly Reversible Structure-Matched Stepwise Lithium Storage. <i>ACS Nano</i> , 2015, 9, 11462-11471.   | 14.6 | 324       |
| 11 | Recent Development of Metallic (1T) Phase of Molybdenum Disulfide for Energy Conversion and Storage. <i>Advanced Energy Materials</i> , 2018, 8, 1703482.  | 19.5 | 317       |
| 12 | Microwave-Assisted Morphology Evolution of Fe-Based Metal-Organic Frameworks and Their Derived Fe <sub>2</sub> O <sub>3</sub> Nanostructures for Li-Ion Storage. <i>ACS Nano</i> , 2017, 11, 4198-4205.  | 14.6 | 263       |
| 13 | Construction of Complex Co <sub>3</sub> O <sub>4</sub> @Co <sub>3</sub> V <sub>2</sub> O <sub>8</sub> Hollow Structures from Metal-Organic Frameworks with Enhanced Lithium Storage Properties. <i>Advanced Materials</i> , 2018, 30, 1702875.                     | 21.0 | 262       |
| 14 | Microwave-assisted synthesis of a Co <sub>3</sub> O <sub>4</sub> @graphene sheet-on-sheet nanocomposite as a superior anode material for Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2010, 20, 9735.   | 6.7  | 261       |
| 15 | Synthesis, characterization and photocatalytic performance of novel visible-light-induced Ag/BiOI. <i>Applied Catalysis B: Environmental</i> , 2012, 111-112, 271-279.   | 20.2 | 253       |
| 16 | Sn@CNT Nanostructures Rooted in Graphene with High and Fast Li-Storage Capacities. <i>ACS Nano</i> , 2011, 5, 8108-8114.   | 14.6 | 234       |
| 17 | Few-Layered Boronic Ester Based Covalent Organic Frameworks/Carbon Nanotube Composites for High-Performance K-Organic Batteries. <i>ACS Nano</i> , 2019, 13, 3600-3607.  | 14.6 | 233       |
| 18 | Porous Iron-Cobalt Alloy/Nitrogen-Doped Carbon Cages Synthesized via Pyrolysis of Complex Metal-Organic Framework Hybrids for Oxygen Reduction. <i>Advanced Functional Materials</i> , 2018, 28, 1706738.  | 14.9 | 227       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Graphene-Wrapped CoS Nanoparticles for High-Capacity Lithium-Ion Storage. ACS Applied Materials & Interfaces, 2013, 5, 801-806.   | 8.0  | 219       |
| 20 | Nitrogen-Doped Porous Carbon Supported Nonprecious Metal Single-Atom Electrocatalysts: from Synthesis to Application. Small Methods, 2019, 3, 1900159.  | 8.6  | 218       |
| 21 | High-Lithium Affinity Chemically Exfoliated 2D Covalent Organic Frameworks. Advanced Materials, 2019, 31, e1901640.   | 21.0 | 217       |
| 22 | Synthesis of Graphitic Ordered Macroporous Carbon with a Three-Dimensional Interconnected Pore Structure for Electrochemical Applications. Journal of Physical Chemistry B, 2005, 109, 20200-20206.   | 2.6  | 195       |
| 23 | Carbon Nanotubes Rooted in Porous Ternary Metal Sulfide@N-Doped Carbon Dodecahedron: Bimetal-Organic Frameworks Derivation and Electrochemical Application for High-Capacity and Long-Life Lithium-Ion Batteries. Advanced Functional Materials, 2016, 26, 8345-8353. | 14.9 | 192       |
| 24 | Sn@CNT and Sn@C@CNT nanostructures for superior reversible lithium ion storage. Chemistry of Materials, 2009, 21, 3210-3215.  | 6.7  | 190       |
| 25 | Bimetal-Organic Framework: One-Step Homogenous Formation and its Derived Mesoporous Ternary Metal Oxide Nanorod for High-Capacity, High-Rate, and Long-Cycle-Life Lithium Storage. Advanced Functional Materials, 2016, 26, 1098-1103.                                | 14.9 | 176       |
| 26 | Exfoliated Triazine-Based Covalent Organic Nanosheets with Multielectron Redox for High-Performance Lithium Organic Batteries. Advanced Energy Materials, 2019, 9, 1801010.   | 19.5 | 174       |
| 27 | Efficient Activation of High-Loading Sulfur by Small CNTs Confined Inside a Large CNT for High-Capacity and High-Rate Lithium-Sulfur Batteries. Nano Letters, 2016, 16, 440-447.  | 9.1  | 170       |
| 28 | Fe <sub>2</sub> O <sub>3</sub> -Graphene Rice-on-Sheet Nanocomposite for High and Fast Lithium Ion Storage. Journal of Physical Chemistry C, 2011, 115, 20747-20753.  | 3.1  | 168       |
| 29 | Preparation and Characterization of Carbon Nanospheres as Anode Materials in Lithium-Ion Secondary Batteries. Industrial & Engineering Chemistry Research, 2008, 47, 2294-2300.   | 3.7  | 162       |
| 30 | Molten Salt Synthesis of Tin Oxide Nanorods: Morphological and Electrochemical Features. Journal of Physical Chemistry B, 2004, 108, 17832-17837.   | 2.6  | 161       |
| 31 | Few-Layered Fluorinated Triazine-Based Covalent Organic Nanosheets for High-Performance Alkali Organic Batteries. ACS Nano, 2019, 13, 14252-14261.  | 14.6 | 158       |
| 32 | Multilayer NiO@Co <sub>3</sub> O <sub>4</sub> @graphene quantum dots hollow spheres for high-performance lithium-ion batteries and supercapacitors. Journal of Materials Chemistry A, 2019, 7, 7800-7814.   | 10.3 | 152       |
| 33 | Graphene-based nanocomposite anodes for lithium-ion batteries. Nanoscale, 2014, 6, 11528-11552.   | 5.6  | 151       |
| 34 | Macroporous Co <sub>3</sub> O <sub>4</sub> platelets with excellent rate capability as anodes for lithium ion batteries. Electrochemistry Communications, 2010, 12, 101-105.  | 4.7  | 142       |
| 35 | Morphological Effect of Graphene Nanosheets on Ultrathin CoS Nanosheets and Their Applications for High-Performance Li-Ion Batteries and Photocatalysis. Journal of Physical Chemistry C, 2014, 118, 25355-25364.   | 3.1  | 142       |
| 36 | Self-assembled echinus-like nanostructures of mesoporous CoO nanorod@CNT for lithium-ion batteries. Journal of Materials Chemistry, 2011, 21, 6636.   | 6.7  | 137       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Hollow carbon spheres with a controllable shell structure. <i>Journal of Materials Chemistry</i> , 2006, 16, 4413.   | 6.7  | 135       |
| 38 | Interconnected Tin Disulfide Nanosheets Grown on Graphene for Li-Ion Storage and Photocatalytic Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 12073-12082.  | 8.0  | 135       |
| 39 | Graphene supported Sn@Sb@carbon core-shell particles as a superior anode for lithium ion batteries. <i>Electrochemistry Communications</i> , 2010, 12, 1302-1306.  | 4.7  | 132       |
| 40 | MOF-derived yolk-shell CdS microcubes with enhanced visible-light photocatalytic activity and stability for hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2017, 5, 8680-8689.  | 10.3 | 130       |
| 41 | The Progress and Prospect of Tunable Organic Molecules for Organic Lithium-Ion Batteries. <i>ACS Nano</i> , 2021, 15, 47-80.   | 14.6 | 130       |
| 42 | Stable Hollow-Structured Silicon Suboxide-Based Anodes toward High-Performance Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2101796.  | 14.9 | 127       |
| 43 | Bismuth oxyiodide-graphene nanocomposites with high visible light photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , 2013, 398, 161-167.   | 9.4  | 123       |
| 44 | Coordination-Induced Interlinked Covalent and Metal-Organic Framework Hybrids for Enhanced Lithium Storage. <i>Advanced Materials</i> , 2019, 31, e1903176.  | 21.0 | 120       |
| 45 | Carbon nanotubes grown in situ on graphene nanosheets as superior anodes for Li-ion batteries. <i>Nanoscale</i> , 2011, 3, 4323.   | 5.6  | 119       |
| 46 | Ionic liquid-templated synthesis of mesoporous CeO <sub>2</sub> @TiO <sub>2</sub> nanoparticles and their enhanced photocatalytic activities under UV or visible light. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 223, 157-164. | 3.9  | 118       |
| 47 | Covalent Organic Framework Derived Boron/Oxygen Codoped Porous Carbon on CNTs as an Efficient Sulfur Host for Lithium-Sulfur Batteries. <i>Small Methods</i> , 2019, 3, 1900338.   | 8.6  | 109       |
| 48 | Strong Surface-Bound Sulfur in Carbon Nanotube Bridged Hierarchical MoS <sub>2</sub> -Based MXene Nanosheets for Lithium-Sulfur Batteries. <i>Small</i> , 2019, 15, e1804338.  | 10.0 | 107       |
| 49 | Highly efficient water desalination by capacitive deionization on biomass-derived porous carbon nanoflakes. <i>Separation and Purification Technology</i> , 2021, 256, 117771.   | 7.9  | 106       |
| 50 | NiS nanorod-assembled nanoflowers grown on graphene: morphology evolution and Li-ion storage applications. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15152-15158.   | 10.3 | 98        |
| 51 | Sheet-like and fusiform CuO nanostructures grown on graphene by rapid microwave heating for high Li-ion storage capacities. <i>Journal of Materials Chemistry</i> , 2011, 21, 17916.   | 6.7  | 97        |
| 52 | Metal-Organic-Frameworks Derivation of Mesoporous NiO Nanorod for High-Performance Lithium Ion Batteries. <i>Electrochimica Acta</i> , 2016, 213, 351-357.   | 5.2  | 95        |
| 53 | Tin Nanoparticle Loaded Graphite Anodes for Li-Ion Battery Applications. <i>Journal of the Electrochemical Society</i> , 2004, 151, A1804.   | 2.9  | 94        |
| 54 | Microwave hydrothermal synthesis of high performance tin-graphene nanocomposites for lithium ion batteries. <i>Journal of Power Sources</i> , 2012, 216, 22-27.  | 7.8  | 92        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Graphene sheets grafted three-dimensional BiOBr <sub>0.2</sub> IO <sub>0.8</sub> microspheres with excellent photocatalytic activity under visible light. <i>Journal of Hazardous Materials</i> , 2014, 266, 75-83.                                    | 12.4 | 92        |
| 56 | A Hydrostable Cathode Material Based on the Layered P2@P3 Composite that Shows Redox Behavior for Copper in High-Rate and Long-Cycling Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 1412-1416.                   | 13.8 | 92        |
| 57 | Microwave Hydrothermal Synthesis of Ni-based Metal-Organic Frameworks and Their Derived Yolk-Shell NiO for Li-Ion Storage and Supported Ammonia Borane for Hydrogen Desorption. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 1830-1838. | 6.7  | 91        |
| 58 | One-Step, Confined Growth of Bimetallic Tin-Antimony Nanorods in Carbon Nanotubes Grown In Situ for Reversible Li+ Ion Storage. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7039-7042.  | 13.8 | 89        |
| 59 | Confined Volume Change in Sn-Co Ternary Tube-in-Tube Composites for High-Capacity and Long-Life Lithium Storage. <i>Advanced Functional Materials</i> , 2013, 23, 893-899.   | 14.9 | 89        |
| 60 | Large and fast reversible Li-ion storages in Fe <sub>2</sub> O <sub>3</sub> -graphene sheet-on-sheet sandwich-like nanocomposites. <i>Scientific Reports</i> , 2013, 3, 3502.  | 3.3  | 88        |
| 61 | Functionalized Graphene Quantum Dot Modification of Yolk-Shell NiO Microspheres for Superior Lithium Storage. <i>Small</i> , 2018, 14, e1800589.   | 10.0 | 88        |
| 62 | Morphology tuning of inorganic nanomaterials grown by precipitation through control of electrolytic dissociation and supersaturation. <i>Nature Chemistry</i> , 2019, 11, 695-701.   | 13.6 | 86        |
| 63 | Carbon-coated mixed-metal sulfide hierarchical structure: MOF-derived synthesis and lithium-storage performances. <i>Chemical Engineering Journal</i> , 2019, 366, 622-630.  | 12.7 | 86        |
| 64 | Microwave-assisted synthesis of SnO <sub>2</sub> -graphite nanocomposites for Li-ion battery applications. <i>Journal of Power Sources</i> , 2005, 144, 220-225.   | 7.8  | 85        |
| 65 | Microwave-assisted solvothermal synthesis of 3D carnation-like SnS <sub>2</sub> nanostructures with high visible light photocatalytic activity. <i>Journal of Molecular Catalysis A</i> , 2013, 378, 285-292.  | 4.8  | 82        |
| 66 | Facile synthesis of graphene-supported shuttle- and urchin-like CuO for high and fast Li-ion storage. <i>Electrochemistry Communications</i> , 2012, 14, 82-85.  | 4.7  | 80        |
| 67 | Polyurethane-derived N-doped porous carbon with interconnected sheet-like structure as polysulfide reservoir for lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2015, 293, 119-126.   | 7.8  | 78        |
| 68 | Carbon-Coated MnMoO <sub>4</sub> Nanorod for High-Performance Lithium-Ion Batteries. <i>Electrochimica Acta</i> , 2016, 190, 354-359.  | 5.2  | 78        |
| 69 | Organic Cathode Materials for Sodium-Ion Batteries: From Fundamental Research to Potential Commercial Application. <i>Advanced Functional Materials</i> , 2022, 32, 2107718.   | 14.9 | 75        |
| 70 | Nanoscale Si coating on the pore walls of SnO <sub>2</sub> nanotube anode for Li rechargeable batteries. <i>Chemical Communications</i> , 2010, 46, 622-624.   | 4.1  | 74        |
| 71 | Graphene wrapped SnCo nanoparticles for high-capacity lithium ion storage. <i>Journal of Power Sources</i> , 2013, 222, 526-532.   | 7.8  | 73        |
| 72 | Graphene quantum dots modification of yolk-shell Co <sub>3</sub> O <sub>4</sub> @CuO microspheres for boosted lithium storage performance. <i>Chemical Engineering Journal</i> , 2019, 373, 985-994.   | 12.7 | 73        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Ultrasmall Tin Nanodots Embedded in Nitrogen-Doped Mesoporous Carbon: Metal-Organic-Framework Derivation and Electrochemical Application as Highly Stable Anode for Lithium Ion Batteries. <i>Electrochimica Acta</i> , 2016, 217, 123-131.                                  | 5.2  | 72        |
| 74 | Carbon coated mixed-metal selenide microrod: Bimetal-organic-framework derivation approach and applications for lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2018, 351, 169-176.   | 12.7 | 71        |
| 75 | Bimetal-Organic-Framework Derivation of Ball-Cactus-Like Ni-Sn-P@C-CNT as Long-Cycle Anode for Lithium Ion Battery. <i>Small</i> , 2017, 13, 1700521.  | 10.0 | 70        |
| 76 | Microwave solvothermal synthesis of flower-like SnS <sub>2</sub> and SnO <sub>2</sub> nanostructures as high-rate anodes for lithium ion batteries. <i>Chemical Engineering Journal</i> , 2013, 229, 183-189.  | 12.7 | 69        |
| 77 | Metal-Organic Framework-Derived Nanoconfinements of CoF <sub>2</sub> and Mixed-Conducting Wiring for High-Performance Metal Fluoride-Lithium Battery. <i>ACS Nano</i> , 2021, 15, 1509-1518.   | 14.6 | 69        |
| 78 | General Dimension-Controlled Synthesis of Hollow Carbon Embedded with Metal Single Atoms or Core-Shell Nanoparticles for Energy Storage Applications. <i>Advanced Energy Materials</i> , 2018, 8, 1801101.   | 19.5 | 66        |
| 79 | Controlled Synthesis of V-shaped SnO <sub>2</sub> Nanorods. <i>Journal of Physical Chemistry B</i> , 2004, 108, 13589-13593.   | 2.6  | 65        |
| 80 | MOF-templated nanorice-nanosheet core-satellite iron dichalcogenides by heterogeneous sulfuration for high-performance lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 19179-19188.  | 10.3 | 64        |
| 81 | Multi-metal-Organic Frameworks and Their Derived Materials for Li/Na-Ion Batteries. <i>Electrochemical Energy Reviews</i> , 2020, 3, 127-154.  | 25.5 | 64        |
| 82 | In-situ structural evolution analysis of Zr-doped Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>2</sub> F <sub>3</sub> coated by N-doped carbon layer as high-performance cathode for sodium-ion batteries. <i>Journal of Energy Chemistry</i> , 2022, 65, 514-523. | 12.9 | 62        |
| 83 | Sulfur film-coated reduced graphene oxide composite for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9173.   | 10.3 | 61        |
| 84 | General and facile synthesis of metal sulfide nanostructures: In situ microwave synthesis and application as binder-free cathode for Li-ion batteries. <i>Chemical Engineering Journal</i> , 2016, 306, 251-259.   | 12.7 | 59        |
| 85 | Hierarchical tube-on-fiber-carbon/mixed-metal selenide nanostructures for high-performance hybrid supercapacitors. <i>Nanoscale</i> , 2019, 11, 13996-14009.   | 5.6  | 57        |
| 86 | Preparation of SnO <sub>2</sub> -graphite nanocomposite anodes by urea-mediated hydrolysis. <i>Electrochemistry Communications</i> , 2003, 5, 292-296.   | 4.7  | 55        |
| 87 | Standing carbon-coated molybdenum dioxide nanosheets on graphene: morphology evolution and lithium ion storage properties. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4706-4715.   | 10.3 | 55        |
| 88 | Recent developments of aprotic lithium-oxygen batteries: functional materials determine the electrochemical performance. <i>Science Bulletin</i> , 2017, 62, 442-452.  | 9.0  | 54        |
| 89 | A reduced graphene oxide supported Cu <sub>3</sub> SnS <sub>4</sub> composite as an efficient visible-light photocatalyst. <i>Dalton Transactions</i> , 2014, 43, 7491.  | 3.3  | 52        |
| 90 | Self-assembly and template-free synthesis of ZnO hierarchical nanostructures and their photocatalytic properties. <i>Journal of Colloid and Interface Science</i> , 2015, 448, 367-373.  | 9.4  | 52        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | A rational synthesis of single-atom iron–nitrogen electrocatalysts for highly efficient oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16271-16282.  | 10.3 | 52        |
| 92  | Eco-friendly synthesis of rutile TiO <sub>2</sub> nanostructures with controlled morphology for efficient lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2016, 304, 156-164.  | 12.7 | 51        |
| 93  | Microemulsion Syntheses of Sn and SnO <sub>2</sub> -Graphite Nanocomposite Anodes for Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2004, 151, A563.  | 2.9  | 49        |
| 94  | Bi <sub>2</sub> O <sub>9</sub> /reduced graphene oxide composite as an efficient visible-light-driven photocatalyst for degradation of organic contaminants. <i>Journal of Molecular Catalysis A</i> , 2014, 391, 175-182.                    | 4.8  | 49        |
| 95  | Ultras-small MoC nanoparticles embedded in 3D frameworks of nitrogen-doped porous carbon as anode materials for efficient lithium storage with pseudocapacitance. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13705-13716.             | 10.3 | 48        |
| 96  | Boosting the Capacity of Aqueous Li-Ion Capacitors via Pinpoint Surgery in Nanocoral-Like Covalent Organic Frameworks. <i>Small Methods</i> , 2022, 6, .  | 8.6  | 46        |
| 97  | Topotactical conversion of carbon coated Fe-based electrodes on graphene aerogels for lithium ion storage. <i>Journal of Materials Chemistry A</i> , 2015, 3, 14741-14749.  | 10.3 | 45        |
| 98  | Visible light-driven Bi <sub>2</sub> Sn <sub>2</sub> O <sub>7</sub> /reduced graphene oxide nanocomposite for efficient photocatalytic degradation of organic contaminants. <i>Separation and Purification Technology</i> , 2015, 142, 25-32. | 7.9  | 41        |
| 99  | Covalent Organic Frameworks for Next-Generation Batteries. <i>ChemElectroChem</i> , 2020, 7, 3905-3926.   | 3.4  | 41        |
| 100 | Boosting lithium-ion storage performance by synergistically coupling Zn <sub>0.76</sub> Co <sub>0.24</sub> S with N/S-doped carbon and carbon nanofiber. <i>Chemical Engineering Journal</i> , 2018, 346, 376-387.                            | 12.7 | 40        |
| 101 | Halogen-functionalized triazine-based organic frameworks towards high performance supercapacitors. <i>Chemical Engineering Journal</i> , 2020, 400, 125967.   | 12.7 | 40        |
| 102 | Rational Design of a P2-Type Spherical Layered Oxide Cathode for High-Performance Sodium-Ion Batteries. <i>ACS Central Science</i> , 2019, 5, 1937-1945.  | 11.3 | 39        |
| 103 | Progress and Perspective of Metal- and Covalent-Organic Frameworks and their Derivatives for Lithium-Ion Batteries. <i>Batteries and Supercaps</i> , 2021, 4, 72-97.  | 4.7  | 39        |
| 104 | Bridging mesoporous carbon particles with carbon nanotubes. <i>Microporous and Mesoporous Materials</i> , 2007, 98, 323-329.  | 4.4  | 38        |
| 105 | Antimony-doped tin oxide nanotubes for high capacity lithium storage. <i>Electrochemistry Communications</i> , 2011, 13, 433-436.   | 4.7  | 37        |
| 106 | One-dimensional SnO <sub>2</sub> nanostructures: facile morphology tuning and lithium storage properties. <i>Nanotechnology</i> , 2009, 20, 345704.   | 2.6  | 36        |
| 107 | Construction of point-line-plane (0-1-2 dimensional) Fe <sub>2</sub> O <sub>3</sub> -SnO <sub>2</sub> /graphene hybrids as the anodes with excellent lithium storage capability. <i>Nano Research</i> , 2017, 10, 121-133.                    | 10.4 | 36        |
| 108 | Multiscale Hierarchically Engineered Carbon Nanosheets Derived from Covalent Organic Framework for Potassium-Ion Batteries. <i>Small Methods</i> , 2020, 4, 2000159.  | 8.6  | 36        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | Cobalt Coordinated Cyano Covalent-Organic Framework for High-Performance Potassium-Organic Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 48913-48922.   | 8.0  | 36        |
| 110 | Unusual Conformal Li Plating on Alloyable Nanofiber Frameworks to Enable Dendrite Suppression of Li Metal Anode. <i>ACS Applied Energy Materials</i> , 2019, 2, 4379-4388.   | 5.1  | 35        |
| 111 | Microwave hydrothermal growth of In <sub>2</sub> S <sub>3</sub> interconnected nanoflowers and nanoparticles on graphene for high-performance Li-ion batteries. <i>RSC Advances</i> , 2014, 4, 8582.                                 | 3.6  | 34        |
| 112 | Two-dimensional metal-organic framework materials for energy conversion and storage. <i>Journal of Power Sources</i> , 2020, 477, 228919.  | 7.8  | 34        |
| 113 | Microemulsion Synthesis of Tin Oxide-Graphite Nanocomposites as Negative Electrode Materials for Lithium-Ion Batteries. <i>Electrochemical and Solid-State Letters</i> , 2003, 6, A19.   | 2.2  | 33        |
| 114 | Lithiophilic Vertical Cactus-Like Framework Derived from Cu/Zn-Based Coordination Polymer through In Situ Chemical Etching for Stable Lithium Metal Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2008514.             | 14.9 | 32        |
| 115 | A microemulsion-based preparation of tin/tin oxide core/shell nanoparticles with particle size control. <i>Journal of Materials Chemistry</i> , 2004, 14, 362.   | 6.7  | 30        |
| 116 | Four-Layer Tin-Carbon Nanotube Yolk-Shell Materials for High-Performance Lithium-Ion Batteries. <i>ChemSusChem</i> , 2014, 7, 1407-1414.   | 6.8  | 30        |
| 117 | Flexible and rechargeable Zn-air batteries based on green feedstocks with 75% round-trip efficiency. <i>Sustainable Energy and Fuels</i> , 2017, 1, 1909-1914.   | 4.9  | 30        |
| 118 | Revealing the effect of cobalt-doping on Ni/Mn-based coordination polymers towards boosted Li-storage performances. <i>Energy Storage Materials</i> , 2020, 25, 846-857.   | 18.0 | 29        |
| 119 | Integrating Mixed Metallic Selenides/Nitrogen-Doped Carbon Heterostructures in One-Dimensional Carbon Fibers for Efficient Oxygen Reduction Electrocatalysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8391-8401. | 6.7  | 29        |
| 120 | Rational Construction of Yolk-Shell Bimetal-Modified Quinonyl-Rich Covalent Organic Polymers with Ultralong Lithium-Storage Mechanism. <i>ACS Nano</i> , 2022, 16, 9830-9842.  | 14.6 | 29        |
| 121 | CNT boosted two-dimensional flaky metal-organic nanosheets for superior lithium and potassium storage. <i>Chemical Engineering Journal</i> , 2022, 430, 133023.  | 12.7 | 28        |
| 122 | A metal-organic-framework approach to engineer hollow bimetal oxide microspheres towards enhanced electrochemical performances of lithium storage. <i>Dalton Transactions</i> , 2019, 48, 2019-2027.                                 | 3.3  | 27        |
| 123 | High-Performance Removal of Phosphate from Water by Graphene Nanosheets Supported Lanthanum Hydroxide Nanoparticles. <i>Water, Air, and Soil Pollution</i> , 2014, 225, 1.   | 2.4  | 26        |
| 124 | Dendrite-Free and Stable Lithium Metal Battery Achieved by a Model of Stepwise Lithium Deposition and Stripping. <i>Nano-Micro Letters</i> , 2021, 13, 170.  | 27.0 | 26        |
| 125 | Carbonyl Functional Group Modified Metal-Organic Coordination Polymer with Improved Lithium-Storage Performance. <i>ACS Applied Energy Materials</i> , 2020, 3, 11378-11387.   | 5.1  | 25        |
| 126 | Metal-organic frameworks derived germanium oxide nanosheets for large reversible Li-ion storage. <i>Electrochemistry Communications</i> , 2017, 84, 80-85.   | 4.7  | 24        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Ultrafine ternary metal oxide particles with carbon nanotubes: a metal-organic-framework-based approach and superior lithium-storage performance. <i>Dalton Transactions</i> , 2019, 48, 4413-4419.   | 3.3  | 23        |
| 128 | Organic supramolecular protective layer with rearranged and defensive Li deposition for stable and dendrite-free lithium metal anode. <i>Energy Storage Materials</i> , 2020, 32, 261-271.  | 18.0 | 23        |
| 129 | Polyaniline nanowires aligned on MOFs-derived nanoporous carbon as high-performance electrodes for supercapacitor. <i>Electrochimica Acta</i> , 2021, 390, 138804.  | 5.2  | 22        |
| 130 | Bifunctional iron nickel phosphide nanocatalysts supported on porous carbon for highly efficient overall water splitting. <i>Sustainable Materials and Technologies</i> , 2019, 22, e00117.   | 3.3  | 21        |
| 131 | Fluorine/Nitrogen Co-Doped Porous Carbons Derived from Covalent Triazine Frameworks for High-Performance Supercapacitors. <i>ACS Applied Energy Materials</i> , 2021, 4, 4519-4529.   | 5.1  | 21        |
| 132 | Conversion of Bulk Metallurgical Silicon into Photocatalytic Nanoparticles by Copper-Assisted Chemical Etching. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6590-6599.  | 6.7  | 20        |
| 133 | Three-Dimensional Molybdenum Disulfide Nanoflowers Decorated on Graphene Nanosheets for High-Performance Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2016, 3, 1503-1512.  | 3.4  | 20        |
| 134 | Reduced graphene oxide modified with naphthoquinone for effective immobilization of polysulfides in high-performance Li-S batteries. <i>Chemical Engineering Journal</i> , 2020, 383, 123111.   | 12.7 | 20        |
| 135 | N-doped carbon nanofibers encapsulated Cu <sub>2-x</sub> Se with the improved lithium storage performance and its structural evolution analysis. <i>Electrochimica Acta</i> , 2021, 367, 137449.  | 5.2  | 20        |
| 136 | Indium Tin Oxide@Carbon Core-Shell Nanowire and Jagged Indium Tin Oxide Nanowire. <i>Nanoscale Research Letters</i> , 2010, 5, 1682-1685.   | 5.7  | 19        |
| 137 | Novel 3D flowerlike Au/BiOBr <sub>0.2</sub> IO <sub>0.8</sub> composites with highly enhanced visible-light photocatalytic performances. <i>Separation and Purification Technology</i> , 2014, 133, 343-350.                                    | 7.9  | 19        |
| 138 | Self-assembled 3D Fe <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> microspheres with amorphous shell as anode of lithium-ion batteries with superior electrochemical performance. <i>Chemical Engineering Science</i> , 2020, 217, 115517.      | 3.8  | 18        |
| 139 | Construction of Anthraquinone-Containing Covalent Organic Frameworks/Graphene Hybrid Films for a Flexible High-Performance Microsupercapacitor. <i>Industrial &amp; Engineering Chemistry Research</i> , 2022, 61, 7480-7488.                   | 3.7  | 17        |
| 140 | Plasmonic Ag coated BiOBr <sub>0.2</sub> IO <sub>0.8</sub> nanosheets grown on graphene with excellent visible-light photocatalytic activity. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016, 326, 30-40.                | 3.9  | 16        |
| 141 | Concrete-like high sulfur content cathodes with enhanced electrochemical performance for lithium-sulfur batteries. <i>Journal of Energy Chemistry</i> , 2020, 42, 174-179.  | 12.9 | 16        |
| 142 | Ultra-small Fe <sub>3</sub> O <sub>4</sub> nanodots encapsulated in layered carbon nanosheets with fast kinetics for lithium/potassium-ion battery anodes. <i>RSC Advances</i> , 2021, 11, 1261-1270.   | 3.6  | 16        |
| 143 | <i>In situ</i> encapsulation of metal sulfide into hierarchical nanostructured electrospun nanofibers as self-supported electrodes for flexible quasi-solid-state supercapacitors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 542-548. | 5.5  | 16        |
| 144 | Self-assembly nanostructures of one-dimensional antimony oxide and oxychloride. <i>Materials Letters</i> , 2009, 63, 1481-1484.   | 2.6  | 14        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | New Cr <sub>2</sub> Mo <sub>3</sub> O <sub>12</sub> -based anodes: morphology tuning and Li-storage properties. <i>Journal of Materials Chemistry A</i> , 2015, 3, 15030-15038.  | 10.3 | 14        |
| 146 | Nitrogen-Doped Carbon-Coated Bimetal Selenides for High-Performance Lithium-Ion Storage through the Self-Accommodation of Volume Change. <i>ChemElectroChem</i> , 2019, 6, 3736-3741.  | 3.4  | 12        |
| 147 | Imine-Induced Metal-Organic and Covalent Organic Coexisting Framework with Superior Li-Storage Properties and Activation Mechanism. <i>ChemSusChem</i> , 2021, 14, 3283-3292.  | 6.8  | 12        |
| 148 | Atomic layer deposition of alumina onto yolk-shell FeS/MoS <sub>2</sub> as universal anodes for Li/Na/K-Ion batteries. <i>Electrochimica Acta</i> , 2022, 402, 139471.   | 5.2  | 12        |
| 149 | Triazine organic framework derived Fe single-atom bifunctional electrocatalyst for high performance zinc air batteries. <i>Journal of Power Sources</i> , 2022, 542, 231583.   | 7.8  | 11        |
| 150 | Microwave-assisted synthesis of porous nickel oxide nanostructures as anode materials for lithium-ion batteries. <i>Rare Metals</i> , 2011, 30, 59-62.   | 7.1  | 10        |
| 151 | Two-dimensional imine-based covalent-organic-framework derived nitrogen-doped porous carbon nanosheets for high-performance lithium-sulfur batteries. <i>New Journal of Chemistry</i> , 2021, 45, 8683-8692.                 | 2.8  | 9         |
| 152 | Low-Temperature Synthesis of Amorphous Silicon and Its Ball-in-Ball Hollow Nanospheres as High-Performance Anodes for Sodium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2022, 9, .                                | 3.7  | 9         |
| 153 | Pomegranate-Inspired Nitrogen-Doped Carbon-Coated Bimetallic Sulfides as a High-Performance Anode of Sodium-Ion Batteries and Their Structural Evolution Analysis. <i>ACS Applied Energy Materials</i> , 2022, 5, 3199-3207. | 5.1  | 9         |
| 154 | Self-Assembly Behaviors of Heterogemini Surfactant in Aqueous Solution Investigated by Dissipative Particle Dynamics. <i>Journal of Dispersion Science and Technology</i> , 2014, 35, 1300-1307.                             | 2.4  | 8         |
| 155 | Graphene-supported nickel chloride and cobalt chloride nanoparticles as highly efficient catalysts for dehydrogenation of ammonia borane. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 15389-15397.           | 7.1  | 8         |
| 156 | Designing cobalt-based coordination polymers for high-performance sodium and lithium storage: from controllable synthesis to mechanism detection. <i>Materials Today Energy</i> , 2020, 17, 100478.                          | 4.7  | 8         |
| 157 | Revealing the effect of phosphorus doping on Co@carbon in boosting oxygen evolution catalytic activity. <i>Journal of Alloys and Compounds</i> , 2020, 843, 156001.  | 5.5  | 8         |
| 158 | Functionalized Graphene Quantum Dots Modified Dioxin-Linked Covalent Organic Frameworks for Superior Lithium Storage. <i>Chemistry - A European Journal</i> , 2022, 28, e202103901.  | 3.3  | 8         |
| 159 | Dissipative particle dynamics simulation for the effect of interaction on the self-assembly behaviours of heterogemini surfactant in aqueous solution. <i>Molecular Physics</i> , 2016, 114, 304-314.                        | 1.7  | 7         |
| 160 | Redox-Active Tetramino-Benzoquinone $\pi$ - $\pi$ Stacking and H-Bonding onto Multiwalled Carbon Nanotubes toward a High-Performance Asymmetric Supercapacitor. <i>ACS Applied Energy Materials</i> , 2022, 5, 8112-8122.    | 5.1  | 7         |
| 161 | Microwave-Assisted Synthesis of Antimony Oxide Nanostructures and their Electrochemical Properties. <i>Materials Science Forum</i> , 0, 650, 157-162.  | 0.3  | 5         |
| 162 | High-temperature synthesis of highly hydrothermal stable mesoporous silica and Fe-SiO <sub>2</sub> using ionic liquid as a template. <i>Journal of Solid State Chemistry</i> , 2011, 184, 509-515.                           | 2.9  | 5         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 163 | Iron-Modified Graphites toward Boosted Lithium/Sodium Storage Performance and Long-Term Cyclability. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 9420-9429.   | 3.7  | 5         |
| 164 | Unusual Inside-Outside Li Deposition within Three-Dimensional Honeycomb-like Hierarchical Nitrogen-Doped Framework for a Dendrite-Free Lithium Metal Anode. <i>ACS Applied Energy Materials</i> , 2021, 4, 2838-2846.                | 5.1  | 5         |
| 165 | Uniform Distribution of Li Deposition and High Utilization of Transferred Metallic Li Achieved by an Unusual Free-Standing Skeleton for High-Performance Li Metal Batteries. <i>ACS Applied Energy Materials</i> , 2022, 5, 539-548. | 5.1  | 5         |
| 166 | Boosted Li-Li Cation Effect in the Stabilized Small Organic Molecule Electrode via Hydrogen Bonding with MXene. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 29974-29985.   | 8.0  | 5         |
| 167 | Tin oxide nanocubes, and tin-core/tin oxide-shell nanostructures, with and without a hollow interior. <i>Journal of Nanoparticle Research</i> , 2006, 8, 1053-1057.  | 1.9  | 4         |
| 168 | Rational Design of Ni-Based Electrocatalysts by Modulation of Iron Ions and Carbon Nanotubes for Enhanced Oxygen Evolution Reaction. <i>Advanced Sustainable Systems</i> , 2020, 4, 2000227.   | 5.3  | 4         |
| 169 | Valence State Modulation of Chromium in Selective Hydrogen Peroxide Production Electrocatalysts. <i>ACS Applied Energy Materials</i> , 2021, 4, 10114-10123.   | 5.1  | 2         |
| 170 | Inside-Outside Li Deposition Achieved by the Unusual Strategy of Constructing the Hierarchical Lithiophilicity for Dendrite-Free and Durable Li Metal Anode. <i>Batteries and Supercaps</i> , 0, , .                                 | 4.7  | 2         |
| 171 | Rational design of a self-supporting skeleton decorated with dual lithiophilic Sn-containing and N-doped carbon tubes for dendrite-free lithium metal anodes. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11458-11469.       | 10.3 | 2         |
| 172 | Dissipative Particle Dynamics Simulation of Microscopic Properties in Diblock Copolymer Films. <i>Chinese Journal of Chemical Physics</i> , 2010, 23, 274-280.   | 1.3  | 1         |
| 173 | Depletion phenomenon in diblock copolymer films: a dissipative particle dynamics simulation. <i>Molecular Simulation</i> , 2010, 36, 468-473.  | 2.0  | 1         |