

Karen Jansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8853908/publications.pdf>

Version: 2024-02-01

126
papers

3,128
citations

136950

32
h-index

223800

46
g-index

133
all docs

133
docs citations

133
times ranked

5066
citing authors

#	ARTICLE	IF	CITATIONS
1	Kynurenine pathway dysfunction in the pathophysiology and treatment of depression: Evidences from animal and human studies. <i>Journal of Psychiatric Research</i> , 2015, 68, 316-328.	3.1	167
2	The impact of maternal postpartum depression on the language development of children at 12 months. <i>Child: Care, Health and Development</i> , 2012, 38, 420-424.	1.7	109
3	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. <i>Comprehensive Psychiatry</i> , 2014, 55, 1369-1376.	3.1	84
4	Sociodemographic risk factors of perinatal depression: a cohort study in the public health care system. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 143-148.	1.7	78
5	Neurotrophic Factors, Clinical Features and Gender Differences in Depression. <i>Neurochemical Research</i> , 2014, 39, 1571-1578.	3.3	76
6	Childhood trauma, family history, and their association with mood disorders in early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 281-286.	4.5	75
7	Cocaine abuse and effects in the serum levels of cytokines IL-6 and IL-10. <i>Drug and Alcohol Dependence</i> , 2016, 158, 181-185.	3.2	72
8	Serum levels of nerve growth factor (NGF) in patients with major depression disorder and suicide risk. <i>Journal of Affective Disorders</i> , 2015, 184, 245-248.	4.1	69
9	Childhood trauma and suicide risk in a sample of young individuals aged 14-35 years in southern Brazil. <i>Child Abuse and Neglect</i> , 2014, 38, 1191-1196.	2.6	67
10	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study. <i>Journal of Psychiatric Research</i> , 2017, 92, 119-123.	3.1	59
11	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1043-1050.	2.1	58
12	Biological rhythms in bipolar and depressive disorders: A community study with drug-naïve young adults. <i>Journal of Affective Disorders</i> , 2015, 186, 145-148.	4.1	58
13	Prevalence of episodes of mania and hypomania and associated comorbidities among young adults. <i>Journal of Affective Disorders</i> , 2011, 130, 328-333.	4.1	55
14	Mood disorders and biological rhythms in young adults: A large population-based study. <i>Journal of Psychiatric Research</i> , 2017, 84, 98-104.	3.1	53
15	Prevalence of suicide risk and comorbidities in postpartum women in Pelotas. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 270-276.	1.7	50
16	History of childhood trauma as risk factors to suicide risk in major depression. <i>Psychiatry Research</i> , 2016, 246, 612-616.	3.3	50
17	Immune dysfunction in bipolar disorder and suicide risk: is there an association between peripheral corticotropin-releasing hormone and interleukin-1 β ?. <i>Bipolar Disorders</i> , 2014, 16, 741-747.	1.9	49
18	Escala Hamilton: estudo das características psicométricas em uma amostra do sul do Brasil. <i>Jornal Brasileiro De Psiquiatria</i> , 2014, 63, 281-289.	0.7	46

#	ARTICLE	IF	CITATIONS
19	Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. <i>European Psychiatry</i> , 2014, 29, 58-63.	0.2	46
20	Interleukin-1 β is associated with depressive episode in major depression but not in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 2011-2014.	3.1	45
21	Pro-inflammatory cytokines and psychotherapy in depression: Results from a randomized clinical trial. <i>Journal of Psychiatric Research</i> , 2016, 75, 57-64.	3.1	45
22	Interleukin-6 and Interleukin-10 in mood disorders: A population-based study. <i>Psychiatry Research</i> , 2019, 273, 685-689.	3.3	44
23	Brain-Derived Neurotrophic Factor in Post-Partum Depressive Mothers. <i>Neurochemical Research</i> , 2012, 37, 583-587.	3.3	43
24	Predictors of psychiatric readmission among patients with bipolar disorder at an academic safety-net hospital. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 584-593.	2.3	42
25	Serum levels of interleukins IL-6 and IL-10 in individuals with posttraumatic stress disorder in a population-based sample. <i>Psychiatry Research</i> , 2018, 260, 111-115.	3.3	39
26	Depression during pregnancy in the Brazilian public health care system. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 139-144.	1.7	38
27	The impact of cognitive behavioral therapy on IL-6 levels in unmedicated women experiencing the first episode of depression: A pilot study. <i>Psychiatry Research</i> , 2013, 209, 742-745.	3.3	38
28	Major depressive disorder symptoms in male and female young adults. <i>Psychology, Health and Medicine</i> , 2014, 19, 136-145.	2.4	38
29	Early functional impairment in bipolar youth: A nested population-based case-control study. <i>Journal of Affective Disorders</i> , 2012, 142, 208-212.	4.1	37
30	Suicidal ideation in adolescents aged 11 to 15 years: prevalence and associated factors. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 37-41.	1.7	34
31	Quality of life and mood disorder episodes: Community sample. <i>Journal of Affective Disorders</i> , 2013, 147, 123-127.	4.1	34
32	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1249-1255.	3.1	33
33	Prevalence and factors associated with Premenstrual Dysphoric Disorder: A community sample of young adult women. <i>Psychiatry Research</i> , 2018, 268, 42-45.	3.3	32
34	Impact of genetic variations in ADORA2A gene on depression and symptoms: a cross-sectional population-based study. <i>Purinergic Signalling</i> , 2019, 15, 37-44.	2.2	32
35	Metabolic syndrome, depression and anhedonia among young adults. <i>Psychiatry Research</i> , 2019, 271, 306-310.	3.3	31
36	Childhood trauma and increased peripheral cytokines in young adults with major depressive: Population-based study. <i>Journal of Neuroimmunology</i> , 2018, 319, 112-116.	2.3	30

#	ARTICLE	IF	CITATIONS
37	Working and short-term memories are impaired in postpartum depression. <i>Journal of Affective Disorders</i> , 2012, 136, 1238-1242.	4.1	28
38	Association of a serotonin transporter gene polymorphism (5-HTTLPR) and stressful life events with postpartum depressive symptoms: a population-based study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2013, 34, 29-33.	2.1	28
39	Suicidality and Associated Factors in Pregnant Women in Brazil. <i>Community Mental Health Journal</i> , 2012, 48, 392-395.	2.0	27
40	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. <i>Journal of Psychiatric Research</i> , 2014, 48, 13-15.	3.1	27
41	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. <i>Journal of Neuroimmunology</i> , 2016, 301, 23-29.	2.3	27
42	Anxiety disorders in young people: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 347-352.	1.7	26
43	Resilience as a mediator factor in the relationship between childhood trauma and mood disorder: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020, 274, 48-53.	4.1	26
44	Prevalência de depressão em usuários de unidades de atenção primária. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 194-197.	0.6	25
45	Bullying and associated factors in adolescents aged 11 to 15 years. <i>Trends in Psychiatry and Psychotherapy</i> , 2012, 34, 19-24.	0.8	25
46	Mood disorder, anxiety, and suicide risk among subjects with alcohol abuse and/or dependence: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 1-5.	1.7	25
47	Metabolic syndrome and psychiatric disorders: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 38-43.	1.7	25
48	Chronicity and severity of maternal postpartum depression and infant sleep disorders: A population-based cohort study in southern Brazil. , 2011, 34, 371-373.		23
49	Serum level of nerve growth factor is a potential biomarker of conversion to bipolar disorder in women with major depressive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 590-593.	1.8	23
50	Reduced Serum Levels of Neuron Specific Enolase (NSE) in Drug-Naïve Subjects with Major Depression and Bipolar Disorder. <i>Neurochemical Research</i> , 2013, 38, 1394-1398.	3.3	21
51	Physical benefits and reduction of depressive symptoms among the elderly: Results from the Portuguese "National Walking Program". <i>Ciencia E Saude Coletiva</i> , 2015, 20, 789-795.	0.5	21
52	Leptin in Depressive Episodes: Is There a Difference between Unipolar and Bipolar Depression?. <i>Neuroendocrinology</i> , 2015, 101, 82-86.	2.5	21
53	CD300f immunoreceptor is associated with major depressive disorder and decreased microglial metabolic fitness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 6651-6662.	7.1	21
54	Brief psychoeducation for bipolar disorder: Impact on quality of life in young adults in a 6-month follow-up of a randomized controlled trial. <i>Psychiatry Research</i> , 2014, 220, 896-902.	3.3	20

#	ARTICLE	IF	CITATIONS
55	Biological Rhythm and Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 792-797.	1.0	20
56	Sexual violence, mood disorders and suicide risk: a population-based study. <i>Ciencia E Saude Coletiva</i> , 2016, 21, 853-860.	0.5	20
57	Effect of alcohol and illicit substance use on verbal memory among individuals with bipolar disorder. <i>Psychiatry Research</i> , 2016, 243, 225-231.	3.3	20
58	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. <i>Psychiatry Research</i> , 2019, 275, 228-232.	3.3	20
59	Differences between unipolar mania and bipolar disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019, 21, 437-448.	1.9	20
60	Prevalence of depression symptoms and serum levels of interleukin-6 in hemodialysis patients. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 275-282.	1.8	19
61	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 211-218.	1.7	19
62	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 296-302.	1.7	19
63	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. <i>Journal of Neuroimmunology</i> , 2017, 307, 33-36.	2.3	19
64	Increased Serum Neurotrophin Levels Related to Alcohol Use Disorder in a Young Population Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 30-35.	2.4	18
65	Cognitive psychotherapy treatment decreases peripheral oxidative stress parameters associated with major depression disorder. <i>Biological Psychology</i> , 2015, 110, 175-181.	2.2	18
66	Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. <i>International Journal of Social Psychiatry</i> , 2014, 60, 396-402.	3.1	17
67	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. <i>Psychoneuroendocrinology</i> , 2016, 72, 34-39.	2.7	17
68	Systemic toxicity in early-stage mood disorders. <i>Journal of Psychiatric Research</i> , 2011, 45, 1407-1409.	3.1	16
69	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. <i>Journal of Affective Disorders</i> , 2015, 187, 179-182.	4.1	15
70	The influence of psychoeducation on regulating biological rhythm in a sample of patients with bipolar II disorder: a randomized clinical trial. <i>Psychology Research and Behavior Management</i> , 2014, 7, 167.	2.8	14
71	Mental disorders, functional impairment, and nerve growth factor. <i>Psychology Research and Behavior Management</i> , 2017, Volume 10, 9-15.	2.8	14
72	Mood disorders and prospective suicidality in young adults: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 109-115.	4.5	14

#	ARTICLE	IF	CITATIONS
73	Impact of resilience on the improvement of depressive symptoms after cognitive therapies for depression in a sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 226-231.	0.8	14
74	Salivary cortisol levels and biological rhythm in schoolchildren with sleep bruxism. <i>Sleep Medicine</i> , 2019, 54, 48-52.	1.6	14
75	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. <i>Psychiatry Research</i> , 2017, 251, 85-89.	3.3	13
76	Brief psychoeducation for bipolar disorder: Evaluation of trophic factors serum levels in young adults. <i>Psychiatry Research</i> , 2017, 257, 367-371.	3.3	13
77	Serum brain-derived neurotrophic factor levels in subjects with major depressive disorder with previous suicide attempt: A population-based study. <i>Psychiatry Research</i> , 2018, 262, 500-504.	3.3	13
78	Suicide risk and childhood trauma in individuals diagnosed with posttraumatic stress disorder. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 253-257.	0.8	13
79	Internet addiction in students from an educational institution in Southern Brazil: prevalence and associated factors. <i>Trends in Psychiatry and Psychotherapy</i> , 2020, 42, 302-310.	0.8	13
80	Construction of a biological rhythm assessment scale for children. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 53-60.	0.8	11
81	Psychoactive substance abuse and dependence and its association with anxiety disorders: a population-based study of young adults in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 349-353.	1.7	11
82	5-year incidence of suicide-risk in youth: A gradient tree boosting and SHAP study. <i>Journal of Affective Disorders</i> , 2021, 295, 1049-1056.	4.1	11
83	Paternal postpartum mood: bipolar episodes?. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 283-286.	1.7	10
84	Serum GDNF levels and anxiety disorders in a population-based study of young adults. <i>Clinica Chimica Acta</i> , 2018, 485, 21-25.	1.1	9
85	Effects of cognitive-behavioral therapy on neurotrophic factors in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 361-366.	1.7	9
86	Social, emotional, and behavioral problems and parent-reported sleep bruxism in schoolchildren. <i>Journal of the American Dental Association</i> , 2020, 151, 327-333.	1.5	9
87	Lifetime cocaine use is a potential predictor for conversion from major depressive disorder to bipolar disorder: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 418-423.	1.8	9
88	Effects of cognitive psychotherapy on the biological rhythm of patients with depression. <i>Journal of Affective Disorders</i> , 2014, 155, 142-148.	4.1	8
89	Is Narrative Cognitive Therapy as Effective as Cognitive Behavior Therapy in the Treatment for Depression in Young Adults?. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 918-924.	1.0	8
90	The role of CACNA1C gene and childhood trauma interaction on bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 101, 109915.	4.8	8

#	ARTICLE	IF	CITATIONS
91	DepressÃ£o pÃ³s-parto e alteraÃ§Ãµes de sono aos 12 meses em bebÃas nascidos na zona urbana da cidade de Pelotas/RS. <i>Jornal Brasileiro De Psiquiatria</i> , 2010, 59, 88-93.	0.7	7
92	Early trauma and mood disorders in youngsters. <i>Revista De Psiquiatria Clinica</i> , 2013, 40, 93-96.	0.6	7
93	Practice of leisure-time physical activities and episodes of mood alteration amongst men and women. <i>Journal of Affective Disorders</i> , 2014, 169, 165-169.	4.1	7
94	Maintenance of the Effects of Cognitive Behavioral and Relational Constructivist Psychotherapies in the Treatment of Women with Postpartum Depression: A Randomized Clinical Trial. <i>Journal of Constructivist Psychology</i> , 2014, 27, 59-68.	1.1	7
95	Prevalence of comorbidities between mood and anxiety disorders: associated factors in a population sample of young adults in southern Brazil. <i>Cadernos De Saude Publica</i> , 2014, 30, 2413-2422.	1.0	6
96	Mixed episodes and suicide risk: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020, 266, 252-257.	4.1	6
97	Tobacco smoking and depression during pregnancy. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2010, 32, 44-47.	0.3	6
98	Panic disorder and psychoactive substance use in primary care. <i>Trends in Psychiatry and Psychotherapy</i> , 2014, 36, 113-118.	0.8	5
99	The impact of anxious symptoms in the remission of depressive symptoms in a clinical trial for depression: Follow-up of six months. <i>Journal of Affective Disorders</i> , 2014, 168, 331-336.	4.1	5
100	Long-term effects of cognitive therapy on biological rhythms and depressive symptoms: A randomized clinical trial. <i>Journal of Affective Disorders</i> , 2015, 187, 1-9.	4.1	5
101	Effects of depression and excess body weight on cognition and functioning in young adults: A population-based study. <i>Journal of Affective Disorders</i> , 2021, 282, 401-406.	4.1	5
102	Prevalence and profile of daily smokers seen at three primary health care units in Pelotas, southern Brazil. <i>Trends in Psychiatry and Psychotherapy</i> , 2012, 34, 154-160.	0.8	4
103	Neuron-specific enolase levels in drug-naÃve young adults with major depressive disorder. <i>Neuroscience Letters</i> , 2016, 620, 93-96.	2.1	4
104	Cognitive complaints in individuals recently diagnosed with bipolar disorder: A cross-sectional study. <i>Psychiatry Research</i> , 2021, 300, 113894.	3.3	4
105	Childhood trauma and bipolar spectrum: a population-based sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2020, 42, 115-121.	0.8	4
106	Clinical Outcomes in Children and Adolescents With Bipolar Disorder and Substance Use Disorder Comorbidity. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e230-e233.	2.2	4
107	Sex-dependent role of CD300f immune receptor in generalized anxiety disorder. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 11, 100191.	2.5	3
108	A closer look at the epidemiology of schizophrenia and common mental disorders in Brazil. <i>Dementia E Neuropsychologia</i> , 2020, 14, 283-289.	0.8	3

#	ARTICLE	IF	CITATIONS
109	Dropout in brief psychotherapy for major depressive disorder: Randomized clinical trial. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1080-1088.	2.7	3
110	Relationship between maternal depression as a risk factor for childhood trauma and mood disorders in young adults. <i>Revista De Psiquiatria Clinica</i> , 2014, 41, 72-76.	0.6	2
111	Depressive Symptoms and Relationship Between Genders: Differences in Young Adults in a Randomized Clinical Trial. <i>Paideia</i> , 2017, 27, 3-9.	0.1	2
112	The latent structure and reliability of the emotional trait section of the Affective and Emotional Composite Temperament Scale (AFFECTS). <i>Revista De Psiquiatria Clinica</i> , 2020, 47, 25-29.	0.6	2
113	Investigating biological rhythms disruptions across the menstrual cycle in women with comorbid bipolar disorder and premenstrual dysphoric disorder. <i>Archives of Women's Mental Health</i> , 2022, 25, 345-353.	2.6	2
114	Interaction between <i>COMT</i> Val ¹⁵⁸ Met polymorphism and childhood trauma predicts risk for depression in men. <i>International Journal of Developmental Neuroscience</i> , 2022, 82, 385-396.	1.6	2
115	Posttraumatic stress disorder: prevalences, comorbidities and quality of life in a community sample of young adults. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 1-7.	0.7	1
116	Leptin polymorphism rs3828942: risk for anxiety disorders?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 271, 1141-1148.	3.2	1
117	Cognitive performance and salivary cortisol levels in school children. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 596-597.	1.8	1
118	Persistence of symptoms after cognitive therapies is associated with childhood trauma: A six months follow-up study. <i>Psychiatry Research</i> , 2019, 275, 177-180.	3.3	1
119	CCL11 levels in drug-naïve bipolar patients: The role of sex and smoking status. <i>Journal of Affective Disorders Reports</i> , 2020, 1, 100002.	1.7	1
120	Tobacco smoking and body composition in persons living with HIV/AIDS. <i>Ciencia E Saude Coletiva</i> , 2021, 26, 1923-1930.	0.5	1
121	Sleep alterations in individuals recently diagnosed with bipolar disorder across different mood stages. <i>Psychiatry Research</i> , 2021, 299, 113824.	3.3	1
122	Resposta À carta de Faisal-Cury et al.: "Depressão durante a gravidez no sistema público de saúde brasileiro". <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 465-465.	1.7	1
123	BDNF Levels According to Variations in the CACNA1C Gene: Sex-Based Disparity. <i>Cellular and Molecular Neurobiology</i> , 2022, , 1.	3.3	1
124	Sleep alterations as a predictor of bipolar disorder among offspring of parents with bipolar disorder: a systematic review and meta-analysis. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.8	0
125	Early illness progression in mood disorders: a population-based longitudinal study. <i>Psychiatry Research</i> , 2021, 306, 114225.	3.3	0
126	Influence of maternal bipolar disorder on the biological rhythms of their offspring. <i>Psychiatry Research Communications</i> , 2022, 2, 100017.	1.0	0