## Karen Jansen

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8853908/publications.pdf

Version: 2024-02-01

126 papers	3,128 citations	32 h-index	223800 46 g-index
133	133 docs citations	133	5066
all docs		times ranked	citing authors

#	Article	IF	Citations
1	Dropout in brief psychotherapy for major depressive disorder: Randomized clinical trial. Clinical Psychology and Psychotherapy, 2022, 29, 1080-1088.	2.7	3
2	Influence of maternal bipolar disorder on the biological rhythms of their offspring. Psychiatry Research Communications, 2022, 2, 100017.	1.0	O
3	BDNF Levels According to Variations in the CACNA1C Gene: Sex-Based Disparity. Cellular and Molecular Neurobiology, 2022, , 1.	3.3	1
4	Investigating biological rhythms disruptions across the menstrual cycle in women with comorbid bipolar disorder and premenstrual dysphoric disorder. Archives of Women's Mental Health, 2022, 25, 345-353.	2.6	2
5	Interaction between <i>COMT</i> Val <sup>158</sup> Met polymorphism and childhood trauma predicts risk for depression in men. International Journal of Developmental Neuroscience, 2022, 82, 385-396.	1.6	2
6	Sleep alterations as a predictor of bipolar disorder among offspring of parents with bipolar disorder: a systematic review and meta-analysis. Trends in Psychiatry and Psychotherapy, 2021, , .	0.8	0
7	Sex-dependent role of CD300f immune receptor in generalized anxiety disorder. Brain, Behavior, & Immunity - Health, 2021, 11, 100191.	2.5	3
8	Effects of depression and excess body weight on cognition and functioning in young adults: A population-based study. Journal of Affective Disorders, 2021, 282, 401-406.	4.1	5
9	Tobacco smoking and body composition in persons living with HIV/AIDS. Ciencia E Saude Coletiva, 2021, 26, 1923-1930.	0.5	1
10	Sleep alterations in individuals recently diagnosed with bipolar disorder across different mood stages. Psychiatry Research, 2021, 299, 113824.	3.3	1
11	Cognitive complaints in individuals recently diagnosed with bipolar disorder: A cross-sectional study. Psychiatry Research, 2021, 300, 113894.	3.3	4
12	Early illness progression in mood disorders: a population-based longitudinal study. Psychiatry Research, 2021, 306, 114225.	<b>3.</b> 3	0
13	5-year incidence of suicide-risk in youth: A gradient tree boosting and SHAP study. Journal of Affective Disorders, 2021, 295, 1049-1056.	4.1	11
14	CCL11 levels in drug-naive bipolar patients: The role of sex and smoking status. Journal of Affective Disorders Reports, 2020, 1, 100002.	1.7	1
15	CD300f immunoreceptor is associated with major depressive disorder and decreased microglial metabolic fitness. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 6651-6662.	7.1	21
16	The role of CACNA1C gene and childhood trauma interaction on bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109915.	4.8	8
17	Mixed episodes and suicide risk: A community sample of young adults. Journal of Affective Disorders, 2020, 266, 252-257.	4.1	6
18	Resilience as a mediator factor in the relationship between childhood trauma and mood disorder: A community sample of young adults. Journal of Affective Disorders, 2020, 274, 48-53.	4.1	26

#	Article	IF	Citations
19	Social, emotional, and behavioral problems and parent-reported sleep bruxism in schoolchildren. Journal of the American Dental Association, 2020, 151, 327-333.	1.5	9
20	Lifetime cocaine use is a potential predictor for conversion from major depressive disorder to bipolar disorder: A prospective study. Psychiatry and Clinical Neurosciences, 2020, 74, 418-423.	1.8	9
21	Childhood trauma and bipolar spectrum: a population-based sample of young adults. Trends in Psychiatry and Psychotherapy, 2020, 42, 115-121.	0.8	4
22	Internet addiction in students from an educational institution in Southern Brazil: prevalence and associated factors. Trends in Psychiatry and Psychotherapy, 2020, 42, 302-310.	0.8	13
23	The latent structure and reliability of the emotional trait section of the Affective and Emotional Composite Temperament Scale (AFECTS). Revista De Psiquiatria Clinica, 2020, 47, 25-29.	0.6	2
24	A closer look at the epidemiology of schizophrenia and common mental disorders in Brazil. Dementia E Neuropsychologia, 2020, 14, 283-289.	0.8	3
25	Metabolic syndrome, depression and anhedonia among young adults. Psychiatry Research, 2019, 271, 306-310.	3.3	31
26	Leptin polymorphism rs3828942: risk for anxiety disorders?. European Archives of Psychiatry and Clinical Neuroscience, 2019, 271, 1141-1148.	3.2	1
27	Interleukin-6 and Interleukin-10 in mood disorders: A population-based study. Psychiatry Research, 2019, 273, 685-689.	3.3	44
28	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. Psychiatry Research, 2019, 275, 228-232.	3.3	20
29	Cognitive performance and salivary cortisol levels in school children. Psychiatry and Clinical Neurosciences, 2019, 73, 596-597.	1.8	1
30	Serum level of nerve growth factor is a potential biomarker of conversion to bipolar disorder in women with major depressive disorder. Psychiatry and Clinical Neurosciences, 2019, 73, 590-593.	1.8	23
31	Persistence of symptoms after cognitive therapies is associated with childhood trauma: A six months follow-up study. Psychiatry Research, 2019, 275, 177-180.	3.3	1
32	Differences between unipolar mania and bipolar″ disorder: Evidence from nine epidemiological studies. Bipolar Disorders, 2019, 21, 437-448.	1.9	20
33	Salivary cortisol levels and biological rhythm in schoolchildren with sleep bruxism. Sleep Medicine, 2019, 54, 48-52.	1.6	14
34	Metabolic syndrome and psychiatric disorders: a population-based study. Revista Brasileira De Psiquiatria, 2019, 41, 38-43.	1.7	25
35	Impact of genetic variations in ADORA2A gene on depression and symptoms: a cross-sectional population-based study. Purinergic Signalling, 2019, 15, 37-44.	2.2	32
36	Childhood trauma and increased peripheral cytokines in young adults with major depressive: Population-based study. Journal of Neuroimmunology, 2018, 319, 112-116.	2.3	30

#	Article	IF	CITATIONS
37	Mood disorders and prospective suicidality in young adults: a populationâ€based cohort study. Acta Psychiatrica Scandinavica, 2018, 137, 109-115.	4.5	14
38	Serum brain-derived neurotrophic factor levels in subjects with major depressive disorder with previous suicide attempt: A population-based study. Psychiatry Research, 2018, 262, 500-504.	3.3	13
39	Serum levels of interleukins IL-6 and IL-10 in individuals with posttraumatic stress disorder in a population-based sample. Psychiatry Research, 2018, 260, 111-115.	3.3	39
40	Impact of resilience on the improvement of depressive symptoms after cognitive therapies for depression in a sample of young adults. Trends in Psychiatry and Psychotherapy, 2018, 40, 226-231.	0.8	14
41	Construction of a biological rhythm assessment scale for children. Trends in Psychiatry and Psychotherapy, 2018, 40, 53-60.	0.8	11
42	Suicide risk and childhood trauma in individuals diagnosed with posttraumatic stress disorder. Trends in Psychiatry and Psychotherapy, 2018, 40, 253-257.	0.8	13
43	Serum GDNF levels and anxiety disorders in a population-based study of young adults. Clinica Chimica Acta, 2018, 485, 21-25.	1.1	9
44	Effects of cognitive-behavioral therapy on neurotrophic factors in patients with major depressive disorder. Revista Brasileira De Psiquiatria, 2018, 40, 361-366.	1.7	9
45	Psychoactive substance abuse and dependence and its association with anxiety disorders: a population-based study of young adults in Brazil. Revista Brasileira De Psiquiatria, 2018, 40, 349-353.	1.7	11
46	Prevalence and factors associated with Premenstrual Dysphoric Disorder: A community sample of young adult women. Psychiatry Research, 2018, 268, 42-45.	3.3	32
47	Mood disorder, anxiety, and suicide risk among subjects with alcohol abuse and/or dependence: a population-based study. Revista Brasileira De Psiquiatria, 2018, 40, 1-5.	1.7	25
48	Mental disorders, functional impairment, and nerve growth factor. Psychology Research and Behavior Management, 2017, Volume 10, 9-15.	2.8	14
49	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. Psychiatry Research, 2017, 251, 85-89.	3.3	13
50	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. Journal of Neuroimmunology, 2017, 307, 33-36.	2.3	19
51	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study. Journal of Psychiatric Research, 2017, 92, 119-123.	3.1	59
52	Brief psychoeducation for bipolar disorder: Evaluation of trophic factors serum levels in young adults. Psychiatry Research, 2017, 257, 367-371.	3.3	13
53	Is Narrative Cognitive Therapy as Effective as Cognitive Behavior Therapy in the Treatment for Depression in Young Adults?. Journal of Nervous and Mental Disease, 2017, 205, 918-924.	1.0	8
54	Mood disorders and biological rhythms in young adults: A large population-based study. Journal of Psychiatric Research, 2017, 84, 98-104.	3.1	53

#	Article	IF	Citations
55	Depressive Symptoms and Relationship Between Genders: Differences in Young Adults in a Randomized Clinical Trial. Paideia, 2017, 27, 3-9.	0.1	2
56	Clinical Outcomes in Children and Adolescents With Bipolar Disorder and Substance Use Disorder Comorbidity. Journal of Clinical Psychiatry, 2017, 78, e230-e233.	2,2	4
57	Sexual violence, mood disorders and suicide risk: a population-based study. Ciencia E Saude Coletiva, 2016, 21, 853-860.	0.5	20
58	Effect of alcohol and illicit substance use on verbal memory among individuals with bipolar disorder. Psychiatry Research, 2016, 243, 225-231.	3.3	20
59	Neuron-specific enolase levels in drug-naïve young adults with major depressive disorder. Neuroscience Letters, 2016, 620, 93-96.	2.1	4
60	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. Journal of Neuroimmunology, 2016, 301, 23-29.	2.3	27
61	History of childhood trauma as risk factors to suicide risk in major depression. Psychiatry Research, 2016, 246, 612-616.	3.3	50
62	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. Psychoneuroendocrinology, 2016, 72, 34-39.	2.7	17
63	Childhood trauma, family history, and their association with mood disorders in early adulthood. Acta Psychiatrica Scandinavica, 2016, 134, 281-286.	4.5	<b>7</b> 5
64	Pro-inflammatory cytokines and psychotherapy in depression: Results from a randomized clinical trial. Journal of Psychiatric Research, 2016, 75, 57-64.	3.1	45
65	Cocaine abuse and effects in the serum levels of cytokines IL-6 and IL-10. Drug and Alcohol Dependence, 2016, 158, 181-185.	3.2	72
66	Predictors of psychiatric readmission among patients with bipolar disorder at an academic safety-net hospital. Australian and New Zealand Journal of Psychiatry, 2016, 50, 584-593.	2.3	42
67	Biological Rhythm and Bipolar Disorder. Journal of Nervous and Mental Disease, 2015, 203, 792-797.	1.0	20
68	Posttraumatic stress disorder: prevalences, comorbidities and quality of life in a community sample of young adults. Jornal Brasileiro De Psiquiatria, 2015, 64, 1-7.	0.7	1
69	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. Revista Brasileira De Psiquiatria, 2015, 37, 211-218.	1.7	19
70	Physical benefits and reduction of depressive symptoms among the elderly: Results from the Portuguese "National Walking Program". Ciencia E Saude Coletiva, 2015, 20, 789-795.	0.5	21
71	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. Revista Brasileira De Psiquiatria, 2015, 37, 296-302.	1.7	19
72	Kynurenine pathway dysfunction in the pathophysiology and treatment of depression: Evidences from animal and human studies. Journal of Psychiatric Research, 2015, 68, 316-328.	3.1	167

#	Article	IF	Citations
73	Increased Serum Neurotrophin Levels Related to Alcohol Use Disorder in a Young Population Sample. Alcoholism: Clinical and Experimental Research, 2015, 39, 30-35.	2.4	18
74	Leptin in Depressive Episodes: Is There a Difference between Unipolar and Bipolar Depression?. Neuroendocrinology, 2015, 101, 82-86.	2.5	21
75	Serum levels of nerve growth factor (NGF) in patients with major depression disorder and suicide risk. Journal of Affective Disorders, 2015, 184, 245-248.	4.1	69
76	Biological rhythms in bipolar and depressive disorders: A community study with drug-na $\tilde{A}$ -ve young adults. Journal of Affective Disorders, 2015, 186, 145-148.	4.1	58
77	Cognitive psychotherapy treatment decreases peripheral oxidative stress parameters associated with major depression disorder. Biological Psychology, 2015, 110, 175-181.	2.2	18
78	Long-term effects of cognitive therapy on biological rhythms and depressive symptoms: A randomized clinical trial. Journal of Affective Disorders, 2015, 187, 1-9.	4.1	5
79	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. Journal of Affective Disorders, 2015, 187, 179-182.	4.1	15
80	Escala Hamilton: estudo das caracterÃsticas psicométricas em uma amostra do sul do Brasil. Jornal Brasileiro De Psiquiatria, 2014, 63, 281-289.	0.7	46
81	Prevalence of comorbidities between mood and anxiety disorders: associated factors in a population sample of young adults in southern Brazil. Cadernos De Saude Publica, 2014, 30, 2413-2422.	1.0	6
82	The influence of psychoeducation on regulating biological rhythm in a sample of patients with bipolar II disorder: a randomized clinical trial. Psychology Research and Behavior Management, 2014, 7, 167.	2.8	14
83	Relationship between maternal depression as a risk factor for childhood trauma and mood disorders in young adults. Revista De Psiquiatria Clinica, 2014, 41, 72-76.	0.6	2
84	Panic disorder and psychoactive substance use in primary care. Trends in Psychiatry and Psychotherapy, 2014, 36, 113-118.	0.8	5
85	Immune dysfunction in bipolar disorder and suicide risk: is there an association between peripheral corticotropinâ€releasing hormone and interleukinâ€1β?. Bipolar Disorders, 2014, 16, 741-747.	1.9	49
86	Major depressive disorder symptoms in male and female young adults. Psychology, Health and Medicine, 2014, 19, 136-145.	2.4	38
87	Practice of leisure-time physical activities and episodes of mood alteration amongst men and women. Journal of Affective Disorders, 2014, 169, 165-169.	4.1	7
88	Brief psychoeducation for bipolar disorder: Impact on quality of life in young adults in a 6-month follow-up of a randomized controlled trial. Psychiatry Research, 2014, 220, 896-902.	3.3	20
89	Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. International Journal of Social Psychiatry, 2014, 60, 396-402.	3.1	17
90	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. Comprehensive Psychiatry, 2014, 55, 1369-1376.	3.1	84

#	Article	IF	CITATIONS
91	Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. European Psychiatry, 2014, 29, 58-63.	0.2	46
92	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1249-1255.	3.1	33
93	Prevalence of depression symptoms and serum levels of interleukinâ€6 in hemodialysis patients. Psychiatry and Clinical Neurosciences, 2014, 68, 275-282.	1.8	19
94	Maintenance of the Effects of Cognitive Behavioral and Relational Constructivist Psychotherapies in the Treatment of Women with Postpartum Depression: A Randomized Clinical Trial. Journal of Constructivist Psychology, 2014, 27, 59-68.	1.1	7
95	Neurotrophic Factors, Clinical Features and Gender Differences in Depression. Neurochemical Research, 2014, 39, 1571-1578.	3.3	76
96	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. Journal of Psychiatric Research, 2014, 48, 13-15.	3.1	27
97	Childhood trauma and suicide risk in a sample of young individuals aged 14–35 years in southern Brazil. Child Abuse and Neglect, 2014, 38, 1191-1196.	2.6	67
98	The impact of anxious symptoms in the remission of depressive symptoms in a clinical trial for depression: Follow-up of six months. Journal of Affective Disorders, 2014, 168, 331-336.	4.1	5
99	Effects of cognitive psychotherapy on the biological rhythm of patients with depression. Journal of Affective Disorders, 2014, 155, 142-148.	4.1	8
100	Association of a serotonin transporter gene polymorphism (5-HTTLPR) and stressful life events with postpartum depressive symptoms: a population-based study. Journal of Psychosomatic Obstetrics and Gynaecology, 2013, 34, 29-33.	2.1	28
101	Reduced Serum Levels of Neuron Specific Enolase (NSE) in Drug-NaÃ-ve Subjects with Major Depression and Bipolar Disorder. Neurochemical Research, 2013, 38, 1394-1398.	3.3	21
102	Quality of life and mood disorder episodes: Community sample. Journal of Affective Disorders, 2013, 147, 123-127.	4.1	34
103	Interleukin- $\hat{\Pi}^2$ is associated with depressive episode in major depression but not in bipolar disorder. Journal of Psychiatric Research, 2013, 47, 2011-2014.	3.1	45
104	The impact of cognitive behavioral therapy on IL-6 levels in unmedicated women experiencing the first episode of depression: A pilot study. Psychiatry Research, 2013, 209, 742-745.	3.3	38
105	Early trauma and mood disorders in youngsters. Revista De Psiquiatria Clinica, 2013, 40, 93-96.	0.6	7
106	Anxiety disorders in young people: a population-based study. Revista Brasileira De Psiquiatria, 2013, 35, 347-352.	1.7	26
107	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. International Journal of Neuropsychopharmacology, 2012, 15, 1043-1050.	2.1	58
108	Prevalence of suicide risk and comorbidities in postpartum women in Pelotas. Revista Brasileira De Psiquiatria, 2012, 34, 270-276.	1.7	50

#	Article	IF	Citations
109	Early functional impairment in bipolar youth: A nested population-based case-control study. Journal of Affective Disorders, 2012, 142, 208-212.	4.1	37
110	Prevalence and profile of daily smokers seen at three primary health care units in Pelotas, southern Brazil. Trends in Psychiatry and Psychotherapy, 2012, 34, 154-160.	0.8	4
111	Prevalência de depressão em usuários de unidades de atenção primária. Revista De Psiquiatria Clinica, 2012, 39, 194-197.	0.6	25
112	Bullying and associated factors in adolescents aged 11 to 15 years. Trends in Psychiatry and Psychotherapy, 2012, 34, 19-24.	0.8	25
113	Sociodemographic risk factors of perinatal depression: a cohort study in the public health care system. Revista Brasileira De Psiquiatria, 2012, 34, 143-148.	1.7	78
114	Suicidality and Associated Factors in Pregnant Women in Brazil. Community Mental Health Journal, 2012, 48, 392-395.	2.0	27
115	The impact of maternal postâ€partum depression on the language development of children at 12 months. Child: Care, Health and Development, 2012, 38, 420-424.	1.7	109
116	Working and short-term memories are impaired in postpartum depression. Journal of Affective Disorders, 2012, 136, 1238-1242.	4.1	28
117	Brain-Derived Neurotrophic Factor in Post-Partum Depressive Mothers. Neurochemical Research, 2012, 37, 583-587.	3.3	43
118	Paternal postpartum mood: bipolar episodes?. Revista Brasileira De Psiquiatria, 2011, 33, 283-286.	1.7	10
119	Systemic toxicity in early-stage mood disorders. Journal of Psychiatric Research, 2011, 45, 1407-1409.	3.1	16
120	Chronicity and severity of maternal postpartum depression and infant sleep disorders: A population-based cohort study in southern Brazil., 2011, 34, 371-373.		23
121	Prevalence of episodes of mania and hypomania and associated comorbidities among young adults. Journal of Affective Disorders, 2011, 130, 328-333.	4.1	55
122	Suicidal ideation in adolescents aged 11 to 15 years: prevalence and associated factors. Revista Brasileira De Psiquiatria, 2010, 32, 37-41.	1.7	34
123	Depressão pós-parto e alterações de sono aos 12 meses em bebês nascidos na zona urbana da cidade de Pelotas/RS. Jornal Brasileiro De Psiquiatria, 2010, 59, 88-93.	0.7	7
124	Depression during pregnancy in the Brazilian public health care system. Revista Brasileira De Psiquiatria, 2010, 32, 139-144.	1.7	38
125	Tobacco smoking and depression during pregnancy. Revista De Psiquiatria Do Rio Grande Do Sul, 2010, 32, 44-47.	0.3	6
126	Resposta à carta de Faisal-Cury et al.: "Depressão durante a gravidez no sistema público de saúde brasileiro". Revista Brasileira De Psiquiatria, 2010, 32, 465-465.	1.7	1