

Didier Reinhardt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8854301/publications.pdf>

Version: 2024-02-01

57
papers

8,019
citations

101543

36
h-index

149698

56
g-index

61
all docs

61
docs citations

61
times ranked

7017
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Regulation of phyllotaxis by polar auxin transport. <i>Nature</i> , 2003, 426, 255-260. | 27.8 | 1,361 |
| 2 | Auxin Regulates the Initiation and Radial Position of Plant Lateral Organs. <i>Plant Cell</i> , 2000, 12, 507-518. | 6.6 | 897 |
| 3 | A plausible model of phyllotaxis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 1301-1306. | 7.1 | 554 |
| 4 | A petunia ABC protein controls strigolactone-dependent symbiotic signalling and branching. <i>Nature</i> , 2012, 483, 341-344. | 27.8 | 502 |
| 5 | Phosphate systemically inhibits development of arbuscular mycorrhiza in <i>Petunia hybrida</i> and represses genes involved in mycorrhizal functioning. <i>Plant Journal</i> , 2010, 64, 1002-1017. | 5.7 | 354 |
| 6 | Beneficial Services of Arbuscular Mycorrhizal Fungi – From Ecology to Application. <i>Frontiers in Plant Science</i> , 2018, 9, 1270. | 3.6 | 337 |
| 7 | Insight into the evolution of the Solanaceae from the parental genomes of <i>Petunia hybrida</i> . <i>Nature Plants</i> , 2016, 2, 16074. | 9.3 | 311 |
| 8 | Elastic Domains Regulate Growth and Organogenesis in the Plant Shoot Apical Meristem. <i>Science</i> , 2012, 335, 1096-1099. | 12.6 | 279 |
| 9 | Plant architecture. <i>EMBO Reports</i> , 2002, 3, 846-851. | 4.5 | 247 |
| 10 | Localized Upregulation of a New Expansin Gene Predicts the Site of Leaf Formation in the Tomato Meristem. <i>Plant Cell</i> , 1998, 10, 1427-1437. | 6.6 | 234 |
| 11 | Phosphorus and Nitrogen Regulate Arbuscular Mycorrhizal Symbiosis in <i>Petunia hybrida</i> . <i>PLoS ONE</i> , 2014, 9, e90841. | 2.5 | 222 |
| 12 | Microsurgical and laser ablation analysis of interactions between the zones and layers of the tomato shoot apical meristem. <i>Development (Cambridge)</i> , 2003, 130, 4073-4083. | 2.5 | 196 |
| 13 | The plant multidrug resistance ABC transporter AtMRP5 is involved in guard cell hormonal signalling and water use. <i>Plant Journal</i> , 2003, 33, 119-129. | 5.7 | 185 |
| 14 | Silica nanoparticles enhance disease resistance in Arabidopsis plants. <i>Nature Nanotechnology</i> , 2021, 16, 344-353. | 31.5 | 172 |
| 15 | Diet of Arbuscular Mycorrhizal Fungi: Bread and Butter?. <i>Trends in Plant Science</i> , 2017, 22, 652-660. | 8.8 | 158 |
| 16 | Analysis and cloning of the ethylene-forming enzyme from tomato by functional expression of its mRNA in <i>Xenopus laevis</i> oocytes. <i>EMBO Journal</i> , 1991, 10, 2007-2013. | 7.8 | 151 |
| 17 | Arabidopsis AXR6 encodes CUL1 implicating SCF E3 ligases in auxin regulation of embryogenesis. <i>EMBO Journal</i> , 2003, 22, 3314-3325. | 7.8 | 141 |
| 18 | Microsurgical and laser ablation analysis of leaf positioning and dorsoventral patterning in tomato. <i>Development (Cambridge)</i> , 2005, 132, 15-26. | 2.5 | 136 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Starch Granule Biosynthesis in <i>Arabidopsis</i> Is Abolished by Removal of All Debranching Enzymes but Restored by the Subsequent Removal of an Endoamylase. <i>Plant Cell</i> , 2009, 20, 3448-3466. | 6.6 | 129 |
| 20 | A novel bioinformatics pipeline to discover genes related to arbuscular mycorrhizal symbiosis based on their evolutionary conservation pattern among higher plants. <i>BMC Plant Biology</i> , 2014, 14, 333. | 3.6 | 91 |
| 21 | The PAM1 gene of petunia, required for intracellular accommodation and morphogenesis of arbuscular mycorrhizal fungi, encodes a homologue of VAPYRIN. <i>Plant Journal</i> , 2010, 64, 470-481. | 5.7 | 85 |
| 22 | How membranes shape plant symbioses: signaling and transport in nodulation and arbuscular mycorrhiza. <i>Frontiers in Plant Science</i> , 2012, 3, 223. | 3.6 | 81 |
| 23 | Programming good relations – development of the arbuscular mycorrhizal symbiosis. <i>Current Opinion in Plant Biology</i> , 2007, 10, 98-105. | 7.1 | 78 |
| 24 | Role of the GRAS transcription factor ATA/RAM1 in the transcriptional reprogramming of arbuscular mycorrhiza in <i>Petunia hybrida</i> . <i>BMC Genomics</i> , 2017, 18, 589. | 2.8 | 72 |
| 25 | Auxin and phyllotaxis. <i>Trends in Plant Science</i> , 2001, 6, 187-189. | 8.8 | 69 |
| 26 | The <i>Petunia</i> GRAS Transcription Factor ATA/RAM1 Regulates Symbiotic Gene Expression and Fungal Morphogenesis in Arbuscular Mycorrhiza. <i>Plant Physiology</i> , 2015, 168, 788-797. | 4.8 | 64 |
| 27 | The auxin influx carrier is essential for correct leaf positioning. <i>Plant Journal</i> , 2002, 32, 509-517. | 5.7 | 62 |
| 28 | A petunia mutant affected in intracellular accommodation and morphogenesis of arbuscular mycorrhizal fungi. <i>Plant Journal</i> , 2007, 51, 739-750. | 5.7 | 54 |
| 29 | Regulation of phyllotaxis. <i>International Journal of Developmental Biology</i> , 2005, 49, 539-546. | 0.6 | 53 |
| 30 | A petunia chorismate mutase specialized for the production of floral volatiles. <i>Plant Journal</i> , 2010, 61, 145-155. | 5.7 | 53 |
| 31 | The role of the cell wall compartment in mutualistic symbioses of plants. <i>Frontiers in Plant Science</i> , 2014, 5, 238. | 3.6 | 53 |
| 32 | An Automated Confocal Micro-Extensometer Enables in Vivo Quantification of Mechanical Properties with Cellular Resolution. <i>Plant Cell</i> , 2017, 29, 2959-2973. | 6.6 | 47 |
| 33 | Phyllotaxis – a new chapter in an old tale about beauty and magic numbers. <i>Current Opinion in Plant Biology</i> , 2005, 8, 487-493. | 7.1 | 46 |
| 34 | A transgenic dTph1 insertional mutagenesis system for forward genetics in mycorrhizal phosphate transport of <i>Petunia</i> . <i>Plant Journal</i> , 2008, 54, 1115-1127. | 5.7 | 42 |
| 35 | Successful joint ventures of plants: arbuscular mycorrhiza and beyond. <i>Trends in Plant Science</i> , 2011, 16, 356-362. | 8.8 | 41 |
| 36 | LCO Receptors Involved in Arbuscular Mycorrhiza Are Functional for Rhizobia Perception in Legumes. <i>Current Biology</i> , 2019, 29, 4249-4259.e5. | 3.9 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Comprehensive Transcriptome Analysis Unravels the Existence of Crucial Genes Regulating Primary Metabolism during Adventitious Root Formation in <i>Petunia hybrida</i> . PLoS ONE, 2014, 9, e100997. | 2.5 | 38 |
| 38 | Mathematical Modeling of the Dynamics of Shoot-Root Interactions and Resource Partitioning in Plant Growth. PLoS ONE, 2015, 10, e0127905. | 2.5 | 38 |
| 39 | Vascular Patterning: More Than Just Auxin?. Current Biology, 2003, 13, R485-R487. | 3.9 | 37 |
| 40 | High resolution linkage maps of the model organism <i>Petunia</i> reveal substantial synteny decay with the related genome of tomato. Genome, 2011, 54, 327-340. | 2.0 | 34 |
| 41 | Conserved residues in the ankyrin domain of VAPYRIN indicate potential protein-protein interaction surfaces. Plant Signaling and Behavior, 2011, 6, 680-684. | 2.4 | 31 |
| 42 | Phosphate Suppression of Arbuscular Mycorrhizal Symbiosis Involves Gibberellic Acid Signaling. Plant and Cell Physiology, 2021, 62, 959-970. | 3.1 | 29 |
| 43 | Lineage-Specific Genes and Cryptic Sex: Parallels and Differences between Arbuscular Mycorrhizal Fungi and Fungal Pathogens. Trends in Plant Science, 2021, 26, 111-123. | 8.8 | 25 |
| 44 | Strigolactones Play an Important Role in Shaping Exodermal Morphology via a KAI2-Dependent Pathway. IScience, 2019, 17, 144-154. | 4.1 | 24 |
| 45 | Phyllotaxis involves auxin drainage through leaf primordia. Development (Cambridge), 2015, 142, 1992-2001. | 2.5 | 22 |
| 46 | Localization of the Ethylene-Forming Enzyme from Tomatoes, 1-Aminocyclopropane-1-Carboxylate Oxidase, in Transgenic Yeast. Journal of Plant Physiology, 1992, 140, 681-686. | 3.5 | 20 |
| 47 | VAPYRIN attenuates defence by repressing PR gene induction and localized lignin accumulation during arbuscular mycorrhizal symbiosis of <i>Petunia hybrida</i> . New Phytologist, 2021, 229, 3481-3496. | 7.3 | 18 |
| 48 | VAPYRIN Marks an Endosomal Trafficking Compartment Involved in Arbuscular Mycorrhizal Symbiosis. Frontiers in Plant Science, 2019, 10, 666. | 3.6 | 16 |
| 49 | Induction of Ethylene Biosynthesis in Compatible and Incompatible Interactions of Soybean Roots with <i>Phytophthora megasperma</i> f. sp. <i>glycinea</i> and its Relation to Phytoalexin Accumulation. Journal of Plant Physiology, 1991, 138, 394-399. | 3.5 | 14 |
| 50 | Localized Upregulation of a New Expansin Gene Predicts the Site of Leaf Formation in the Tomato Meristem. Plant Cell, 1998, 10, 1427. | 6.6 | 12 |
| 51 | Law and order in plants – the origin and functional relevance of phyllotaxis. Trends in Plant Science, 2022, 27, 1017-1032. | 8.8 | 11 |
| 52 | Flowers and mycorrhizal roots – closer than we think?. Trends in Plant Science, 2015, 20, 344-350. | 8.8 | 10 |
| 53 | How Strigolactone Shapes Shoot Architecture. Frontiers in Plant Science, 0, 13, . | 3.6 | 9 |
| 54 | VAPYRIN-like is required for development of the moss <i>Physcomitrella patens</i> . Development (Cambridge), 2020, 147, . | 2.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Deregulation of MADS-box transcription factor genes in a mutant defective in the <i>WUSCHEL-LIKE HOMEODOMAIN</i> gene <i>EVERGREEN</i> of <i>Petunia hybrida</i> . <i>Plant Signaling and Behavior</i> , 2018, 13, e1471299. | 2.4 | 6 |
| 56 | Development and Function of the Arbuscular Mycorrhizal Symbiosis in <i>Petunia</i> . , 2009, , 131-156. | | 1 |
| 57 | From Imaging to Functional Traits in Interactions Between Roots and Microbes. <i>Rhizosphere Biology</i> , 2019, , 227-239. | 0.6 | 1 |