

BÃ©atrice Fervers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8855690/publications.pdf>

Version: 2024-02-01

117
papers

6,880
citations

186265

28
h-index

62596

80
g-index

146
all docs

146
docs citations

146
times ranked

11032
citing authors

#	ARTICLE	IF	CITATIONS
1	AGREE II: advancing guideline development, reporting and evaluation in health care. <i>Cmaj</i> , 2010, 182, E839-E842.	2.0	2,389
2	Development of the AGREE II, part 2: assessment of validity of items and tools to support application. <i>Cmaj</i> , 2010, 182, E472-E478.	2.0	394
3	Development of the AGREE II, part 1: performance, usefulness and areas for improvement. <i>Cmaj</i> , 2010, 182, 1045-1052.	2.0	390
4	AGREE II: Advancing guideline development, reporting and evaluation in health care. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1308-1311.	5.0	334
5	Adapting clinical practice guidelines to local context and assessing barriers to their use. <i>Cmaj</i> , 2010, 182, E78-E84.	2.0	260
6	AGREE II: Advancing guideline development, reporting, and evaluation in health care. <i>Preventive Medicine</i> , 2010, 51, 421-424.	3.4	254
7	Adaptation of clinical guidelines: literature review and proposition for a framework and procedure. <i>International Journal for Quality in Health Care</i> , 2006, 18, 167-176.	1.8	250
8	Guideline adaptation: an approach to enhance efficiency in guideline development and improve utilisation. <i>BMJ Quality and Safety</i> , 2011, 20, 228-236.	3.7	170
9	Testicular cancer incidence to rise by 25% by 2025 in Europe? Model-based predictions in 40 countries using population-based registry data. <i>European Journal of Cancer</i> , 2014, 50, 831-839.	2.8	133
10	Patient and public involvement in clinical guidelines: international experiences and future perspectives. <i>BMJ Quality and Safety</i> , 2010, 19, e22-e22.	3.7	128
11	Mycotoxin exposure and human cancer risk: A systematic review of epidemiological studies. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 1449-1464.	11.7	122
12	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	5.1	112
13	Development and Validation of a Tool to Assess the Quality of Clinical Practice Guideline Recommendations. <i>JAMA Network Open</i> , 2020, 3, e205535.	5.9	104
14	The Global Rating Scale complements the AGREE II in advancing the quality of practice guidelines. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 526-534.	5.0	90
15	A controlled "before-after" study: impact of a clinical guidelines programme and regional cancer network organization on medical practice. <i>British Journal of Cancer</i> , 2002, 86, 313-321.	6.4	81
16	Predictors of high quality clinical practice guidelines: examples in oncology. <i>International Journal for Quality in Health Care</i> , 2005, 17, 123-132.	1.8	79
17	Occupational exposures in rare cancers: A critical review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2014, 90, 99-134.	4.4	60
18	A Review of Health Behaviors in Childhood and Adolescent Cancer Survivors: Toward Prevention of Second Primary Cancer. <i>Journal of Adolescent and Young Adult Oncology</i> , 2016, 5, 78-90.	1.3	46

#	ARTICLE	IF	CITATIONS
19	Occupational exposures and cancer: a review of agents and relative risk estimates. <i>Occupational and Environmental Medicine</i> , 2018, 75, 604-614.	2.8	43
20	Exposure to Endocrine Disrupting Chemicals and Risk of Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9139.	4.1	41
21	AGRICOH: A Consortium of Agricultural Cohorts. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 1341-1357.	2.6	40
22	Occupational and Environmental Exposures Associated with Testicular Germ Cell Tumours: Systematic Review of Prenatal and Life-Long Exposures. <i>PLoS ONE</i> , 2013, 8, e77130.	2.5	40
23	Long-term exposure to bisphenol A or benzo(a)pyrene alters the fate of human mammary epithelial stem cells in response to BMP2 and BMP4, by pre-activating BMP signaling. <i>Cell Death and Differentiation</i> , 2017, 24, 155-166.	11.2	39
24	Cancers in France in 2015 attributable to occupational exposures. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 22-29.	4.3	39
25	Determinants of age at menarche and time to menstrual cycle regularity in the French E3N cohort. <i>Annals of Epidemiology</i> , 2012, 22, 723-730.	1.9	37
26	Analysis of the eligibility of published economic evaluations for transfer to a given health care system. <i>Health Policy</i> , 1999, 49, 161-177.	3.0	36
27	Pragmatic evidence and textual arrangements: A case study of French clinical cancer guidelines. <i>Social Science and Medicine</i> , 2010, 71, 685-692.	3.8	33
28	Risk of breast cancer associated with long-term exposure to benzo[a]pyrene (BaP) air pollution: Evidence from the French E3N cohort study. <i>Environment International</i> , 2021, 149, 106399.	10.0	33
29	Clinical practice guidelines. <i>Journal of Visceral Surgery</i> , 2010, 147, e341-e349.	0.8	32
30	Assessment of the quality of recommendations from 161 clinical practice guidelines using the Appraisal of Guidelines for Research and Evaluationâ€“Recommendations Excellence (AGREE-REX) instrument shows there is room for improvement. <i>Implementation Science</i> , 2020, 15, 79.	6.9	31
31	Automatic Land Cover Reconstruction From Historical Aerial Images: An Evaluation of Features Extraction and Classification Algorithms. <i>IEEE Transactions on Image Processing</i> , 2019, 28, 3357-3371.	9.8	30
32	Accuracy of two geocoding methods for geographic information system-based exposure assessment in epidemiological studies. <i>Environmental Health</i> , 2017, 16, 15.	4.0	29
33	Assessment of long-term exposure to airborne dioxin and cadmium concentrations in the Lyon metropolitan area (France). <i>Environment International</i> , 2018, 111, 177-190.	10.0	29
34	Long-term airborne dioxin exposure and breast cancer risk in a case-control study nested within the French E3N prospective cohort. <i>Environment International</i> , 2019, 124, 236-248.	10.0	28
35	Beyond the map: evidencing the spatial dimension of health inequalities. <i>International Journal of Health Geographics</i> , 2020, 19, 46.	2.5	28
36	Agricultural and domestic pesticides in house dust from different agricultural areas in France. <i>Environmental Science and Pollution Research</i> , 2019, 26, 19632-19645.	5.3	27

#	ARTICLE	IF	CITATIONS
37	Feasibility and Health Benefits of an Individualized Physical Activity Intervention in Women With Metastatic Breast Cancer: Intervention Study. JMIR MHealth and UHealth, 2020, 8, e12306.	3.7	27
38	Estimated dietary dioxin exposure and breast cancer risk among women from the French E3N prospective cohort. Breast Cancer Research, 2015, 17, 39.	5.0	26
39	SOR guidelines for concomitant chemoradiotherapy for patients with uterine cervical cancers: evidence update bulletin 2004. Annals of Oncology, 2005, 16, 1100-1108.	1.2	25
40	Deterioration of Physical Activity Level and Metabolic Risk Factors After Early-Stage Breast Cancer Diagnosis. Cancer Nursing, 2015, 38, E1-E9.	1.5	25
41	Varied exposure to carcinogenic, mutagenic, and reprotoxic (CMR) chemicals in occupational settings in France. International Archives of Occupational and Environmental Health, 2017, 90, 227-241.	2.3	25
42	Developing a Return to Work Intervention for Breast Cancer Survivors with the Intervention Mapping Protocol: Challenges and Opportunities of the Needs Assessment. Frontiers in Public Health, 2018, 6, 35.	2.7	25
43	Life in urban areas and breast cancer risk in the French E3N cohort. European Journal of Epidemiology, 2014, 29, 743-751.	5.7	24
44	Parental Occupational Exposure to Heavy Metals and Welding Fumes and Risk of Testicular Germ Cell Tumors in Offspring: A Registry-Based Caseâ€“Control Study. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1426-1434.	2.5	24
45	Chronic longâ€“term exposure to cadmium air pollution and breast cancer risk in the French E3N cohort. International Journal of Cancer, 2020, 146, 341-351.	5.1	23
46	Parental Occupational Exposure to Organic Solvents and Testicular Germ Cell Tumors in their Offspring: NORD-TEST Study. Environmental Health Perspectives, 2017, 125, 067023.	6.0	21
47	Feasibility of an exercise and nutritional intervention for weight management during adjuvant treatment for localized breast cancer: the PASAPAS randomized controlled trial. Supportive Care in Cancer, 2019, 27, 3449-3461.	2.2	20
48	Standardization of search methods for guideline development: an international survey of evidenceâ€“based guideline development groups. Health Information and Libraries Journal, 2008, 25, 23-30.	2.5	19
49	Adaptation, Evaluation, and Updating of Guidelines. Proceedings of the American Thoracic Society, 2012, 9, 304-310.	3.5	19
50	Testicular germ cell tumours and parental occupational exposure to pesticides: a register-based caseâ€“control study in the Nordic countries (NORD-TEST study). Occupational and Environmental Medicine, 2015, 72, 805-811.	2.8	19
51	Efficiency of wipe sampling on hard surfaces for pesticides and PCB residues in dust. Science of the Total Environment, 2015, 505, 11-21.	8.0	19
52	A Personalized Physical Activity Program With Activity Trackers and a Mobile Phone App for Patients With Metastatic Breast Cancer: Protocol for a Single-Arm Feasibility Trial. JMIR Research Protocols, 2018, 7, e10487.	1.0	18
53	Diverging incidence trends of oral tongue cancer compared to other head and neck cancers in young adults in France. International Journal of Cancer, 2022, 150, 1301-1309.	5.1	17
54	Latitude and ultraviolet radiation dose in the birthplace in relation to menarcheal age in a large cohort of French women. International Journal of Epidemiology, 2013, 42, 590-600.	1.9	16

#	ARTICLE	IF	CITATIONS
55	Trends in occupational disparities for exposure to carcinogenic, mutagenic and reprotoxic chemicals in France 2003â€“10. <i>European Journal of Public Health</i> , 2017, 27, 425-432.	0.3	16
56	Development and performance evaluation of a GIS-based metric to assess exposure to airborne pollutant emissions from industrial sources. <i>Environmental Health</i> , 2019, 18, 8.	4.0	16
57	Physical activity preferences before and after participation in a 6â€“month physical activity intervention among women with metastatic breast cancer. <i>European Journal of Cancer Care</i> , 2020, 29, e13169.	1.5	16
58	Sarcopenia and serum biomarkers of oxidative stress after a 6-month physical activity intervention in women with metastatic breast cancer: results from the ABLE feasibility trial. <i>Breast Cancer Research and Treatment</i> , 2021, 188, 601-613.	2.5	16
59	Immune checkpoint inhibitor treatment of a first cancer is associated with a decreased incidence of second primary cancer. <i>ESMO Open</i> , 2021, 6, 100044.	4.5	15
60	Breast cancer specialists' perspective on their role in their patients' return to work: A qualitative study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 177-187.	3.4	15
61	Systematic Screening for Occupational Exposures in Lung Cancer Patients: A Prospective French Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 65.	2.6	14
62	A national inventory of historical dioxin air emissions sources in France. <i>Atmospheric Pollution Research</i> , 2019, 10, 1211-1219.	3.8	14
63	Clinical-practice guidelines in Europe: time for European co-operation for cancer guidelines. <i>Lancet Oncology</i> , The, 2003, 4, 139-140.	10.7	13
64	Long-Term Exposure of Early-Transformed Human Mammary Cells to Low Doses of Benzo[a]pyrene and/or Bisphenol A Enhances Their Cancerous Phenotype via an AhR/GPR30 Interplay. <i>Frontiers in Oncology</i> , 2020, 10, 712.	2.8	13
65	A Circulating Exosome RNA Signature Is a Potential Diagnostic Marker for Pancreatic Cancer, a Systematic Study. <i>Cancers</i> , 2021, 13, 2565.	3.7	13
66	Studying the impact of early life exposures to pesticides on the risk of testicular germ cell tumors during adulthood (TESTIS project): study protocol. <i>BMC Cancer</i> , 2014, 14, 563.	2.6	12
67	<i>In Vivo</i> Characterization of the Toxicological Properties of DPhP, One of the Main Degradation Products of Aryl Phosphate Esters. <i>Environmental Health Perspectives</i> , 2020, 128, 127006.	6.0	12
68	Cost-effectiveness of an exercise and nutritional intervention versus usual nutritional care during adjuvant treatment for localized breast cancer: the PASAPAS randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 2829-2842.	2.2	11
69	CoCanCPG. Coordination of Cancer Clinical Practice in Europe. <i>Tumori</i> , 2008, 94, 154-159.	1.1	10
70	Design of a randomised controlled trial of adapted physical activity during adjuvant treatment for localised breast cancer: the PASAPAS feasibility study. <i>BMJ Open</i> , 2013, 3, e003855.	1.9	10
71	Parental occupational exposure to solvents and heavy metals and risk of developing testicular germ cell tumors in sons (NORD-TEST Denmark). <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 658-669.	3.4	10
72	Guideline Adaptation: An Appealing Alternative to De Novo Guideline Development. <i>Annals of Internal Medicine</i> , 2008, 148, 563.	3.9	9

#	ARTICLE	IF	CITATIONS
73	Impact of Physical Activity on Oxidative Stress Markers in Patients with Metastatic Breast Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-9.	4.0	9
74	Chemotherapy in elderly patients with resected stage II-IIIa lung cancer. <i>BMJ: British Medical Journal</i> , 2011, 343, d4104-d4104.	2.3	8
75	Estimation of the dietary exposure to chemical compounds in the French E3N prospective cohort: a study protocol. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020, 37, 39-47.	2.3	8
76	Oral tongue squamous cell carcinomas in young patients according to their smoking status: a GETTEC study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 415-424.	1.6	7
77	Chronic Low-Dose Exposure to Xenoestrogen Ambient Air Pollutants and Breast Cancer Risk: XENAIR Protocol for a Case-Control Study Nested Within the French E3N Cohort. <i>JMIR Research Protocols</i> , 2020, 9, e15167.	1.0	7
78	Domestic use of pesticides during early periods of development and risk of testicular germ cell tumors in adulthood: a French nationwide case-control study. <i>Environmental Health</i> , 2021, 20, 111.	4.0	7
79	Reduction of health risk factors through an adapted physical activity program in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2014, 22, 1097-1104.	2.2	6
80	Effects of an Exercise and Nutritional Intervention on Circulating Biomarkers and Metabolomic Profiling During Adjuvant Treatment for Localized Breast Cancer: Results From the PASAPAS Feasibility Randomized Controlled Trial. <i>Integrative Cancer Therapies</i> , 2021, 20, 153473542097766.	2.0	6
81	Long-term atmospheric exposure to PCB153 and breast cancer risk in a case-control study nested in the French E3N cohort from 1990 to 2011. <i>Environmental Research</i> , 2021, 195, 110743.	7.5	6
82	DNA Double-Strand Breaks Induced in Human Cells by Twelve Metallic Species: Quantitative Inter-Comparisons and Influence of the ATM Protein. <i>Biomolecules</i> , 2021, 11, 1462.	4.0	6
83	DNA Double-Strand Breaks Induced in Human Cells by 6 Current Pesticides: Intercomparisons and Influence of the ATM Protein. <i>Biomolecules</i> , 2022, 12, 250.	4.0	6
84	Effect of acute aerobic exercise before immunotherapy and chemotherapy infusion in patients with metastatic non-small-cell lung cancer: protocol for the ERICA feasibility trial. <i>BMJ Open</i> , 2022, 12, e056819.	1.9	6
85	Syndecan-1 and KRAS Gene Expression Signature Associates With Patient Survival in Pancreatic Cancer. <i>Pancreas</i> , 2020, 49, 1187-1194.	1.1	5
86	Design and methods of a national, multicenter, randomized and controlled trial to assess the efficacy of a physical activity program to improve health-related quality of life and reduce fatigue in women with metastatic breast cancer: ABLE02 trial. <i>BMC Cancer</i> , 2020, 20, 622.	2.6	5
87	Second primary cancers: a retrospective analysis of real world data using the enhanced medical research engine ConSoRe in a French comprehensive cancer center. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1793-1804.	2.2	5
88	Trends in the Control Strategies for Occupational Exposure to Carcinogenic, Mutagenic, and Reprotoxic Chemicals in France (2003â€”2010). <i>Annals of Work Exposures and Health</i> , 2019, 63, 488-504.	1.4	4
89	Retrospective Modeling of NO2 and PM10 Concentrations over the Lyon Metropolitan Area (France), 1990â€”2010â€”Performance Evaluation, Exposure Assessment and Correlation between Pollutants. <i>Atmosphere</i> , 2021, 12, 239.	2.3	4
90	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. <i>Cancers</i> , 2021, 13, 1161.	3.7	4

#	ARTICLE	IF	CITATIONS
91	Connected device and therapeutic patient education to promote physical activity among women with localised breast cancer (DISCO trial): protocol for a multicentre 2A–2 factorial randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e045448.	1.9	4
92	Systematic screening for occupations and occupational exposures in head and neck squamous cell carcinoma patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 857-864.	1.6	3
93	Inequalities in the control of the occupational exposure in France to carcinogenic, mutagenic and reprotoxic chemicals. <i>European Journal of Public Health</i> , 2019, 29, 140-147.	0.3	3
94	Faciliter et soutenir le retour au travail aprÃs un cancer du sein : partenariat chercheurs-acteurs dans un processus de modÃlisation dâune intervention. <i>Global Health Promotion</i> , 2021, 28, 15-23.	1.3	2
95	The impact of left truncation of exposure in environmental caseâcontrol studies: evidence from breast cancer risk associated with airborne dioxin. <i>European Journal of Epidemiology</i> , 2021, , 1.	5.7	2
96	Implementation of a Prevention Program Based on Adapted Physical Activity and Recommendations for Adolescents and Young Adults with Cancer: PREVAPAJA Study. <i>Journal of Adolescent and Young Adult Oncology</i> , 2021, , .	1.3	2
97	Feasibility Study to Assess the Impact of a Lifestyle Intervention during Colorectal Cancer Screening in France. <i>Nutrients</i> , 2021, 13, 3685.	4.1	2
98	Interest and preferences for physical activity programming and counselling among cancer patients aged over 70âyears receiving oncological treatments. <i>European Journal of Cancer Care</i> , 2022, 31, .	1.5	2
99	Parental occupational exposures in wood-related jobs and risk of testicular germ cell tumours in offspring in NORD-TEST a registry-based caseâcontrol study in Finland, Norway, and Sweden. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1243-1253.	2.3	2
100	Semantic Segmentation Post-processing with Colorized Pairwise Potentials and Deep Edges. , 2020, , .		2
101	Frequency of Asbestos Exposure and Histological Subtype of Ovarian Carcinoma. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5383.	2.6	2
102	Evidence-based medicine et Recommandations : traduire les rÃultats de la recherche clinique dans leur contexte dâutilisation. <i>Douleur Et Analgesie</i> , 2007, 20, 73-77.	0.1	1
103	ActivitÃ physique pendant et aprÃs le cancerÂ: comment prescrire et dans quels objectifsÂ?. <i>Nutrition Clinique Et Metabolisme</i> , 2015, 29, 121-125.	0.5	1
104	A Cost-Effectiveness Analysis of a 6-Month Physical Activity Program Versus Usual Dietary Care During Adjuvant Chemotherapy in Breast Cancer Patients. <i>Value in Health</i> , 2016, 19, A149-A150.	0.3	1
105	Do regulations protect workers from occupational exposures to carcinogenic, mutagenic and reprotoxic (CMR) agents in France?. <i>Occupational and Environmental Medicine</i> , 2018, 75, 389-397.	2.8	1
106	Data-mining of 110 172 electronic patient records with the ConSoRe tool: An analysis of second primary cancer in a comprehensive cancer center. <i>Annals of Oncology</i> , 2018, 29, viii482.	1.2	1
107	Personalised Follow-up Program after Acute Phase of Treatment in Oncology/Hematology Patients Towards Early Intervention, Better Care and Quality of Life Improvement: Results from Pasca Pilot Study. <i>Blood</i> , 2019, 134, 5817-5817.	1.4	1
108	Connected device and therapeutic patient education to promote physical activity among women with localised breast cancer (DISCO trial): protocol for a multicentre 2A–2 factorial randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e045448.	1.9	1

#	ARTICLE	IF	CITATIONS
109	Exposure to airborne cadmium and breast cancer stage, grade and histology at diagnosis: findings from the E3N cohort study. Scientific Reports, 2021, 11, 23088.	3.3	1
110	Advanced Stage Breast Cancer Lifestyle and Exercise (ABLE) Feasibility Study: Preliminary Results. Breast, 2017, 36, S66-S67.	2.2	0
111	FEASIBILITY AND POTENTIAL HEALTH BENEFITS OF AN INDIVIDUALIZED PHYSICAL ACTIVITY INTERVENTION IN WOMEN WITH METASTATIC BREAST CANCER: RESULTS OF THE ABLE SINGLE-ARM TRIAL STUDY. Breast, 2019, 48, S70.	2.2	0
112	Probl��matique et structures de prise en charge. , 2010, , 7-14.		0
113	Environmental Exposures�� Perceived and Actual Risk. Espace-Populations-Societes, 2011, , 125-136.	0.1	0
114	Adapted physical activity and recommendations for second cancers prevention for adolescents and young adults with cancer.. Journal of Clinical Oncology, 2018, 36, 1518-1518.	1.6	0
115	Pseudo-Cyclic Network for Unsupervised Colorization with Handcrafted Translation and Output Spatial Pyramids. , 2019, , .		0
116	Semantic Segmentation Refinement with Deep Edge Superpixels to Enhance Historical Land Cover. , 2020, , .		0
117	Study of Treatment Complications in Oncology / Hematology Patients: Protocol for a Prospective and Interventional Cohort Study from the Pasca Program. Blood, 2020, 136, 10-11.	1.4	0