

BÃ©atrice Fervers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8855690/publications.pdf>

Version: 2024-02-01

117
papers

6,880
citations

186265

28
h-index

62596

80
g-index

146
all docs

146
docs citations

146
times ranked

11032
citing authors

#	ARTICLE	IF	CITATIONS
1	Oral tongue squamous cell carcinomas in young patients according to their smoking status: a GETTEC study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 415-424.	1.6	7
2	Interest and preferences for physical activity programming and counselling among cancer patients aged over 70��years receiving oncological treatments. <i>European Journal of Cancer Care</i> , 2022, 31, .	1.5	2
3	Parental occupational exposures in wood-related jobs and risk of testicular germ cell tumours in offspring in NORD-TEST a registry-based case��control study in Finland, Norway, and Sweden. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1243-1253.	2.3	2
4	DNA Double-Strand Breaks Induced in Human Cells by 6 Current Pesticides: Intercomparisons and Influence of the ATM Protein. <i>Biomolecules</i> , 2022, 12, 250.	4.0	6
5	Effect of acute aerobic exercise before immunotherapy and chemotherapy infusion in patients with metastatic non-small-cell lung cancer: protocol for the ERICA feasibility trial. <i>BMJ Open</i> , 2022, 12, e056819.	1.9	6
6	Diverging incidence trends of oral tongue cancer compared to other head and neck cancers in young adults in France. <i>International Journal of Cancer</i> , 2022, 150, 1301-1309.	5.1	17
7	Frequency of Asbestos Exposure and Histological Subtype of Ovarian Carcinoma. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5383.	2.6	2
8	Effects of an Exercise and Nutritional Intervention on Circulating Biomarkers and Metabolomic Profiling During Adjuvant Treatment for Localized Breast Cancer: Results From the PASAPAS Feasibility Randomized Controlled Trial. <i>Integrative Cancer Therapies</i> , 2021, 20, 153473542097766.	2.0	6
9	Retrospective Modeling of NO2 and PM10 Concentrations over the Lyon Metropolitan Area (France), 1990��2010��Performance Evaluation, Exposure Assessment and Correlation between Pollutants. <i>Atmosphere</i> , 2021, 12, 239.	2.3	4
10	Immune checkpoint inhibitor treatment of a first cancer is associated with a decreased incidence of second primary cancer. <i>ESMO Open</i> , 2021, 6, 100044.	4.5	15
11	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. <i>Cancers</i> , 2021, 13, 1161.	3.7	4
12	Faciliter et soutenir le retour au travail apr��s un cancer du sein : partenariat chercheurs-acteurs dans un processus de mod��lisation d��une intervention. <i>Global Health Promotion</i> , 2021, 28, 15-23.	1.3	2
13	Risk of breast cancer associated with long-term exposure to benzo[a]pyrene (BaP) air pollution: Evidence from the French E3N cohort study. <i>Environment International</i> , 2021, 149, 106399.	10.0	33
14	Long-term atmospheric exposure to PCB153 and breast cancer risk in a case-control study nested in the French E3N cohort from 1990 to 2011. <i>Environmental Research</i> , 2021, 195, 110743.	7.5	6
15	A Circulating Exosome RNA Signature Is a Potential Diagnostic Marker for Pancreatic Cancer, a Systematic Study. <i>Cancers</i> , 2021, 13, 2565.	3.7	13
16	Sarcopenia and serum biomarkers of oxidative stress after a 6-month physical activity intervention in women with metastatic breast cancer: results from the ABLE feasibility trial. <i>Breast Cancer Research and Treatment</i> , 2021, 188, 601-613.	2.5	16
17	Second primary cancers: a retrospective analysis of real world data using the enhanced medical research engine ConSoRe in a French comprehensive cancer center. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1793-1804.	2.2	5
18	The impact of left truncation of exposure in environmental case��control studies: evidence from breast cancer risk associated with airborne dioxin. <i>European Journal of Epidemiology</i> , 2021, , 1.	5.7	2

#	ARTICLE	IF	CITATIONS
19	Implementation of a Prevention Program Based on Adapted Physical Activity and Recommendations for Adolescents and Young Adults with Cancer: PREVAPAJA Study. <i>Journal of Adolescent and Young Adult Oncology</i> , 2021, , .	1.3	2
20	Impact of Physical Activity on Oxidative Stress Markers in Patients with Metastatic Breast Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-9.	4.0	9
21	Feasibility Study to Assess the Impact of a Lifestyle Intervention during Colorectal Cancer Screening in France. <i>Nutrients</i> , 2021, 13, 3685.	4.1	2
22	DNA Double-Strand Breaks Induced in Human Cells by Twelve Metallic Species: Quantitative Inter-Comparisons and Influence of the ATM Protein. <i>Biomolecules</i> , 2021, 11, 1462.	4.0	6
23	Domestic use of pesticides during early periods of development and risk of testicular germ cell tumors in adulthood: a French nationwide case-control study. <i>Environmental Health</i> , 2021, 20, 111.	4.0	7
24	Connected device and therapeutic patient education to promote physical activity among women with localised breast cancer (DISCO trial): protocol for a multicentre 2Â–2 factorial randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e045448.	1.9	1
25	Exposure to airborne cadmium and breast cancer stage, grade and histology at diagnosis: findings from the E3N cohort study. <i>Scientific Reports</i> , 2021, 11, 23088.	3.3	1
26	Connected device and therapeutic patient education to promote physical activity among women with localised breast cancer (DISCO trial): protocol for a multicentre 2Â–2 factorial randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e045448.	1.9	4
27	Chronic long-term exposure to cadmium air pollution and breast cancer risk in the French E3N cohort. <i>International Journal of Cancer</i> , 2020, 146, 341-351.	5.1	23
28	Estimation of the dietary exposure to chemical compounds in the French E3N prospective cohort: a study protocol. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020, 37, 39-47.	2.3	8
29	Physical activity preferences before and after participation in a 6-month physical activity intervention among women with metastatic breast cancer. <i>European Journal of Cancer Care</i> , 2020, 29, e13169.	1.5	16
30	Cost-effectiveness of an exercise and nutritional intervention versus usual nutritional care during adjuvant treatment for localized breast cancer: the PASAPAS randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 2829-2842.	2.2	11
31	Syndecan-1 and KRAS Gene Expression Signature Associates With Patient Survival in Pancreatic Cancer. <i>Pancreas</i> , 2020, 49, 1187-1194.	1.1	5
32	Assessment of the quality of recommendations from 161 clinical practice guidelines using the Appraisal of Guidelines for Research and Evaluationâ€“Recommendations Excellence (AGREE-REX) instrument shows there is room for improvement. <i>Implementation Science</i> , 2020, 15, 79.	6.9	31
33	Development and Validation of a Tool to Assess the Quality of Clinical Practice Guideline Recommendations. <i>JAMA Network Open</i> , 2020, 3, e205535.	5.9	104
34	Exposure to Endocrine Disrupting Chemicals and Risk of Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9139.	4.1	41
35	<i>In Vivo</i> Characterization of the Toxicological Properties of DPhP, One of the Main Degradation Products of Aryl Phosphate Esters. <i>Environmental Health Perspectives</i> , 2020, 128, 127006.	6.0	12
36	Mycotoxin exposure and human cancer risk: A systematic review of epidemiological studies. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 1449-1464.	11.7	122

#	ARTICLE	IF	CITATIONS
37	Long-Term Exposure of Early-Transformed Human Mammary Cells to Low Doses of Benzo[a]pyrene and/or Bisphenol A Enhances Their Cancerous Phenotype via an AhR/GPR30 Interplay. <i>Frontiers in Oncology</i> , 2020, 10, 712.	2.8	13
38	Design and methods of a national, multicenter, randomized and controlled trial to assess the efficacy of a physical activity program to improve health-related quality of life and reduce fatigue in women with metastatic breast cancer: ABLE02 trial. <i>BMC Cancer</i> , 2020, 20, 622.	2.6	5
39	Beyond the map: evidencing the spatial dimension of health inequalities. <i>International Journal of Health Geographics</i> , 2020, 19, 46.	2.5	28
40	Feasibility and Health Benefits of an Individualized Physical Activity Intervention in Women With Metastatic Breast Cancer: Intervention Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e12306.	3.7	27
41	Chronic Low-Dose Exposure to Xenoestrogen Ambient Air Pollutants and Breast Cancer Risk: XENAIR Protocol for a Case-Control Study Nested Within the French E3N Cohort. <i>JMIR Research Protocols</i> , 2020, 9, e15167.	1.0	7
42	Breast cancer specialists' perspective on their role in their patients' return to work: A qualitative study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 177-187.	3.4	15
43	Semantic Segmentation Refinement with Deep Edge Superpixels to Enhance Historical Land Cover. , 2020, , .		0
44	Semantic Segmentation Post-processing with Colorized Pairwise Potentials and Deep Edges. , 2020, , .		2
45	Study of Treatment Complications in Oncology / Hematology Patients: Protocol for a Prospective and Interventional Cohort Study from the Pasca Program. <i>Blood</i> , 2020, 136, 10-11.	1.4	0
46	Development and performance evaluation of a GIS-based metric to assess exposure to airborne pollutant emissions from industrial sources. <i>Environmental Health</i> , 2019, 18, 8.	4.0	16
47	Feasibility of an exercise and nutritional intervention for weight management during adjuvant treatment for localized breast cancer: the PASAPAS randomized controlled trial. <i>Supportive Care in Cancer</i> , 2019, 27, 3449-3461.	2.2	20
48	Automatic Land Cover Reconstruction From Historical Aerial Images: An Evaluation of Features Extraction and Classification Algorithms. <i>IEEE Transactions on Image Processing</i> , 2019, 28, 3357-3371.	9.8	30
49	Long-term airborne dioxin exposure and breast cancer risk in a case-control study nested within the French E3N prospective cohort. <i>Environment International</i> , 2019, 124, 236-248.	10.0	28
50	Trends in the Control Strategies for Occupational Exposure to Carcinogenic, Mutagenic, and Reprotoxic Chemicals in France (2003â€”2010). <i>Annals of Work Exposures and Health</i> , 2019, 63, 488-504.	1.4	4
51	Agricultural and domestic pesticides in house dust from different agricultural areas in France. <i>Environmental Science and Pollution Research</i> , 2019, 26, 19632-19645.	5.3	27
52	A national inventory of historical dioxin air emissions sources in France. <i>Atmospheric Pollution Research</i> , 2019, 10, 1211-1219.	3.8	14
53	FEASIBILITY AND POTENTIAL HEALTH BENEFITS OF AN INDIVIDUALIZED PHYSICAL ACTIVITY INTERVENTION IN WOMEN WITH METASTATIC BREAST CANCER: RESULTS OF THE ABLE SINGLE-ARM TRIAL STUDY. <i>Breast</i> , 2019, 48, S70.	2.2	0
54	Cancers in France in 2015 attributable to occupational exposures. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 22-29.	4.3	39

#	ARTICLE	IF	CITATIONS
55	Systematic screening for occupations and occupational exposures in head and neck squamous cell carcinoma patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 857-864.	1.6	3
56	Inequalities in the control of the occupational exposure in France to carcinogenic, mutagenic and reprotoxic chemicals. <i>European Journal of Public Health</i> , 2019, 29, 140-147.	0.3	3
57	Pseudo-Cyclic Network for Unsupervised Colorization with Handcrafted Translation and Output Spatial Pyramids. , 2019, , .		0
58	Personalised Follow-up Program after Acute Phase of Treatment in Oncology/Hematology Patients Towards Early Intervention, Better Care and Quality of Life Improvement: Results from Pasca Pilot Study. <i>Blood</i> , 2019, 134, 5817-5817.	1.4	1
59	Assessment of long-term exposure to airborne dioxin and cadmium concentrations in the Lyon metropolitan area (France). <i>Environment International</i> , 2018, 111, 177-190.	10.0	29
60	Do regulations protect workers from occupational exposures to carcinogenic, mutagenic and reprotoxic (CMR) agents in France?. <i>Occupational and Environmental Medicine</i> , 2018, 75, 389-397.	2.8	1
61	Data-mining of 110 172 electronic patient records with the ConSoRe tool: An analysis of second primary cancer in a comprehensive cancer center. <i>Annals of Oncology</i> , 2018, 29, viii482.	1.2	1
62	Developing a Return to Work Intervention for Breast Cancer Survivors with the Intervention Mapping Protocol: Challenges and Opportunities of the Needs Assessment. <i>Frontiers in Public Health</i> , 2018, 6, 35.	2.7	25
63	Systematic Screening for Occupational Exposures in Lung Cancer Patients: A Prospective French Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 65.	2.6	14
64	Occupational exposures and cancer: a review of agents and relative risk estimates. <i>Occupational and Environmental Medicine</i> , 2018, 75, 604-614.	2.8	43
65	A Personalized Physical Activity Program With Activity Trackers and a Mobile Phone App for Patients With Metastatic Breast Cancer: Protocol for a Single-Arm Feasibility Trial. <i>JMIR Research Protocols</i> , 2018, 7, e10487.	1.0	18
66	Parental occupational exposure to solvents and heavy metals and risk of developing testicular germ cell tumors in sons (NORD-TEST Denmark). <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 658-669.	3.4	10
67	Adapted physical activity and recommendations for second cancers prevention for adolescents and young adults with cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 1518-1518.	1.6	0
68	Varied exposure to carcinogenic, mutagenic, and reprotoxic (CMR) chemicals in occupational settings in France. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 227-241.	2.3	25
69	Trends in occupational disparities for exposure to carcinogenic, mutagenic and reprotoxic chemicals in France 2003â€“10. <i>European Journal of Public Health</i> , 2017, 27, 425-432.	0.3	16
70	Advanced Stage Breast Cancer Lifestyle and Exercise (ABLE) Feasibility Study: Preliminary Results. <i>Breast</i> , 2017, 36, S66-S67.	2.2	0
71	Accuracy of two geocoding methods for geographic information system-based exposure assessment in epidemiological studies. <i>Environmental Health</i> , 2017, 16, 15.	4.0	29
72	Long-term exposure to bisphenol A or benzo(a)pyrene alters the fate of human mammary epithelial stem cells in response to BMP2 and BMP4, by pre-activating BMP signaling. <i>Cell Death and Differentiation</i> , 2017, 24, 155-166.	11.2	39

#	ARTICLE	IF	CITATIONS
73	Parental Occupational Exposure to Organic Solvents and Testicular Germ Cell Tumors in their Offspring: NORD-TEST Study. <i>Environmental Health Perspectives</i> , 2017, 125, 067023.	6.0	21
74	Parental Occupational Exposure to Heavy Metals and Welding Fumes and Risk of Testicular Germ Cell Tumors in Offspring: A Registry-Based Caseâ€“Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1426-1434.	2.5	24
75	A Cost-Effectiveness Analysis of a 6-Month Physical Activity Program Versus Usual Dietary Care During Adjuvant Chemotherapy in Breast Cancer Patients. <i>Value in Health</i> , 2016, 19, A149-A150.	0.3	1
76	A Review of Health Behaviors in Childhood and Adolescent Cancer Survivors: Toward Prevention of Second Primary Cancer. <i>Journal of Adolescent and Young Adult Oncology</i> , 2016, 5, 78-90.	1.3	46
77	Deterioration of Physical Activity Level and Metabolic Risk Factors After Early-Stage Breast Cancer Diagnosis. <i>Cancer Nursing</i> , 2015, 38, E1-E9.	1.5	25
78	ActivitÃ© physique pendant et aprÃ©s le cancerÂ: comment prescrire et dans quels objectifsÂ?. <i>Nutrition Clinique Et Metabolisme</i> , 2015, 29, 121-125.	0.5	1
79	Estimated dietary dioxin exposure and breast cancer risk among women from the French E3N prospective cohort. <i>Breast Cancer Research</i> , 2015, 17, 39.	5.0	26
80	Testicular germ cell tumours and parental occupational exposure to pesticides: a register-based caseâ€“control study in the Nordic countries (NORD-TEST study). <i>Occupational and Environmental Medicine</i> , 2015, 72, 805-811.	2.8	19
81	Efficiency of wipe sampling on hard surfaces for pesticides and PCB residues in dust. <i>Science of the Total Environment</i> , 2015, 505, 11-21.	8.0	19
82	Life in urban areas and breast cancer risk in the French E3N cohort. <i>European Journal of Epidemiology</i> , 2014, 29, 743-751.	5.7	24
83	Testicular cancer incidence to rise by 25% by 2025 in Europe? Model-based predictions in 40 countries using population-based registry data. <i>European Journal of Cancer</i> , 2014, 50, 831-839.	2.8	133
84	Reduction of health risk factors through an adapted physical activity program in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2014, 22, 1097-1104.	2.2	6
85	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	5.1	112
86	Studying the impact of early life exposures to pesticides on the risk of testicular germ cell tumors during adulthood (TESTIS project): study protocol. <i>BMC Cancer</i> , 2014, 14, 563.	2.6	12
87	Occupational exposures in rare cancers: A critical review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2014, 90, 99-134.	4.4	60
88	Design of a randomised controlled trial of adapted physical activity during adjuvant treatment for localised breast cancer: the PASAPAS feasibility study. <i>BMJ Open</i> , 2013, 3, e003855.	1.9	10
89	Latitude and ultraviolet radiation dose in the birthplace in relation to menarcheal age in a large cohort of French women. <i>International Journal of Epidemiology</i> , 2013, 42, 590-600.	1.9	16
90	Occupational and Environmental Exposures Associated with Testicular Germ Cell Tumours: Systematic Review of Prenatal and Life-Long Exposures. <i>PLoS ONE</i> , 2013, 8, e77130.	2.5	40

#	ARTICLE	IF	CITATIONS
91	Adaptation, Evaluation, and Updating of Guidelines. Proceedings of the American Thoracic Society, 2012, 9, 304-310.	3.5	19
92	The Global Rating Scale complements the AGREE II in advancing the quality of practice guidelines. Journal of Clinical Epidemiology, 2012, 65, 526-534.	5.0	90
93	Determinants of age at menarche and time to menstrual cycle regularity in the French E3N cohort. Annals of Epidemiology, 2012, 22, 723-730.	1.9	37
94	Guideline adaptation: an approach to enhance efficiency in guideline development and improve utilisation. BMJ Quality and Safety, 2011, 20, 228-236.	3.7	170
95	Chemotherapy in elderly patients with resected stage II-IIIa lung cancer. BMJ: British Medical Journal, 2011, 343, d4104-d4104.	2.3	8
96	AGRICOH: A Consortium of Agricultural Cohorts. International Journal of Environmental Research and Public Health, 2011, 8, 1341-1357.	2.6	40
97	Environmental Exposures: Perceived and Actual Risk. Espace-Populations-Societes, 2011, , 125-136.	0.1	0
98	Pragmatic evidence and textual arrangements: A case study of French clinical cancer guidelines. Social Science and Medicine, 2010, 71, 685-692.	3.8	33
99	AGREE II: advancing guideline development, reporting and evaluation in health care. Cmaj, 2010, 182, E839-E842.	2.0	2,389
100	Adapting clinical practice guidelines to local context and assessing barriers to their use. Cmaj, 2010, 182, E78-E84.	2.0	260
101	Development of the AGREE II, part 1: performance, usefulness and areas for improvement. Cmaj, 2010, 182, 1045-1052.	2.0	390
102	Development of the AGREE II, part 2: assessment of validity of items and tools to support application. Cmaj, 2010, 182, E472-E478.	2.0	394
103	Clinical practice guidelines. Journal of Visceral Surgery, 2010, 147, e341-e349.	0.8	32
104	Patient and public involvement in clinical guidelines: international experiences and future perspectives. BMJ Quality and Safety, 2010, 19, e22-e22.	3.7	128
105	AGREE II: Advancing guideline development, reporting and evaluation in health care. Journal of Clinical Epidemiology, 2010, 63, 1308-1311.	5.0	334
106	AGREE II: Advancing guideline development, reporting, and evaluation in health care. Preventive Medicine, 2010, 51, 421-424.	3.4	254
107	Problématique et structures de prise en charge. , 2010, , 7-14.		0
108	Standardization of search methods for guideline development: an international survey of evidence-based guideline development groups. Health Information and Libraries Journal, 2008, 25, 23-30.	2.5	19

#	ARTICLE	IF	CITATIONS
109	CoCanCPG. Coordination of Cancer Clinical Practice in Europe. Tumori, 2008, 94, 154-159.	1.1	10
110	Guideline Adaptation: An Appealing Alternative to De Novo Guideline Development. Annals of Internal Medicine, 2008, 148, 563.	3.9	9
111	Evidence-based medicine et Recommandations : traduire les r��sultats de la recherche clinique dans leur contexte d��utilisation. Douleur Et Analgesie, 2007, 20, 73-77.	0.1	1
112	Adaptation of clinical guidelines: literature review and proposition for a framework and procedure. International Journal for Quality in Health Care, 2006, 18, 167-176.	1.8	250
113	SOR guidelines for concomitant chemoradiotherapy for patients with uterine cervical cancers: evidence update bulletin 2004. Annals of Oncology, 2005, 16, 1100-1108.	1.2	25
114	Predictors of high quality clinical practice guidelines: examples in oncology. International Journal for Quality in Health Care, 2005, 17, 123-132.	1.8	79
115	Clinical-practice guidelines in Europe: time for European co-operation for cancer guidelines. Lancet Oncology, The, 2003, 4, 139-140.	10.7	13
116	A controlled "before-after" study: impact of a clinical guidelines programme and regional cancer network organization on medical practice. British Journal of Cancer, 2002, 86, 313-321.	6.4	81
117	Analysis of the eligibility of published economic evaluations for transfer to a given health care system. Health Policy, 1999, 49, 161-177.	3.0	36