

# Gen Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8858422/publications.pdf>

Version: 2024-02-01

129  
papers

6,910  
citations

81900

39  
h-index

66911

78  
g-index

131  
all docs

131  
docs citations

131  
times ranked

8481  
citing authors

#	ARTICLE	IF	CITATIONS
1	Manipulating the ion-transfer kinetics and interface stability for high-performance zinc metal anodes. <i>Energy and Environmental Science</i> , 2020, 13, 503-510.	30.8	828
2	Pseudocapacitive Sodium Storage in Mesoporous Single-Crystal-like TiO <sub>2</sub> â€“Graphene Nanocomposite Enables High-Performance Sodium-Ion Capacitors. <i>ACS Nano</i> , 2017, 11, 2952-2960.	14.6	542
3	Effective regeneration of LiCoO <sub>2</sub> from spent lithium-ion batteries: a direct approach towards high-performance active particles. <i>Green Chemistry</i> , 2018, 20, 851-862.	9.0	273
4	Resolving the Compositional and Structural Defects of Degraded LiNi <sub>x</sub> Co <sub>y</sub> Mn <sub>z</sub> O <sub>2</sub> Particles to Directly Regenerate High-Performance Lithium-Ion Battery Cathodes. <i>ACS Energy Letters</i> , 2018, 3, 1683-1692.	17.4	263
5	Nanoscale Engineering of Heterostructured Anode Materials for Boosting Lithium-Ion Storage. <i>Advanced Materials</i> , 2016, 28, 7580-7602.	21.0	224
6	Reduced Graphene Oxide Wrapped FeS Nanocomposite for Lithium-Ion Battery Anode with Improved Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 5330-5335.	8.0	199
7	Anion-Sorbent Composite Separators for High-Rate Lithium-Ion Batteries. <i>Advanced Materials</i> , 2019, 31, e1808338.	21.0	178
8	Recent advances in nanostructured Nb-based oxides for electrochemical energy storage. <i>Nanoscale</i> , 2016, 8, 8443-8465.	5.6	172
9	Facile synthesis, magnetic and microwave absorption properties of Fe <sub>3</sub> O <sub>4</sub> /polypyrrole core/shell nanocomposite. <i>Journal of Alloys and Compounds</i> , 2011, 509, 4104-4107.	5.5	159
10	Graphene Caging Silicon Particles for High-Performance Lithium-Ion Batteries. <i>Small</i> , 2018, 14, e1800635.	10.0	146
11	Constructing Conductive Interfaces between Nickel Oxide Nanocrystals and Polymer Carbon Nitride for Efficient Electrocatalytic Oxygen Evolution Reaction. <i>Advanced Functional Materials</i> , 2019, 29, 1904020.	14.9	140
12	Metal-Organic Framework Hexagonal Nanoplates: Bottom-up Synthesis, Topotactic Transformation, and Efficient Oxygen Evolution Reaction. <i>Journal of the American Chemical Society</i> , 2020, 142, 7317-7321.	13.7	140
13	Dual redox mediators accelerate the electrochemical kinetics of lithium-sulfur batteries. <i>Nature Communications</i> , 2020, 11, 5215.	12.8	113
14	Phase-Transfer Ligand Exchange of Lead Chalcogenide Quantum Dots for Direct Deposition of Thick, Highly Conductive Films. <i>Journal of the American Chemical Society</i> , 2017, 139, 6644-6653.	13.7	112
15	Ultrafine Nb <sub>2</sub> O <sub>5</sub> Nanocrystal Coating on Reduced Graphene Oxide as Anode Material for High Performance Sodium Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 22213-22219.	8.0	108
16	Microwave-assisted synthesis of hybrid Co <sub>x</sub> Ni <sub>1-x</sub> (OH) <sub>2</sub> nanosheets: Tuning the composition for high performance supercapacitor. <i>Journal of Power Sources</i> , 2014, 251, 338-343.	7.8	101
17	Engineering of carbon and other protective coating layers for stabilizing silicon anode materials. , 2019, 1, 219-245.		94
18	Oxygen Production of Modified Core-Shell CuO@ZrO <sub>2</sub> Nanocomposites by Microwave Radiation to Alleviate Cancer Hypoxia for Enhanced Chemo-Microwave Thermal Therapy. <i>ACS Nano</i> , 2018, 12, 12721-12732.	14.6	92

#	ARTICLE	IF	CITATIONS
19	Layered Metal Hydroxides and Their Derivatives: Controllable Synthesis, Chemical Exfoliation, and Electrocatalytic Applications. <i>Advanced Energy Materials</i> , 2020, 10, 1902535.	19.5	90
20	2D Free-standing Nitrogen-doped Ni <sub>3</sub> S <sub>2</sub> @Carbon Nanoplates Derived from Metal-Organic Frameworks for Enhanced Oxygen Evolution Reaction. <i>Small</i> , 2019, 15, e1900348.	10.0	88
21	A-site Excessive (La <sub>0.8</sub> Sr <sub>0.2</sub> ) <sub>1-x</sub> MnO <sub>3</sub> Perovskite Oxides for Bifunctional Oxygen Catalyst in Alkaline Media. <i>ACS Catalysis</i> , 2019, 9, 5074-5083.	11.2	84
22	Novel rose-like ZnO nanoflowers synthesized by chemical vapor deposition. <i>Materials Letters</i> , 2009, 63, 496-499.	2.6	77
23	Facile synthesis of hierarchical MoS <sub>2</sub> -carbon microspheres as a robust anode for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 9653-9660.	10.3	73
24	Well-dispersed phosphorus nanocrystals within carbon via high-energy mechanical milling for high performance lithium storage. <i>Nano Energy</i> , 2019, 59, 464-471.	16.0	70
25	Post Iron Decoration of Mesoporous Nitrogen-doped Carbon Spheres for Efficient Electrochemical Oxygen Reduction. <i>Advanced Energy Materials</i> , 2017, 7, 1701154.	19.5	65
26	Edge-sited Fe-N <sub>4</sub> atomic species improve oxygen reduction activity via boosting O <sub>2</sub> dissociation. <i>Applied Catalysis B: Environmental</i> , 2020, 265, 118593.	20.2	63
27	Machine Learning in Screening High Performance Electrocatalysts for CO <sub>2</sub> Reduction. <i>Small Methods</i> , 2021, 5, e2100987.	8.6	60
28	Instant gelation synthesis of 3D porous MoS <sub>2</sub> @C nanocomposites for lithium ion batteries. <i>Nanoscale</i> , 2014, 6, 3664-3669.	5.6	58
29	Solvothermal route based in situ carbonization to Fe <sub>3</sub> O <sub>4</sub> @C as anode material for lithium ion battery. <i>Nano Energy</i> , 2014, 8, 126-132.	16.0	57
30	Shape-controlled synthesis and characterization of cobalt oxides hollow spheres and octahedra. <i>Dalton Transactions</i> , 2012, 41, 5981.	3.3	54
31	Interfacial engineering of Mo <sub>2</sub> C@Mo <sub>3</sub> C <sub>2</sub> heteronanowires for high performance hydrogen evolution reactions. <i>Nanoscale</i> , 2019, 11, 23318-23329.	5.6	54
32	Ni <sub>2</sub> P <sub>2</sub> O <sub>7</sub> Nanoarrays with Decorated C <sub>3</sub> N <sub>4</sub> Nanosheets as Efficient Electrode for Supercapacitors. <i>ACS Applied Energy Materials</i> , 2018, 1, 2016-2023.	5.1	50
33	Porous TiO <sub>2</sub> Conformal Coating on Carbon Nanotubes as Energy Storage Materials. <i>Electrochimica Acta</i> , 2015, 169, 73-81.	5.2	49
34	Microcrystallization and lattice contraction of NiFe LDHs for enhancing water electrocatalytic oxidation. , 2022, 4, 901-913.		49
35	Advanced Electrocatalytic Performance of Ni-Based Materials for Oxygen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 341-349.	6.7	43
36	Large scale preparation of 20 cm Å— 20 cm graphene modified carbon felt for high performance vanadium redox flow battery. <i>Nano Research</i> , 2021, 14, 3538-3544.	10.4	43

#	ARTICLE	IF	CITATIONS
37	Hollow spherical rare-earth-doped yttrium oxysulfate: A novel structure for upconversion. <i>Nano Research</i> , 2014, 7, 1093-1102.	10.4	42
38	Shape-Controlled Narrow-Gap SnTe Nanostructures: From Nanocubes to Nanorods and Nanowires. <i>Journal of the American Chemical Society</i> , 2015, 137, 15074-15077.	13.7	42
39	Encapsulation of SnO <sub>2</sub> nanocrystals into hierarchically porous carbon by melt infiltration for high-performance lithium storage. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18706-18710.	10.3	42
40	A facile microwave-assisted route to Co(OH) <sub>2</sub> and Co <sub>3</sub> O <sub>4</sub> nanosheet for Li-ion battery. <i>Journal of Alloys and Compounds</i> , 2013, 578, 349-354.	5.5	41
41	Hybrid Nanostructures of Bimetallic NiCo Nitride/N-Doped Reduced Graphene Oxide as Efficient Bifunctional Electrocatalysts for Rechargeable Zn-Air Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 19612-19620.	6.7	41
42	Insights into the critical dual-effect of acid treatment on Zn <sub>x</sub> Cd <sub>1-x</sub> S for enhanced photocatalytic production of syngas under visible light. <i>Applied Catalysis B: Environmental</i> , 2021, 288, 119976.	20.2	41
43	A Ternary Molten Salt Approach for Direct Regeneration of LiNi <sub>0.5</sub> Co <sub>0.2</sub> Mn <sub>0.3</sub> O <sub>2</sub> Cathode. <i>Small</i> , 2022, 18, e2106719.	10.0	41
44	Post-synthesis isomorphous substitution of layered Co-Mn hydroxide nanocones with graphene oxide as high-performance supercapacitor electrodes. <i>Nanoscale</i> , 2019, 11, 6165-6173.	5.6	39
45	Stabilizing CuGaS <sub>2</sub> by crystalline CdS through an interfacial Z-scheme charge transfer for enhanced photocatalytic CO <sub>2</sub> reduction under visible light. <i>Nanoscale</i> , 2020, 12, 8693-8700.	5.6	39
46	Particulate Anion Sorbents as Electrolyte Additives for Lithium Batteries. <i>Advanced Functional Materials</i> , 2020, 30, 2003055.	14.9	38
47	MOF-derived multifractal porous carbon with ultrahigh lithium-ion storage performance. <i>Scientific Reports</i> , 2017, 7, 40574.	3.3	36
48	β-cyclodextrin as Lithium-ion Diffusion Channel with Enhanced Kinetics for Stable Silicon Anode. <i>Energy and Environmental Materials</i> , 2021, 4, 72-80.	12.8	36
49	Titanium Oxynitride Nanoparticles Anchored on Carbon Nanotubes as Energy Storage Materials. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 24212-24217.	8.0	35
50	Activating Hematite Nanoplates via Partial Reduction for Electrocatalytic Oxygen Reduction Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 11841-11849.	6.7	35
51	Bio-inspired synthesis of nanomaterials and smart structures for electrochemical energy storage and conversion. <i>Nano Materials Science</i> , 2020, 2, 264-280.	8.8	35
52	Nickel substituted LiMn <sub>2</sub> O <sub>4</sub> cathode with durable high-rate capability for Li-ion batteries. <i>RSC Advances</i> , 2013, 3, 18441.	3.6	33
53	A facile hydrothermal route to iron(III) oxide with conductive additives as composite anode for lithium ion batteries. <i>Journal of Power Sources</i> , 2014, 259, 227-232.	7.8	33
54	All-in-one surface engineering strategy on nickel phosphide arrays towards a robust electrocatalyst for hydrogen evolution reaction. <i>Journal of Power Sources</i> , 2019, 429, 46-54.	7.8	33

#	ARTICLE	IF	CITATIONS
55	Facile synthesis of porous FeCo <sub>2</sub> O <sub>4</sub> nanowire arrays on flexible carbon cloth with superior lithium storage properties. <i>Journal of Physics and Chemistry of Solids</i> , 2018, 122, 261-267.	4.0	32
56	Anticorrosive Copper Current Collector Passivated by Self-Assembled Porous Membrane for Highly Stable Lithium Metal Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2104930.	14.9	32
57	A novel solvent-free thermal reaction of ferrocene and sulfur for one-step synthesis of iron sulfide and carbon nanocomposites and their electrochemical performance. <i>Journal of Power Sources</i> , 2014, 265, 1-5.	7.8	31
58	Two-dimensional NiSe <sub>2</sub> nanosheets on carbon fiber cloth for high-performance lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2020, 821, 153218.	5.5	30
59	Tuning Interfacial Active Sites over Porous Mo <sub>2</sub> N-Supported Cobalt Sulfides for Efficient Hydrogen Evolution Reactions in Acid and Alkaline Electrolytes. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 41573-41583.	8.0	30
60	Interconnected silicon nanoparticles originated from halloysite nanotubes through the magnesiothermic reduction: A high-performance anode material for lithium-ion batteries. <i>Applied Clay Science</i> , 2018, 162, 499-506.	5.2	29
61	Self-Supported Fe-Doped CoP Nanowire Arrays Grown on Carbon Cloth with Enhanced Properties in Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2019, 2, 406-412.	5.1	29
62	3D Network Binder via In Situ Cross-Linking on Silicon Anodes with Improved Stability for Lithium-Ion Batteries. <i>Macromolecular Chemistry and Physics</i> , 2020, 221, 1900414.	2.2	29
63	Molecular-Scale Manipulation of Layer Sequence in Heteroassembled Nanosheet Films toward Oxygen Evolution Electrocatalysts. <i>ACS Nano</i> , 2022, 16, 4028-4040.	14.6	29
64	Use of regenerated cellulose to direct hetero-assembly of nanoparticles with carbon nanotubes for producing flexible battery anodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13944-13949.	10.3	28
65	Three-dimensionally interconnected Si frameworks derived from natural halloysite clay: a high-capacity anode material for lithium-ion batteries. <i>Dalton Transactions</i> , 2018, 47, 7522-7527.	3.3	28
66	Serpentine Co <sub>x</sub> Ni <sub>3-x</sub> Ge <sub>2</sub> O <sub>5</sub> (OH) <sub>4</sub> nanosheets with tuned electronic energy bands for highly efficient oxygen evolution reaction in alkaline and neutral electrolytes. <i>Applied Catalysis B: Environmental</i> , 2020, 260, 118184.	20.2	28
67	High-Concentration Additive and Triiodide/Iodide Redox Couple Stabilize Lithium Metal Anode and Rejuvenate the Inactive Lithium in Carbonate-Based Electrolyte. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	28
68	A robust and lithiophilic three-dimension framework of CoO nanorod arrays on carbon cloth for cycling-stable lithium metal anodes. <i>Materials Today Energy</i> , 2020, 18, 100520.	4.7	27
69	Synthesis of Co(II)-Fe(III) Hydroxide Nanocones with Mixed Octahedral/Tetrahedral Coordination toward Efficient Electrocatalysis. <i>Chemistry of Materials</i> , 2020, 32, 4232-4240.	6.7	26
70	Iron-decorated nitrogen-rich carbons as efficient oxygen reduction electrocatalysts for Zn-air batteries. <i>Nanoscale</i> , 2018, 10, 16996-17001.	5.6	25
71	Serpentine Ni <sub>3</sub> Ge <sub>2</sub> O <sub>5</sub> (OH) <sub>4</sub> Nanosheets with Tailored Layers and Size for Efficient Oxygen Evolution Reactions. <i>Small</i> , 2018, 14, e1803015.	10.0	24
72	Microwave-assisted synthesis and electrochemical properties of urchin-like CuO micro-crystals. <i>Solid State Sciences</i> , 2011, 13, 2137-2141.	3.2	23

#	ARTICLE	IF	CITATIONS
73	Evaluation of the Catalytic Activity and Cytotoxicity of Palladium Nanocubes: The Role of Oxygen. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 9364-9371.	8.0	23
74	Quick Optical Identification of the Defect Formation in Monolayer WSe <sub>2</sub> for Growth Optimization. <i>Nanoscale Research Letters</i> , 2019, 14, 274.	5.7	23
75	Cobalt iron phosphide nanoparticles embedded within a carbon matrix as highly efficient electrocatalysts for the oxygen evolution reaction. <i>Chemical Communications</i> , 2019, 55, 9212-9215.	4.1	23
76	Synthesis of silicon nanosheets from kaolinite as a high-performance anode material for lithium-ion batteries. <i>Journal of Physics and Chemistry of Solids</i> , 2020, 137, 109227.	4.0	23
77	Synergistic integration of metal nanoclusters and biomolecules as hybrid systems for therapeutic applications. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 1175-1199.	12.0	23
78	Flower-like CuCoMoOx nanosheets decorated with CoCu nanoparticles as bifunctional electrocatalysts for hydrogen evolution reaction and water splitting. <i>Electrochimica Acta</i> , 2022, 404, 139748.	5.2	23
79	Controllable Fabrication and Optical Properties of Uniform Gadolinium Oxysulfate Hollow Spheres. <i>Scientific Reports</i> , 2016, 5, 17934.	3.3	22
80	Engineering Molybdenum Diselenide and Its Reduced Graphene Oxide Hybrids for Efficient Electrocatalytic Hydrogen Evolution. <i>ACS Applied Nano Materials</i> , 2018, 1, 2143-2152.	5.0	22
81	Lithium doped nickel oxide nanocrystals with a tuned electronic structure for oxygen evolution reaction. <i>Chemical Communications</i> , 2021, 57, 6070-6073.	4.1	22
82	Carbon Nanotube Supported Amorphous MoS <sub>2</sub> via Microwave Heating Synthesis for Enhanced Performance of Hydrogen Evolution Reaction. <i>Energy Material Advances</i> , 2021, 2021, .	11.0	20
83	Thermally Robust Porous Bimetallic (Ni <sub>x</sub> Pt <sub>1-x</sub> ) Alloy Mesocrystals within Carbon Framework: High-Performance Catalysts for Oxygen Reduction and Hydrogenation Reactions. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 21435-21444.	8.0	18
84	Covalently Bonded Si-Polymer Nanocomposites Enabled by Mechanochemical Synthesis as Durable Anode Materials. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 39127-39134.	8.0	18
85	Facile synthesis and characterization of halloysite@W18O <sub>49</sub> nanocomposite with enhanced photocatalytic properties. <i>Applied Clay Science</i> , 2019, 183, 105319.	5.2	16
86	Improved Sorption-Enhanced Steam Methane Reforming via Calcium Oxide-Based Sorbents with Targeted Morphology. <i>Energy Technology</i> , 2019, 7, 1800807.	3.8	16
87	Composition Tuning of Ultrafine Cobalt-Based Spinel Nanoparticles for Efficient Oxygen Evolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 5534-5543.	6.7	16
88	A Facile Solvothermal Synthesis and Magnetic Properties of MnFe <sub>2</sub> O <sub>4</sub> Spheres with Tunable Sizes. <i>Journal of the American Ceramic Society</i> , 2012, 95, 3569-3576.	3.8	15
89	Shape evolution and electrochemical properties of cobalt sulfide via a biomolecule-assisted solvothermal route. <i>Solid State Sciences</i> , 2013, 17, 102-106.	3.2	15
90	Layered rare-earth hydroxide nanocones with facile host composition modification and anion-exchange feature: topotactic transformation into oxide nanocones for upconversion. <i>Nanoscale</i> , 2017, 9, 8185-8191.	5.6	15

#	ARTICLE	IF	CITATIONS
91	Double Confined MoO <sub>2</sub> /Sn/NC@NC Nanotubes: Solid-Liquid Synthesis, Conformal Transformation, and Excellent Lithium-Ion Storage. ACS Applied Materials & Interfaces, 2021, 13, 19836-19845.	8.0	15
92	Electrolyte Modulators toward Polarization-Mitigated Lithium-Ion Batteries for Sustainable Electric Transportation. Advanced Materials, 2022, 34, e2107787.	21.0	15
93	Electroplating CuO nanoneedle arrays on Ni foam as superior 3D scaffold for dendrite-free and stable Li metal anode. Applied Surface Science, 2022, 599, 153955.	6.1	15
94	Shape-controlled synthesis and properties of dandelion-like manganese sulfide hollow spheres. Materials Research Bulletin, 2012, 47, 2182-2187.	5.2	14
95	Controlled fabrication and optical properties of uniform CeO <sub>2</sub> hollow spheres. RSC Advances, 2013, 3, 3544.	3.6	14
96	Upconversion luminescence of ytterbium and erbium co-doped gadolinium oxysulfate hollow nanoparticles. Applied Materials Today, 2018, 13, 381-386.	4.3	14
97	Ag <sub>1.69</sub> Sb <sub>2.27</sub> O <sub>6.25</sub> coupled carbon nitride photocatalyst with high redox potential for efficient multifunctional environmental applications. Applied Surface Science, 2019, 487, 82-90.	6.1	14
98	Montmorillonite: A structural evolution from bulk through unilaminar nanolayers to nanotubes. Applied Clay Science, 2020, 194, 105695.	5.2	14
99	Anchoring Active Sites by Pt <sub>2</sub> FeNi Alloy Nanoparticles on NiFe Layered Double Hydroxides for Efficient Electrocatalytic Oxygen Evolution Reaction. Energy and Environmental Materials, 2022, 5, 270-277.	12.8	14
100	3D multicore-shell CoSn nanoboxes encapsulated in porous carbon as anode for lithium-ion batteries. Chinese Chemical Letters, 2022, 33, 3925-3930.	9.0	14
101	Carbon coated Nb <sub>2</sub> O <sub>5</sub> nanosheets via dopamine-induced phase transition for high-rate lithium-ion battery. Journal of Power Sources, 2022, 530, 231274.	7.8	14
102	Ruthenium composited NiCo <sub>2</sub> O <sub>4</sub> spinel nanocones with oxygen vacancies as a high-efficient bifunctional catalyst for overall water splitting. Chemical Engineering Journal, 2022, 446, 137037.	12.7	14
103	Direct growth of mesoporous anatase TiO <sub>2</sub> on nickel foam by soft template method as binder-free anode for lithium-ion batteries. RSC Advances, 2014, 4, 48938-48942.	3.6	13
104	Binder-Free Co <sub>4</sub> N Nanoarray on Carbon Cloth as Flexible High-Performance Anode for Lithium-Ion Batteries. ACS Applied Energy Materials, 2018, 1, 4432-4439.	5.1	13
105	Oxygen-deficient Niobium Oxide in Carbon Matrix as Anode for Lithium-Ion Battery. ECS Transactions, 2015, 66, 277-283.	0.5	12
106	Ultrathin Nanosheet-Assembled Co-Fe Hydroxide Nanotubes: Sacrificial Template Synthesis, Topotactic Transformation, and Their Application as Electrocatalysts for Efficient Oxygen Evolution Reaction. ACS Applied Materials & Interfaces, 2020, 12, 46578-46587.	8.0	12
107	Photo-irradiation tunes highly active sites over <sup>12</sup> Ni(OH) <sub>2</sub> nanosheets for the electrocatalytic oxygen evolution reaction. Chemical Communications, 2021, 57, 9060-9063.	4.1	12
108	Selective fabrication of porous iron oxides hollow spheres and nanofibers by electrospinning for photocatalytic water purification. Solid State Sciences, 2018, 82, 24-28.	3.2	11

#	ARTICLE	IF	CITATIONS
109	Activity enhancement of layered cobalt hydroxide nanocones by tuning interlayer spacing and phosphidation for electrocatalytic water oxidation in neutral solutions. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1744-1752.	6.0	11
110	Hydrothermal synthesis of three-dimensional core-shell hollow N-doped carbon encapsulating SnO <sub>2</sub> @CoO nanospheres for high-performance lithium-ion batteries. <i>Materials Today Energy</i> , 2019, 14, 100354.	4.7	10
111	Luminescent Yttrium Oxide Nanosheets for Temperature Sensing. <i>ACS Applied Nano Materials</i> , 2021, 4, 12316-12324.	5.0	10
112	N-doped bimetallic sulfides hollow spheres derived from metal-organic frameworks toward cost-efficient and high performance oxygen evolution reaction. <i>Applied Surface Science</i> , 2022, 591, 153173.	6.1	10
113	Superlattice-Like Co-Doped Mn Oxide and NiFe Hydroxide Nanosheets toward an Energetic Oxygen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 0, , .	6.7	9
114	Rare-earth-doped yttrium oxide nanoplatelets and nanotubes: controllable fabrication, topotactic transformation and upconversion luminescence. <i>CrystEngComm</i> , 2018, 20, 5025-5032.	2.6	7
115	Biomolecule-assisted hydrothermal synthesis and properties of manganese sulfide hollow microspheres. <i>Journal of Physics and Chemistry of Solids</i> , 2012, 73, 1385-1389.	4.0	6
116	Scalable Synthesis of Uniform Nanosized Microporous Carbon Particles from Rigid Polymers for Rapid Ion and Molecule Adsorption. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 25429-25437.	8.0	6
117	Alternate Restacking of 2D CoNi Hydroxide and Graphene Oxide Nanosheets for Energetic Oxygen Evolution. <i>ChemSusChem</i> , 2019, 12, 5274-5281.	6.8	6
118	Heterostructured NiFe oxide/phosphide nanoflakes for efficient water oxidation. <i>Dalton Transactions</i> , 2019, 48, 8442-8448.	3.3	6
119	Multi-shelled cobalt-nickel oxide/phosphide hollow spheres for an efficient oxygen evolution reaction. <i>Dalton Transactions</i> , 2020, 49, 10918-10927.	3.3	6
120	Cross-Linked Polymer Binder via Phthalic Acid for Stabilizing SiO <sub>x</sub> Anodes. <i>Macromolecular Chemistry and Physics</i> , 0, , 2200068.	2.2	6
121	Electronic configuration modulation of tin dioxide by phosphorus dopant for pathway change in electrocatalytic water oxidation. <i>Inorganic Chemistry Frontiers</i> , 2021, 9, 83-89.	6.0	5
122	Serpentine Ni <sub>3</sub> Ge <sub>2</sub> O <sub>5</sub> (OH) <sub>4</sub> Nanosheets Grow on Porous Mo <sub>2</sub> N for an Efficient Oxygen Evolution Reaction. <i>Energy &amp; Fuels</i> , 2022, 36, 11467-11476.	5.1	4
123	Silicon nanosheets derived from silicate minerals: controllable synthesis and energy storage application. <i>Nanoscale</i> , 2021, 13, 18410-18420.	5.6	3
124	Hierarchical NiFeV hydroxide nanotubes: synthesis, topotactic transformation and electrocatalysis towards the oxygen evolution reaction. <i>Dalton Transactions</i> , 2022, 51, 11098-11107.	3.3	3
125	Quasi Solid-Estate Electrolytes of Li <sub>2</sub> Sn <sub>2</sub> (bdc) <sub>3</sub> (H <sub>2</sub> O) <sub>x</sub> Metal-Organic Frameworks for Lithium Metal Battery. <i>Electroanalysis</i> , 2022, 34, 1667-1672.	2.9	2
126	Tb <sup>3+</sup> /Sm <sup>3+</sup> co-doped double perovskite: synthesis, exfoliation and luminescence properties. <i>Chemical Communications</i> , 2022, 58, 6626-6629.	4.1	2

#	ARTICLE	IF	CITATIONS
127	The 2015 Edward G. Weston Summer Research Fellowship -- Summary Report: FeOOH (Goethite) Nanorods with Carbon Nanotube Network as Energy Storage Materials. <i>Electrochemical Society Interface</i> , 2015, 24, 68-69.	0.4	0
128	Editorial: Deep Eutectic Solvents/Complex Salts-Based Electrolyte for Next Generation Rechargeable Batteries. <i>Frontiers in Chemistry</i> , 2020, 8, 613353.	3.6	0
129	Luminescent properties of Gd(CO <sub>3</sub> )OH spherical particles with the prospect for CL microscopic analysis and multi-color displays. <i>Materials Chemistry Frontiers</i> , 0, , .	5.9	0