
## Hao Luo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8860864/publications.pdf Version: 2024-02-01



HAOLUO

#	Article	IF	CITATIONS
1	Confirmatory Factor Analysis of Ordinal Variables With Misspecified Models. Structural Equation Modeling, 2010, 17, 392-423.	3.8	204
2	Neighborhood support network, perceived proximity to community facilities and depressive symptoms among low socioeconomic status Chinese elders. Aging and Mental Health, 2016, 20, 423-431.	2.8	61
3	Predicting Adverse Health Outcomes in Nursing Homes: A 9-Year Longitudinal Study and Development of the FRAIL-Minimum Data Set (MDS) Quick Screening Tool. Journal of the American Medical Directors Association, 2015, 16, 1042-1047.	2.5	60
4	Neighborhood Support and Aging-in-Place Preference Among Low-Income Elderly Chinese City-Dwellers. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2016, 71, 98-105.	3.9	50
5	Adapting the UCLA 3-item loneliness scale for community-based depressive symptoms screening interview among older Chinese: a cross-sectional study. BMJ Open, 2020, 10, e041921.	1.9	50
6	Risk of self-harm after the diagnosis of psychiatric disorders in Hong Kong, 2000–10: a nested case-control study. Lancet Psychiatry,the, 2020, 7, 135-147.	7.4	40
7	From Fertility Intention to Fertility Behaviour. Asian Population Studies, 2014, 10, 195-207.	1.5	30
8	Validating a Cantonese short version of the Zarit Burden Interview (CZBI-Short) for dementia caregivers. Aging and Mental Health, 2016, 20, 996-1001.	2.8	28
9	Does lifestyle matter? Individual lifestyle factors and their additive effects associated with cognitive function in older men and women. Aging and Mental Health, 2020, 24, 405-412.	2.8	22
10	The Impact of Eldercare on Adult Children's Health and Employment in Transitional China. Journal of Cross-Cultural Gerontology, 2017, 32, 357-372.	1.0	21
11	Village characteristics and health of rural Chinese older adults: Examining the CHARLS Pilot Study of a rich and poor province. Social Science and Medicine, 2013, 98, 71-78.	3.8	17
12	Health Expectancies in Adults Aged 50 Years or Older in China. Journal of Aging and Health, 2016, 28, 758-774.	1.7	17
13	Everyday cognitive functioning and global cognitive performance are differentially associated with physical frailty and chronological age in older Chinese men and women. Aging and Mental Health, 2018, 22, 942-947.	2.8	17
14	Perceived Attitudes Toward Lesbian, Gay, and Bisexual (LGB) Issues and Mental Health Among Taiwanese LGB Adults: The Mediating Role of Self-Acceptance. Archives of Sexual Behavior, 2020, 49, 1671-1682.	1.9	17
15	The Effect of Depressive Symptoms and Antidepressant Use on Subsequent Physical Decline and Number of Hospitalizations in Nursing Home Residents: A 9-Year Longitudinal Study. Journal of the American Medical Directors Association, 2015, 16, 1048-1054.	2.5	16
16	A Simulation Study of Polychoric Instrumental Variable Estimation in Structural Equation Models. Structural Equation Modeling, 2016, 23, 680-694.	3.8	15
17	Applying Item Response Theory Analysis to the Montreal Cognitive Assessment in a Low-Education Older Population. Assessment, 2020, 27, 1416-1428.	3.1	14
18	Application of Healthcare â€~Big Data' in CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). CNS Drugs, 2020, 34, 897-913.	5.9	14

Hao Luo

#	Article	IF	CITATIONS
19	Environment and Subjective Well-Being of Rural Chinese Elderly: A Multilevel Analysis. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2014, 69, 979-989.	3.9	13
20	The relationship between insomnia symptoms and frailty in community-dwelling older persons: a path analysis. Sleep Medicine, 2021, 84, 237-243.	1.6	11
21	Risk of selfâ€harm or suicide associated with specific drug use disorders, 2004–2016: a populationâ€based cohort study. Addiction, 2022, 117, 1940-1949.	3.3	11
22	Prevalence and risk factors for repetition of non-fatal self-harm in Hong Kong, 2002–2016: A population-based cohort study. The Lancet Regional Health - Western Pacific, 2020, 2, 100027.	2.9	8
23	Spontaneously Reported Symptoms by Informants Are Associated with Clinical Severity in Dementia Helpâ€ <del>S</del> eekers. Journal of the American Geriatrics Society, 2017, 65, 1946-1952.	2.6	4
24	Factors Associated With Hospital Presentation of Self-Harm Among Older Canadians in Long-Term Care: A 12-Year Cohort Study. Journal of the American Medical Directors Association, 2021, 22, 2160-2168.e18.	2.5	4
25	Predictive factors of nonfatal self-harm among community-dwelling older adults assessed for support services. International Psychogeriatrics, 2022, 34, 813-826.	1.0	4
26	Reliability coefficients for multiple group item response theory models. British Journal of Mathematical and Statistical Psychology, 2022, 75, 395-410.	1.4	4
27	Prescription Patterns of Antidementia and Psychotropic Drugs in People Living With Dementia: Findings From the Clinical Pathway Study of Alzheimer's Disease in China. Journal of the American Medical Directors Association, 2022, 23, 1073-1079.e3.	2.5	3
28	Predicting dementia diagnosis from cognitive footprints in electronic health records: a case–control study protocol. BMJ Open, 2020, 10, e043487.	1.9	3
29	Risk of self-harm after diagnosis of psychiatric disorders – Authors' reply. Lancet Psychiatry,the, 2020, 7, 305.	7.4	2
30	Perceived Life Expectancy Predicts Time Investment in Productive Aging Activities: An Ecological Momentary Assessment Study. Research on Aging, 2022, 44, 73-82.	1.8	2
31	Effectiveness of interventions for people living with dementia and their carers in Chinese communities: protocol for a systematic review and meta-analysis of randomised controlled trials. BMJ Open, 2021, 11, e047560.	1.9	0