

W A M Vollebergh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8871869/publications.pdf>

Version: 2024-02-01

164
papers

14,361
citations

20817

60
h-index

21540

114
g-index

165
all docs

165
docs citations

165
times ranked

14208
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 21-27. | 4.5 | 1,053 |
| 2 | The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2003, 12, 3-21. | 2.1 | 857 |
| 3 | Social Support from Parents and Friends and Emotional Problems in Adolescence. <i>Journal of Youth and Adolescence</i> , 2000, 29, 319-335. | 3.5 | 489 |
| 4 | The Structure and Stability of Common Mental Disorders. <i>Archives of General Psychiatry</i> , 2001, 58, 597. | 12.3 | 478 |
| 5 | The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , 2005, 44, 181-191. | 3.5 | 377 |
| 6 | Patterns of Adolescent Identity Development: Review of Literature and Longitudinal Analysis. <i>Developmental Review</i> , 1999, 19, 419-461. | 4.7 | 342 |
| 7 | Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 47-54. | 4.5 | 333 |
| 8 | Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and Severity—Implications for Diagnosis and Ultra-High Risk Research. <i>Schizophrenia Bulletin</i> , 2012, 38, 247-257. | 4.3 | 324 |
| 9 | Risk Factors for 12-Month Comorbidity of Mood, Anxiety, and Substance Use Disorders: Findings From the Netherlands Mental Health Survey and Incidence Study. <i>American Journal of Psychiatry</i> , 2002, 159, 620-629. | 7.2 | 320 |
| 10 | Psychiatric and Sociodemographic Predictors of Attrition in a Longitudinal Study The Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>American Journal of Epidemiology</i> , 2000, 152, 1039-1047. | 3.4 | 297 |
| 11 | Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 38-46. | 4.5 | 285 |
| 12 | Mental health in migrant children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008, 49, 276-294. | 5.2 | 268 |
| 13 | Discrimination and delusional ideation. <i>British Journal of Psychiatry</i> , 2003, 182, 71-76. | 2.8 | 253 |
| 14 | Intergenerational Transmission and the Formation of Cultural Orientations in Adolescence and Young Adulthood. <i>Journal of Marriage and Family</i> , 2001, 63, 1185-1198. | 2.6 | 205 |
| 15 | Mental health in Dutch adolescents: a TRAILS report on prevalence, severity, age of onset, continuity and co-morbidity of DSM disorders. <i>Psychological Medicine</i> , 2015, 45, 345-360. | 4.5 | 202 |
| 16 | Parental and peer attachment and identity development in adolescence. <i>Journal of Adolescence</i> , 2002, 25, 93-106. | 2.4 | 195 |
| 17 | Body Mass Index and Body Weight Perception as Risk Factors for Internalizing and Externalizing Problem Behavior Among Adolescents. <i>Journal of Adolescent Health</i> , 2006, 39, 27-34. | 2.5 | 182 |
| 18 | Comorbidity of physical and mental disorders and the effect on work-loss days. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 436-443. | 4.5 | 181 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Bipolar disorder in the general population in The Netherlands (prevalence, consequences and care) Tj ETQq1 1 0.784314 rgBT /Overlo Journal of Affective Disorders, 2002, 68, 203-213. | 4.1 | 175 |
| 20 | Preventing heavy alcohol use in adolescents (PAS): cluster randomized trial of a parent and student intervention offered separately and simultaneously. Addiction, 2009, 104, 1669-1678. | 3.3 | 174 |
| 21 | Temporal sequencing of lifetime mood disorders in relation to comorbid anxiety and substance use disorders. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 1-11. | 3.1 | 169 |
| 22 | Gender and age-specific first incidence of DSM-III-R psychiatric disorders in the general population. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 372-379. | 3.1 | 168 |
| 23 | The Structure of The Extended Psychosis Phenotype in Early Adolescence--A Cross-sample Replication. Schizophrenia Bulletin, 2011, 37, 850-860. | 4.3 | 168 |
| 24 | Predictors of first incidence of DSM-III-R psychiatric disorders in the general population: findings from the Netherlands Mental Health Survey and Incidence Study. Acta Psychiatrica Scandinavica, 2002, 106, 303-313. | 4.5 | 159 |
| 25 | Do Urbanicity and Familial Liability Coparticipate in Causing Psychosis?. American Journal of Psychiatry, 2003, 160, 477-482. | 7.2 | 158 |
| 26 | 12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 28-37. | 4.5 | 157 |
| 27 | Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 55-64. | 4.5 | 143 |
| 28 | Parent, teacher and self-reported problem behavior in The Netherlands. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 576-585. | 3.1 | 142 |
| 29 | Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. Acta Psychiatrica Scandinavica, 2006, 113, 492-500. | 4.5 | 142 |
| 30 | Psychosocial Disability Before, During, and After a Major Depressive Episode. Archives of General Psychiatry, 2004, 61, 387. | 12.3 | 137 |
| 31 | Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 8-20. | 4.5 | 136 |
| 32 | Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders?. Acta Psychiatrica Scandinavica, 2003, 107, 369-377. | 4.5 | 126 |
| 33 | Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. British Journal of Clinical Psychology, 2005, 44, 113-125. | 3.5 | 124 |
| 34 | Substance use risk profiles and associations with early substance use in adolescence. Journal of Behavioral Medicine, 2010, 33, 474-485. | 2.1 | 120 |
| 35 | Cohort Profile Update: The TRacking Adolescents' Individual Lives Survey (TRAILS). International Journal of Epidemiology, 2015, 44, 76-76n. | 1.9 | 118 |
| 36 | Mediators of the association between depression and role functioning. Acta Psychiatrica Scandinavica, 2008, 118, 451-458. | 4.5 | 115 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The suicidal process; prospective comparison between early and later stages. <i>Journal of Affective Disorders</i> , 2004, 82, 43-52. | 4.1 | 111 |
| 38 | Mental health in immigrant children in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 489-496. | 3.1 | 105 |
| 39 | Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , 2003, 63, 89-95. | 2.0 | 103 |
| 40 | Rapid onset of comorbidity of common mental disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 55-63. | 4.5 | 101 |
| 41 | Seasonal Variations in Mental Disorders in the General Population of a Country with a Maritime Climate: Findings from the Netherlands Mental Health Survey and Incidence Study. <i>American Journal of Epidemiology</i> , 2005, 162, 654-661. | 3.4 | 100 |
| 42 | Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study. <i>Journal of Affective Disorders</i> , 2004, 82, 461-467. | 4.1 | 99 |
| 43 | Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 360-366. | 4.5 | 95 |
| 44 | Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , 2011, 41, 2317-2329. | 4.5 | 93 |
| 45 | Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004, 34, 1177-1186. | 4.5 | 91 |
| 46 | First cannabis use: does onset shift to younger ages? Findings from 1988 to 2003 from the Dutch National School Survey on Substance Use. <i>Addiction</i> , 2005, 100, 963-970. | 3.3 | 91 |
| 47 | The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 55-67. | 2.1 | 85 |
| 48 | Long-Term Effects of a Parent and Student Intervention on Alcohol Use in Adolescents. <i>American Journal of Preventive Medicine</i> , 2011, 40, 541-547. | 3.0 | 83 |
| 49 | When Does Experience of Psychosis Result in a Need for Care? A Prospective General Population Study. <i>Schizophrenia Bulletin</i> , 2003, 29, 349-358. | 4.3 | 80 |
| 50 | National Income and Income Inequality, Family Affluence and Life Satisfaction Among 13-Year Old Boys and Girls: A Multilevel Study in 35 Countries. <i>Social Indicators Research</i> , 2011, 104, 179-194. | 2.7 | 79 |
| 51 | Prevalence of bipolar disorder in the general population: a Reappraisal Study of the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 374-382. | 4.5 | 77 |
| 52 | Predicting lifetime and regular cannabis use during adolescence; the roles of temperament and peer substance use: the TRAILS study. <i>Addiction</i> , 2010, 105, 699-708. | 3.3 | 74 |
| 53 | Course, Co-Occurrence, and Longitudinal Associations of Emotional Disturbance and Delinquency from Adolescence to Young Adulthood: A Six-Year Three-Wave Study. <i>Journal of Youth and Adolescence</i> , 2001, 30, 401-426. | 3.5 | 73 |
| 54 | Patterns of Psychological Acculturation in Adult and Adolescent Moroccan Immigrants Living in the Netherlands. <i>Journal of Cross-Cultural Psychology</i> , 2004, 35, 689-704. | 1.6 | 73 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Why target early adolescents and parents in alcohol prevention? The mediating effects of self-control, rules and attitudes about alcohol use. <i>Addiction</i> , 2011, 106, 538-546. | 3.3 | 72 |
| 56 | Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 264-272. | 4.5 | 70 |
| 57 | Cross-national comparison of adolescent drinking and cannabis use in the United States, Canada, and the Netherlands. <i>International Journal of Drug Policy</i> , 2010, 21, 64-69. | 3.3 | 70 |
| 58 | Working Memory and Alcohol Use in At-Risk Adolescents: A 2-Year Follow-Up. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1176-1183. | 2.4 | 68 |
| 59 | Executive functioning shows differential maturation from early to late adolescence: Longitudinal findings from a TRAILS study.. <i>Neuropsychology</i> , 2014, 28, 177-187. | 1.3 | 68 |
| 60 | Alcohol-specific socialization practices and alcohol use in Dutch early adolescents. <i>Journal of Adolescence</i> , 2010, 33, 93-100. | 2.4 | 67 |
| 61 | The relationship between coping and subclinical psychotic experiences in adolescents from the general population – a longitudinal study. <i>Psychological Medicine</i> , 2011, 41, 2535-2546. | 4.5 | 63 |
| 62 | Do societal wealth, family affluence and gender account for trends in adolescent cannabis use? A 30 country cross-national study. <i>Addiction</i> , 2014, 109, 273-283. | 3.3 | 63 |
| 63 | Can the Gateway Hypothesis, the Common Liability Model and/or, the Route of Administration Model Predict Initiation of Cannabis Use During Adolescence? A Survival Analysis – The TRAILS Study. <i>Journal of Adolescent Health</i> , 2011, 48, 73-78. | 2.5 | 62 |
| 64 | Does neuroticism explain variations in care service use for mental health problems in the general population?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 425-431. | 3.1 | 61 |
| 65 | Solidarity in Dutch Families. <i>Journal of Family Issues</i> , 2002, 23, 171-188. | 1.6 | 59 |
| 66 | Does educational background explain inequalities in care service use for mental health problems in the Dutch general population?. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 178-187. | 4.5 | 59 |
| 67 | Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005, 46, 192-199. | 3.1 | 54 |
| 68 | The three year course of alcohol use disorders in the general population: DSM-IV, ICD-10 and the Craving Withdrawal Model. <i>Addiction</i> , 2006, 101, 385-392. | 3.3 | 54 |
| 69 | Cannabis use and development of externalizing and internalizing behaviour problems in early adolescence: A TRAILS study. <i>Drug and Alcohol Dependence</i> , 2011, 116, 11-17. | 3.2 | 53 |
| 70 | Combined effect of mental disorder and low social support on care service use for mental health problems in the Dutch general population. <i>Psychological Medicine</i> , 2002, 32, 311-323. | 4.5 | 52 |
| 71 | Early trauma and familial risk in the development of the extended psychosis phenotype in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 266-273. | 4.5 | 52 |
| 72 | Selecting key variables for depression prevention: results from a population-based prospective epidemiological study. <i>Journal of Affective Disorders</i> , 2004, 81, 241-249. | 4.1 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The Happiest Kids on Earth. Gender Equality and Adolescent Life Satisfaction in Europe and North America. <i>Journal of Youth and Adolescence</i> , 2018, 47, 1073-1085. | 3.5 | 50 |
| 74 | Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 185-197. | 2.1 | 49 |
| 75 | Predicting externalizing problems in Moroccan immigrant adolescents in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 571-579. | 3.1 | 48 |
| 76 | The role of general parenting and cannabis-specific parenting practices in adolescent cannabis and other illicit drug use. <i>Drug and Alcohol Dependence</i> , 2015, 147, 222-228. | 3.2 | 48 |
| 77 | What depressive symptoms are associated with the use of care services?. <i>Journal of Affective Disorders</i> , 2004, 80, 239-248. | 4.1 | 46 |
| 78 | The Soundtrack of Substance Use: Music Preference and Adolescent Smoking and Drinking. <i>Substance Use and Misuse</i> , 2009, 44, 514-531. | 1.4 | 46 |
| 79 | Functioning after a major depressive episode: complete or incomplete recovery?. <i>Journal of Affective Disorders</i> , 2004, 82, 363-71. | 4.1 | 45 |
| 80 | Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , 2005, 76, 99-103. | 2.0 | 45 |
| 81 | A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 546-552. | 1.7 | 45 |
| 82 | The Role of Individual- and Macro-Level Social Determinants on Young Adolescents' Psychosomatic Complaints. <i>Journal of Early Adolescence</i> , 2012, 32, 126-158. | 1.9 | 43 |
| 83 | Alcohol consumption and symptoms as predictors for relapse of DSM-5 alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2014, 140, 85-91. | 3.2 | 43 |
| 84 | Explaining Adolescents' Delinquency and Substance Use. <i>Journal of Research in Crime and Delinquency</i> , 2015, 52, 747-767. | 2.4 | 43 |
| 85 | Problem Behavior and Acculturation in Moroccan Immigrant Adolescents in the Netherlands. <i>Journal of Cross-Cultural Psychology</i> , 2007, 38, 310-317. | 1.6 | 42 |
| 86 | Cross-national evidence for the clustering and psychosocial correlates of adolescent risk behaviours in 27 countries. <i>European Journal of Public Health</i> , 2015, 25, 50-56. | 0.3 | 42 |
| 87 | The Cross-Cultural Equivalence of Parental Rearing Measure: EMBU-C. <i>European Journal of Psychological Assessment</i> , 2006, 22, 85-91. | 3.0 | 42 |
| 88 | Subclinical psychosis and depression: Co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011, 130, 277-281. | 2.0 | 41 |
| 89 | Individual and environmental predictors of health risk behaviours among Dutch adolescents: The HBSC study. <i>Public Health</i> , 2012, 126, 566-573. | 2.9 | 41 |
| 90 | Cannabis use and subclinical positive psychotic experiences in early adolescence: findings from a Dutch survey. <i>Addiction</i> , 2012, 107, 381-387. | 3.3 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Is it the music? Peer substance use as a mediator of the link between music preferences and adolescent substance use. <i>Journal of Adolescence</i> , 2010, 33, 387-394. | 2.4 | 40 |
| 92 | Psychological Changes and Cognitive Impairments in Adolescent Heavy Drinkers. <i>Alcohol and Alcoholism</i> , 2014, 49, 182-186. | 1.6 | 40 |
| 93 | Does the urban environment independently increase the risk for both negative and positive features of psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 460-464. | 3.1 | 39 |
| 94 | Ten-year trends in adolescents' self-reported emotional and behavioral problems in the Netherlands. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1119-1128. | 4.7 | 39 |
| 95 | Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 600-605. | 3.1 | 38 |
| 96 | The course of panic attacks in individuals with panic disorder and subthreshold panic disorder: A population-based study. <i>Journal of Affective Disorders</i> , 2010, 121, 30-38. | 4.1 | 37 |
| 97 | Trends in alcohol-specific parenting practices and adolescent alcohol use between 2007 and 2011 in the Netherlands. <i>International Journal of Drug Policy</i> , 2014, 25, 133-141. | 3.3 | 37 |
| 98 | Bulimia nervosa following psychological and multiple child abuse: Support for the self-medication hypothesis in a population-based cohort study. <i>International Journal of Eating Disorders</i> , 2002, 32, 381-388. | 4.0 | 36 |
| 99 | Parental attachment and romantic relationships: Associations with emotional disturbance during late adolescence.. <i>Journal of Counseling Psychology</i> , 2003, 50, 28-39. | 2.0 | 36 |
| 100 | DRD2 and DRD4 in relation to regular alcohol and cannabis use among adolescents: Does parenting modify the impact of genetic vulnerability? The TRAILS study. <i>Drug and Alcohol Dependence</i> , 2011, 115, 35-42. | 3.2 | 36 |
| 101 | A test of the vulnerability model: temperament and temperament change as predictors of future mental disorders—The TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 227-236. | 5.2 | 36 |
| 102 | Adolescent Heavy Drinking Does Not Affect Maturation of Basic Executive Functioning: Longitudinal Findings from the TRAILS Study. <i>PLoS ONE</i> , 2015, 10, e0139186. | 2.5 | 36 |
| 103 | The 2-year prognosis of panic episodes in the general population. <i>Psychological Medicine</i> , 2010, 40, 147-157. | 4.5 | 35 |
| 104 | Young adults' relationship transitions and the incidence of mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 669-676. | 3.1 | 34 |
| 105 | Ethnic differences in mental health among incarcerated youths: do Moroccan immigrant boys show less psychopathology than native Dutch boys?. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 431-440. | 4.7 | 34 |
| 106 | Substance use by adolescents in special education and residential youth care institutions. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 311-319. | 4.7 | 33 |
| 107 | Trends over Time in Adolescent Emotional Wellbeing in the Netherlands, 2005-2017: Links with Perceived Schoolwork Pressure, Parent-Adolescent Communication and Bullying Victimization. <i>Journal of Youth and Adolescence</i> , 2020, 49, 2124-2135. | 3.5 | 33 |
| 108 | Effectiveness of the 'Healthy School and Drugs' prevention programme on adolescents' substance use: a randomized clustered trial. <i>Addiction</i> , 2014, 109, 1031-1040. | 3.3 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Predictors of incident care service utilisation for mental health problems in the Dutch general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 141-149. | 3.1 | 30 |
| 110 | The role of temperament in the relationship between early onset of tobacco and cannabis use: The TRAILS study. <i>Drug and Alcohol Dependence</i> , 2009, 104, 113-118. | 3.2 | 30 |
| 111 | Buying cannabis in "coffee shops". <i>Drug and Alcohol Review</i> , 2011, 30, 148-156. | 2.1 | 29 |
| 112 | Cross-ethnic generalizability of the three-factor model of psychopathy: The Youth Psychopathic Traits Inventory in an incarcerated sample of native Dutch and Moroccan immigrant boys. <i>International Journal of Law and Psychiatry</i> , 2011, 34, 127-130. | 0.9 | 29 |
| 113 | Prenatal Smoking Exposure and the Risk of Behavioral Problems and Substance Use in Adolescence: the TRAILS Study. <i>European Addiction Research</i> , 2011, 17, 342-350. | 2.4 | 29 |
| 114 | Ethnic density in school classes and adolescent mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 639-646. | 3.1 | 28 |
| 115 | THE CRAVING WITHDRAWAL MODEL FOR ALCOHOLISM: TOWARDS THE DSM-V. IMPROVING THE DISCRIMINANT VALIDITY OF ALCOHOL USE DISORDER DIAGNOSIS. <i>Alcohol and Alcoholism</i> , 2005, 40, 314-322. | 1.6 | 27 |
| 116 | Mental health problems in early adolescents in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 156-163. | 3.1 | 27 |
| 117 | Parenting and Internalizing and Externalizing Problems in Moroccan Immigrant Youth in the Netherlands. <i>Journal of Youth and Adolescence</i> , 2007, 36, 685-695. | 3.5 | 27 |
| 118 | ALCOHOL ABUSE AND DEPENDENCE CRITERIA AS PREDICTORS OF A CHRONIC COURSE OF ALCOHOL USE DISORDERS IN THE GENERAL POPULATION. <i>Alcohol and Alcoholism</i> , 2005, 40, 441-446. | 1.6 | 24 |
| 119 | Interactions between Parental Alcohol-Specific Rules and Risk Personalities in the Prediction of Adolescent Alcohol Use. <i>Alcohol and Alcoholism</i> , 2014, 49, 579-585. | 1.6 | 24 |
| 120 | Longitudinal relations between cognitive bias and adolescent alcohol use. <i>Addictive Behaviors</i> , 2015, 44, 51-57. | 3.0 | 24 |
| 121 | Need for mental health care in adolescents and its determinants: The TRAILS Study. <i>European Journal of Public Health</i> , 2013, 23, 236-241. | 0.3 | 23 |
| 122 | Legal substance use and the development of a DSM-IV cannabis use disorder during adolescence: the TRAILS study. <i>Addiction</i> , 2014, 109, 303-311. | 3.3 | 23 |
| 123 | Short-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: A randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 120-127. | 2.8 | 23 |
| 124 | Substance use outcomes in the Healthy School and Drugs program: Results from a latent growth curve approach. <i>Addictive Behaviors</i> , 2015, 42, 194-202. | 3.0 | 23 |
| 125 | Youth Centrism and the Formation of Political Orientations in Adolescence and Young Adulthood. <i>Journal of Cross-Cultural Psychology</i> , 2001, 32, 229-240. | 1.6 | 21 |
| 126 | Long-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2014, 140, 217-220. | 3.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Effects of a combined parentâ€™student alcohol prevention program on intermediate factors and adolescentsâ€™ drinking behavior: A sequential mediation model.. Journal of Consulting and Clinical Psychology, 2015, 83, 719-727. | 2.0 | 21 |
| 128 | Identifying target groups for the prevention of anxiety disorders in the general population. Acta Psychiatrica Scandinavica, 2010, 122, 56-65. | 4.5 | 20 |
| 129 | Predicting Transitions in Low and High Levels of Risk Behavior from Early to Middle Adolescence: The TRAILS Study. Journal of Abnormal Child Psychology, 2012, 40, 923-931. | 3.5 | 20 |
| 130 | The Relationship Between Excessive Alcohol Consumption and Alcohol Use Disorders According to DSM-IV and DSM-5. Alcoholism: Clinical and Experimental Research, 2014, 38, 249-256. | 2.4 | 19 |
| 131 | Revising the self-report strengths and difficulties questionnaire for cross-country comparisons of adolescent mental health problems: the SDQ-R. Epidemiology and Psychiatric Sciences, 2020, 29, e35. | 3.9 | 19 |
| 132 | Immigration background and adolescent mental health problems: the role of family affluence, adolescent educational level and gender. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 435-445. | 3.1 | 19 |
| 133 | Risk moderation of a parent and student preventive alcohol intervention by adolescent and family factors: A cluster randomized trial. Preventive Medicine, 2014, 60, 88-94. | 3.4 | 18 |
| 134 | Actions Speak Louder than Words: An Experiment on the Impact of Peers Discouraging Young Adult Smoking. European Addiction Research, 2011, 17, 316-320. | 2.4 | 17 |
| 135 | The Emerging Gender Gap: Cultural and Economic Conservatism in the Netherlands 1970â€™1992. Political Psychology, 1999, 20, 291-321. | 3.6 | 16 |
| 136 | Young Adult Smoking in Peer Groups: An Experimental Observational Study. Nicotine and Tobacco Research, 2013, 15, 656-661. | 2.6 | 16 |
| 137 | Adolescentsâ€™ use of nicotine replacement therapy for smoking cessation: predictors of compliance trajectories. Psychopharmacology, 2014, 231, 1743-1752. | 3.1 | 16 |
| 138 | STRESS AND ETHNIC IDENTITY IN ETHNIC MINORITY YOUTH IN THE NETHERLANDS. Social Behavior and Personality, 1997, 25, 249-258. | 0.6 | 15 |
| 139 | Young adultsâ€™ recollections of parental bonds. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 703-710. | 3.1 | 15 |
| 140 | Moroccan adolescent suspect offenders in the Netherlands: ethnic differences in offender profiles. Psychology, Crime and Law, 2011, 17, 545-561. | 1.0 | 15 |
| 141 | Mediation and Moderation Effects of an In-Home Family Intervention: the â€™In control: No alcohol!â€™ Pilot Study. Prevention Science, 2014, 15, 633-642. | 2.6 | 15 |
| 142 | Bidirectional associations between depression/anxiety and bowel disease in a population based cohort. Journal of Epidemiology and Community Health, 2005, 59, 434-434. | 3.7 | 14 |
| 143 | Juvenile delinquency as acting out: Emotional disturbance mediating the effects of parental attachment and life events. European Journal of Developmental Psychology, 2005, 2, 39-46. | 1.8 | 14 |
| 144 | Psychological acculturation and juvenile delinquency: Comparing Moroccan immigrant families from a general and pretrial detention population.. Cultural Diversity and Ethnic Minority Psychology, 2014, 20, 254-265. | 2.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Adolescents' Use of Care for Behavioral and Emotional Problems: Types, Trends, and Determinants. PLoS ONE, 2014, 9, e93526. | 2.5 | 14 |
| 146 | Familiality of depression in the community; associations with gender and phenotype of major depressive disorder. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1067-1074. | 3.1 | 13 |
| 147 | Understanding the elevated risk of substance use by adolescents in special education and residential youth care: the role of individual, family and peer factors. European Child and Adolescent Psychiatry, 2013, 23, 461-72. | 4.7 | 13 |
| 148 | The impact of psychiatric history on women's pre- and postabortion experiences. Contraception, 2015, 92, 246-253. | 1.5 | 12 |
| 149 | Beyond not bad or just okay: social predictors of young adults' wellbeing and functioning (a TRAILS) Tj ETQq1 1,0,784314,rgBT /Ove | 4.5 | 12 |
| 150 | Internet Chameleons: An Experimental Study on Imitating Smoking Peers Through Digital Interaction. Nicotine and Tobacco Research, 2012, 14, 323-328. | 2.6 | 9 |
| 151 | The relation between bullying and subclinical psychotic experiences and the influence of the bully climate of school classes. European Child and Adolescent Psychiatry, 2014, 23, 765-772. | 4.7 | 9 |
| 152 | Differential effects of baseline drinking status: Effects of an alcohol prevention program targeting students and/or parents (PAS) among weekly drinking students. Journal of Substance Abuse Treatment, 2014, 46, 522-527. | 2.8 | 9 |
| 153 | Negative and positive participant responses to the Composite International Diagnostic Interview. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 521-527. | 3.1 | 8 |
| 154 | Neurocognitive moderation of associations between cannabis use and psychoneuroticism. Journal of Clinical and Experimental Neuropsychology, 2014, 36, 794-805. | 1.3 | 8 |
| 155 | Mild psychotic experiences among ethnic minority and majority adolescents and the role of ethnic density. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1029-1037. | 3.1 | 8 |
| 156 | Upward trends in the use of community mental health and social work services in the Netherlands between 1979 and 1995: are particular sociodemographic groups responsible?. Acta Psychiatrica Scandinavica, 2003, 108, 447-454. | 4.5 | 6 |
| 157 | Familiality of major depressive disorder and patterns of lifetime comorbidity. The NEMESIS and GenMood studies. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 505-512. | 3.2 | 6 |
| 158 | Using the Youth Self-Report internalizing syndrome scales among immigrant adolescents: Testing measurement invariance across groups and over time. European Journal of Developmental Psychology, 2014, 11, 102-110. | 1.8 | 6 |
| 159 | Age at Menarche and Adolescent Alcohol Use. Journal of Youth and Adolescence, 2014, 43, 1333-1345. | 3.5 | 6 |
| 160 | Do child's psychosocial functioning, and parent and family characteristics predict early alcohol use? The TRAILS Study. European Journal of Public Health, 2015, 25, 38-43. | 0.3 | 6 |
| 161 | Initiation of Substance Use by Adolescents After One Year in Residential Youth Care. Child and Youth Care Forum, 2015, 44, 597-611. | 1.6 | 6 |
| 162 | Social Skills as Precursors of Cannabis Use in Young Adolescents: A Trails Study. Journal of Clinical Child and Adolescent Psychology, 2011, 40, 706-714. | 3.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Risk of Early Onset Substance Use among Students with and without Mild Academic Disabilities: Results of a Discrete-Time Survival Analysis. <i>Learning Disabilities Research and Practice</i> , 2014, 29, 139-149. | 1.1 | 1 |
| 164 | ETHNOCENTRISM IN SECONDARY SCHOOL STUDENTS IN THE NETHERLANDS: AGREEMENT, ABSENCE OF OPINION, AND EDUCATION. <i>Psychological Reports</i> , 1997, 81, 339. | 1.7 | 0 |