

W A M Vollebergh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8871869/publications.pdf>

Version: 2024-02-01

164
papers

14,361
citations

20817

60
h-index

21540

114
g-index

165
all docs

165
docs citations

165
times ranked

14208
citing authors

#	ARTICLE	IF	CITATIONS
1	Revising the self-report strengths and difficulties questionnaire for cross-country comparisons of adolescent mental health problems: the SDQ-R. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e35.	3.9	19
2	Trends over Time in Adolescent Emotional Wellbeing in the Netherlands, 2005-2017: Links with Perceived Schoolwork Pressure, Parent-Adolescent Communication and Bullying Victimization. <i>Journal of Youth and Adolescence</i> , 2020, 49, 2124-2135.	3.5	33
3	Immigration background and adolescent mental health problems: the role of family affluence, adolescent educational level and gender. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 435-445.	3.1	19
4	Beyond not bad or just okay: social predictors of young adults' wellbeing and functioning (a TRAILS) Tj ETQq0 0,0 rgBT /Overlock 10	4.5	12
5	The Happiest Kids on Earth. Gender Equality and Adolescent Life Satisfaction in Europe and North America. <i>Journal of Youth and Adolescence</i> , 2018, 47, 1073-1085.	3.5	50
6	Effects of a combined parent-student alcohol prevention program on intermediate factors and adolescents' drinking behavior: A sequential mediation model. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 719-727.	2.0	21
7	Adolescent Heavy Drinking Does Not Affect Maturation of Basic Executive Functioning: Longitudinal Findings from the TRAILS Study. <i>PLoS ONE</i> , 2015, 10, e0139186.	2.5	36
8	Do child's psychosocial functioning, and parent and family characteristics predict early alcohol use? The TRAILS Study. <i>European Journal of Public Health</i> , 2015, 25, 38-43.	0.3	6
9	Explaining Adolescents' Delinquency and Substance Use. <i>Journal of Research in Crime and Delinquency</i> , 2015, 52, 747-767.	2.4	43
10	The impact of psychiatric history on women's pre- and postabortion experiences. <i>Contraception</i> , 2015, 92, 246-253.	1.5	12
11	The role of general parenting and cannabis-specific parenting practices in adolescent cannabis and other illicit drug use. <i>Drug and Alcohol Dependence</i> , 2015, 147, 222-228.	3.2	48
12	Cohort Profile Update: The Tracking Adolescents' Individual Lives Survey (TRAILS). <i>International Journal of Epidemiology</i> , 2015, 44, 76-76n.	1.9	118
13	Cross-national evidence for the clustering and psychosocial correlates of adolescent risk behaviours in 27 countries. <i>European Journal of Public Health</i> , 2015, 25, 50-56.	0.3	42
14	Ten-year trends in adolescents' self-reported emotional and behavioral problems in the Netherlands. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1119-1128.	4.7	39
15	Mild psychotic experiences among ethnic minority and majority adolescents and the role of ethnic density. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1029-1037.	3.1	8
16	Mental health in Dutch adolescents: a TRAILS report on prevalence, severity, age of onset, continuity and co-morbidity of DSM disorders. <i>Psychological Medicine</i> , 2015, 45, 345-360.	4.5	202
17	Longitudinal relations between cognitive bias and adolescent alcohol use. <i>Addictive Behaviors</i> , 2015, 44, 51-57.	3.0	24
18	Initiation of Substance Use by Adolescents After One Year in Residential Youth Care. <i>Child and Youth Care Forum</i> , 2015, 44, 597-611.	1.6	6

#	ARTICLE	IF	CITATIONS
19	Substance use outcomes in the Healthy School and Drugs program: Results from a latent growth curve approach. <i>Addictive Behaviors</i> , 2015, 42, 194-202.	3.0	23
20	Neurocognitive moderation of associations between cannabis use and psychoneuroticism. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 794-805.	1.3	8
21	Interactions between Parental Alcohol-Specific Rules and Risk Personalities in the Prediction of Adolescent Alcohol Use. <i>Alcohol and Alcoholism</i> , 2014, 49, 579-585.	1.6	24
22	Effectiveness of the "Healthy School and Drugs"™ prevention programme on adolescents' substance use: a randomized clustered trial. <i>Addiction</i> , 2014, 109, 1031-1040.	3.3	32
23	A test of the vulnerability model: temperament and temperament change as predictors of future mental disorders—the TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 227-236.	5.2	36
24	Using the Youth Self-Report internalizing syndrome scales among immigrant adolescents: Testing measurement invariance across groups and over time. <i>European Journal of Developmental Psychology</i> , 2014, 11, 102-110.	1.8	6
25	The Relationship Between Excessive Alcohol Consumption and Alcohol Use Disorders According to DSM-IV and DSM-5. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 249-256.	2.4	19
26	Legal substance use and the development of a DSM-IV cannabis use disorder during adolescence: the TRAILS study. <i>Addiction</i> , 2014, 109, 303-311.	3.3	23
27	Do societal wealth, family affluence and gender account for trends in adolescent cannabis use? A 30 country cross-national study. <i>Addiction</i> , 2014, 109, 273-283.	3.3	63
28	Risk of Early Onset Substance Use among Students with and without Mild Academic Disabilities: Results of a Discrete-Time Survival Analysis. <i>Learning Disabilities Research and Practice</i> , 2014, 29, 139-149.	1.1	1
29	Short-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: A randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 120-127.	2.8	23
30	Trends in alcohol-specific parenting practices and adolescent alcohol use between 2007 and 2011 in the Netherlands. <i>International Journal of Drug Policy</i> , 2014, 25, 133-141.	3.3	37
31	Long-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2014, 140, 217-220.	3.2	21
32	Risk moderation of a parent and student preventive alcohol intervention by adolescent and family factors: A cluster randomized trial. <i>Preventive Medicine</i> , 2014, 60, 88-94.	3.4	18
33	Age at Menarche and Adolescent Alcohol Use. <i>Journal of Youth and Adolescence</i> , 2014, 43, 1333-1345.	3.5	6
34	The relation between bullying and subclinical psychotic experiences and the influence of the bully climate of school classes. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 765-772.	4.7	9
35	Mediation and Moderation Effects of an In-Home Family Intervention: the "In control: No alcohol!" Pilot Study. <i>Prevention Science</i> , 2014, 15, 633-642.	2.6	15
36	Working Memory and Alcohol Use in At-Risk Adolescents: A 2-Year Follow-Up. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1176-1183.	2.4	68

#	ARTICLE	IF	CITATIONS
37	Alcohol consumption and symptoms as predictors for relapse of DSM-5 alcohol use disorder. Drug and Alcohol Dependence, 2014, 140, 85-91.	3.2	43
38	Adolescents' use of nicotine replacement therapy for smoking cessation: predictors of compliance trajectories. Psychopharmacology, 2014, 231, 1743-1752.	3.1	16
39	Differential effects of baseline drinking status: Effects of an alcohol prevention program targeting students and/or parents (PAS) among weekly drinking students. Journal of Substance Abuse Treatment, 2014, 46, 522-527.	2.8	9
40	Psychological acculturation and juvenile delinquency: Comparing Moroccan immigrant families from a general and pretrial detention population.. Cultural Diversity and Ethnic Minority Psychology, 2014, 20, 254-265.	2.0	14
41	Psychological Changes and Cognitive Impairments in Adolescent Heavy Drinkers. Alcohol and Alcoholism, 2014, 49, 182-186.	1.6	40
42	Executive functioning shows differential maturation from early to late adolescence: Longitudinal findings from a TRAILS study.. Neuropsychology, 2014, 28, 177-187.	1.3	68
43	Adolescents' Use of Care for Behavioral and Emotional Problems: Types, Trends, and Determinants. PLoS ONE, 2014, 9, e93526.	2.5	14
44	Understanding the elevated risk of substance use by adolescents in special education and residential youth care: the role of individual, family and peer factors. European Child and Adolescent Psychiatry, 2013, 23, 461-72.	4.7	13
45	Need for mental health care in adolescents and its determinants: The TRAILS Study. European Journal of Public Health, 2013, 23, 236-241.	0.3	23
46	Young Adult Smoking in Peer Groups: An Experimental Observational Study. Nicotine and Tobacco Research, 2013, 15, 656-661.	2.6	16
47	Internet Chameleons: An Experimental Study on Imitating Smoking Peers Through Digital Interaction. Nicotine and Tobacco Research, 2012, 14, 323-328.	2.6	9
48	The Role of Individual- and Macro-Level Social Determinants on Young Adolescents' Psychosomatic Complaints. Journal of Early Adolescence, 2012, 32, 126-158.	1.9	43
49	Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and Severity—Implications for Diagnosis and Ultra-High Risk Research. Schizophrenia Bulletin, 2012, 38, 247-257.	4.3	324
50	Early trauma and familial risk in the development of the extended psychosis phenotype in adolescence. Acta Psychiatrica Scandinavica, 2012, 126, 266-273.	4.5	52
51	Individual and environmental predictors of health risk behaviours among Dutch adolescents: The HBSC study. Public Health, 2012, 126, 566-573.	2.9	41
52	Predicting Transitions in Low and High Levels of Risk Behavior from Early to Middle Adolescence: The TRAILS Study. Journal of Abnormal Child Psychology, 2012, 40, 923-931.	3.5	20
53	Cannabis use and subclinical positive psychotic experiences in early adolescence: findings from a Dutch survey. Addiction, 2012, 107, 381-387.	3.3	41
54	Social Skills as Precursors of Cannabis Use in Young Adolescents: A Trails Study. Journal of Clinical Child and Adolescent Psychology, 2011, 40, 706-714.	3.4	5

#	ARTICLE	IF	CITATIONS
55	The relationship between coping and subclinical psychotic experiences in adolescents from the general population – a longitudinal study. <i>Psychological Medicine</i> , 2011, 41, 2535-2546.	4.5	63
56	Subclinical psychosis and depression: Co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011, 130, 277-281.	2.0	41
57	Long-Term Effects of a Parent and Student Intervention on Alcohol Use in Adolescents. <i>American Journal of Preventive Medicine</i> , 2011, 40, 541-547.	3.0	83
58	DRD2 and DRD4 in relation to regular alcohol and cannabis use among adolescents: Does parenting modify the impact of genetic vulnerability? The TRAILS study. <i>Drug and Alcohol Dependence</i> , 2011, 115, 35-42.	3.2	36
59	Cannabis use and development of externalizing and internalizing behaviour problems in early adolescence: A TRAILS study. <i>Drug and Alcohol Dependence</i> , 2011, 116, 11-17.	3.2	53
60	Can the Gateway Hypothesis, the Common Liability Model and/or, the Route of Administration Model Predict Initiation of Cannabis Use During Adolescence? A Survival Analysis – The TRAILS Study. <i>Journal of Adolescent Health</i> , 2011, 48, 73-78.	2.5	62
61	Buying cannabis in – coffee shops –™. <i>Drug and Alcohol Review</i> , 2011, 30, 148-156.	2.1	29
62	Why target early adolescents and parents in alcohol prevention? The mediating effects of self-control, rules and attitudes about alcohol use. <i>Addiction</i> , 2011, 106, 538-546.	3.3	72
63	Cross-ethnic generalizability of the three-factor model of psychopathy: The Youth Psychopathic Traits Inventory in an incarcerated sample of native Dutch and Moroccan immigrant boys. <i>International Journal of Law and Psychiatry</i> , 2011, 34, 127-130.	0.9	29
64	National Income and Income Inequality, Family Affluence and Life Satisfaction Among 13-Year Old Boys and Girls: A Multilevel Study in 35 Countries. <i>Social Indicators Research</i> , 2011, 104, 179-194.	2.7	79
65	Substance use by adolescents in special education and residential youth care institutions. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 311-319.	4.7	33
66	A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 546-552.	1.7	45
67	The Structure of The Extended Psychosis Phenotype in Early Adolescence – A Cross-sample Replication. <i>Schizophrenia Bulletin</i> , 2011, 37, 850-860.	4.3	168
68	Actions Speak Louder than Words: An Experiment on the Impact of Peers Discouraging Young Adult Smoking. <i>European Addiction Research</i> , 2011, 17, 316-320.	2.4	17
69	Prenatal Smoking Exposure and the Risk of Behavioral Problems and Substance Use in Adolescence: the TRAILS Study. <i>European Addiction Research</i> , 2011, 17, 342-350.	2.4	29
70	Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , 2011, 41, 2317-2329.	4.5	93
71	Moroccan adolescent suspect offenders in the Netherlands: ethnic differences in offender profiles. <i>Psychology, Crime and Law</i> , 2011, 17, 545-561.	1.0	15
72	Identifying target groups for the prevention of anxiety disorders in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 56-65.	4.5	20

#	ARTICLE	IF	CITATIONS
73	Ethnic density in school classes and adolescent mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 639-646.	3.1	28
74	Ethnic differences in mental health among incarcerated youths: do Moroccan immigrant boys show less psychopathology than native Dutch boys?. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 431-440.	4.7	34
75	Substance use risk profiles and associations with early substance use in adolescence. <i>Journal of Behavioral Medicine</i> , 2010, 33, 474-485.	2.1	120
76	Cross-national comparison of adolescent drinking and cannabis use in the United States, Canada, and the Netherlands. <i>International Journal of Drug Policy</i> , 2010, 21, 64-69.	3.3	70
77	The course of panic attacks in individuals with panic disorder and subthreshold panic disorder: A population-based study. <i>Journal of Affective Disorders</i> , 2010, 121, 30-38.	4.1	37
78	Predicting lifetime and regular cannabis use during adolescence; the roles of temperament and peer substance use: the TRAILS study. <i>Addiction</i> , 2010, 105, 699-708.	3.3	74
79	The 2-year prognosis of panic episodes in the general population. <i>Psychological Medicine</i> , 2010, 40, 147-157.	4.5	35
80	Alcohol-specific socialization practices and alcohol use in Dutch early adolescents. <i>Journal of Adolescence</i> , 2010, 33, 93-100.	2.4	67
81	Is it the music? Peer substance use as a mediator of the link between music preferences and adolescent substance use. <i>Journal of Adolescence</i> , 2010, 33, 387-394.	2.4	40
82	Familiality of depression in the community; associations with gender and phenotype of major depressive disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1067-1074.	3.1	13
83	Preventing heavy alcohol use in adolescents (PAS): cluster randomized trial of a parent and student intervention offered separately and simultaneously. <i>Addiction</i> , 2009, 104, 1669-1678.	3.3	174
84	The role of temperament in the relationship between early onset of tobacco and cannabis use: The TRAILS study. <i>Drug and Alcohol Dependence</i> , 2009, 104, 113-118.	3.2	30
85	The Soundtrack of Substance Use: Music Preference and Adolescent Smoking and Drinking. <i>Substance Use and Misuse</i> , 2009, 44, 514-531.	1.4	46
86	Familiality of major depressive disorder and patterns of lifetime comorbidity. The NEMESIS and GenMood studies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 505-512.	3.2	6
87	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 185-197.	2.1	49
88	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 451-458.	4.5	115
89	Mental health in migrant children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008, 49, 276-294.	5.2	268
90	Problem Behavior and Acculturation in Moroccan Immigrant Adolescents in the Netherlands. <i>Journal of Cross-Cultural Psychology</i> , 2007, 38, 310-317.	1.6	42

#	ARTICLE	IF	CITATIONS
91	Parenting and Internalizing and Externalizing Problems in Moroccan Immigrant Youth in the Netherlands. <i>Journal of Youth and Adolescence</i> , 2007, 36, 685-695.	3.5	27
92	Body Mass Index and Body Weight Perception as Risk Factors for Internalizing and Externalizing Problem Behavior Among Adolescents. <i>Journal of Adolescent Health</i> , 2006, 39, 27-34.	2.5	182
93	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 492-500.	4.5	142
94	The three year course of alcohol use disorders in the general population: DSM-IV, ICD-10 and the Craving Withdrawal Model. <i>Addiction</i> , 2006, 101, 385-392.	3.3	54
95	Mental health problems in early adolescents in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 156-163.	3.1	27
96	The Cross-Cultural Equivalence of Parental Rearing Measure: EMBU-C. <i>European Journal of Psychological Assessment</i> , 2006, 22, 85-91.	3.0	42
97	Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. <i>British Journal of Clinical Psychology</i> , 2005, 44, 113-125.	3.5	124
98	The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , 2005, 44, 181-191.	3.5	377
99	First cannabis use: does onset shift to younger ages? Findings from 1988 to 2003 from the Dutch National School Survey on Substance Use. <i>Addiction</i> , 2005, 100, 963-970.	3.3	91
100	Comorbidity of physical and mental disorders and the effect on work-loss days. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 436-443.	4.5	181
101	Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. <i>Acta Psychiatrica Scandinavica</i> , 2005, 112, 360-366.	4.5	95
102	Mental health in immigrant children in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 489-496.	3.1	105
103	Does neuroticism explain variations in care service use for mental health problems in the general population?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 425-431.	3.1	61
104	Predicting externalizing problems in Moroccan immigrant adolescents in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 571-579.	3.1	48
105	ALCOHOL ABUSE AND DEPENDENCE CRITERIA AS PREDICTORS OF A CHRONIC COURSE OF ALCOHOL USE DISORDERS IN THE GENERAL POPULATION. <i>Alcohol and Alcoholism</i> , 2005, 40, 441-446.	1.6	24
106	Seasonal Variations in Mental Disorders in the General Population of a Country with a Maritime Climate: Findings from the Netherlands Mental Health Survey and Incidence Study. <i>American Journal of Epidemiology</i> , 2005, 162, 654-661.	3.4	100
107	Bidirectional associations between depression/anxiety and bowel disease in a population based cohort. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 434-434.	3.7	14
108	THE CRAVING WITHDRAWAL MODEL FOR ALCOHOLISM: TOWARDS THE DSM-V. IMPROVING THE DISCRIMINANT VALIDITY OF ALCOHOL USE DISORDER DIAGNOSIS. <i>Alcohol and Alcoholism</i> , 2005, 40, 314-322.	1.6	27

#	ARTICLE	IF	CITATIONS
109	Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , 2005, 76, 99-103.	2.0	45
110	Juvenile delinquency as acting out: Emotional disturbance mediating the effects of parental attachment and life events. <i>European Journal of Developmental Psychology</i> , 2005, 2, 39-46.	1.8	14
111	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005, 46, 192-199.	3.1	54
112	Patterns of Psychological Acculturation in Adult and Adolescent Moroccan Immigrants Living in the Netherlands. <i>Journal of Cross-Cultural Psychology</i> , 2004, 35, 689-704.	1.6	73
113	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 8-20.	4.5	136
114	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 21-27.	4.5	1,053
115	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 28-37.	4.5	157
116	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 38-46.	4.5	285
117	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 47-54.	4.5	333
118	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 55-64.	4.5	143
119	Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 264-272.	4.5	70
120	Prevalence of bipolar disorder in the general population: a Reappraisal Study of the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 374-382.	4.5	77
121	What depressive symptoms are associated with the use of care services?. <i>Journal of Affective Disorders</i> , 2004, 80, 239-248.	4.1	46
122	Selecting key variables for depression prevention: results from a population-based prospective epidemiological study. <i>Journal of Affective Disorders</i> , 2004, 81, 241-249.	4.1	50
123	The suicidal process; prospective comparison between early and later stages. <i>Journal of Affective Disorders</i> , 2004, 82, 43-52.	4.1	111
124	Functioning after a major depressive episode: complete or incomplete recovery?. <i>Journal of Affective Disorders</i> , 2004, 82, 363-71.	4.1	45
125	Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study. <i>Journal of Affective Disorders</i> , 2004, 82, 461-467.	4.1	99
126	Negative and positive participant responses to the Composite International Diagnostic Interview. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 521-527.	3.1	8

#	ARTICLE	IF	CITATIONS
127	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 600-605.	3.1	38
128	Young adults' recollections of parental bonds. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 703-710.	3.1	15
129	Rapid onset of comorbidity of common mental disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 55-63.	4.5	101
130	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004, 34, 1177-1186.	4.5	91
131	Psychosocial Disability Before, During, and After a Major Depressive Episode. <i>Archives of General Psychiatry</i> , 2004, 61, 387.	12.3	137
132	Temporal sequencing of lifetime mood disorders in relation to comorbid anxiety and substance use disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 1-11.	3.1	169
133	Parent, teacher and self-reported problem behavior in The Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 576-585.	3.1	142
134	Young adults' relationship transitions and the incidence of mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 669-676.	3.1	34
135	The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2003, 12, 3-21.	2.1	857
136	Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 369-377.	4.5	126
137	Does educational background explain inequalities in care service use for mental health problems in the Dutch general population?. <i>Acta Psychiatrica Scandinavica</i> , 2003, 107, 178-187.	4.5	59
138	Upward trends in the use of community mental health and social work services in the Netherlands between 1979 and 1995: are particular sociodemographic groups responsible?. <i>Acta Psychiatrica Scandinavica</i> , 2003, 108, 447-454.	4.5	6
139	Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , 2003, 63, 89-95.	2.0	103
140	Parental attachment and romantic relationships: Associations with emotional disturbance during late adolescence.. <i>Journal of Counseling Psychology</i> , 2003, 50, 28-39.	2.0	36
141	When Does Experience of Psychosis Result in a Need for Care? A Prospective General Population Study. <i>Schizophrenia Bulletin</i> , 2003, 29, 349-358.	4.3	80
142	Do Urbanicity and Familial Liability Coparticipate in Causing Psychosis?. <i>American Journal of Psychiatry</i> , 2003, 160, 477-482.	7.2	158
143	Discrimination and delusional ideation. <i>British Journal of Psychiatry</i> , 2003, 182, 71-76.	2.8	253
144	Solidarity in Dutch Families. <i>Journal of Family Issues</i> , 2002, 23, 171-188.	1.6	59

#	ARTICLE	IF	CITATIONS
145	Risk Factors for 12-Month Comorbidity of Mood, Anxiety, and Substance Use Disorders: Findings From the Netherlands Mental Health Survey and Incidence Study. <i>American Journal of Psychiatry</i> , 2002, 159, 620-629.	7.2	320
146	Combined effect of mental disorder and low social support on care service use for mental health problems in the Dutch general population. <i>Psychological Medicine</i> , 2002, 32, 311-323.	4.5	52
147	Parental and peer attachment and identity development in adolescence. <i>Journal of Adolescence</i> , 2002, 25, 93-106.	2.4	195
148	Bipolar disorder in the general population in The Netherlands (prevalence, consequences and care) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 <i>Journal of Affective Disorders</i> , 2002, 68, 203-213.	4.1	175
149	The European Study of the Epidemiology of Mental Disorders (ESEMED/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 55-67.	2.1	85
150	Bulimia nervosa following psychological and multiple child abuse: Support for the self-medication hypothesis in a population-based cohort study. <i>International Journal of Eating Disorders</i> , 2002, 32, 381-388.	4.0	36
151	Gender and age-specific first incidence of DSM-III-R psychiatric disorders in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 372-379.	3.1	168
152	Does the urban environment independently increase the risk for both negative and positive features of psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 460-464.	3.1	39
153	Predictors of first incidence of DSM-III-R psychiatric disorders in the general population: findings from the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 303-313.	4.5	159
154	Predictors of incident care service utilisation for mental health problems in the Dutch general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 141-149.	3.1	30
155	Course, Co-Occurrence, and Longitudinal Associations of Emotional Disturbance and Delinquency from Adolescence to Young Adulthood: A Six-Year Three-Wave Study. <i>Journal of Youth and Adolescence</i> , 2001, 30, 401-426.	3.5	73
156	Intergenerational Transmission and the Formation of Cultural Orientations in Adolescence and Young Adulthood. <i>Journal of Marriage and Family</i> , 2001, 63, 1185-1198.	2.6	205
157	The Structure and Stability of Common Mental Disorders. <i>Archives of General Psychiatry</i> , 2001, 58, 597.	12.3	478
158	Youth Centrism and the Formation of Political Orientations in Adolescence and Young Adulthood. <i>Journal of Cross-Cultural Psychology</i> , 2001, 32, 229-240.	1.6	21
159	Social Support from Parents and Friends and Emotional Problems in Adolescence. <i>Journal of Youth and Adolescence</i> , 2000, 29, 319-335.	3.5	489
160	Psychiatric and Sociodemographic Predictors of Attrition in a Longitudinal Study The Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>American Journal of Epidemiology</i> , 2000, 152, 1039-1047.	3.4	297
161	The Emerging Gender Gap: Cultural and Economic Conservatism in the Netherlands 1970-1992. <i>Political Psychology</i> , 1999, 20, 291-321.	3.6	16
162	Patterns of Adolescent Identity Development: Review of Literature and Longitudinal Analysis. <i>Developmental Review</i> , 1999, 19, 419-461.	4.7	342

#	ARTICLE	IF	CITATIONS
163	STRESS AND ETHNIC IDENTITY IN ETHNIC MINORITY YOUTH IN THE NETHERLANDS. <i>Social Behavior and Personality</i> , 1997, 25, 249-258.	0.6	15
164	ETHNOCENTRISM IN SECONDARY SCHOOL STUDENTS IN THE NETHERLANDS: AGREEMENT, ABSENCE OF OPINION, AND EDUCATION. <i>Psychological Reports</i> , 1997, 81, 339.	1.7	0