

# Carlos Caldas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8879034/publications.pdf>

Version: 2024-02-01

410  
papers

77,660  
citations

1172

114  
h-index

660

263  
g-index

454  
all docs

454  
docs citations

454  
times ranked

91887  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical utility of whole-genome sequencing in precision oncology. <i>Seminars in Cancer Biology</i> , 2022, 84, 32-39.	4.3	35
2	Analytical demands to use whole-genome sequencing in precision oncology. <i>Seminars in Cancer Biology</i> , 2022, 84, 16-22.	4.3	22
3	Clinical interpretation of whole-genome and whole-transcriptome sequencing for precision oncology. <i>Seminars in Cancer Biology</i> , 2022, 84, 23-31.	4.3	10
4	Clonal populations of a human TNBC model display significant functional heterogeneity and divergent growth dynamics in distinct contexts. <i>Oncogene</i> , 2022, 41, 112-124.	2.6	6
5	Residual cancer burden after neoadjuvant chemotherapy and long-term survival outcomes in breast cancer: a multicentre pooled analysis of 5161 patients. <i>Lancet Oncology</i> , The, 2022, 23, 149-160.	5.1	148
6	Multi-omic machine learning predictor of breast cancer therapy response. <i>Nature</i> , 2022, 601, 623-629.	13.7	187
7	The Molecular Tumor Board Portal supports clinical decisions and automated reporting for precision oncology. <i>Nature Cancer</i> , 2022, 3, 251-261.	5.7	44
8	Nucleoporin-93 reveals a common feature of aggressive breast cancers: robust nucleocytoplasmic transport of transcription factors. <i>Cell Reports</i> , 2022, 38, 110418.	2.9	12
9	Modeling the Prognostic Impact of Circulating Tumor Cells Enumeration in Metastatic Breast Cancer for Clinical Trial Design Simulation. <i>Oncologist</i> , 2022, 27, e561-e570.	1.9	5
10	Preclinical <i>In Vivo</i> Validation of the RAD51 Test for Identification of Homologous Recombination-Deficient Tumors and Patient Stratification. <i>Cancer Research</i> , 2022, 82, 1646-1657.	0.4	40
11	Breast tumor microenvironment structures are associated with genomic features and clinical outcome. <i>Nature Genetics</i> , 2022, 54, 660-669.	9.4	88
12	Allelic expression imbalance of PIK3CA mutations is frequent in breast cancer and prognostically significant. <i>Npj Breast Cancer</i> , 2022, 8, .	2.3	1
13	Germline allelic expression of genes at 17q22 locus associates with risk of breast cancer. <i>European Journal of Cancer</i> , 2022, 172, 146-157.	1.3	0
14	Serial Analysis of Circulating Tumor Cells in Metastatic Breast Cancer Receiving First-Line Chemotherapy. <i>Journal of the National Cancer Institute</i> , 2021, 113, 443-452.	3.0	22
15	NRG1 fusions in breast cancer. <i>Breast Cancer Research</i> , 2021, 23, 3.	2.2	18
16	Abstract GS4-08: Clinical utility of repeated circulating tumor cell (CTC) enumeration as early treatment monitoring tool in metastatic breast cancer (MBC) - a global pooled analysis with individual patient data. , 2021, , .		2
17	FGFR1 amplification or overexpression and hormonal resistance in luminal breast cancer: rationale for a triple blockade of ER, CDK4/6, and FGFR1. <i>Breast Cancer Research</i> , 2021, 23, 21.	2.2	22
18	Time-resolved single-cell analysis of Brca1 associated mammary tumorigenesis reveals aberrant differentiation of luminal progenitors. <i>Nature Communications</i> , 2021, 12, 1502.	5.8	34

#	ARTICLE	IF	CITATIONS
19	Landscapes of cellular phenotypic diversity in breast cancer xenografts and their impact on drug response. <i>Nature Communications</i> , 2021, 12, 1998.	5.8	37
20	PI3K activation promotes resistance to eribulin in HER2-negative breast cancer. <i>British Journal of Cancer</i> , 2021, 124, 1581-1591.	2.9	12
21	Characterisation of PALB2 tumours through whole-exome and whole-transcriptomic analyses. <i>Npj Breast Cancer</i> , 2021, 7, 46.	2.3	6
22	Intestinal microbiota influences clinical outcome and side effects of early breast cancer treatment. <i>Cell Death and Differentiation</i> , 2021, 28, 2778-2796.	5.0	72
23	Deciphering the signaling network of breast cancer improves drug sensitivity prediction. <i>Cell Systems</i> , 2021, 12, 401-418.e12.	2.9	22
24	TSHZ2 is an EGF-regulated tumor suppressor that binds to the cytokinesis regulator PRC1 and inhibits metastasis. <i>Science Signaling</i> , 2021, 14, .	1.6	7
25	High-throughput surface marker screen on primary human breast tissues reveals further cellular heterogeneity. <i>Breast Cancer Research</i> , 2021, 23, 66.	2.2	5
26	The temporal mutational and immune tumour microenvironment remodelling of HER2-negative primary breast cancers. <i>Npj Breast Cancer</i> , 2021, 7, 73.	2.3	2
27	Clonal fitness inferred from time-series modelling of single-cell cancer genomes. <i>Nature</i> , 2021, 595, 585-590.	13.7	71
28	Functional genomics approaches to improve pre-clinical drug screening and biomarker discovery. <i>EMBO Molecular Medicine</i> , 2021, 13, e13189.	3.3	5
29	Circulating tumor DNA is readily detectable among Ghanaian breast cancer patients supporting non-invasive cancer genomic studies in Africa. <i>Npj Precision Oncology</i> , 2021, 5, 83.	2.3	4
30	Metabolic imaging with hyperpolarized [1-13C] pyruvate in patient-derived preclinical mouse models of breast cancer. <i>STAR Protocols</i> , 2021, 2, 100608.	0.5	2
31	3D deformable registration of longitudinal abdominopelvic CT images using unsupervised deep learning. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 208, 106261.	2.6	9
32	DNA methylation landscapes of 1538 breast cancers reveal a replication-linked clock, epigenomic instability and cis-regulation. <i>Nature Communications</i> , 2021, 12, 5406.	5.8	29
33	Germline <i>APOBEC3B</i> deletion increases somatic hypermutation in Asian breast cancer that is associated with Her2 subtype, <i>PIK3CA</i> mutations and immune activation. <i>International Journal of Cancer</i> , 2021, 148, 2489-2501.	2.3	15
34	Hyperpolarized Carbon-13 MRI for Early Response Assessment of Neoadjuvant Chemotherapy in Breast Cancer Patients. <i>Cancer Research</i> , 2021, 81, 6004-6017.	0.4	25
35	Determinants of anti-PD-1 response and resistance in clear cell renal cell carcinoma. <i>Cancer Cell</i> , 2021, 39, 1497-1518.e11.	7.7	126
36	Positive correlation between transcriptomic stemness and PI3K/AKT/mTOR signaling scores in breast cancer, and a counterintuitive relationship with <i>PIK3CA</i> genotype. <i>PLoS Genetics</i> , 2021, 17, e1009876.	1.5	14

#	ARTICLE	IF	CITATIONS
37	Fbxl17 is rearranged in breast cancer and loss of its activity leads to increased global O-GlcNAcylation. Cellular and Molecular Life Sciences, 2020, 77, 2605-2620.	2.4	10
38	ARID1A influences HDAC1/BRD4 activity, intrinsic proliferative capacity and breast cancer treatment response. Nature Genetics, 2020, 52, 187-197.	9.4	108
39	Association Between Levels of Sex Hormones and Risk of Esophageal Adenocarcinoma and Barrett's Esophagus. Clinical Gastroenterology and Hepatology, 2020, 18, 2701-2709.e3.	2.4	12
40	Metabolic Imaging Detects Resistance to PI3K Inhibition Mediated by Persistent FOXM1 Expression in ER+ Breast Cancer. Cancer Cell, 2020, 38, 516-533.e9.	7.7	38
41	Hyperpolarized <sup>13</sup> C MRI of Tumor Metabolism Demonstrates Early Metabolic Response to Neoadjuvant Chemotherapy in Breast Cancer. Radiology Imaging Cancer, 2020, 2, e200017.	0.7	40
42	Towards a cancer mission in Horizon Europe: recommendations. Molecular Oncology, 2020, 14, 1589-1615.	2.1	33
43	Landscape of G-quadruplex DNA structural regions in breast cancer. Nature Genetics, 2020, 52, 878-883.	9.4	122
44	Sex differences in oncogenic mutational processes. Nature Communications, 2020, 11, 4330.	5.8	60
45	Sex-Specific Genetic Associations for Barrett's Esophagus and Esophageal Adenocarcinoma. Gastroenterology, 2020, 159, 2065-2076.e1.	0.6	16
46	Association of Sperm-Associated Antigen 5 and Treatment Response in Patients With Estrogen Receptor-Positive Breast Cancer. JAMA Network Open, 2020, 3, e209486.	2.8	2
47	Age-correlated protein and transcript expression in breast cancer and normal breast tissues is dominated by host endocrine effects. Nature Cancer, 2020, 1, 518-532.	5.7	11
48	Transcriptional profiling reveals a subset of human breast tumors that retain wt TP53 but display mutant p53-associated features. Molecular Oncology, 2020, 14, 1640-1652.	2.1	8
49	Trial watch : the gut microbiota as a tool to boost the clinical efficacy of anticancer immunotherapy. Oncoimmunology, 2020, 9, 1774298.	2.1	22
50	ctDNA monitoring using patient-specific sequencing and integration of variant reads. Science Translational Medicine, 2020, 12, .	5.8	116
51	Representative Sequencing: Unbiased Sampling of Solid Tumor Tissue. Cell Reports, 2020, 31, 107550.	2.9	51
52	The GATA3 X308_Splice breast cancer mutation is a hormone context-dependent oncogenic driver. Oncogene, 2020, 39, 5455-5467.	2.6	12
53	Cancer-associated fibroblast compositions change with breast cancer progression linking the ratio of S100A4+ and PDPN+ CAFs to clinical outcome. Nature Cancer, 2020, 1, 692-708.	5.7	159
54	Support systems to guide clinical decision-making in precision oncology: The Cancer Core Europe Molecular Tumor Board Portal. Nature Medicine, 2020, 26, 992-994.	15.2	56

#	ARTICLE	IF	CITATIONS
55	Imaging breast cancer using hyperpolarized carbon-13 MRI. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 2092-2098.	3.3	138
56	Imaging mass cytometry and multiplatform genomics define the phenogenomic landscape of breast cancer. Nature Cancer, 2020, 1, 163-175.	5.7	209
57	A network analysis to identify mediators of germline-driven differences in breast cancer prognosis. Nature Communications, 2020, 11, 312.	5.8	30
58	Caring for patients with cancer in the COVID-19 era. Nature Medicine, 2020, 26, 665-671.	15.2	269
59	Genetic Alterations in the PI3K/AKT Pathway and Baseline AKT Activity Define AKT Inhibitor Sensitivity in Breast Cancer Patient-derived Xenografts. Clinical Cancer Research, 2020, 26, 3720-3731.	3.2	21
60	The molecular landscape of Asian breast cancers reveals clinically relevant population-specific differences. Nature Communications, 2020, 11, 6433.	5.8	37
61	DNA copy number motifs are strong and independent predictors of survival in breast cancer. Communications Biology, 2020, 3, 153.	2.0	9
62	Six versus 12 monthsâ€™ adjuvant trastuzumab in patients with HER2-positive early breast cancer: the PERSEPHONE non-inferiority RCT. Health Technology Assessment, 2020, 24, 1-190.	1.3	11
63	Deep Sequencing of B Cell Receptor Repertoires From COVID-19 Patients Reveals Strong Convergent Immune Signatures. Frontiers in Immunology, 2020, 11, 605170.	2.2	101
64	Personalized circulating tumor DNA analysis to detect residual disease after neoadjuvant therapy in breast cancer. Science Translational Medicine, 2019, 11, .	5.8	197
65	BET Inhibition as a Rational Therapeutic Strategy for Invasive Lobular Breast Cancer. Clinical Cancer Research, 2019, 25, 7139-7150.	3.2	18
66	POSEIDON Trial Phase 1b Results: Safety, Efficacy and Circulating Tumor DNA Response of the Beta Isoform-Sparing PI3K Inhibitor Taselisib (GDC-0032) Combined with Tamoxifen in Hormone Receptor Positive Metastatic Breast Cancer Patients. Clinical Cancer Research, 2019, 25, 6598-6605.	3.2	17
67	Clonal Decomposition and DNA Replication States Defined by Scaled Single-Cell Genome Sequencing. Cell, 2019, 179, 1207-1221.e22.	13.5	162
68	Cancer Core Europe: A translational research infrastructure for a European mission on cancer. Molecular Oncology, 2019, 13, 521-527.	2.1	38
69	The circular RNome of primary breast cancer. Genome Research, 2019, 29, 356-366.	2.4	85
70	Chlorambucil targets <i>BRCA1</i> -deficient tumours and counteracts <i>PARP</i> inhibitor resistance. EMBO Molecular Medicine, 2019, 11, e9982.	3.3	26
71	Chromosome 12p Amplification in Triple-Negative <i>BRCA1</i> -Mutated Breast Cancer Associates with Emergence of Docetaxel Resistance and Carboplatin Sensitivity. Cancer Research, 2019, 79, 4258-4270.	0.4	17
72	<i>EN1</i> Is a Transcriptional Dependency in Triple-Negative Breast Cancer Associated with Brain Metastasis. Cancer Research, 2019, 79, 4173-4183.	0.4	47

#	ARTICLE	IF	CITATIONS
73	6 versus 12 months of adjuvant trastuzumab for HER2-positive early breast cancer (PERSEPHONE): 4-year disease-free survival results of a randomised phase 3 non-inferiority trial. <i>Lancet, The</i> , 2019, 393, 2599-2612.	6.3	225
74	The Genomic and Immune Landscapes of Lethal Metastatic Breast Cancer. <i>Cell Reports</i> , 2019, 27, 2690-2708.e10.	2.9	95
75	A key genomic subtype associated with lymphovascular invasion in invasive breast cancer. <i>British Journal of Cancer</i> , 2019, 120, 1129-1136.	2.9	25
76	EZH2 Is Overexpressed in <i>BRCA1</i> -like Breast Tumors and Predictive for Sensitivity to High-Dose Platinum-Based Chemotherapy. <i>Clinical Cancer Research</i> , 2019, 25, 4351-4362.	3.2	33
77	PDLIM2 Is a Marker of Adhesion and $\beta$ -Catenin Activity in Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2019, 79, 2619-2633.	0.4	14
78	Cancer Treatment in the Genomic Era. <i>Annual Review of Biochemistry</i> , 2019, 88, 247-280.	5.0	24
79	Dynamics of breast-cancer relapse reveal late-recurring ER-positive genomic subgroups. <i>Nature</i> , 2019, 567, 399-404.	13.7	239
80	miR-342-5p as a Potential Regulator of HER2 Breast Cancer Cell Growth. <i>MicroRNA (Shariqah, United)</i> Tj ETQq0 0 0 r gBT /Overlock 10 Tf	0.6	27
81	Combined quantitative measures of ER, PR, HER2, and KI67 provide more prognostic information than categorical combinations in luminal breast cancer. <i>Modern Pathology</i> , 2019, 32, 1244-1256.	2.9	51
82	No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2227-2235.e1.	2.4	16
83	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019, 120, 647-657.	2.9	52
84	Clonal replacement and heterogeneity in breast tumors treated with neoadjuvant HER2-targeted therapy. <i>Nature Communications</i> , 2019, 10, 657.	5.8	43
85	Tumor diversity and the trade-off between universal cancer tasks. <i>Nature Communications</i> , 2019, 10, 5423.	5.8	53
86	PathTracer: High-sensitivity detection of differential pathway activity in tumours. <i>Scientific Reports</i> , 2019, 9, 16332.	1.6	2
87	The clinical use of circulating tumor cells (CTCs) enumeration for staging of metastatic breast cancer (MBC): International expert consensus paper. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 134, 39-45.	2.0	200
88	Next Generation-Targeted Amplicon Sequencing (NG-TAS): an optimised protocol and computational pipeline for cost-effective profiling of circulating tumour DNA. <i>Genome Medicine</i> , 2019, 11, 1.	3.6	84
89	Therapeutic relevance of the PP2A-B55 inhibitory kinase MASTL/Greatwall in breast cancer. <i>Cell Death and Differentiation</i> , 2018, 25, 828-840.	5.0	67
90	High USP6NL Levels in Breast Cancer Sustain Chronic AKT Phosphorylation and GLUT1 Stability Fueling Aerobic Glycolysis. <i>Cancer Research</i> , 2018, 78, 3432-3444.	0.4	54

#	ARTICLE	IF	CITATIONS
91	SILAC identifies LAD1 as a filamin-binding regulator of actin dynamics in response to EGF and a marker of aggressive breast tumors. <i>Science Signaling</i> , 2018, 11, .	1.6	41
92	Determining Risk of Barrett's Esophagus and Esophageal Adenocarcinoma Based on Epidemiologic Factors and Genetic Variants. <i>Gastroenterology</i> , 2018, 154, 1273-1281.e3.	0.6	67
93	Promoter of lncRNA Gene PVT1 Is a Tumor-Suppressor DNA Boundary Element. <i>Cell</i> , 2018, 173, 1398-1412.e22.	13.5	362
94	Germline pathogenic variants in PALB2 and other cancer-predisposing genes in families with hereditary diffuse gastric cancer without CDH1 mutation: a whole-exome sequencing study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 489-498.	3.7	87
95	Shallow whole genome sequencing for robust copy number profiling of formalin-fixed paraffin-embedded breast cancers. <i>Experimental and Molecular Pathology</i> , 2018, 104, 161-169.	0.9	25
96	Interactions Between Genetic Variants and Environmental Factors Affect Risk of Esophageal Adenocarcinoma and Barrett's Esophagus. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1598-1606.e4.	2.4	16
97	Comparative study of endoscopic surveillance in hereditary diffuse gastric cancer according to CDH1 mutation status. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 408-418.	0.5	85
98	A RAD 51 assay feasible in routine tumor samples calls PARP inhibitor response beyond BRCA mutation. <i>EMBO Molecular Medicine</i> , 2018, 10, .	3.3	169
99	Cancer Core Europe: A European cancer research alliance realizing a research infrastructure with critical mass and programmatic approach to cure cancer in the 21st century. <i>European Journal of Cancer</i> , 2018, 103, 155-159.	1.3	15
100	Computational approach to discriminate human and mouse sequences in patient-derived tumour xenografts. <i>BMC Genomics</i> , 2018, 19, 19.	1.2	55
101	Effects of Collection and Processing Procedures on Plasma Circulating Cell-Free DNA from Cancer Patients. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 883-892.	1.2	81
102	MAP3K1 and MAP2K4 mutations are associated with sensitivity to MEK inhibitors in multiple cancer models. <i>Cell Research</i> , 2018, 28, 719-729.	5.7	105
103	E-catenin is a candidate tumor suppressor for the development of E-cadherin-expressing lobular-type breast cancer. <i>Journal of Pathology</i> , 2018, 245, 456-467.	2.1	34
104	Dynamics of multiple resistance mechanisms in plasma DNA during EGFR-targeted therapies in non-small cell lung cancer. <i>EMBO Molecular Medicine</i> , 2018, 10, .	3.3	61
105	<i>Saccharomyces cerevisiae</i> -like 1 (SEC14L1) is a prognostic factor in breast cancer associated with lymphovascular invasion. <i>Modern Pathology</i> , 2018, 31, 1675-1682.	2.9	13
106	Shieldin complex promotes DNA end-joining and counters homologous recombination in BRCA1-null cells. <i>Nature Cell Biology</i> , 2018, 20, 954-965.	4.6	291
107	SOX4 can redirect TGF- $\beta$ -mediated SMAD3-transcriptional output in a context-dependent manner to promote tumorigenesis. <i>Nucleic Acids Research</i> , 2018, 46, 9578-9590.	6.5	37
108	Abstract 3596: Biomarkers of response to CDK4/6 inhibitor (CDK4/6i) in hormone receptor (HR) positive and HER2-positive breast cancer (BC) patient-derived xenografts (PDX). , 2018, , .		1



#	ARTICLE	IF	CITATIONS
109	PERSEPHONE: 6 versus 12 months (m) of adjuvant trastuzumab in patients (pts) with HER2 positive (+) early breast cancer (EBC): Randomised phase 3 non-inferiority trial with definitive 4-year (yr) disease-free survival (DFS) results.. Journal of Clinical Oncology, 2018, 36, 506-506.	0.8	59
110	Global transcriptional analysis identifies a novel role for SOX4 in tumor-induced angiogenesis. Elife, 2018, 7, .	2.8	32
111	Interrogating open issues in cancer precision medicine with patient-derived xenografts. Nature Reviews Cancer, 2017, 17, 254-268.	12.8	527
112	Liquid biopsies come of age: towards implementation of circulating tumour DNA. Nature Reviews Cancer, 2017, 17, 223-238.	12.8	1,786
113	High-risk individuals' perceptions of reproductive genetic testing for CDH1 mutations. Familial Cancer, 2017, 16, 531-535.	0.9	7
114	CX-5461 is a DNA G-quadruplex stabilizer with selective lethality in BRCA1/2 deficient tumours. Nature Communications, 2017, 8, 14432.	5.8	379
115	Ki67 expression in invasive breast cancer: the use of tissue microarrays compared with whole tissue sections. Breast Cancer Research and Treatment, 2017, 164, 341-348.	1.1	44
116	Addition of gemcitabine to paclitaxel, epirubicin, and cyclophosphamide adjuvant chemotherapy for women with early-stage breast cancer (tAnGo): final 10-year follow-up of an open-label, randomised, phase 3 trial. Lancet Oncology, The, 2017, 18, 755-769.	5.1	18
117	Therapeutic Rationale to Target Highly Expressed CDK7 Conferring Poor Outcomes in Triple-Negative Breast Cancer. Cancer Research, 2017, 77, 3834-3845.	0.4	79
118	Central pathology review with two-stage quality assurance for pathological response after neoadjuvant chemotherapy in the ARTemis Trial. Modern Pathology, 2017, 30, 1069-1077.	2.9	15
119	Integrative clustering reveals a novel split in the luminal A subtype of breast cancer with impact on outcome. Breast Cancer Research, 2017, 19, 44.	2.2	85
120	Germline variation in inflammation-related pathways and risk of Barrett's oesophagus and oesophageal adenocarcinoma. Gut, 2017, 66, 1739-1747.	6.1	38
121	Somatic mutations reveal asymmetric cellular dynamics in the early human embryo. Nature, 2017, 543, 714-718.	13.7	229
122	PDX-MI: Minimal Information for Patient-Derived Tumor Xenograft Models. Cancer Research, 2017, 77, e62-e66.	0.4	92
123	Rho-GTPase activating-protein 18: a biomarker associated with good prognosis in invasive breast cancer. British Journal of Cancer, 2017, 117, 1176-1184.	2.9	16
124	A mutational signature reveals alterations underlying deficient homologous recombination repair in breast cancer. Nature Genetics, 2017, 49, 1476-1486.	9.4	427
125	Breast Cancer Molecular Stratification. American Journal of Pathology, 2017, 187, 2152-2162.	1.9	198
126	Predicting treatment resistance and relapse through circulating DNA. Breast, 2017, 34, S31-S35.	0.9	17



#	ARTICLE	IF	CITATIONS
127	Intersect-then-combine approach: improving the performance of somatic variant calling in whole exome sequencing data using multiple aligners and callers. <i>Genome Medicine</i> , 2017, 9, 35.	3.6	48
128	The Psychosocial Impact of Undergoing Prophylactic Total Gastrectomy (PTG) to Manage the Risk of Hereditary Diffuse Gastric Cancer (HDGC). <i>Journal of Genetic Counseling</i> , 2017, 26, 752-762.	0.9	29
129	Further evidence to support bimodality of oestrogen receptor expression in breast cancer. <i>Histopathology</i> , 2017, 70, 456-465.	1.6	12
130	Body mass index and breast cancer survival: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2017, 46, 1814-1822.	0.9	45
131	Integrative analysis of copy number and gene expression in breast cancer using formalin-fixed paraffin-embedded core biopsy tissue: a feasibility study. <i>BMC Genomics</i> , 2017, 18, 526.	1.2	11
132	The BRCA1ness signature is associated significantly with response to PARP inhibitor treatment versus control in the I-SPY 2 randomized neoadjuvant setting. <i>Breast Cancer Research</i> , 2017, 19, 99.	2.2	58
133	Data-driven analysis of immune infiltrate in a large cohort of breast cancer and its association with disease progression, ER activity, and genomic complexity. <i>Oncotarget</i> , 2017, 8, 57121-57133.	0.8	31
134	Patterns of Immune Infiltration in Breast Cancer and Their Clinical Implications: A Gene-Expression-Based Retrospective Study. <i>PLoS Medicine</i> , 2016, 13, e1002194.	3.9	473
135	Genome co-amplification upregulates a mitotic gene network activity that predicts outcome and response to mitotic protein inhibitors in breast cancer. <i>Breast Cancer Research</i> , 2016, 18, 70.	2.2	11
136	Subtype-specific microRNA expression signatures in breast cancer progression. <i>International Journal of Cancer</i> , 2016, 139, 1117-1128.	2.3	53
137	Stratification and therapeutic potential of PML in metastatic breast cancer. <i>Nature Communications</i> , 2016, 7, 12595.	5.8	45
138	Modeling Breast Cancer Intertumor and Intratumor Heterogeneity Using Xenografts. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2016, 81, 227-230.	2.0	7
139	Integration of genomic, transcriptomic and proteomic data identifies two biologically distinct subtypes of invasive lobular breast cancer. <i>Scientific Reports</i> , 2016, 6, 18517.	1.6	143
140	p120-catenin prevents multinucleation through control of MKLP1-dependent RhoA activity during cytokinesis. <i>Nature Communications</i> , 2016, 7, 13874.	5.8	17
141	Decline in Antigenicity of Tumor Markers by Storage Time Using Pathology Sections Cut From Tissue Microarrays. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016, 24, 221-226.	0.6	10
142	Landscape of somatic mutations in 560 breast cancer whole-genome sequences. <i>Nature</i> , 2016, 534, 47-54.	13.7	1,760
143	Facilitating a culture of responsible and effective sharing of cancer genome data. <i>Nature Medicine</i> , 2016, 22, 464-471.	15.2	83
144	Nucleosome mapping in plasma DNA predicts cancer gene expression. <i>Nature Genetics</i> , 2016, 48, 1105-1106.	9.4	19

#	ARTICLE	IF	CITATIONS
145	Androgen and Estrogen Receptors in Breast Cancer Coregulate Human UDP-Glucuronosyltransferases 2B15 and 2B17. <i>Cancer Research</i> , 2016, 76, 5881-5893.	0.4	50
146	Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. <i>Lancet Oncology</i> , The, 2016, 17, 1363-1373.	5.1	133
147	Prognostic significance of androgen receptor expression in invasive breast cancer: transcriptomic and protein expression analysis. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 215-227.	1.1	81
148	A Biobank of Breast Cancer Explants with Preserved Intra-tumor Heterogeneity to Screen Anticancer Compounds. <i>Cell</i> , 2016, 167, 260-274.e22.	13.5	376
149	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	5.8	100
150	Reliable gene expression profiling of formalin-fixed paraffin-embedded breast cancer tissue (FFPE) using cDNA-mediated annealing, extension, selection, and ligation whole-genome (DASL WG) assay. <i>BMC Medical Genomics</i> , 2016, 9, 54.	0.7	11
151	Breast cancer genome and transcriptome integration implicates specific mutational signatures with immune cell infiltration. <i>Nature Communications</i> , 2016, 7, 12910.	5.8	119
152	The somatic mutation profiles of 2,433 breast cancers refine their genomic and transcriptomic landscapes. <i>Nature Communications</i> , 2016, 7, 11479.	5.8	1,221
153	Prognostic Value of MammaPrint <sup>®</sup> in Invasive Lobular Breast Cancer. <i>Biomarker Insights</i> , 2016, 11, BMI.S38435.	1.0	31
154	An investigation of the factors effecting high-risk individuals' decision-making about prophylactic total gastrectomy and surveillance for hereditary diffuse gastric cancer (HDGC). <i>Familial Cancer</i> , 2016, 15, 665-676.	0.9	28
155	SPAG5 as a prognostic biomarker and chemotherapy sensitivity predictor in breast cancer: a retrospective, integrated genomic, transcriptomic, and protein analysis. <i>Lancet Oncology</i> , The, 2016, 17, 1004-1018.	5.1	105
156	Computational pathology of pre-treatment biopsies identifies lymphocyte density as a predictor of response to neoadjuvant chemotherapy in breast cancer. <i>Breast Cancer Research</i> , 2016, 18, 21.	2.2	66
157	Cell-free circulating tumour DNA as a liquid biopsy in breast cancer. <i>Molecular Oncology</i> , 2016, 10, 464-474.	2.1	101
158	Double-stranded microRNA mimics can induce length- and passenger strand-dependent effects in a cell type-specific manner. <i>Rna</i> , 2016, 22, 193-203.	1.6	31
159	MYC functions are specific in biological subtypes of breast cancer and confers resistance to endocrine therapy in luminal tumours. <i>British Journal of Cancer</i> , 2016, 114, 917-928.	2.9	91
160	Disease-free (DFS) and overall survival (OS) at 3.4 years (yrs) for neoadjuvant bevacizumab (Bev) added to docetaxel followed by fluorouracil, epirubicin and cyclophosphamide (D-FEC), for women with HER2 negative early breast cancer: The ARTEMIS trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 1014-1014.	0.8	3
161	The Relationship between Common Genetic Markers of Breast Cancer Risk and Chemotherapy-Induced Toxicity: A Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0158984.	1.1	15
162	A retrospective study of SPAG5 expression and its clinical implications in >8,000 patients of ER positive (ER+) breast cancer (BC): Genomic, transcriptomic and protein analysis.. <i>Journal of Clinical Oncology</i> , 2016, 34, 575-575.	0.8	0

#	ARTICLE	IF	CITATIONS
163	Navigator $\beta$ , a modulator of cell migration, may act as a suppressor of breast cancer progression. <i>EMBO Molecular Medicine</i> , 2015, 7, 299-314.	3.3	34
164	Context-Specific Effects of TGF- $\beta$ 2/SMAD3 in Cancer Are Modulated by the Epigenome. <i>Cell Reports</i> , 2015, 13, 2480-2490.	2.9	43
165	A nested cohort study of 6,248 early breast cancer patients treated in neoadjuvant and adjuvant chemotherapy trials investigating the prognostic value of chemotherapy-related toxicities. <i>BMC Medicine</i> , 2015, 13, 306.	2.3	26
166	A co-culture genome-wide RNAi screen with mammary epithelial cells reveals transmembrane signals required for growth and differentiation. <i>Breast Cancer Research</i> , 2015, 17, 4.	2.2	24
167	Common germline polymorphisms associated with breast cancer-specific survival. <i>Breast Cancer Research</i> , 2015, 17, 58.	2.2	26
168	Prognostic and predictive value of PDL1 expression in breast cancer. <i>Oncotarget</i> , 2015, 6, 5449-5464.	0.8	424
169	Polymorphisms in Genes of Relevance for Oestrogen and Oxytocin Pathways and Risk of Barrett's Oesophagus and Oesophageal Adenocarcinoma: A Pooled Analysis from the BEACON Consortium. <i>PLoS ONE</i> , 2015, 10, e0138738.	1.1	9
170	BRCA1-like signature in triple negative breast cancer: Molecular and clinical characterization reveals subgroups with therapeutic potential. <i>Molecular Oncology</i> , 2015, 9, 1528-1538.	2.1	54
171	Predicting Anthracycline Benefit: <i>TOP2A</i> and <i>CEP170</i> Not Only but Also. <i>Journal of Clinical Oncology</i> , 2015, 33, 1680-1687.	0.8	55
172	Pathway-based personalized analysis of breast cancer expression data. <i>Molecular Oncology</i> , 2015, 9, 1471-1483.	2.1	38
173	Combined Single-Cell Functional and Gene Expression Analysis Resolves Heterogeneity within Stem Cell Populations. <i>Cell Stem Cell</i> , 2015, 16, 712-724.	5.2	376
174	Performance of automated scoring of ER, PR, HER2, CK5/6 and EGFR in breast cancer tissue microarrays in the Breast Cancer Association Consortium. <i>Journal of Pathology: Clinical Research</i> , 2015, 1, 18-32.	1.3	24
175	Small molecule inhibition of group I p21-activated kinases in breast cancer induces apoptosis and potentiates the activity of microtubule stabilizing agents. <i>Breast Cancer Research</i> , 2015, 17, 59.	2.2	61
176	Crowdsourcing the General Public for Large Scale Molecular Pathology Studies in Cancer. <i>EBioMedicine</i> , 2015, 2, 681-689.	2.7	56
177	BCL11A is a triple-negative breast cancer gene with critical functions in stem and progenitor cells. <i>Nature Communications</i> , 2015, 6, 5987.	5.8	135
178	A tumor DNA complex aberration index is an independent predictor of survival in breast and ovarian cancer. <i>Molecular Oncology</i> , 2015, 9, 115-127.	2.1	38
179	Hereditary diffuse gastric cancer: updated clinical guidelines with an emphasis on germline <i>CDH1</i> mutation carriers. <i>Journal of Medical Genetics</i> , 2015, 52, 361-374.	1.5	479
180	Toward understanding and exploiting tumor heterogeneity. <i>Nature Medicine</i> , 2015, 21, 846-853.	15.2	604

#	ARTICLE	IF	CITATIONS
181	Progesterone receptor modulates ER $\pm$ action in breast cancer. <i>Nature</i> , 2015, 523, 313-317.	13.7	504
182	Maintaining Tumor Heterogeneity in Patient-Derived Tumor Xenografts. <i>Cancer Research</i> , 2015, 75, 2963-2968.	0.4	267
183	Intra-Tumour Signalling Entropy Determines Clinical Outcome in Breast and Lung Cancer. <i>PLoS Computational Biology</i> , 2015, 11, e1004115.	1.5	62
184	Hereditary Diffuse Gastric Cancer Syndrome. <i>JAMA Oncology</i> , 2015, 1, 23.	3.4	540
185	Identification of Novel Genetic Markers of Breast Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	56
186	Synaptojanin 2 is a druggable mediator of metastasis and the gene is overexpressed and amplified in breast cancer. <i>Science Signaling</i> , 2015, 8, ra7.	1.6	53
187	Efficacy of neoadjuvant bevacizumab added to docetaxel followed by fluorouracil, epirubicin, and cyclophosphamide, for women with HER2-negative early breast cancer (ARTemis): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2015, 16, 656-666.	5.1	114
188	Frequent somatic transfer of mitochondrial DNA into the nuclear genome of human cancer cells. <i>Genome Research</i> , 2015, 25, 814-824.	2.4	69
189	Robust BRCA1-like classification of copy number profiles of samples repeated across different datasets and platforms. <i>Molecular Oncology</i> , 2015, 9, 1274-1286.	2.1	29
190	Lymphocyte Invasion in IC10/Basal-Like Breast Tumors Is Associated with Wild-Type <i>TP53</i> . <i>Molecular Cancer Research</i> , 2015, 13, 493-501.	1.5	53
191	Replication of Genetic Polymorphisms Reported to Be Associated with Taxane-Related Sensory Neuropathy in Patients with Early Breast Cancer Treated with Paclitaxel Response. <i>Clinical Cancer Research</i> , 2015, 21, 3094-3094.	3.2	1
192	Multifocal clonal evolution characterized using circulating tumour DNA in a case of metastatic breast cancer. <i>Nature Communications</i> , 2015, 6, 8760.	5.8	409
193	APOBEC3B-Mediated Cytidine Deamination Is Required for Estrogen Receptor Action in Breast Cancer. <i>Cell Reports</i> , 2015, 13, 108-121.	2.9	105
194	Dynamics of genomic clones in breast cancer patient xenografts at single-cell resolution. <i>Nature</i> , 2015, 518, 422-426.	13.7	545
195	Targeting BRCA1-like BER deficient breast cancer by ATM or DNA-PKcs blockade either alone or in combination with cisplatin for personalized therapy. <i>Molecular Oncology</i> , 2015, 9, 204-217.	2.1	72
196	Expression profiling of nuclear receptors in breast cancer identifies TLX as a mediator of growth and invasion in triple-negative breast cancer. <i>Oncotarget</i> , 2015, 6, 21685-21703.	0.8	24
197	Expression of androgen receptor splice variants in clinical breast cancers. <i>Oncotarget</i> , 2015, 6, 44728-44744.	0.8	77
198	Genome-driven integrated classification of breast cancer validated in over 7,500 samples. <i>Genome Biology</i> , 2014, 15, 431.	3.8	178

#	ARTICLE	IF	CITATIONS
199	Amplification of TRIM44: Pairing a Prognostic Target With Potential Therapeutic Strategy. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	38
200	Association between CD8+ T-cell infiltration and breast cancer survival in 12 439 patients. <i>Annals of Oncology</i> , 2014, 25, 1536-1543.	0.6	610
201	Inclusion of KI67 significantly improves performance of the PREDICT prognostication and prediction model for early breast cancer. <i>BMC Cancer</i> , 2014, 14, 908.	1.1	42
202	The Impact of Prophylactic Total Gastrectomy on Health-Related Quality of Life. <i>Annals of Surgery</i> , 2014, 260, 87-93.	2.1	44
203	<i>TP53</i> Mutation Spectrum in Breast Cancer Is Subtype Specific and Has Distinct Prognostic Relevance. <i>Clinical Cancer Research</i> , 2014, 20, 3569-3580.	3.2	240
204	Replication of Genetic Polymorphisms Reported to Be Associated with Taxane-Related Sensory Neuropathy in Patients with Early Breast Cancer Treated with Paclitaxel. <i>Clinical Cancer Research</i> , 2014, 20, 2466-2475.	3.2	91
205	Prospective cohort study assessing outcomes of patients from families fulfilling criteria for hereditary diffuse gastric cancer undergoing endoscopic surveillance. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 78-87.	0.5	75
206	Breast cancer susceptibility risk associations and heterogeneity by E-cadherin tumor tissue expression. <i>Breast Cancer Research and Treatment</i> , 2014, 143, 181-187.	1.1	16
207	The Breast Cancer Oncogene EMSY Represses Transcription of Antimetastatic microRNA miR-31. <i>Molecular Cell</i> , 2014, 53, 806-818.	4.5	55
208	Clinical validity of circulating tumour cells in patients with metastatic breast cancer: a pooled analysis of individual patient data. <i>Lancet Oncology</i> , The, 2014, 15, 406-414.	5.1	703
209	Effects of the addition of gemcitabine, and paclitaxel-first sequencing, in neoadjuvant sequential epirubicin, cyclophosphamide, and paclitaxel for women with high-risk early breast cancer (Neo-tAnGo): an open-label, 2A–2 factorial randomised phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 201-212.	5.1	106
210	Patient-Derived Xenograft Models: An Emerging Platform for Translational Cancer Research. <i>Cancer Discovery</i> , 2014, 4, 998-1013.	7.7	1,341
211	Extensive transduction of nonrepetitive DNA mediated by L1 retrotransposition in cancer genomes. <i>Science</i> , 2014, 345, 1251-1243.	6.0	348
212	Up-regulation of the interferon-related genes in BRCA2 knockout epithelial cells. <i>Journal of Pathology</i> , 2014, 234, 386-397.	2.1	25
213	Cancer Core Europe: A consortium to address the cancer care “ Cancer research continuum challenge. <i>European Journal of Cancer</i> , 2014, 50, 2745-2746.	1.3	25
214	Evidence that breast cancer risk at the 2q35 locus is mediated through IGFBP5 regulation. <i>Nature Communications</i> , 2014, 5, 4999.	5.8	105
215	JARID1B Is a Luminal Lineage-Driving Oncogene in Breast Cancer. <i>Cancer Cell</i> , 2014, 25, 762-777.	7.7	170
216	DNA polymerase $\beta$ deficiency is linked to aggressive breast cancer: A comprehensive analysis of gene copy number, mRNA and protein expression in multiple cohorts. <i>Molecular Oncology</i> , 2014, 8, 520-532.	2.1	33

#	ARTICLE	IF	CITATIONS
217	Genomic and protein expression analysis reveals flap endonuclease 1 (FEN1) as a key biomarker in breast and ovarian cancer. <i>Molecular Oncology</i> , 2014, 8, 1326-1338.	2.1	109
218	Ordering of mutations in preinvasive disease stages of esophageal carcinogenesis. <i>Nature Genetics</i> , 2014, 46, 837-843.	9.4	302
219	BRCA1 is a new target in breast cancers with combined inactivation of p53 and PTEN. <i>EMBO Molecular Medicine</i> , 2014, 6, 1512-1514.	3.3	7
220	ARTEMIS: A randomised trial of bevacizumab with neoadjuvant chemotherapy (NACT) for patients with HER2-negative early breast cancer—Primary endpoint, pathological complete response (pCR).. <i>Journal of Clinical Oncology</i> , 2014, 32, 1014-1014.	0.8	5
221	Imprinted Chromatin around DIRAS3 Regulates Alternative Splicing of GNG12-AS1, a Long Noncoding RNA. <i>American Journal of Human Genetics</i> , 2013, 93, 224-235.	2.6	41
222	A metadata-aware application for remote scoring and exchange of tissue microarray images. <i>BMC Bioinformatics</i> , 2013, 14, 147.	1.2	1
223	A new genome-driven integrated classification of breast cancer and its implications. <i>EMBO Journal</i> , 2013, 32, 617-628.	3.5	267
224	Signatures of mutational processes in human cancer. <i>Nature</i> , 2013, 500, 415-421.	13.7	8,060
225	Endogenous Purification Reveals GREB1 as a Key Estrogen Receptor Regulatory Factor. <i>Cell Reports</i> , 2013, 3, 342-349.	2.9	319
226	Prognosis of early breast cancer by immunohistochemistry defined intrinsic sub-types in patients treated with adjuvant chemotherapy in the NEAT/BR9601 trial. <i>International Journal of Cancer</i> , 2013, 133, 1470-1478.	2.3	15
227	Assessing excellence in translational cancer research: a consensus based framework. <i>Journal of Translational Medicine</i> , 2013, 11, 274.	1.8	7
228	Corrigendum to “Basic cancer research is essential for the success of personalised medicine” [European Journal of Cancer 49(12) pp. 2619–2620 (2013)]. <i>European Journal of Cancer</i> , 2013, 49, 3577.	1.3	1
229	Tamoxifen—when more might be better. <i>Nature Reviews Clinical Oncology</i> , 2013, 10, 125-126.	12.5	3
230	Finding Common Regions of Alteration in Copy Number Data. <i>Methods in Molecular Biology</i> , 2013, 973, 339-353.	0.4	0
231	Analysis of Circulating Tumor DNA to Monitor Metastatic Breast Cancer. <i>New England Journal of Medicine</i> , 2013, 368, 1199-1209.	13.9	1,884
232	The Implications of Clonal Genome Evolution for Cancer Medicine. <i>New England Journal of Medicine</i> , 2013, 368, 842-851.	13.9	316
233	Non-invasive analysis of acquired resistance to cancer therapy by sequencing of plasma DNA. <i>Nature</i> , 2013, 497, 108-112.	13.7	1,443
234	The shaping and functional consequences of the microRNA landscape in breast cancer. <i>Nature</i> , 2013, 497, 378-382.	13.7	370

#	ARTICLE	IF	CITATIONS
235	G-Quadruplex DNA as a Molecular Target for Induced Synthetic Lethality in Cancer Cells. <i>Journal of the American Chemical Society</i> , 2013, 135, 9640-9643.	6.6	121
236	Genetic heterogeneity in breast cancer: the road to personalized medicine?. <i>BMC Medicine</i> , 2013, 11, 151.	2.3	47
237	A genome-wide association study identifies new susceptibility loci for esophageal adenocarcinoma and Barrett's esophagus. <i>Nature Genetics</i> , 2013, 45, 1487-1493.	9.4	174
238	Master regulators of FGFR2 signalling and breast cancer risk. <i>Nature Communications</i> , 2013, 4, 2464.	5.8	180
239	Improving Breast Cancer Survival Analysis through Competition-Based Multidimensional Modeling. <i>PLoS Computational Biology</i> , 2013, 9, e1003047.	1.5	76
240	Circulating Tumor DNA to Monitor Metastatic Breast Cancer. <i>New England Journal of Medicine</i> , 2013, 369, 93-94.	13.9	120
241	Systematic Analysis of Challenge-Driven Improvements in Molecular Prognostic Models for Breast Cancer. <i>Science Translational Medicine</i> , 2013, 5, 181re1.	5.8	108
242	TOX3 Mutations in Breast Cancer. <i>PLoS ONE</i> , 2013, 8, e74102.	1.1	23
243	Abstract A8: The EurOPDX consortium: Sharing patient tumor-derived xenografts for collaborative multicentric preclinical trials.. , 2013, , .		1
244	A Prognostic Gene Signature for Metastasis-Free Survival of Triple Negative Breast Cancer Patients. <i>PLoS ONE</i> , 2013, 8, e82125.	1.1	62
245	Allele-specific expression analysis methods for high-density SNP microarray data. <i>Bioinformatics</i> , 2012, 28, 1102-1108.	1.8	15
246	Re: CYP2D6 Genotype and Tamoxifen Response in Postmenopausal Women With Endocrine-Responsive Breast Cancer: The Breast International Group 1-98 Trial and Re: CYP2D6 and UGT2B7 Genotype and Risk of Recurrence in Tamoxifen-Treated Breast Cancer Patients. <i>Journal of the National Cancer Institute</i> , 2012, 104, 1263-1264.	3.0	36
247	Quantitative Image Analysis of Cellular Heterogeneity in Breast Tumors Complements Genomic Profiling. <i>Science Translational Medicine</i> , 2012, 4, 157ra143.	5.8	356
248	Integrative analysis of genome-wide loss of heterozygosity and monoallelic expression at nucleotide resolution reveals disrupted pathways in triple-negative breast cancer. <i>Genome Research</i> , 2012, 22, 1995-2007.	2.4	237
249	A Sparse Regulatory Network of Copy-Number Driven Gene Expression Reveals Putative Breast Cancer Oncogenes. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2012, 9, 947-954.	1.9	27
250	Effects of BRCA2 cis-regulation in normal breast and cancer risk amongst BRCA2 mutation carriers. <i>Breast Cancer Research</i> , 2012, 14, R63.	2.2	22
251	Phenotypic and functional characterisation of the luminal cell hierarchy of the mammary gland. <i>Breast Cancer Research</i> , 2012, 14, R134.	2.2	260
252	TOMM34 expression in early invasive breast cancer: a biomarker associated with poor outcome. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 419-427.	1.1	28



#	ARTICLE	IF	CITATIONS
253	TGFÎ² induces the formation of tumour-initiating cells in claudinlow breast cancer. Nature Communications, 2012, 3, 1055.	5.8	95
254	Structural analysis of the genome of breast cancer cell line ZR-75-30 identifies twelve expressed fusion genes. BMC Genomics, 2012, 13, 719.	1.2	32
255	Saliva samples are a viable alternative to blood samples as a source of DNA for high throughput genotyping. BMC Medical Genomics, 2012, 5, 19.	0.7	120
256	Differential oestrogen receptor binding is associated with clinical outcome in breast cancer. Nature, 2012, 481, 389-393.	13.7	1,655
257	Copynumber: Efficient algorithms for single- and multi-track copy number segmentation. BMC Genomics, 2012, 13, 591.	1.2	251
258	Cancer sequencing unravels clonal evolution. Nature Biotechnology, 2012, 30, 408-410.	9.4	38
259	DriverNet: uncovering the impact of somatic driver mutations on transcriptional networks in cancer. Genome Biology, 2012, 13, R124.	13.9	247
260	Calling Sample Mix-Ups in Cancer Population Studies. PLoS ONE, 2012, 7, e41815.	1.1	6
261	A Ki67/BCL2 index based on immunohistochemistry is highly prognostic in ERâ€positive breast cancer. Journal of Pathology, 2012, 226, 97-107.	2.1	70
262	The landscape of cancer genes and mutational processes in breast cancer. Nature, 2012, 486, 400-404.	13.7	1,535
263	The genomic and transcriptomic architecture of 2,000 breast tumours reveals novel subgroups. Nature, 2012, 486, 346-352.	13.7	4,708
264	Biological and prognostic associations of <i>miRâ€205</i> and <i>letâ€7b</i> in breast cancer revealed by <i>in situ</i> hybridization analysis of microâ€RNA expression in arrays of archival tumour tissue. Journal of Pathology, 2012, 227, 306-314.	2.1	68
265	Noninvasive Identification and Monitoring of Cancer Mutations by Targeted Deep Sequencing of Plasma DNA. Science Translational Medicine, 2012, 4, 136ra68.	5.8	1,086
266	The clonal and mutational evolution spectrum of primary triple-negative breast cancers. Nature, 2012, 486, 395-399.	13.7	1,778
267	ARTemis: Randomized trial with neoadjuvant chemotherapy for patients with early breast cancer.. Journal of Clinical Oncology, 2012, 30, TPS1144-TPS1144.	0.8	2
268	Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. Human Molecular Genetics, 2011, 20, 3289-3303.	1.4	152
269	Translational genomics in breast cancer. European Journal of Cancer, 2011, 47, S381-S382.	1.3	1
270	CYP2D6 Gene Variants and Their Association with Breast Cancer Susceptibility. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1255-1258.	1.1	11

#	ARTICLE	IF	CITATIONS
271	Cancer stem cell markers in breast cancer: pathological, clinical and prognostic significance. Breast Cancer Research, 2011, 13, R118.	2.2	87
272	Calpastatin is associated with lymphovascular invasion in breast cancer. Breast, 2011, 20, 413-418.	0.9	27
273	The breast cancer genome - a key for better oncology. BMC Cancer, 2011, 11, 501.	1.1	9
274	<i>ZNF703</i> is a common Luminal B breast cancer oncogene that differentially regulates luminal and basal progenitors in human mammary epithelium. EMBO Molecular Medicine, 2011, 3, 167-180.	3.3	119
275	Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. BMC Cancer, 2010, 10, 604.	1.1	144
276	Oncogenic <i>KRAS</i> is not necessary for Wnt signalling activation in APC-associated FAP adenomas. Journal of Pathology, 2010, 221, 57-67.	2.1	24
277	Driver mutations in <i>TP53</i> are ubiquitous in high grade serous carcinoma of the ovary. Journal of Pathology, 2010, 221, 49-56.	2.1	617
278	International network of cancer genome projects. Nature, 2010, 464, 993-998.	13.7	2,114
279	From genomic landscapes to personalized cancer management—is there a roadmap?. Annals of the New York Academy of Sciences, 2010, 1210, 34-44.	1.8	16
280	Hereditary diffuse gastric cancer: updated consensus guidelines for clinical management and directions for future research. Journal of Medical Genetics, 2010, 47, 436-444.	1.5	495
281	How to validate a breast cancer prognostic signature. Nature Reviews Clinical Oncology, 2010, 7, 615-616.	12.5	8
282	Subtyping of Breast Cancer by Immunohistochemistry to Investigate a Relationship between Subtype and Short and Long Term Survival: A Collaborative Analysis of Data for 10,159 Cases from 12 Studies. PLoS Medicine, 2010, 7, e1000279.	3.9	764
283	Genomic Architecture Characterizes Tumor Progression Paths and Fate in Breast Cancer Patients. Science Translational Medicine, 2010, 2, 38ra47.	5.8	138
284	MicroRNAs and breast cancer. Molecular Oncology, 2010, 4, 230-241.	2.1	96
285	Prognostic gene network modules in breast cancer hold promise. Breast Cancer Research, 2010, 12, 317.	2.2	0
286	A 4-Gene Signature Predicts Survival of Patients With Resected Adenocarcinoma of the Esophagus, Junction, and Gastric Cardia. Gastroenterology, 2010, 139, 1995-2004.e15.	0.6	135
287	Fine scale mapping of the breast cancer 16q12 locus. Human Molecular Genetics, 2010, 19, 2507-2515.	1.4	68
288	Genetic predisposition to gastro-oesophageal cancer. Current Opinion in Genetics and Development, 2010, 20, 210-217.	1.5	53

#	ARTICLE	IF	CITATIONS
289	Genomic gain of 5p15 leads to over-expression of Misu (NSUN2) in breast cancer. <i>Cancer Letters</i> , 2010, 289, 71-80.	3.2	80
290	Predictive markers of anthracycline benefit: a prospectively planned analysis of the UK National Epirubicin Adjuvant Trial (NEAT/BR9601). <i>Lancet Oncology</i> , The, 2010, 11, 266-274.	5.1	122
291	The importance of platform annotation in interpreting microarray data. <i>Lancet Oncology</i> , The, 2010, 11, 717.	5.1	14
292	CYP2D6 gene variants: association with breast cancer specific survival in a cohort of breast cancer patients from the United Kingdom treated with adjuvant tamoxifen. <i>Breast Cancer Research</i> , 2010, 12, R64.	2.2	76
293	PREDICT: a new UK prognostic model that predicts survival following surgery for invasive breast cancer. <i>Breast Cancer Research</i> , 2010, 12, R1.	2.2	285
294	Systematic comparison of microarray profiling, real-time PCR, and next-generation sequencing technologies for measuring differential microRNA expression. <i>Rna</i> , 2010, 16, 991-1006.	1.6	588
295	A sparse regulatory network of copy-number driven expression reveals putative breast cancer oncogenes. , 2010, , .		2
296	Germline CDH1 deletions in hereditary diffuse gastric cancer families. <i>Human Molecular Genetics</i> , 2009, 18, 1545-1555.	1.4	185
297	Dihydrofolate reductase amplification and sensitization to methotrexate of methotrexate-resistant colon cancer cells. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 424-432.	1.9	46
298	Characterisation of microRNA expression in post-natal mouse mammary gland development. <i>BMC Genomics</i> , 2009, 10, 548.	1.2	117
299	The pitfalls of platform comparison: DNA copy number array technologies assessed. <i>BMC Genomics</i> , 2009, 10, 588.	1.2	80
300	Common germline polymorphisms in <i>COMT</i> , <i>CYP19A1</i> , <i>ESR1</i> , <i>PGR</i> , <i>SULT1E1</i> and <i>STS</i> and survival after a diagnosis of breast cancer. <i>International Journal of Cancer</i> , 2009, 125, 2687-2696.	2.3	34
301	A metadata approach for clinical data management in translational genomics studies in breast cancer. <i>BMC Medical Genomics</i> , 2009, 2, 66.	0.7	26
302	Mutational evolution in a lobular breast tumour profiled at single nucleotide resolution. <i>Nature</i> , 2009, 461, 809-813.	13.7	984
303	Extent of differential allelic expression of candidate breast cancer genes is similar in blood and breast. <i>Breast Cancer Research</i> , 2009, 11, R88.	2.2	33
304	Dysregulated expression of Fau and MELK is associated with poor prognosis in breast cancer. <i>Breast Cancer Research</i> , 2009, 11, R60.	2.2	129
305	The breast cancer somatic 'muta-ome': tackling the complexity. <i>Breast Cancer Research</i> , 2009, 11, 301.	2.2	27
306	MicroRNA implications for cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 1-10.	1.4	386

#	ARTICLE	IF	CITATIONS
307	Alpha6 integrin is necessary for the tumorigenicity of a stem cell-like subpopulation within the MCF7 breast cancer cell line. <i>International Journal of Cancer</i> , 2008, 122, 298-304.	2.3	187
308	ESR1 gene amplification in breast cancer: a common phenomenon?. <i>Nature Genetics</i> , 2008, 40, 806-807.	9.4	62
309	Meta-analysis confirms BCL2 is an independent prognostic marker in breast cancer. <i>BMC Cancer</i> , 2008, 8, 153.	1.1	159
310	High-resolution array CGH clarifies events occurring on 8p in carcinogenesis. <i>BMC Cancer</i> , 2008, 8, 288.	1.1	41
311	Array Comparative Genomic Hybridization Copy Number Profiling: A New Tool for Translational Research in Solid Malignancies. <i>Seminars in Radiation Oncology</i> , 2008, 18, 98-104.	1.0	45
312	A comprehensive analysis of prognostic signatures reveals the high predictive capacity of the Proliferation, Immune response and RNA splicing modules in breast cancer. <i>Breast Cancer Research</i> , 2008, 10, R93.	2.2	113
313	A robust classifier of high predictive value to identify good prognosis patients in ER-negative breast cancer. <i>Breast Cancer Research</i> , 2008, 10, R73.	2.2	87
314	Effects of common germline genetic variation in cell cycle control genes on breast cancer survival: results from a population-based cohort. <i>Breast Cancer Research</i> , 2008, 10, R47.	2.2	33
315	PMC42, a breast progenitor cancer cell line, has normal-like mRNA and microRNA transcriptomes. <i>Breast Cancer Research</i> , 2008, 10, R54.	2.2	22
316	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008, 37, 1316-1325.	0.9	68
317	WSRF-Based Modeling of Clinical Trial Information for Collaborative Cancer Research. , 2008, , .		4
318	Allele-Specific Up-Regulation of FGFR2 Increases Susceptibility to Breast Cancer. <i>PLoS Biology</i> , 2008, 6, e108.	2.6	254
319	High-Resolution Array-Based Comparative Genomic Hybridization of Bladder Cancers Identifies <i>Mouse Double Minute 4</i> ( <i>MDM4</i> ) as an Amplification Target Exclusive of <i>MDM2</i> and <i>TP53</i> . <i>Clinical Cancer Research</i> , 2008, 14, 2527-2534.	3.2	37
320	Metamodel-Based Generation of WSRF-Compliant SOA for Collaborative Cancer Research. , 2008, , .		0
321	Elucidating the Altered Transcriptional Programs in Breast Cancer using Independent Component Analysis. <i>PLoS Computational Biology</i> , 2007, 3, e161.	1.5	108
322	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 618-627.	0.6	45
323	<i>BEX2</i> Is Overexpressed in a Subset of Primary Breast Cancers and Mediates Nerve Growth Factor/Nuclear Factor- $\kappa$ B Inhibition of Apoptosis in Breast Cancer Cell Lines. <i>Cancer Research</i> , 2007, 67, 6725-6736.	0.4	81
324	Cancer genetics of epigenetic genes. <i>Human Molecular Genetics</i> , 2007, 16, R28-R49.	1.4	223

#	ARTICLE	IF	CITATIONS
325	Regulation of p53 tetramerization and nuclear export by ARC. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20826-20831.	3.3	100
326	Common Germline Genetic Variation in Antioxidant Defense Genes and Survival After Diagnosis of Breast Cancer. Journal of Clinical Oncology, 2007, 25, 3015-3023.	0.8	102
327	High-resolution aCGH and expression profiling identifies a novel genomic subtype of ER negative breast cancer. Genome Biology, 2007, 8, R215.	13.9	275
328	MicroRNA expression profiling of human breast cancer identifies new markers of tumor subtype. Genome Biology, 2007, 8, R214.	13.9	828
329	An immune response gene expression module identifies a good prognosis subtype in estrogen receptor negative breast cancer. Genome Biology, 2007, 8, R157.	13.9	433
330	Genetic Unmasking of an Epigenetically Silenced microRNA in Human Cancer Cells. Cancer Research, 2007, 67, 1424-1429.	0.4	883
331	Genomic analysis of the 8p11-12 amplicon in familial breast cancer. International Journal of Cancer, 2007, 120, 714-717.	2.3	30
332	Co-amplification of 8p12 and 11q13 in breast cancers is not the result of a single genomic event. Genes Chromosomes and Cancer, 2007, 46, 427-439.	1.5	27
333	Molecular heterogeneity of breast carcinomas and the cancer stem cell hypothesis. Nature Reviews Cancer, 2007, 7, 791-799.	12.8	397
334	The Extracellular Matrix Protein TGFBI Induces Microtubule Stabilization and Sensitizes Ovarian Cancers to Paclitaxel. Cancer Cell, 2007, 12, 514-527.	7.7	202
335	A quantum leap in our knowledge of breast cancer mutations. Breast Cancer Research, 2006, 8, 304.	2.2	3
336	A consensus prognostic gene expression classifier for ER positive breast cancer. Genome Biology, 2006, 7, R101.	13.9	82
337	ZNF198, a zinc finger protein rearranged in myeloproliferative disease, localizes to the PML nuclear bodies and interacts with SUMO-1 and PML. Experimental Cell Research, 2006, 312, 3739-3751.	1.2	32
338	High-Resolution Magic Angle Spinning <sup>1</sup> H NMR Spectroscopy and Reverse Transcription-PCR Analysis of Apoptosis in a Rat Glioma. Analytical Chemistry, 2006, 78, 1546-1552.	3.2	50
339	Familial gastric cancer â€œ clinical management. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2006, 20, 735-743.	1.0	18
340	Familial gastric cancer â€œ aetiology and pathogenesis. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2006, 20, 721-734.	1.0	36
341	Genomic imbalances and patterns of karyotypic variability in mantle-cell lymphoma cell lines. Leukemia Research, 2006, 30, 923-934.	0.4	45
342	Pharmacogenetics of cancer chemotherapy. Biochimica Et Biophysica Acta: Reviews on Cancer, 2006, 1766, 168-183.	3.3	19

#	ARTICLE	IF	CITATIONS
343	Differential expression of selected histone modifier genes in human solid cancers. <i>BMC Genomics</i> , 2006, 7, 90.	1.2	209
344	Bcl-2 Is a Prognostic Marker in Breast Cancer Independently of the Nottingham Prognostic Index. <i>Clinical Cancer Research</i> , 2006, 12, 2468-2475.	3.2	188
345	PACK: Profile Analysis using Clustering and Kurtosis to find molecular classifiers in cancer. <i>Bioinformatics</i> , 2006, 22, 2269-2275.	1.8	61
346	Metabolic Consequences of p300 Gene Deletion in Human Colon Cancer Cells. <i>Cancer Research</i> , 2006, 66, 7606-7614.	0.4	27
347	Telomerase- and Alternative Telomere Lengthening-Independent Telomere Stabilization in a Metastasis-Derived Human Non-Small Cell Lung Cancer Cell Line: Effect of Ectopic hTERT. <i>Cancer Research</i> , 2006, 66, 3584-3592.	0.4	24
348	Pharmacogenomic Identification of Novel Determinants of Response to Chemotherapy in Colon Cancer. <i>Cancer Research</i> , 2006, 66, 2765-2777.	0.4	99
349	MTAP homozygous deletion: An achilles heel of human cancers ready for clinical use?. <i>Cancer Biology and Therapy</i> , 2005, 4, 347-347.	1.5	4
350	Optimal Amounts of Fluorescent Dye Improve Expression Microarray Results in Tumor Specimens. <i>Molecular Biotechnology</i> , 2005, 30, 151-154.	1.3	4
351	Loss of acetylation at Lys16 and trimethylation at Lys20 of histone H4 is a common hallmark of human cancer. <i>Nature Genetics</i> , 2005, 37, 391-400.	9.4	1,710
352	Sizing up miRNAs as cancer genes. <i>Nature Medicine</i> , 2005, 11, 712-714.	15.2	189
353	A 1.6-Mb minimal amplicon at 8p11-q12 in breast cancer identifies new candidate oncogenes. <i>Oncogene</i> , 2005, 24, 5235-5245.	2.6	146
354	Chromosome abnormalities in 10 lung cancer cell lines of the NCI-H series analyzed with spectral karyotyping. <i>Cancer Genetics and Cytogenetics</i> , 2005, 162, 1-9.	1.0	32
355	Identification and validation of prognostic markers in breast cancer with the complementary use of array-CGH and tissue microarrays. <i>Journal of Pathology</i> , 2005, 205, 388-396.	2.1	137
356	Evidence that both genetic instability and selection contribute to the accumulation of chromosome alterations in cancer. <i>Carcinogenesis</i> , 2005, 26, 923-930.	1.3	39
357	A variational Bayesian mixture modelling framework for cluster analysis of gene-expression data. <i>Bioinformatics</i> , 2005, 21, 3025-3033.	1.8	73
358	Human and mouse oligonucleotide-based array CGH. <i>Nucleic Acids Research</i> , 2005, 33, e192-e192.	6.5	231
359	Chromatin modifier enzymes, the histone code and cancer. <i>European Journal of Cancer</i> , 2005, 41, 2381-2402.	1.3	290
360	Molecular Classification and Molecular Forecasting of Breast Cancer: Ready for Clinical Application?. <i>Journal of Clinical Oncology</i> , 2005, 23, 7350-7360.	0.8	798

#	ARTICLE	IF	CITATIONS
361	P38: DNA copy number changes predicting resistance to therapy in ovarian cancer patients. <i>European Journal of Medical Genetics</i> , 2005, 48, 503-504.	0.7	0
362	Elucidating the Altered Transcriptional Programs in Breast Cancer using Independent Component Analysis. <i>PLoS Computational Biology</i> , 2005, preprint, e161.	1.5	0
363	Microarray segmentation methods significantly influence data precision. <i>Nucleic Acids Research</i> , 2004, 32, e50-e50.	6.5	57
364	p300 regulates p53-dependent apoptosis after DNA damage in colorectal cancer cells by modulation of PUMA/p21 levels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7386-7391.	3.3	133
365	A Recurrent Chromosome Breakpoint in Breast Cancer at the NRG1/Neuregulin 1/Heregulin Gene. <i>Cancer Research</i> , 2004, 64, 6840-6844.	0.4	185
366	Novel human, mouse and xenopus genes encoding a member of the RAS superfamily of low-molecular-weight GTP-binding proteins and its downregulation in W/WV mouse jejunum. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004, 19, 211-217.	1.4	8
367	p300/CBP and cancer. <i>Oncogene</i> , 2004, 23, 4225-4231.	2.6	547
368	Expression microarray reproducibility is improved by optimising purification steps in RNA amplification and labelling. <i>BMC Genomics</i> , 2004, 5, 9.	1.2	45
369	Model of the early development of diffuse gastric cancer in E-cadherin mutation carriers and its implications for patient screening. <i>Journal of Pathology</i> , 2004, 203, 681-687.	2.1	242
370	Gastric Cancer – Keeping It in the Family. <i>Cancer Reviews: Asia-Pacific</i> , 2004, 02, 69-79.	0.1	1
371	Differential gene expression in the murine gastric fundus lacking interstitial cells of Cajal. <i>BMC Gastroenterology</i> , 2003, 3, 14.	0.8	27
372	Differential gene expression profile in the small intestines of mice lacking pacemaker interstitial cells of Cajal. <i>BMC Gastroenterology</i> , 2003, 3, 17.	0.8	12
373	A proinflammatory genetic profile increases the risk for chronic atrophic gastritis and gastric carcinoma. <i>Gastroenterology</i> , 2003, 125, 364-371.	0.6	450
374	EMSY Links the BRCA2 Pathway to Sporadic Breast and Ovarian Cancer. <i>Cell</i> , 2003, 115, 523-535.	13.5	389
375	Predictive cancer genomics – what do we need?. <i>Lancet, The</i> , 2003, 362, 340-341.	6.3	17
376	Identification of CDH1 germline missense mutations associated with functional inactivation of the E-cadherin protein in young gastric cancer probands. <i>Human Molecular Genetics</i> , 2003, 12, 575-582.	1.4	167
377	Genetic screening for hereditary diffuse gastric cancer. <i>Expert Review of Molecular Diagnostics</i> , 2003, 3, 201-215.	1.5	46
378	Molecular Classification of Breast Carcinomas Using Tissue Microarrays. <i>Diagnostic Molecular Pathology</i> , 2003, 12, 27-34.	2.1	153



#	ARTICLE	IF	CITATIONS
379	Helicobacter pylori and Interleukin 1 Genotyping: An Opportunity to Identify High-Risk Individuals for Gastric Carcinoma. <i>Journal of the National Cancer Institute</i> , 2002, 94, 1680-1687.	3.0	563
380	Screening E-cadherin in gastric cancer families reveals germline mutations only in hereditary diffuse gastric cancer kindred. <i>Human Mutation</i> , 2002, 19, 510-517.	1.1	153
381	CDH1 c-160a promotor polymorphism is not associated with risk of stomach cancer. <i>International Journal of Cancer</i> , 2002, 101, 196-197.	2.3	50
382	The molecular outlook. <i>Nature</i> , 2002, 415, 484-485.	13.7	91
383	Interleukin 1B and interleukin 1RN polymorphisms are associated with increased risk of gastric carcinoma. <i>Gastroenterology</i> , 2001, 121, 823-829.	0.6	402
384	Incidence of gastric cancer and breast cancer in CDH1 (E-cadherin) mutation carriers from hereditary diffuse gastric cancer families. <i>Gastroenterology</i> , 2001, 121, 1348-1353.	0.6	579
385	Early Gastric Cancer in Young, Asymptomatic Carriers of Germ-Line E-Cadherin Mutations. <i>New England Journal of Medicine</i> , 2001, 344, 1904-1909.	13.9	420
386	Molecular profiling of breast cancer: portraits but not physiognomy. <i>Breast Cancer Research</i> , 2001, 3, 77.	2.2	32
387	Degenerate Oligonucleotide Primed-Polymerase Chain Reaction-Based Array Comparative Genomic Hybridization for Extensive Amplicon Profiling of Breast Cancers. <i>American Journal of Pathology</i> , 2001, 158, 1623-1631.	1.9	98
388	Expression and protein-binding studies of the EEN gene family, new interacting partners for dynamin, synaptojanin and huntingtin proteins. <i>Biochemical Journal</i> , 2000, 348, 447.	1.7	8
389	Expression and protein-binding studies of the EEN gene family, new interacting partners for dynamin, synaptojanin and huntingtin proteins. <i>Biochemical Journal</i> , 2000, 348, 447-458.	1.7	22
390	Mutations truncating the EP300 acetylase in human cancers. <i>Nature Genetics</i> , 2000, 24, 300-303.	9.4	543
391	Does massively parallel transcriptome analysis signify the end of cancer histopathology as we know it?. <i>Genome Biology</i> , 2000, 1, reviews1021.1.	13.9	16
392	Molecular genetics and the assessment of human cancers. <i>Expert Reviews in Molecular Medicine</i> , 1999, 1, 1-19.	1.6	3
393	Analysis of the region of the 5' end of the MLL gene involved in genomic duplication events. <i>British Journal of Haematology</i> , 1999, 105, 256-264.	1.2	14
394	MLL2, the second human homolog of the <i>Drosophila trithorax</i> gene, maps to 19q13.1 and is amplified in solid tumor cell lines. <i>Oncogene</i> , 1999, 18, 7975-7984.	2.6	100
395	Cell memory and cancer--the story of the trithorax and Polycomb group genes. , 1999, 18, 313-329.		25
396	Evidence for a role of FGF-2 and FGF receptors in the proliferation of non-small cell lung cancer cells. , 1999, 83, 415-423.		91

#	ARTICLE	IF	CITATIONS
397	Analysis of the region of the 5' end of the MLL gene involved in genomic duplication events. British Journal of Haematology, 1999, 105, 256-264.	1.2	2
398	Isolation and characterization of a Pufferfish MLL (Mixed lineage leukemia)-like gene (fMll) reveals evolutionary conservation in vertebrate genes related to Drosophila trithorax. Oncogene, 1998, 16, 3233-3241.	2.6	31
399	Exon scrambling of MLL transcripts occur commonly and mimic partial genomic duplication of the gene. Gene, 1998, 208, 167-176.	1.0	71
400	Molecular staging of cancer: is it time?. Lancet, The, 1997, 350, 231.	6.3	9
401	Aberrant splicing of the TSG101 and FHIT genes occurs frequently in multiple malignancies and in normal tissues and mimics alterations previously described in tumours. Oncogene, 1997, 15, 2119-2126.	2.6	78
402	K-ras mutation and pancreatic adenocarcinoma. International Journal of Gastrointestinal Cancer, 1995, 18, 1-6.	0.4	127
403	Common occurrence of APC and K-ras gene mutations in the spectrum of colitis-associated neoplasias. Gastroenterology, 1995, 108, 383-392.	0.6	139
404	Frequent somatic mutations and homozygous deletions of the p16 (MTS1) gene in pancreatic adenocarcinoma. Nature Genetics, 1994, 8, 27-32.	9.4	1,063
405	Molecular genetic profiles of colitis-associated neoplasms. Gastroenterology, 1994, 107, 420-428.	0.6	152
406	Case Report: Transverse Myelitis Associated With Epstein-Barr Virus Infection. American Journal of the Medical Sciences, 1994, 307, 45-48.	0.4	37
407	Synchronous mature teratomas of the ovary and liver: A case presenting 11 years following chemotherapy for immature teratoma. Gynecologic Oncology, 1992, 47, 385-390.	0.6	29
408	Bcl11a Marks Mammary Progenitor Cells and Promotes Early Cellular Changes Associated with TNBC by Recruiting Chd8. SSRN Electronic Journal, 0, , .	0.4	0
409	Interview with Carlos Caldas. European Medical Journal Oncology, 0, , .	0.0	0
410	eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. Cancer Epidemiology Biomarkers and Prevention, 0, , .	1.1	1