

John P Quinn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8881231/publications.pdf>

Version: 2024-02-01

187
papers

7,493
citations

101543

36
h-index

71685

76
g-index

194
all docs

194
docs citations

194
times ranked

8566
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of novel risk loci, causal insights, and heritable risk for Parkinson's disease: a meta-analysis of genome-wide association studies. <i>Lancet Neurology</i> , The, 2019, 18, 1091-1102.	10.2	1,414
2	Estrogen control of central neurotransmission: Effect on mood, mental state, and memory. <i>Cellular and Molecular Neurobiology</i> , 1996, 16, 325-344.	3.3	385
3	A serotonin transporter gene intron 2 polymorphic region, correlated with affective disorders, has allele-dependent differential enhancer-like properties in the mouse embryo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 15251-15255.	7.1	340
4	DNA sequence of the region in the genome of herpes simplex virus type 1 containing the genes for DNA polymerase and the major DNA binding protein. <i>Nucleic Acids Research</i> , 1985, 13, 8143-8163.	14.5	256
5	An intronic polymorphic domain often associated with susceptibility to affective disorders has allele dependent differential enhancer activity in embryonic stem cells. <i>FEBS Letters</i> , 1999, 458, 171-174.	2.8	237
6	Genome-Wide Association Study of Major Recurrent Depression in the U.K. Population. <i>American Journal of Psychiatry</i> , 2010, 167, 949-957.	7.2	221
7	A dopamine transporter gene functional variant associated with cocaine abuse in a Brazilian sample. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 4552-4557.	7.1	159
8	The dopamine transporter gene (SLC6A3) variable number of tandem repeats domain enhances transcription in dopamine neurons. <i>Journal of Neurochemistry</i> , 2001, 79, 1033-1038.	3.9	153
9	Effects of prenatal and postnatal depression, and maternal stroking, at the glucocorticoid receptor gene. <i>Translational Psychiatry</i> , 2015, 5, e560-e560.	4.8	142
10	Structure of a variable number tandem repeat of the serotonin transporter gene and association with affective disorder. <i>Psychiatric Genetics</i> , 1996, 6, 177-182.	1.1	120
11	The serotonin transporter intronic VNTR enhancer correlated with a predisposition to affective disorders has distinct regulatory elements within the domain based on the primary DNA sequence of the repeat unit. <i>European Journal of Neuroscience</i> , 2003, 17, 417-420.	2.6	109
12	Behavioural analysis of a nociceptive event in fish: Comparisons between three species demonstrate specific responses. <i>Applied Animal Behaviour Science</i> , 2008, 114, 248-259.	1.9	106
13	Nitric oxide, a biological double-faced janus—is this good or bad?. <i>Histology and Histopathology</i> , 2006, 21, 445-58.	0.7	102
14	A splice variant of the neuron-restrictive silencer factor repressor is expressed in small cell lung cancer: a potential role in derepression of neuroendocrine genes and a useful clinical marker. <i>Cancer Research</i> , 2000, 60, 1840-4.	0.9	102
15	Mitochondria function associated genes contribute to Parkinson's Disease risk and later age at onset. <i>Npj Parkinson's Disease</i> , 2019, 5, 8.	5.3	95
16	fos/jun and Octamer-binding Protein Interact with a Common Site in a Negative Element of the Human c-myc Gene. <i>Journal of Biological Chemistry</i> , 1989, 264, 8992-8999.	3.4	95
17	fos/jun and octamer-binding protein interact with a common site in a negative element of the human c-myc gene. <i>Journal of Biological Chemistry</i> , 1989, 264, 8992-9.	3.4	84
18	YB-1 and CTCF Differentially Regulate the 5-HTT Polymorphic Intron 2 Enhancer Which Predisposes to a Variety of Neurological Disorders. <i>Journal of Neuroscience</i> , 2004, 24, 5966-5973.	3.6	79

#	ARTICLE	IF	CITATIONS
19	Regulation and role of REST and REST4 variants in modulation of gene expression in in vivo and in vitro in epilepsy models. <i>Neurobiology of Disease</i> , 2006, 24, 41-52.	4.4	79
20	Behavioural changes in the rat following infection with varicella-zoster virus. <i>Journal of General Virology</i> , 1999, 80, 2433-2436.	2.9	76
21	Molecular Genetics of Monoamine Transporters: Relevance to Brain Disorders. <i>Neurochemical Research</i> , 2008, 33, 652-667.	3.3	66
22	The endocytic membrane trafficking pathway plays a major role in the risk of Parkinson's disease. <i>Movement Disorders</i> , 2019, 34, 460-468.	3.9	66
23	Combinatorial interaction between two human serotonin transporter gene variable number tandem repeats and their regulation by CTCF. <i>Journal of Neurochemistry</i> , 2010, 112, 296-306.	3.9	63
24	Glial-mediated neuroprotection: Evidence for the protective role of the NO-cGMP pathway via neuron-glia communication in the peripheral nervous system. <i>Glia</i> , 2005, 49, 197-210.	4.9	62
25	Tachykinin expression in cartilage and function in human articular chondrocyte mechanotransduction. <i>Arthritis and Rheumatism</i> , 2003, 48, 146-156.	6.7	61
26	Allodynia in rats infected with varicella zoster virus—a small animal model for post-herpetic neuralgia. <i>Brain Research Reviews</i> , 2004, 46, 234-242.	9.0	61
27	Differential Activity by Polymorphic Variants of a Remote Enhancer that Supports Galanin Expression in the Hypothalamus and Amygdala: Implications for Obesity, Depression and Alcoholism. <i>Neuropsychopharmacology</i> , 2011, 36, 2211-2221.	5.4	60
28	Characterisation of the potential function of SVA retrotransposons to modulate gene expression patterns. <i>BMC Evolutionary Biology</i> , 2013, 13, 101.	3.2	55
29	A Polymorphism Associated with Depressive Disorders Differentially Regulates Brain Derived Neurotrophic Factor Promoter IV Activity. <i>Biological Psychiatry</i> , 2012, 71, 618-626.	1.3	51
30	Distinct factors bind the AP-1 consensus sites in gibbon ape leukemia virus and simian virus 40 enhancers. <i>Journal of Virology</i> , 1989, 63, 1737-1742.	3.4	51
31	NEURONAL-SPECIFIC GENE EXPRESSION ¼ THE INTERACTION OF BOTH POSITIVE AND NEGATIVE TRANSCRIPTIONAL REGULATORS. <i>Progress in Neurobiology</i> , 1996, 50, 363-379.	5.7	49
32	The Genetic Architecture of Parkinson Disease in Spain: Characterizing Population-specific Risk, Differential Haplotype Structures, and Providing Etiologic Insight. <i>Movement Disorders</i> , 2019, 34, 1851-1863.	3.9	47
33	Binding of a cellular protein to the gibbon ape leukemia virus enhancer.. <i>Molecular and Cellular Biology</i> , 1987, 7, 2735-2744.	2.3	45
34	Finding genetically-supported drug targets for Parkinson's disease using Mendelian randomization of the druggable genome. <i>Nature Communications</i> , 2021, 12, 7342.	12.8	44
35	Differential Regulation of the Serotonin Transporter Gene by Lithium Is Mediated by Transcription Factors, CCCTC Binding Protein and Y-Box Binding Protein 1, through the Polymorphic Intron 2 Variable Number Tandem Repeat. <i>Journal of Neuroscience</i> , 2007, 27, 2793-2801.	3.6	43
36	Repression of preprotachykinin-A promoter activity is mediated by a proximal promoter element. <i>Neuroscience</i> , 1995, 65, 837-847.	2.3	40

#	ARTICLE	IF	CITATIONS
37	Evidence for interplay between genes and parenting on infant temperament in the first year of life: monoamine oxidase A polymorphism moderates effects of maternal sensitivity on infant anger proneness. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 1308-1317.	5.2	40
38	The Nuclear Autoimmune Antigen Ku IS Also Present on the Cell Surface. <i>Autoimmunity</i> , 1992, 13, 265-267.	2.6	38
39	Evidence for interplay between genes and maternal stress <i>in utero</i> : monoamine oxidase A polymorphism moderates effects of life events during pregnancy on infant negative emotionality at 5½ weeks. <i>Genes, Brain and Behavior</i> , 2013, 12, 388-396.	2.2	37
40	Characterization of a REST-Regulated Internal Promoter in the Schizophrenia Genome-Wide Associated Gene MIR137. <i>Schizophrenia Bulletin</i> , 2015, 41, 698-707.	4.3	37
41	Characterisation of potential regulatory elements within the rat preprotachykinin-A promoter. <i>Neuroscience Letters</i> , 1995, 184, 125-128.	2.1	35
42	Novel candidate genes identified in the brain during nociception in common carp (<i>Cyprinus carpio</i>) and rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Neuroscience Letters</i> , 2008, 437, 135-138.	2.1	35
43	The IL1RN Promoter rs4251961 Correlates with IL-1 Receptor Antagonist Concentrations in Human Infection and Is Differentially Regulated by GATA-1. <i>Journal of Immunology</i> , 2011, 186, 2329-2335.	0.8	35
44	An Activator Element within the Preprotachykinin-A Promoter. <i>Molecular and Cellular Neurosciences</i> , 1994, 5, 165-175.	2.2	34
45	A TOMM40 poly-T variant modulates gene expression and is associated with vocabulary ability and decline in nonpathologic aging. <i>Neurobiology of Aging</i> , 2016, 39, 217.e1-217.e7.	3.1	34
46	An Evaluation of a SVA Retrotransposon in the FUS Promoter as a Transcriptional Regulator and Its Association to ALS. <i>PLoS ONE</i> , 2014, 9, e90833.	2.5	32
47	An upstream stimulatory factor (USF) binding motif is critical for rat preprotachykinin-A promoter activity in PC12 cells. <i>Biochemical Journal</i> , 1995, 310, 401-406.	3.7	31
48	Three immediate early gene response elements in the proximal preprotachykinin-A promoter in two functionally distinct domains. <i>Neuroscience</i> , 1995, 66, 921-932.	2.3	31
49	Behavioural Genetics of the Serotonin Transporter. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 12, 503-535.	1.7	31
50	A GWAS SNP for Schizophrenia Is Linked to the Internal MIR137 Promoter and Supports Differential Allele-Specific Expression. <i>Schizophrenia Bulletin</i> , 2016, 42, 1003-1008.	4.3	31
51	Neuron restrictive silencer factor as a modulator of neuropeptide gene expression. <i>Regulatory Peptides</i> , 2002, 108, 135-141.	1.9	29
52	Retrotransposons in the development and progression of amyotrophic lateral sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 284-293.	1.9	29
53	Investigation of Autosomal Genetic Sex Differences in Parkinson's Disease. <i>Annals of Neurology</i> , 2021, 90, 35-42.	5.3	29
54	The molecular biology of preprotachykinin-A gene expression. <i>Neuropeptides</i> , 1996, 30, 602-610.	2.2	28

#	ARTICLE	IF	CITATIONS
55	Characterization of potential regulatory elements within the rat arginine vasopressin proximal promoter. <i>Neuropeptides</i> , 1999, 33, 81-90.	2.2	28
56	Herpes virus latency in sensory ganglia – a comparison with endogenous neuronal gene expression. <i>Progress in Neurobiology</i> , 2000, 60, 167-179.	5.7	28
57	Regulation of activity-dependent neuroprotective protein (ADNP) by the NO-cGMP pathway in the hippocampus during kainic acid-induced seizure. <i>Neurobiology of Disease</i> , 2008, 30, 281-292.	4.4	28
58	Role of Tachykinin 1 and 4 Gene-Derived Neuropeptides and the Neurokinin 1 Receptor in Adjuvant-Induced Chronic Arthritis of the Mouse. <i>PLoS ONE</i> , 2013, 8, e61684.	2.5	28
59	Binding of a cellular protein to the gibbon ape leukemia virus enhancer. <i>Molecular and Cellular Biology</i> , 1987, 7, 2735-2744.	2.3	28
60	Arginine vasopressin promoter regulation is mediated by a neuron-restrictive silencer element in small cell lung cancer. <i>Cancer Research</i> , 1999, 59, 5123-7.	0.9	28
61	E-box motifs within the human vasopressin gene promoter contribute to a major enhancer in small-cell lung cancer. <i>Biochemical Journal</i> , 1999, 344, 961-970.	3.7	27
62	Additive effect of BDNF and REST polymorphisms is associated with improved general cognitive ability. <i>Genes, Brain and Behavior</i> , 2008, 7, 714-719.	2.2	27
63	Role of Pituitary Adenylate-Cyclase Activating Polypeptide and Tac1 gene derived tachykinins in sensory, motor and vascular functions under normal and neuropathic conditions. <i>Peptides</i> , 2013, 43, 105-112.	2.4	27
64	The <i>SLC6A4</i> VNTR genotype determines transcription factor binding and epigenetic variation of this gene in response to cocaine <i>in vitro</i> . <i>Addiction Biology</i> , 2012, 17, 156-170.	2.6	26
65	SVA retrotransposons as potential modulators of neuropeptide gene expression. <i>Neuropeptides</i> , 2017, 64, 3-7.	2.2	26
66	Upstream stimulatory factor activates the vasopressin promoter via multiple motifs, including a non-canonical E-box. <i>Biochemical Journal</i> , 2003, 369, 549-561.	3.7	25
67	Characterisation of a functional E box motif in the proximal rat preprotachykinin-A promoter. <i>Neuroscience Letters</i> , 1995, 191, 185-188.	2.1	24
68	The Human Preprotachykinin-A Gene Promoter Has Been Highly Conserved and Can Drive Human-like Marker Gene Expression in the Adult Mouse CNS. <i>Molecular and Cellular Neurosciences</i> , 2000, 16, 620-630.	2.2	24
69	The Regulation of Monoamine Oxidase A Gene Expression by Distinct Variable Number Tandem Repeats. <i>Journal of Molecular Neuroscience</i> , 2018, 64, 459-470.	2.3	24
70	The rat preprotachykinin-A promoter is regulated in PC12 cells by the synergistic action of multiple stimuli. <i>Neuroscience Letters</i> , 1994, 181, 117-120.	2.1	23
71	Evidence of Postnatal Neurogenesis in Dorsal Root Ganglion: Role of Nitric Oxide and Neuronal Restrictive Silencer Transcription Factor. <i>Journal of Molecular Neuroscience</i> , 2007, 32, 97-107.	2.3	23
72	Mechanical stimulation induces preprotachykinin gene expression in osteoarthritic chondrocytes which is correlated with modulation of the transcription factor neuron restrictive silence factor. <i>Neuropeptides</i> , 2008, 42, 681-686.	2.2	23

#	ARTICLE	IF	CITATIONS
73	Involvement of preprotachykinin A gene-encoded peptides and the neurokinin 1 receptor in endotoxin-induced murine airway inflammation. <i>Neuropeptides</i> , 2010, 44, 399-406.	2.2	23
74	SVA retrotransposons as modulators of gene expression. <i>Mobile Genetic Elements</i> , 2014, 4, e32102.	1.8	23
75	Gender and estrous cycle influences on behavioral and neurochemical alterations in adult rats neonatally administered ketamine. <i>Developmental Neurobiology</i> , 2016, 76, 519-532.	3.0	23
76	Role of capsaicin-sensitive nerves and tachykinins in mast cell tryptase-induced inflammation of murine knees. <i>Inflammation Research</i> , 2016, 65, 725-736.	4.0	23
77	Neuronal-specific and nerve growth factor-inducible expression directed by the preprotachykinin-A promoter delivered by an adeno-associated virus vector. <i>Neuroscience</i> , 1999, 94, 997-1003.	2.3	22
78	Regulatory characterisation of the schizophrenia-associated CACNA1C proximal promoter and the potential role for the transcription factor EZH2 in schizophrenia aetiology. <i>Schizophrenia Research</i> , 2018, 199, 168-175.	2.0	22
79	The Role of SINE-VNTR-Alu (SVA) Retrotransposons in Shaping the Human Genome. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5977.	4.1	22
80	Reference SVA insertion polymorphisms are associated with Parkinson's Disease progression and differential gene expression. <i>Npj Parkinson's Disease</i> , 2021, 7, 44.	5.3	22
81	Autoimmune antigen Ku is enriched on oligonucleotide columns distinct from those containing the octamer binding protein DNA consensus sequence. <i>FEBS Letters</i> , 1991, 286, 225-228.	2.8	21
82	Post-genomic approaches to exploring neuropeptide gene mis-expression in disease. <i>Neuropeptides</i> , 2004, 38, 1-15.	2.2	21
83	Induction of Tachykinin Production in Airway Epithelia in Response to Viral Infection. <i>PLoS ONE</i> , 2008, 3, e1673.	2.5	21
84	The human neurokinin B gene, TAC3, and its promoter are regulated by Neuron Restrictive Silencing Factor (NRSF) transcription factor family. <i>Neuropeptides</i> , 2009, 43, 333-340.	2.2	21
85	Regulation of the Cell-specific Calcitonin/Calcitonin Gene-related Peptide Enhancer by USF and the Foxa2 Forkhead Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 49948-49955.	3.4	20
86	Discovering genes: the use of microarrays and laser capture microdissection in pain research. <i>Brain Research Reviews</i> , 2004, 46, 225-233.	9.0	20
87	Either nitric oxide or nerve growth factor is required for dorsal root ganglion neurons to survive during embryonic and neonatal development. <i>Developmental Brain Research</i> , 2005, 154, 153-164.	1.7	20
88	NO-cGMP mediated galanin expression in NGF-deprived or axotomized sensory neurons. <i>Journal of Neurochemistry</i> , 2007, 100, 790-801.	3.9	20
89	Activity-Dependent Neuroprotective Protein Modulates Its Own Gene Expression. <i>Journal of Molecular Neuroscience</i> , 2012, 46, 33-39.	2.3	20
90	Multiple components are required for sequence recognition of the AP1 site in the gibbon ape leukemia virus enhancer.. <i>Molecular and Cellular Biology</i> , 1989, 9, 4713-4721.	2.3	19

#	ARTICLE	IF	CITATIONS
91	NRSF and BDNF polymorphisms as biomarkers of cognitive dysfunction in adults with newly diagnosed epilepsy. <i>Epilepsy and Behavior</i> , 2016, 54, 117-127.	1.7	19
92	The preprotachykinin A promoter interacts with a sequence specific single stranded DNA binding protein. <i>Nucleic Acids Research</i> , 1993, 21, 1637-1641.	14.5	18
93	A Yeast Artificial Chromosome Containing the Human Preprotachykinin-A Gene Expresses Substance P in Mice and Drives Appropriate Marker-Gene Expression during Early Brain Embryogenesis. <i>Molecular and Cellular Neurosciences</i> , 2002, 19, 72-87.	2.2	18
94	Fine-mapping reveals novel alternative splicing of the dopamine transporter. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1434-1447.	1.7	18
95	An Increased Burden of Highly Active Retrotransposition Competent L1s Is Associated with Parkinson's Disease Risk and Progression in the PPMI Cohort. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6562.	4.1	18
96	Real-Time Analysis of Preprotachykinin Promoter Activity in Single Cortical Neurons. <i>Journal of Neurochemistry</i> , 2002, 75, 882-885.	3.9	17
97	Hemokinin-1 mediates anxiolytic and anti-depressant-like actions in mice. <i>Brain, Behavior, and Immunity</i> , 2017, 59, 219-232.	4.1	17
98	Molecular models to analyse preprotachykinin-A expression and function. <i>Neuropeptides</i> , 2000, 34, 292-302.	2.2	16
99	Regulation of <i>SPRY3</i> by X chromosome and PAR2-linked promoters in an autism susceptibility region. <i>Human Molecular Genetics</i> , 2015, 24, 5126-5141.	2.9	16
100	Genetic Risk Profiling in Parkinson's Disease and Utilizing Genetics to Gain Insight into Disease-Related Biological Pathways. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7332.	4.1	16
101	Expression of activity-dependent neuroprotective protein in the brain of adult rats. <i>Histology and Histopathology</i> , 2008, 23, 309-17.	0.7	16
102	Transcriptional control of neuropeptide gene expression in sensory neurons, using the preprotachykinin-A gene as a model. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995, 73, 957-962.	1.4	15
103	Role of Tachykinins in the Host Response to Murine Gammaherpesvirus Infection. <i>Journal of Virology</i> , 2001, 75, 10467-10471.	3.4	15
104	A long AAAG repeat allele in the 5' UTR of the <i>ERR-13</i> gene is correlated with breast cancer predisposition and drives promoter activity in MCF-7 breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 41-48.	2.5	15
105	NR2A contributes to genesis and propagation of cortical spreading depression in rats. <i>Scientific Reports</i> , 2016, 6, 23576.	3.3	15
106	LRP10 in α -synucleinopathies. <i>Lancet Neurology</i> , The, 2018, 17, 1032.	10.2	15
107	Multiple protein binding sites within the rat preprotachykinin promoter: Demonstration of a site with neuronal specificity that is 3' of the major transcriptional start. <i>Molecular and Cellular Neurosciences</i> , 1992, 3, 11-16.	2.2	14
108	Nitric Oxide-NGF Mediated PPTA/SP, ADNP, and VIP Expression in the Peripheral Nervous System. <i>Journal of Molecular Neuroscience</i> , 2007, 33, 268-277.	2.3	14

#	ARTICLE	IF	CITATIONS
109	Mood stabilizers differentially affect housekeeping gene expression in human cells. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 279-288.	2.1	14
110	Analysis of the effects of depression associated polymorphisms on the activity of the BICC1 promoter in amygdala neurones. <i>Pharmacogenomics Journal</i> , 2016, 16, 366-374.	2.0	14
111	Non-coding genetic variation shaping mental health. <i>Current Opinion in Psychology</i> , 2019, 27, 18-24.	4.9	14
112	Sarcoma Family Kinase-Dependent Pannexin-1 Activation after Cortical Spreading Depression Is Mediated by NR2A-Containing Receptors. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1269.	4.1	14
113	Multiple protein complexes, including AP2 and Sp1, interact with a specific site within the rat preprotachykinin-A promoter. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995, 1263, 25-34.	2.4	13
114	Src Family Kinases in the Central Nervous System: Their Emerging Role in Pathophysiology of Migraine and Neuropathic Pain. <i>Current Neuropharmacology</i> , 2021, 19, 665-678.	2.9	13
115	The Ku complex is modulated in response to viral infection and other cellular changes. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1992, 1131, 181-187.	2.4	12
116	Nitric Oxide Regulates Activity-Dependent Neuroprotective Protein (ADNP) in the Dentate Gyrus of the Rodent Model of Kainic Acid-Induced Seizure. <i>Journal of Molecular Neuroscience</i> , 2009, 39, 9-21.	2.3	12
117	Novel brain expressed RNA identified at the MIR137 schizophrenia-associated locus. <i>Schizophrenia Research</i> , 2017, 184, 109-115.	2.0	12
118	Mismatched Prenatal and Postnatal Maternal Depressive Symptoms and Child Behaviours: A Sex-Dependent Role for NR3C1 DNA Methylation in the Wirral Child Health and Development Study. <i>Cells</i> , 2019, 8, 943.	4.1	12
119	Analysis of repetitive element expression in the blood and skin of patients with Parkinson's disease identifies differential expression of satellite elements. <i>Scientific Reports</i> , 2019, 9, 4369.	3.3	12
120	Treating the "in "G— E", Trauma-Informed Approaches and Psychological Therapy Interventions in Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 9.	2.6	12
121	Variation in the composition of the AP1 complex in PC12 cells following induction by NGF and TPA. <i>Molecular and Cellular Neurosciences</i> , 1991, 2, 253-258.	2.2	11
122	The rat vasoactive intestinal polypeptide cyclic AMP response element regulates gene transcriptional responses differently in neonatal and adult rat sensory neurons. <i>Neuroscience Letters</i> , 1994, 167, 19-23.	2.1	11
123	Novel cell lines for the analysis of preprotachykinin A gene expression identify a repressor domain 3' of the major transcriptional start site. <i>Biochemical Journal</i> , 1999, 341, 847-852.	3.7	11
124	Variable number tandem repeats " Their emerging role in sickness and health. <i>Experimental Biology and Medicine</i> , 2021, 246, 1368-1376.	2.4	11
125	Allele-specific transcriptional activity of the variable number of tandem repeats in 5' region of the <i><sc>DRD4</sc></i> gene is stimulus specific in human neuronal cells. <i>Genes, Brain and Behavior</i> , 2013, 12, 282-287.	2.2	10
126	Role of neurokinin 1 receptors in dextran sulfate-induced colitis: studies with gene-deleted mice and the selective receptor antagonist netupitant. <i>Inflammation Research</i> , 2014, 63, 399-409.	4.0	10

#	ARTICLE	IF	CITATIONS
127	Molecular signatures of mood stabilisers highlight the role of the transcription factor REST/NRSF. <i>Journal of Affective Disorders</i> , 2015, 172, 63-73.	4.1	10
128	Expression Quantitative Trait Loci (eQTLs) Associated with Retrotransposons Demonstrate their Modulatory Effect on the Transcriptome. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6319.	4.1	10
129	Multiple Components Are Required for Sequence Recognition of the API Site in the Gibbon Ape Leukemia Virus Enhancer. <i>Molecular and Cellular Biology</i> , 1989, 9, 4713-4721.	2.3	10
130	A role for the octamer-binding protein in preprotachykinin-a gene expression. <i>Neuropeptides</i> , 1998, 32, 79-85.	2.2	9
131	An intronic domain within the rat preprotachykinin-A gene containing a CCCT repetitive motif acts as an enhancer in differentiating embryonic stem cells. <i>Neuroscience Letters</i> , 1999, 263, 141-144.	2.1	9
132	E-box motifs within the human vasopressin gene promoter contribute to a major enhancer in small-cell lung cancer. <i>Biochemical Journal</i> , 1999, 344, 961.	3.7	9
133	Distinct Gene Expression Profiles Directed by the Isoforms of the Transcription Factor Neuron-Restrictive Silencer Factor in Human SK-N-AS Neuroblastoma Cells. <i>Journal of Molecular Neuroscience</i> , 2011, 44, 77-90.	2.3	9
134	Statistical analysis of human microarray data shows that dietary intervention with n-3 fatty acids, flavonoids and resveratrol enriches for immune response and disease pathways. <i>British Journal of Nutrition</i> , 2018, 119, 239-249.	2.3	9
135	Sarcoma family kinase activity is required for cortical spreading depression. <i>Cephalalgia</i> , 2018, 38, 1748-1758.	3.9	9
136	Src family kinases activity is required for transmitting purinergic P2X7 receptor signaling in cortical spreading depression and neuroinflammation. <i>Journal of Headache and Pain</i> , 2021, 22, 146.	6.0	9
137	Novel cell lines for the analysis of preprotachykinin A gene expression identify a repressor domain 3â€² of the major transcriptional start site. <i>Biochemical Journal</i> , 1999, 341, 847.	3.7	8
138	Detection of Small Cell Lung Cancer by RT-PCR for Neuropeptides, Neuropeptide Receptors, or a Splice Variant of the Neuron Restrictive Silencer Factor. , 2003, 75, 335-352.		8
139	A proximal E-box modulates NGF effects on rat PPT-A promoter activity in cultured dorsal root ganglia neurones. <i>Neuropeptides</i> , 2005, 39, 475-483.	2.2	8
140	Engineering in Genomics [variable number tandem repeats as agents of functional regulation in the genome]. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2008, 27, 103-108.	0.8	8
141	Modulation of orbitofrontal response to amphetamine by a functional variant of DAT1 and in vitro confirmation. <i>Molecular Psychiatry</i> , 2011, 16, 124-126.	7.9	8
142	Polymorphic variation as a driver of differential neuropeptide gene expression. <i>Neuropeptides</i> , 2013, 47, 395-400.	2.2	8
143	Genetic Interaction Between Two VNTRs in the SLC6A4 Gene Regulates Nicotine Dependence in Vietnamese Men. <i>Frontiers in Pharmacology</i> , 2018, 9, 1398.	3.5	8
144	Ku-related antigens are associated with transcriptionally active loci in <i>Chironomus polytene</i> chromosomes. <i>Chromosoma</i> , 1996, 105, 150-157.	2.2	7

#	ARTICLE	IF	CITATIONS
145	Allele-specific expression of the serotonin transporter and its transcription factors following lamotrigine treatment in vitro. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 474-483.	1.7	7
146	Frequency and methylation status of selected retrotransposition competent L1 loci in amyotrophic lateral sclerosis. <i>Molecular Brain</i> , 2020, 13, 154.	2.6	7
147	At the dawn of the transcriptomic medicine. <i>Experimental Biology and Medicine</i> , 2021, 246, 286-292.	2.4	7
148	Transcript Variants of Genes Involved in Neurodegeneration Are Differentially Regulated by the APOE and MAPT Haplotypes. <i>Genes</i> , 2021, 12, 423.	2.4	7
149	Identification of a novel multifunctional structural domain in the herpes simplex virus type 1 genome: implications for virus latency.. <i>Journal of General Virology</i> , 1998, 79, 2529-2532.	2.9	7
150	TRPA1-Mediated Src Family Kinases Activity Facilitates Cortical Spreading Depression Susceptibility and Trigeminovascular System Sensitization. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12273.	4.1	7
151	Characterisation of the Function of a SINE-VNTR-Alu Retrotransposon to Modulate Isoform Expression at the MAPT Locus. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, 815695.	2.9	7
152	A role for Octamer binding protein motifs in the regulation of the proximal preprotachykinin-A promoter. <i>Neuropeptides</i> , 2000, 34, 348-354.	2.2	6
153	A regulatory domain spanning the repeat sequence RE1 from herpes simplex virus type 1 has cell specific differential functions in trigeminal neurons and fibroblasts. <i>FEBS Letters</i> , 2009, 583, 3335-3338.	2.8	6
154	A SINE-VNTR-Alu in the LRIG2 Promoter Is Associated with Gene Expression at the Locus. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8486.	4.1	6
155	Genetic interaction between two VNTRs in the MAOA gene is associated with the nicotine dependence. <i>Experimental Biology and Medicine</i> , 2020, 245, 733-739.	2.4	6
156	CRISPR Deletion of a SVA Retrotransposon Demonstrates Function as a cis-Regulatory Element at the TRPV1/TRPV3 Intergenic Region. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1911.	4.1	6
157	E-box motifs within the human vasopressin gene promoter contribute to a major enhancer in small-cell lung cancer. <i>Biochemical Journal</i> , 1999, 344 Pt 3, 961-70.	3.7	6
158	Investigation of Van Gogh-like 2 mRNA regulation and localisation in response to nociception in the brain of adult common carp (<i>Cyprinus carpio</i>). <i>Neuroscience Letters</i> , 2009, 465, 290-294.	2.1	5
159	Longitudinal intronic RNA-Seq analysis of Parkinson's disease patients reveals disease-specific nascent transcription. <i>Experimental Biology and Medicine</i> , 2022, 247, 945-957.	2.4	5
160	An NGF-inducible octamer binding protein activity in a C1300 neuroblastoma cell line. <i>Molecular Brain Research</i> , 1992, 15, 174-178.	2.3	4
161	19 The role of the Octamer binding proteins and the NF- κ B complex in neuropeptide gene expression. <i>Biochemical Society Transactions</i> , 1997, 25, S573-S573.	3.4	4
162	Preferential expression of an AAV-2 construct in NOS-positive interneurons following intrastriatal injection. <i>Molecular Brain Research</i> , 2005, 141, 74-82.	2.3	4

#	ARTICLE	IF	CITATIONS
163	Altered host response to murine gammaherpesvirus 68 infection in mice lacking the tachykinin 1 gene and the receptor for substance P. <i>Neuropeptides</i> , 2011, 45, 49-53.	2.2	4
164	An evolutionary conserved region (ECR) in the human dopamine receptor D4 gene supports reporter gene expression in primary cultures derived from the rat cortex. <i>BMC Neuroscience</i> , 2011, 12, 46.	1.9	4
165	Characterisation of multiple regulatory domains spanning the major transcriptional start site of the FUS gene, a candidate gene for motor neurone disease. <i>Brain Research</i> , 2015, 1595, 1-9.	2.2	4
166	Potential impact of primate-specific SVA retrotransposons during the evolution of human cognitive function. <i>Trends in Evolutionary Biology</i> , 2017, 6, .	0.4	4
167	CTCF and Sp1 interact with the Murine gammaherpesvirus 68 internal repeat elements. <i>Virus Genes</i> , 2012, 45, 265-273.	1.6	3
168	Mental health and behaviour. <i>Neuropeptides</i> , 2013, 47, 361.	2.2	3
169	Identification and Potential Regulatory Properties of Evolutionary Conserved Regions (ECRs) at the Schizophrenia-Associated MIR137 Locus. <i>Journal of Molecular Neuroscience</i> , 2016, 60, 239-247.	2.3	3
170	Distinct chromatin structures at the monoamine oxidaseâ€A promoter correlate with alleleâ€specific expression in SHâ€5Y5Y cells. <i>Genes, Brain and Behavior</i> , 2019, 18, e12483.	2.2	3
171	Novel cell lines for the analysis of preprotachykinin A gene expression identify a repressor domain 3' of the major transcriptional start site. <i>Biochemical Journal</i> , 1999, 341 (Pt 3), 847-52.	3.7	3
172	Evolution of enhancer domains within the preprotachykinin promoter. <i>Biochemical Society Transactions</i> , 1993, 21, 371S-371S.	3.4	2
173	Generation of a transgenic model to address regulation and function of the human neurokinin 1 receptor (NK1R). <i>Neuropeptides</i> , 2007, 41, 195-205.	2.2	2
174	Research dissemination and knowledge translation. <i>British Journal of Cardiac Nursing</i> , 2010, 5, 600-604.	0.1	2
175	Epigenetical mechanisms of susceptibility to complex human diseases. <i>Russian Journal of Genetics: Applied Research</i> , 2011, 1, 436-447.	0.4	2
176	Intronic Tandem Repeat in the Serotonin Transporter Gene in Old World Monkeys: a New Transcriptional Regulator?. <i>Journal of Molecular Neuroscience</i> , 2012, 47, 401-407.	2.3	2
177	Locus specific reduction of L1 expression in the cortices of individuals with amyotrophic lateral sclerosis. <i>Molecular Brain</i> , 2022, 15, 25.	2.6	2
178	Identification of potential regulatory elements within the rat pre-protachykinin A promoter. <i>Biochemical Society Transactions</i> , 1993, 21, 372S-372S.	3.4	1
179	Lithium Chloride Regulation of the Substance P Encoding Preprotachykinin A, Tac1 Gene in Rat Hippocampal Primary Cells. <i>Journal of Molecular Neuroscience</i> , 2011, 45, 94-100.	2.3	1
180	Assessing the Impact of Genetic Variation on Transcriptional Regulation In Vitro. <i>Methods in Molecular Biology</i> , 2010, 628, 195-214.	0.9	1

#	ARTICLE	IF	CITATIONS
181	Identification of a neuronal specific DNA-binding protein within the rat preprotachykinin promoter. Biochemical Society Transactions, 1992, 20, 264S-264S.	3.4	0
182	The preprotachykinin A promoter interacts with a sequence specific single stranded DNA binding protein. Biochemical Society Transactions, 1993, 21, 373S-373S.	3.4	0
183	Neuronal specific and NGF inducible expression directed by the Preprotachykinin-A promoter delivered by an adeno-associated viral vector. Biochemical Society Transactions, 1999, 27, A94-A94.	3.4	0
184	Neuron restrictive silencer factor (NRSF) regulates the substance P encoding preprotachykinin-A gene. Biochemical Society Transactions, 1999, 27, A95-A95.	3.4	0
185	Neuropeptides-2015, Aberdeen University, Scotland. Neuropeptides, 2017, 64, 1.	2.2	0
186	Substance P and the Tachykinins. , 2006, , 427-461.		0
187	Letter to the editor regarding "TGM6 variants in Parkinson's disease: clinical findings and functional evidence". Journal of Integrative Neuroscience, 2020, 19, 735.	1.7	0