

Jan N M Ijzermans

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8884269/publications.pdf>

Version: 2024-02-01

262
papers

13,185
citations

31976

53
h-index

31849

101
g-index

267
all docs

267
docs citations

267
times ranked

16707
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening, Management, and Acceptance of Patients with Aorto-iliac Vascular Disease for Kidney Transplantation: A Survey among 161 Transplant Surgeons. <i>European Surgical Research</i> , 2022, 63, 77-84.	1.3	3
2	Systematic review and meta-analysis of validated prognostic models for resected hepatocellular carcinoma patients. <i>European Journal of Surgical Oncology</i> , 2022, 48, 492-499.	1.0	21
3	A multicentre outcome analysis to define global benchmarks for donation after circulatory death liver transplantation. <i>Journal of Hepatology</i> , 2022, 76, 371-382.	3.7	54
4	Risk of post-transplant cardiovascular events in kidney transplant recipients with preexisting aortoiliac stenosis. <i>Clinical Transplantation</i> , 2022, 36, e14515.	1.6	2
5	Effect of sarcopenia on survival in patients with cirrhosis: A meta-analysis. <i>Journal of Hepatology</i> , 2022, 76, 588-599.	3.7	164
6	Fasting before living-kidney donation: effect on donor well-being and postoperative recovery: study protocol of a multicenter randomized controlled trial. <i>Trials</i> , 2022, 23, 18.	1.6	3
7	Cholangiocarcinoma landscape in Europe: Diagnostic, prognostic and therapeutic insights from the ENSCCA Registry. <i>Journal of Hepatology</i> , 2022, 76, 1109-1121.	3.7	119
8	Physical Activity Is Associated with Improved Overall Survival among Patients with Metastatic Colorectal Cancer. <i>Cancers</i> , 2022, 14, 1001.	3.7	2
9	ASO Visual Abstract: Hepatic Arterial Infusion Pump Chemotherapy for Unresectable Intrahepatic Cholangiocarcinoma: A Systematic Review and Meta-analysis. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
10	Robot-assisted kidney transplantation as a minimally invasive approach for kidney transplant recipients: A systematic review and meta-analyses. <i>International Journal of Surgery</i> , 2022, 99, 106264.	2.7	19
11	Hepatic Arterial Infusion Pump Chemotherapy for Unresectable Intrahepatic Cholangiocarcinoma: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2022, 29, 5528-5538.	1.5	14
12	Human branching cholangiocyte organoids recapitulate functional bile duct formation. <i>Cell Stem Cell</i> , 2022, 29, 776-794.e13.	11.1	17
13	Safety and Efficacy of ¹⁶⁶ Ho Radioembolization in Hepatocellular Carcinoma: The HEPAR Primary Study. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1891-1898.	5.0	11
14	A novel difficulty grading system for laparoscopic living donor nephrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 2889-2895.	2.4	5
15	Effects of Protein and Calorie Restriction on the Metabolism and Toxicity Profile of Irinotecan in Cancer Patients. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 109, 1304-1313.	4.7	14
16	Eligibility for Liver Transplantation in Patients with Perihilar Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 1483-1492.	1.5	13
17	TIGIT and PD1 Co-blockade Restores ex Vivo Functions of Human Tumor-Infiltrating CD8+ T Cells in Hepatocellular Carcinoma. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 12, 443-464.	4.5	43
18	Safety and feasibility of 24h of normothermic machine perfusion of donor kidneys in the Eurotransplant Senior Program. <i>BJS Open</i> , 2021, 5, .	1.7	34

#	ARTICLE	IF	CITATIONS
19	Learning curves of minimally invasive donor nephrectomy in a high-volume center: A cohort study of 1895 consecutive living donors. <i>International Journal of Surgery</i> , 2021, 86, 7-12.	2.7	13
20	Circular RNA in Chemonaive Lymph Node Negative Colon Cancer Patients. <i>Cancers</i> , 2021, 13, 1903.	3.7	1
21	A panel of DNA methylation markers for the classification of consensus molecular subtypes 2 and 3 in patients with colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2021, 39, 3545-3545.	1.6	0
22	Impact of hypoxia and AMPK on CFTR-mediated bicarbonate secretion in human cholangiocyte organoids. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, G741-G752.	3.4	3
23	Expression of Cancer Testis Antigens in Tumor-Adjacent Normal Liver Is Associated with Post-Resection Recurrence of Hepatocellular Carcinoma. <i>Cancers</i> , 2021, 13, 2499.	3.7	4
24	Recurrence of primary sclerosing cholangitis after liver transplantation â€“ analysing the European Liver Transplant Registry and beyond. <i>Transplant International</i> , 2021, 34, 1455-1467.	1.6	23
25	Early Cost-effectiveness Analysis of Risk-Based Selection Strategies for Adjuvant Treatment in Stage II Colon Cancer: The Potential Value of Prognostic Molecular Markers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1726-1734.	2.5	0
26	ASO Visual Abstract: Prediction of Early Hepatocellular Carcinoma Recurrence After Resectionâ€”An International Validation of the ERASL Risk Models. <i>Annals of Surgical Oncology</i> , 2021, 28, 505-506.	1.5	0
27	Prediction of Early Recurrence After Surgery for Liver Tumor (ERASL): An International Validation of the ERASL Risk Models. <i>Annals of Surgical Oncology</i> , 2021, 28, 8211-8220.	1.5	6
28	Optimizing porcine donor kidney preservation with normothermic or hypothermic machine perfusion: A systematic review. <i>Artificial Organs</i> , 2021, 45, 1308-1316.	1.9	1
29	Effects of Morbid Obesity and Metabolic Syndrome on the Composition of Circulating Immune Subsets. <i>Frontiers in Immunology</i> , 2021, 12, 675018.	4.8	5
30	Application of human liver organoids as a patient-derived primary model for HBV infection and related hepatocellular carcinoma. <i>ELife</i> , 2021, 10, .	6.0	51
31	The Treatment Effect of Liver Transplantation versus Liver Resection for HCC: A Review and Future Perspectives. <i>Cancers</i> , 2021, 13, 3730.	3.7	10
32	Histopathological growth patterns modify the prognostic impact of microvascular invasion in non-cirrhotic hepatocellular carcinoma. <i>Hpb</i> , 2021, , .	0.3	4
33	Hepatocellular adenoma in men: A nationwide assessment of pathology and correlation with clinical course. <i>Liver International</i> , 2021, 41, 2474-2484.	3.9	15
34	An Engineered IL15 Cytokine Mutein Fused to an Anti-PD1 Improves Intratumoral T-cell Function and Antitumor Immunity. <i>Cancer Immunology Research</i> , 2021, 9, 1141-1157.	3.4	33
35	Daily practice in guideline adherence to adjuvant chemotherapy in stage III colon cancer and predictors of outcome. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2060-2068.	1.0	3
36	Implementation of donation after circulatory death kidney transplantation can safely enlarge the donor pool: A systematic review and meta-analysis. <i>International Journal of Surgery</i> , 2021, 92, 106021.	2.7	26

#	ARTICLE	IF	CITATIONS
37	Genetic Determinants of Outcome in Intrahepatic Cholangiocarcinoma. <i>Hepatology</i> , 2021, 74, 1429-1444.	7.3	73
38	To screen or not to screen? The development of a prediction model for aortoiliac stenosis in kidney transplant candidates. <i>Transplant International</i> , 2021, 34, 2371-2381.	1.6	0
39	Clinical outcome of kidney transplantation after bariatric surgery: A single-center, retrospective cohort study. <i>Clinical Transplantation</i> , 2021, 35, e14208.	1.6	10
40	Additional Normothermic Machine Perfusion Versus Hypothermic Machine Perfusion in Suboptimal Donor Kidney Transplantation: Protocol of a Randomized, Controlled, Open-Label Trial. <i>International Journal of Surgery Protocols</i> , 2021, 25, 227-237.	1.1	8
41	Precancerous liver diseases do not cause increased mutagenesis in liver stem cells. <i>Communications Biology</i> , 2021, 4, 1301.	4.4	9
42	High performance methylated DNA markers for detection of colon adenocarcinoma. <i>Clinical Epigenetics</i> , 2021, 13, 218.	4.1	5
43	A proof of concept study on real-time LiMAX CYP1A2 liver function assessment of donor grafts during normothermic machine perfusion. <i>Scientific Reports</i> , 2021, 11, 23444.	3.3	10
44	Cholangiocyte organoids from human bile retain a local phenotype and can repopulate bile ducts in vitro. <i>Clinical and Translational Medicine</i> , 2021, 11, e566.	4.0	12
45	Evaluation of the New American Joint Committee on Cancer Staging Manual 8th Edition for Perihilar Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1612-1618.	1.7	24
46	Right posterior segment graft for living donor liver transplantation: A systematic review. <i>Transplantation Reviews</i> , 2020, 34, 100510.	2.9	13
47	Performance of Contrast-Enhanced Sonography Versus MRI With a Liver-Specific Contrast Agent for Diagnosis of Hepatocellular Adenoma and Focal Nodular Hyperplasia. <i>American Journal of Roentgenology</i> , 2020, 214, 81-89.	2.2	11
48	Growth of hepatocellular adenoma during pregnancy: A prospective study. <i>Journal of Hepatology</i> , 2020, 72, 119-124.	3.7	23
49	Collagen analysis with mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2020, 39, 309-335.	5.4	27
50	Hepatic angiomyolipoma: an international multicenter analysis on diagnosis, management and outcome. <i>Hpb</i> , 2020, 22, 622-629.	0.3	19
51	Obese living kidney donors: a comparison of hand-assisted retroperitoneoscopic versus laparoscopic living donor nephrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 4901-4908.	2.4	9
52	Liver retransplantation in adult recipients: analysis of a 38-year experience in the Netherlands. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 26-33.	2.6	10
53	Down-Regulation of Collagen Hydroxylation in Colorectal Liver Metastasis. <i>Frontiers in Oncology</i> , 2020, 10, 557737.	2.8	3
54	DPHL: A DIA Pan-human Protein Mass Spectrometry Library for Robust Biomarker Discovery. <i>Genomics, Proteomics and Bioinformatics</i> , 2020, 18, 104-119.	6.9	51

#	ARTICLE	IF	CITATIONS
55	The effect of donor body mass index on graft function in liver transplantation: A systematic review. <i>Transplantation Reviews</i> , 2020, 34, 100571.	2.9	5
56	Pre-Operative Fasting Provides Long Term Protection Against Chronic Renal Damage Induced by Ischaemia Reperfusion Injury in Wild Type and Aneurysm Prone Fibulin-4 Mice. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 905-915.	1.5	3
57	Interconnectivity between molecular subtypes and tumor stage in colorectal cancer. <i>BMC Cancer</i> , 2020, 20, 850.	2.6	14
58	Stenting the ureteroneocystostomy reduces urological complications in kidney transplantation: a noninferiority randomized controlled trial, SPLINT trial. <i>Transplant International</i> , 2020, 33, 1190-1198.	1.6	6
59	Improving clinical management of colon cancer through CONNECTION, a nation-wide colon cancer registry and stratification effort (CONNECTION II trial): rationale and protocol of a single arm intervention study. <i>BMC Cancer</i> , 2020, 20, 776.	2.6	9
60	Recurrence of primary sclerosing cholangitis after liver transplantation is associated with specific changes in the gut microbiome pretransplant – a pilot study. <i>Transplant International</i> , 2020, 33, 1424-1436.	1.6	8
61	New insights in the management of Hepatocellular Adenoma. <i>Liver International</i> , 2020, 40, 1529-1537.	3.9	18
62	Volume–outcome relationship of liver surgery: a nationwide analysis. <i>British Journal of Surgery</i> , 2020, 107, 917-926.	0.3	32
63	Surgical learning curve in kidney transplantation: A systematic review and meta-analysis. <i>Transplantation Reviews</i> , 2020, 34, 100564.	2.9	7
64	The prognosis of kidney transplant recipients with aortoiliac calcification: a systematic review and meta-analysis. <i>Transplant International</i> , 2020, 33, 483-496.	1.6	17
65	A multicentre retrospective analysis on growth of residual hepatocellular adenoma after resection. <i>Liver International</i> , 2020, 40, 2272-2278.	3.9	7
66	Human Bile Contains Cholangiocyte Organoid-Initiating Cells Which Expand as Functional Cholangiocytes in Non-canonical Wnt Stimulating Conditions. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 630492.	3.7	11
67	Long-term prognosis after kidney donation: a propensity score matched comparison of living donors and non-donors from two population cohorts. <i>European Journal of Epidemiology</i> , 2020, 35, 699-707.	5.7	15
68	Human extrahepatic and intrahepatic cholangiocyte organoids show region-specific differentiation potential and model cystic fibrosis-related bile duct disease. <i>Scientific Reports</i> , 2020, 10, 21900.	3.3	43
69	Protein and calorie restriction may improve outcomes in living kidney donors and kidney transplant recipients. <i>Aging</i> , 2020, 12, 12441-12467.	3.1	13
70	Prognostic Implications of Physical Frailty and Sarcopenia Pre and Post Transplantation. , 2020, , 55-76.		0
71	Estimated skeletal muscle mass and density values measured on computed tomography examinations in over 1000 living kidney donors. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 879-886.	2.9	13
72	Safety and efficacy of transarterial embolization of hepatocellular adenomas. <i>British Journal of Surgery</i> , 2019, 106, 1362-1371.	0.3	12

#	ARTICLE	IF	CITATIONS
73	Living Donor Kidney Transplantation in a Patient With Epidermolysis Bullosa: A Case Report. <i>Transplantation Proceedings</i> , 2019, 51, 3074-3076.	0.6	6
74	Circulating levels of PD-L1 and Galectin-9 are associated with patient survival in surgically treated Hepatocellular Carcinoma independent of their intra-tumoral expression levels. <i>Scientific Reports</i> , 2019, 9, 10677.	3.3	37
75	The impact of imaging on the surgical management of biliary cystadenomas and cystadenocarcinomas; a systematic review. <i>Hpb</i> , 2019, 21, 1257-1267.	0.3	12
76	Recreating Tumour Complexity in a Dish: Organoid Models to Study Liver Cancer Cells and their Extracellular Environment. <i>Cancers</i> , 2019, 11, 1706.	3.7	26
77	Prognostic significance of the controlling nutritional status (CONUT) score in patients undergoing gastrectomy for gastric cancer: a systematic review and meta-analysis. <i>BMC Surgery</i> , 2019, 19, 129.	1.3	38
78	Body Composition Is an Independent Predictor of Outcome in Patients with Hepatocellular Carcinoma Treated with Sorafenib. <i>Liver Cancer</i> , 2019, 8, 255-270.	7.7	30
79	Phenotype or Genotype: Decision-Making Dilemmas in Hepatocellular Adenoma. <i>Hepatology</i> , 2019, 70, 1866-1868.	7.3	7
80	Reduction of immunosuppressive tumor microenvironment in cholangiocarcinoma by ex vivo targeting immune checkpoint molecules. <i>Journal of Hepatology</i> , 2019, 71, 753-762.	3.7	81
81	The Controlling Nutritional Status Score and Postoperative Complication Risk in Gastrointestinal and Hepatopancreatobiliary Surgical Oncology: A Systematic Review and Meta-Analysis. <i>Annals of Nutrition and Metabolism</i> , 2019, 74, 303-312.	1.9	29
82	Surgery for cholangiocarcinoma. <i>Liver International</i> , 2019, 39, 143-155.	3.9	192
83	Reply to "Comment on "Muscle wasting and survival following pre-operative 3 chemoradiotherapy for locally advanced rectal carcinoma". <i>Clinical Nutrition</i> , 2019, 38, 1483.	5.0	0
84	The effect of sex and menopause on carotid intima-media thickness and pulse wave velocity in morbid obesity. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13118.	3.4	17
85	Effects of bariatric surgery on telomere length and T-cell aging. <i>International Journal of Obesity</i> , 2019, 43, 2189-2199.	3.4	17
86	Identification of 4-Hydroxyproline at the Xaa Position in Collagen by Mass Spectrometry. <i>Journal of Proteome Research</i> , 2019, 18, 2045-2051.	3.7	23
87	Impact of Aortoiliac Stenosis on Graft and Patient Survival in Kidney Transplant Recipients Using the TASC II Classification. <i>Transplantation</i> , 2019, 103, 2164-2172.	1.0	9
88	Development and Validation of a Model to Predict Regression of Large Size Hepatocellular Adenoma. <i>American Journal of Gastroenterology</i> , 2019, 114, 1292-1298.	0.4	17
89	Cell-free MicroRNA miR-505-3p in Graft Preservation Fluid Is an Independent Predictor of Delayed Graft Function After Kidney Transplantation. <i>Transplantation</i> , 2019, 103, 329-335.	1.0	16
90	Prognostic significance of the controlling nutritional status (CONUT) score in patients undergoing hepatectomy for hepatocellular carcinoma: a systematic review and meta-analysis. <i>BMC Gastroenterology</i> , 2019, 19, 211.	2.0	28

#	ARTICLE	IF	CITATIONS
91	Up-regulation of collagen proteins in colorectal liver metastasis compared with normal liver tissue. <i>Journal of Biological Chemistry</i> , 2019, 294, 281-289.	3.4	65
92	Dichotomous functions of phosphorylated and unphosphorylated STAT1 in hepatocellular carcinoma. <i>Journal of Molecular Medicine</i> , 2019, 97, 77-88.	3.9	14
93	Action and clinical significance of CCAAT/enhancer-binding protein delta in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2019, 40, 155-163.	2.8	9
94	Low Skeletal Muscle Density Is Associated with Early Death in Patients with Perihilar Cholangiocarcinoma Regardless of Subsequent Treatment. <i>Digestive Surgery</i> , 2019, 36, 144-152.	1.2	31
95	The transcriptomic response to irinotecan in colon carcinoma bearing mice preconditioned by fasting. <i>Oncotarget</i> , 2019, 10, 2224-2234.	1.8	6
96	3D Endoscopic Donor Nephrectomy Versus Robot-assisted Donor Nephrectomy. <i>Transplantation</i> , 2018, 102, e295-e300.	1.0	7
97	Multivariate Analysis of Health-related Quality of Life in Donors After Live Kidney Donation. <i>Transplantation Proceedings</i> , 2018, 50, 42-47.	0.6	8
98	Contribution of Type 2 Diabetes Mellitus to Subclinical Atherosclerosis in Subjects with Morbid Obesity. <i>Obesity Surgery</i> , 2018, 28, 2509-2516.	2.1	7
99	Contrast-enhancement influences skeletal muscle density, but not skeletal muscle mass, measurements on computed tomography. <i>Clinical Nutrition</i> , 2018, 37, 1707-1714.	5.0	89
100	Nationwide comprehensive gastro-intestinal cancer cohorts: the 3P initiative. <i>Acta Oncologica</i> , 2018, 57, 195-202.	1.8	55
101	The prognostic value of portal vein and hepatic artery involvement in patients with perihilar cholangiocarcinoma. <i>Hpb</i> , 2018, 20, 83-92.	0.3	45
102	Low skeletal muscle mass is associated with increased hospital costs in patients with cirrhosis listed for liver transplantation-a retrospective study. <i>Transplant International</i> , 2018, 31, 165-174.	1.6	64
103	Growth of Focal Nodular Hyperplasia is Not a Reason for Surgical Intervention, but Patients Should be Referred to a Tertiary Referral Centre. <i>World Journal of Surgery</i> , 2018, 42, 1506-1513.	1.6	13
104	Low skeletal muscle mass as a risk factor for postoperative delirium in elderly patients undergoing colorectal cancer surgery. <i>Clinical Interventions in Aging</i> , 2018, Volume 13, 2097-2106.	2.9	37
105	Onset of Donor Warm Ischemia Time in Donation After Circulatory Death Liver Transplantation: Hypotension or Hypoxia?. <i>Liver Transplantation</i> , 2018, 24, 1001-1010.	2.4	38
106	Are we SHARP enough? The importance of adequate patient selection in sorafenib treatment for hepatocellular carcinoma. <i>Acta Oncologica</i> , 2018, 57, 1467-1474.	1.8	13
107	Endoscopic versus percutaneous biliary drainage in patients with resectable perihilar cholangiocarcinoma: a multicentre, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 681-690.	8.1	126
108	Impact of low skeletal muscle mass and density on short and long-term outcome after resection of stage III colorectal cancer. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1354-1360.	1.0	76

#	ARTICLE	IF	CITATIONS
109	A model including sarcopenia surpasses the MELD score in predicting waiting list mortality in cirrhotic liver transplant candidates: A competing risk analysis in a national cohort. <i>Journal of Hepatology</i> , 2018, 68, 707-714.	3.7	161
110	Robotic surgery rapidly and successfully implemented in a high volume laparoscopic center on living kidney donation. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2017, 13, e1743.	2.3	26
111	PD-L1, Galectin-9 and CD8 ⁺ tumor-infiltrating lymphocytes are associated with survival in hepatocellular carcinoma. <i>OncImmunology</i> , 2017, 6, e1273309.	4.6	117
112	A signature of renal stress resistance induced by short-term dietary restriction, fasting, and protein restriction. <i>Scientific Reports</i> , 2017, 7, 40901.	3.3	32
113	The effect of preoperative chemotherapy treatment in surgically treated intrahepatic cholangiocarcinoma patients: A multi-institutional analysis. <i>Journal of Surgical Oncology</i> , 2017, 115, 312-318.	1.7	46
114	Multicenter fresh frozen tissue sampling in colorectal cancer: does the quality meet the standards for state of the art biomarker research?. <i>Cell and Tissue Banking</i> , 2017, 18, 425-431.	1.1	13
115	Management of hepatic angiomyolipoma: A systematic review. <i>Liver International</i> , 2017, 37, 1272-1280.	3.9	55
116	A comparative study of software programmes for cross-sectional skeletal muscle and adipose tissue measurements on abdominal computed tomography scans of rectal cancer patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 285-297.	7.3	171
117	Antibodies Against Immune Checkpoint Molecules Restore Functions of Tumor-Infiltrating T Cells in Hepatocellular Carcinomas. <i>Gastroenterology</i> , 2017, 153, 1107-1119.e10.	1.3	309
118	Validation of the Mayo Clinic Staging System in Determining Prognoses of Patients With Perihilar Cholangiocarcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1930-1939.e3.	4.4	15
119	Retrospective study on timing of resection of hepatocellular adenoma. <i>British Journal of Surgery</i> , 2017, 104, 1695-1703.	0.3	30
120	Long-term outcomes of patients with 10 or more colorectal liver metastases. <i>British Journal of Cancer</i> , 2017, 117, 604-611.	6.4	58
121	Malignant potential of hepatocellular adenoma. <i>Liver International</i> , 2017, 37, 966-967.	3.9	3
122	Inflammatory and multiple hepatocellular adenoma are associated with a higher BMI. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 1183-1188.	1.6	13
123	A Model-Based Prediction of the Probability of Hepatocellular Adenoma and Focal Nodular Hyperplasia Based on Characteristics on Contrast-Enhanced Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2144-2150.	1.5	10
124	Conditional survival in patients with unresectable perihilar cholangiocarcinoma. <i>Hpb</i> , 2017, 19, 966-971.	0.3	15
125	Human primary liver cancer-derived organoid cultures for disease modeling and drug screening. <i>Nature Medicine</i> , 2017, 23, 1424-1435.	30.7	905
126	Decellularization of Whole Human Liver Grafts Using Controlled Perfusion for Transplantable Organ Bioscaffolds. <i>Stem Cells and Development</i> , 2017, 26, 1304-1315.	2.1	71

#	ARTICLE	IF	CITATIONS
127	Five-year follow-up after live donor nephrectomy - cross-sectional and longitudinal analysis of a prospective cohort within the era of extended donor eligibility criteria. <i>Transplant International</i> , 2017, 30, 266-276.	1.6	13
128	Ergonomics in the operating room. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 2457-2466.	2.4	83
129	Live kidney donation: are concerns about long-term safety justified? A methodological review. <i>European Journal of Epidemiology</i> , 2017, 32, 103-111.	5.7	16
130	High mRNA expression of splice variant SYK short correlates with hepatic disease progression in chemo-naïve lymph node negative colon cancer patients. <i>PLoS ONE</i> , 2017, 12, e0185607.	2.5	14
131	Attitudes among transplant professionals regarding shifting paradigms in eligibility criteria for live kidney donation. <i>PLoS ONE</i> , 2017, 12, e0181846.	2.5	17
132	Low skeletal muscle mass is associated with increased hospital expenditure in patients undergoing cancer surgery of the alimentary tract. <i>PLoS ONE</i> , 2017, 12, e0186547.	2.5	38
133	Management and outcome of hepatocellular adenoma with massive bleeding at presentation. <i>World Journal of Gastroenterology</i> , 2017, 23, 4579.	3.3	24
134	Fate and Effect of Intravenously Infused Mesenchymal Stem Cells in a Mouse Model of Hepatic Ischemia Reperfusion Injury and Resection. <i>Stem Cells International</i> , 2016, 2016, 1-9.	2.5	39
135	Short-Term Preoperative Calorie and Protein Restriction Is Feasible in Healthy Kidney Donors and Morbidly Obese Patients Scheduled for Surgery. <i>Nutrients</i> , 2016, 8, 306.	4.1	20
136	A High Comorbidity Score Should Not be a Contraindication for Kidney Transplantation. <i>Transplantation</i> , 2016, 100, 400-406.	1.0	28
137	Systematic Review and Meta-Analysis of the Impact of Computed Tomography-Assessed Skeletal Muscle Mass on Outcome in Patients Awaiting or Undergoing Liver Transplantation. <i>American Journal of Transplantation</i> , 2016, 16, 2277-2292.	4.7	264
138	Fasting protects against the side effects of irinotecan treatment but does not affect anti-tumour activity in mice. <i>British Journal of Pharmacology</i> , 2016, 173, 804-814.	5.4	30
139	Towards a standardised informed consent procedure for live donor nephrectomy: the PRINCE (Process of Informed Consent Evaluation) project study protocol for a nationwide prospective cohort study. <i>BMJ Open</i> , 2016, 6, e010594.	1.9	6
140	Evidence of good prognosis of hepatocellular adenoma in post-menopausal women. <i>Journal of Hepatology</i> , 2016, 65, 1163-1170.	3.7	23
141	Tissue-specific mutation accumulation in human adult stem cells during life. <i>Nature</i> , 2016, 538, 260-264.	27.8	759
142	Disruption of clock gene expression in human colorectal liver metastases. <i>Tumor Biology</i> , 2016, 37, 13973-13981.	1.8	24
143	First case report of chylous ascites after robot-assisted donor nephrectomy. <i>Journal of Surgical Case Reports</i> , 2016, 2016, rjw118.	0.4	7
144	Kidney and liver transplantation in the elderly. <i>British Journal of Surgery</i> , 2016, 103, e62-e72.	0.3	36

#	ARTICLE	IF	CITATIONS
145	Reply to: Comparing the Variability Between Measurements for Sarcopenia Using Magnetic Resonance Imaging and Computed Tomography Imaging. <i>American Journal of Transplantation</i> , 2016, 16, 2768-2768.	4.7	3
146	Prospective Dutch colorectal cancer cohort: an infrastructure for long-term observational, prognostic, predictive and (randomized) intervention research. <i>Acta Oncologica</i> , 2016, 55, 1273-1280.	1.8	62
147	A Comparison of Prognostic Schemes for Perihilar Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 1716-1724.	1.7	31
148	Perioperative Events and Complications in Minimally Invasive Live Donor Nephrectomy. <i>Transplantation</i> , 2016, 100, 2264-2275.	1.0	64
149	Long-term follow-up after live kidney donation (LOVE) study: a longitudinal comparison study protocol. <i>BMC Nephrology</i> , 2016, 17, 14.	1.8	8
150	Improving the outcome of kidney transplantation by ameliorating renal ischemia reperfusion injury: lost in translation?. <i>Journal of Translational Medicine</i> , 2016, 14, 20.	4.4	87
151	Predicting mental health after living kidney donation: The importance of psychological factors. <i>British Journal of Health Psychology</i> , 2016, 21, 533-554.	3.5	32
152	Oncological benefit of parenchyma-preserving hepatectomy for colorectal liver metastasis.. <i>Journal of Clinical Oncology</i> , 2016, 34, 3526-3526.	1.6	1
153	A hydroxylated collagen peptide in urine as biomarker for the detection of colorectal liver metastases.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15081-e15081.	1.6	1
154	Vascular Multiplicity Should Not Be a Contra-Indication for Live Kidney Donation and Transplantation. <i>PLoS ONE</i> , 2016, 11, e0153460.	2.5	17
155	Molecular characteristics of circulating tumor cells resemble the liver metastasis more closely than the primary tumor in metastatic colorectal cancer. <i>Oncotarget</i> , 2016, 7, 59058-59069.	1.8	37
156	SYK(S) isoform as a prognostic marker for short liver metastasis free survival in patients with lymph node negative colon cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, e151117-e151117.	1.6	0
157	Hydroxylated collagen peptide in urine as biomarker for detecting colorectal liver metastases. <i>American Journal of Cancer Research</i> , 2016, 6, 321-30.	1.4	9
158	Colorectal liver metastases with a disrupted circadian rhythm phase shift the peripheral clock in liver and kidney. <i>International Journal of Cancer</i> , 2015, 136, 1024-1032.	5.1	50
159	Systematic review of sarcopenia in patients operated on for gastrointestinal and hepatopancreatobiliary malignancies. <i>British Journal of Surgery</i> , 2015, 102, 1448-1458.	0.3	226
160	Kidney Retransplantation in the Ipsilateral Iliac Fossa: A Surgical Challenge. <i>American Journal of Transplantation</i> , 2015, 15, 2947-2954.	4.7	22
161	Ureteral length in live donor kidney transplantation; Does size matter?. <i>Transplant International</i> , 2015, 28, 1326-1331.	1.6	6
162	Sarcopenia impairs survival in patients with potentially curable hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2015, 112, 208-213.	1.7	80

#	ARTICLE	IF	CITATIONS
163	Post-transplantation Immunoabsorption Can Be Withheld in ABO-Incompatible Kidney Transplant Recipients. Therapeutic Apheresis and Dialysis, 2015, 19, 513-517.	0.9	3
164	More than a decade after live donor nephrectomy: a prospective cohort study. Transplant International, 2015, 28, 1268-1275.	1.6	31
165	The impact of sarcopenia on survival and complications in surgical oncology: A review of the current literature. Journal of Surgical Oncology, 2015, 112, 681-682.	1.7	13
166	Surgical aspects of live kidney donation an updated review. Frontiers in Bioscience - Elite, 2015, 7, 394-416.	1.8	3
167	MicroRNAs in Kidney Transplantation: Living up to Their Expectations?. Journal of Transplantation, 2015, 2015, 1-10.	0.5	16
168	mRNA expression profiles in circulating tumor cells of metastatic colorectal cancer patients. Molecular Oncology, 2015, 9, 920-932.	4.6	37
169	Long-Term Culture of Genome-Stable Bipotent Stem Cells from Adult Human Liver. Cell, 2015, 160, 299-312.	28.9	1,166
170	Shifting paradigms in eligibility criteria for live kidney donation: a systematic review. Kidney International, 2015, 87, 31-45.	5.2	72
171	Exploring Knowledge About Dialysis, Transplantation, and Living Donation Among Patients and Their Living Kidney Donors. International Journal of Behavioral Medicine, 2015, 22, 580-589.	1.7	26
172	Fasting protects against the side effects of irinotecan but preserves its anti-tumor effect in Apc15lox mutant mice. Cell Cycle, 2015, 14, 2333-2339.	2.6	36
173	Vascular Management During Live Donor Nephrectomy: An Online Survey Among Transplant Surgeons. American Journal of Transplantation, 2015, 15, 1701-1707.	4.7	27
174	Tumour antigen expression in hepatocellular carcinoma in a low-endemic western area. British Journal of Cancer, 2015, 112, 1911-1920.	6.4	36
175	SMAD4 exerts a tumor-promoting role in hepatocellular carcinoma. Oncogene, 2015, 34, 5055-5068.	5.9	57
176	ABO-incompatible kidney transplant recipients have a higher bleeding risk after antigen-specific immunoabsorption. Transplant International, 2015, 28, 25-33.	1.6	38
177	Mannan-Binding Lectin Is Involved in the Protection against Renal Ischemia/Reperfusion Injury by Dietary Restriction. PLoS ONE, 2015, 10, e0137795.	2.5	12
178	Surgical aspects of live kidney donation an updated review. Frontiers in Bioscience - Elite, 2015, 7, 394-416.	1.8	14
179	The First Fifty ABO Blood Group Incompatible Kidney Transplantations: The Rotterdam Experience. Journal of Transplantation, 2014, 2014, 1-6.	0.5	22
180	Can right-sided hand-assisted retroperitoneoscopic donor nephrectomy be advocated above standard laparoscopic donor nephrectomy: a randomized pilot study. Transplant International, 2014, 27, 162-169.	1.6	33

#	ARTICLE	IF	CITATIONS
181	Rotterdam: Main port for organ transplantation research in the Netherlands. <i>Transplant Immunology</i> , 2014, 31, 200-206.	1.2	1
182	Ischemic postconditioning in human DCD kidney transplantation is feasible and appears safe. <i>Transplant International</i> , 2014, 27, 226-234.	1.6	27
183	The Need for a Standardized Informed Consent Procedure in Live Donor Nephrectomy. <i>Transplantation</i> , 2014, 98, 1134-1143.	1.0	22
184	Randomized Controlled Trial Comparing Hand-Assisted Retroperitoneoscopic Versus Standard Laparoscopic Donor Nephrectomy. <i>Transplantation</i> , 2014, 97, 161-167.	1.0	58
185	Independent Risk Factors for Urological Complications after Deceased Donor Kidney Transplantation. <i>PLoS ONE</i> , 2014, 9, e91211.	2.5	34
186	The Predictive Value of Golgi Protein 73 in Differentiating Benign from Malignant Liver Tumors. <i>PLoS ONE</i> , 2014, 9, e100187.	2.5	16
187	Preoperative Fasting Protects against Renal Ischemia-Reperfusion Injury in Aged and Overweight Mice. <i>PLoS ONE</i> , 2014, 9, e100853.	2.5	26
188	<i>KRAS</i> and <i>BRAF</i> mutation status in circulating colorectal tumor cells and their correlation with primary and metastatic tumor tissue. <i>International Journal of Cancer</i> , 2013, 133, 130-141.	5.1	128
189	Incision-related outcome after live donor nephrectomy: a single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 2801-2806.	2.4	27
190	Activated tumor-infiltrating CD4+ regulatory T cells restrain antitumor immunity in patients with primary or metastatic liver cancer. <i>Hepatology</i> , 2013, 57, 183-194.	7.3	147
191	Altered mitochondrial functioning induced by preoperative fasting may underlie protection against renal ischemia/reperfusion injury. <i>Journal of Cellular Biochemistry</i> , 2013, 114, 230-237.	2.6	11
192	Protection Against Renal Ischemia-Reperfusion Injury by Ischemic Postconditioning. <i>Transplantation</i> , 2013, 95, 1299-1305.	1.0	41
193	Cost-Effectiveness of Hand-Assisted Retroperitoneoscopic Versus Standard Laparoscopic Donor Nephrectomy. <i>Transplantation</i> , 2013, 96, 170-175.	1.0	13
194	Quality of Life of Elderly Live Kidney Donors. <i>Transplantation</i> , 2013, 96, 644-648.	1.0	24
195	Laparoscopic versus Open Peritoneal Dialysis Catheter Insertion: A Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e56351.	2.5	69
196	Collagen Peptides in Urine: A New Promising Biomarker for the Detection of Colorectal Liver Metastases. <i>PLoS ONE</i> , 2013, 8, e70918.	2.5	32
197	Human Bone Marrow- and Adipose Tissue-derived Mesenchymal Stromal Cells are Immunosuppressive In vitro and in a Humanized Allograft Rejection Model. <i>Journal of Stem Cell Research & Therapy</i> , 2013, Suppl 6, 20780.	0.3	42
198	Human Allogeneic Bone Marrow and Adipose Tissue Derived Mesenchymal Stromal Cells Induce CD8+ Cytotoxic T Cell Reactivity. <i>Journal of Stem Cell Research & Therapy</i> , 2013, 3, 004.	0.3	19

#	ARTICLE	IF	CITATIONS
199	The Management of Pregnancy in Women with Hepatocellular Adenoma: A Plea for an Individualized Approach. <i>International Journal of Hepatology</i> , 2012, 2012, 1-3.	1.1	33
200	Attitudes Among Surgeons Towards Live-Donor Nephrectomy. <i>Transplantation</i> , 2012, 94, 263-268.	1.0	35
201	Accumulation of Unfavorable Clinical and Socioeconomic Factors Precludes Living Donor Kidney Transplantation. <i>Transplantation</i> , 2012, 93, 518-523.	1.0	34
202	Pregnancy and liver adenoma management: PALM-study. <i>BMC Gastroenterology</i> , 2012, 12, 82.	2.0	29
203	Histological differentiation grade and microvascular invasion of hepatocellular carcinoma predicted by dynamic contrast-enhanced MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 641-647.	3.4	76
204	Effect of bevacizumab added preoperatively to oxaliplatin on liver injury and complications after resection of colorectal liver metastases. <i>Journal of Surgical Oncology</i> , 2012, 106, 892-897.	1.7	32
205	Body composition and outcome in patients undergoing resection of colorectal liver metastases ¹⁹ . <i>British Journal of Surgery</i> , 2012, 99, 550-557.	0.3	401
206	Systematic review of haemorrhage and rupture of hepatocellular adenomas. <i>British Journal of Surgery</i> , 2012, 99, 911-916.	0.3	151
207	Authors' reply: Body composition and outcome in patients undergoing resection of colorectal liver metastases (<i>Br J Surg</i> 2012; 99: 550-557). <i>British Journal of Surgery</i> , 2012, 99, 1022-1022.	0.3	0
208	Can a decision-making model be justified in the management of hepatocellular adenoma?. <i>Liver International</i> , 2012, 32, 28-37.	3.9	45
209	Hepatocellular Adenomas: Correlation of MR Imaging Findings with Pathologic Subtype Classification. <i>Radiology</i> , 2011, 261, 172-181.	7.3	195
210	Safety and Efficacy of Radiofrequency Ablation for Hepatocellular Adenoma. <i>Journal of Vascular and Interventional Radiology</i> , 2011, 22, 787-793.	0.5	52
211	Dietary Restriction Modifies Certain Aspects of the Postoperative Acute Phase Response. <i>Journal of Surgical Research</i> , 2011, 171, 582-589.	1.6	12
212	Management of hepatocellular adenoma during pregnancy. <i>Journal of Hepatology</i> , 2011, 54, 553-558.	3.7	85
213	Glucose Supplementation Does Not Interfere With Fasting-Induced Protection Against Renal Ischemia/Reperfusion Injury in Mice. <i>Transplantation</i> , 2011, 92, 752-758.	1.0	16
214	Discontinuation of calcineurin inhibitors treatment allows the development of FOXP3+ regulatory T-cells in patients after kidney transplantation. <i>Clinical Transplantation</i> , 2011, 25, 40-46.	1.6	21
215	Preoperative dietary restriction is feasible in live kidney donors. <i>Clinical Transplantation</i> , 2011, 25, 486-494.	1.6	22
216	Living Kidney Donors: Impact of Age on Long-Term Safety. <i>American Journal of Transplantation</i> , 2011, 11, 737-742.	4.7	84

#	ARTICLE	IF	CITATIONS
217	Anatomical Versus Nonanatomical Resection of Colorectal Liver Metastases: Is There a Difference in Surgical and Oncological Outcome?. <i>World Journal of Surgery</i> , 2011, 35, 656-661.	1.6	61
218	Preoperative fasting protects mice against hepatic ischemia/reperfusion injury: mechanisms and effects on liver regeneration. <i>Liver Transplantation</i> , 2011, 17, 695-704.	2.4	52
219	Human Adipose Tissue-Derived Mesenchymal Stem Cells Induce Explosive T-Cell Proliferation. <i>Stem Cells and Development</i> , 2010, 19, 1843-1853.	2.1	89
220	Altruistic Donor Triggered Domino-Paired Kidney Donation for Unsuccessful Couples from the Kidney-Exchange Program. <i>American Journal of Transplantation</i> , 2010, 10, 821-827.	4.7	54
221	Long-Term Follow-up of a Randomized Trial Comparing Laparoscopic and Mini-Incision Open Live Donor Nephrectomy. <i>American Journal of Transplantation</i> , 2010, 10, 2481-2487.	4.7	43
222	Stereotactic body radiation therapy for colorectal liver metastases. <i>British Journal of Surgery</i> , 2010, 97, 377-382.	0.3	157
223	Systematic review and meta-analysis of steatosis as a risk factor in major hepatic resection. <i>British Journal of Surgery</i> , 2010, 97, 1331-1339.	0.3	228
224	Preoperative dietary restriction reduces hepatic tumor load by reduced E-selectin-mediated adhesion in mice. <i>Journal of Surgical Oncology</i> , 2010, 102, 348-353.	1.7	17
225	Hand-assisted retroperitoneoscopic versus standard laparoscopic donor nephrectomy: HARP-trial. <i>BMC Surgery</i> , 2010, 10, 11.	1.3	23
226	Short-term dietary restriction and fasting precondition against ischemia reperfusion injury in mice. <i>Aging Cell</i> , 2010, 9, 40-53.	6.7	212
227	Optimizing left-sided live kidney donation: hand-assisted retroperitoneoscopic as alternative to standard laparoscopic donor nephrectomy. <i>Transplant International</i> , 2010, 23, 358-363.	1.6	23
228	Preoperative fasting induces protection against renal ischemia/reperfusion injury by a corticosterone-independent mechanism. <i>Transplant International</i> , 2010, 23, 1171-1178.	1.6	8
229	Preoperative fasting induced protection against renal ischemia/reperfusion injury is independent of ghrelin in mice. <i>Nutrition Research</i> , 2010, 30, 865-869.	2.9	8
230	Hepatocellular Adenoma: Cost-effectiveness of Different Treatment Strategies. <i>Radiology</i> , 2009, 252, 737-746.	7.3	38
231	Laparoscopic Donor Nephrectomy: A Plea for the Right-Sided Approach. <i>Transplantation</i> , 2009, 87, 745-750.	1.0	57
232	Radiofrequency Ablation in the Treatment of Hepatocellular Carcinoma: The Need for Centralization. <i>Annals of Surgery</i> , 2009, 250, 497-498.	4.2	0
233	A Place for Radiofrequency Ablation in the Treatment of Resectable Colorectal Liver Metastases?. <i>Annals of Surgical Oncology</i> , 2008, 15, 2063-2063.	1.5	6
234	Functional analysis of CD4 ⁺ CD25 ^{bright} T cells in kidney transplant patients: improving suppression of donor-directed responses after transplantation. <i>Clinical Transplantation</i> , 2008, 22, 579-586.	1.6	18

#	ARTICLE	IF	CITATIONS
235	Beneficial Effects of a New Fluid Regime on Kidney Function of Donor and Recipient during Laparoscopic vs Open Donor Nephrectomy. <i>Journal of Endourology</i> , 2007, 21, 1509-1516.	2.1	9
236	Cost Effectiveness of Laparoscopic Versus Mini-Incision Open Donor Nephrectomy: A Randomized Study. <i>Transplantation</i> , 2007, 83, 1582-1587.	1.0	23
237	Mechanisms of ageing in chronic allograft nephropathy. <i>Journal of Organ Dysfunction</i> , 2007, 3, 7-17.	0.3	1
238	MR imaging of hepatocellular carcinoma: Relationship between lesion size and imaging findings, including signal intensity and dynamic enhancement patterns. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1548-1555.	3.4	78
239	Laparoscopic donor nephrectomy in obese donors: easier to implement in overweight women?. <i>Transplant International</i> , 2007, 20, 956-961.	1.6	13
240	Functional CD25 ^{bright} +alloresponsive T cells in fully immunosuppressed renal allograft recipients. <i>Clinical Transplantation</i> , 2007, 21, 63-71.	1.6	20
241	Diagnosis and treatment of benign focal liver lesions. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 102-115.	1.5	17
242	Psychosocial and Physical Impairment After Mini-Incision Open and Laparoscopic Donor Nephrectomy: A Prospective Study. <i>Transplantation</i> , 2006, 82, 1291-1297.	1.0	38
243	Donor Nephrectomy: Mini-Incision Muscle-Splitting Open Approach versus Laparoscopy. <i>Transplantation</i> , 2006, 81, 881-887.	1.0	52
244	Radiofrequency Ablation in Patients With Primary and Secondary Hepatic Malignancies. <i>Journal of Gastrointestinal Surgery</i> , 2006, 10, 960-973.	1.7	39
245	Effect of prolonged warm ischemia and pneumoperitoneum on renal function in a rat syngeneic kidney transplantation model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2006, 20, 1113-1118.	2.4	6
246	Reply to "Organ donation in pediatric traumatic brain injury" by Morris et al.. <i>Intensive Care Medicine</i> , 2006, 32, 1448-1448.	8.2	1
247	Case-orientated approach to the management of hepatocellular adenoma. <i>British Journal of Surgery</i> , 2006, 93, 1495-1502.	0.3	81
248	Focal nodular hyperplasia: Lesion characteristics on state-of-the-art MRI including dynamic gadolinium-enhanced and superparamagnetic iron-oxide uptake sequences in a prospective study. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 864-872.	3.4	42
249	Comparison of laparoscopic and mini incision open donor nephrectomy: single blind, randomised controlled clinical trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 221.	2.3	181
250	Focal Nodular Hyperplasia: Findings at State-of-the-Art MR Imaging, US, CT, and Pathologic Analysis. <i>Radiographics</i> , 2004, 24, 3-17.	3.3	328
251	Hepatocellular carcinoma in the Netherlands incidence, treatment and survival patterns. <i>European Journal of Cancer</i> , 2004, 40, 1530-1538.	2.8	31
252	Interstitial laser coagulation with temporary hepatic artery occlusion for patients with cirrhosis and irresectable hepatoma. <i>British Journal of Surgery</i> , 2003, 90, 950-955.	0.3	14

#	ARTICLE	IF	CITATIONS
253	Human decay-accelerating factor expressed on rat hearts inhibits leukocyte adhesion. <i>Transplant International</i> , 2003, 16, 168-172.	1.6	8
254	Long-Term Impact of Pneumoperitoneum Used for Laparoscopic Donor Nephrectomy on Renal Function and Histomorphology in Donor and Recipient Rats. <i>Annals of Surgery</i> , 2003, 237, 351-357.	4.2	36
255	Benign versus Malignant Hepatic Nodules: MR Imaging Findings with Pathologic Correlation. <i>Radiographics</i> , 2002, 22, 1023-1036.	3.3	178
256	Right-sided laparoscopic live-donor nephrectomy: Is reluctance still justified?. <i>Transplantation</i> , 2002, 74, 1045-1047.	1.0	86
257	Impact of Intraoperative Donor Management on Short-Term Renal Function After Laparoscopic Donor Nephrectomy. <i>Annals of Surgery</i> , 2002, 236, 127-132.	4.2	47
258	RE: LAPAROSCOPIC LIVE DONOR RIGHT NEPHRECTOMY: A NEW TECHNIQUE WITH PRESERVATION OF VASCULAR LENGTH. <i>Journal of Urology</i> , 2002, 168, 2127-2127.	0.4	8
259	Transcatheter Arterial Embolization as a Safe and Effective Treatment for Focal Nodular Hyperplasia of the Liver. <i>CardioVascular and Interventional Radiology</i> , 2002, 25, 450-453.	2.0	21
260	Short-term impact of carbon dioxide, helium, and gasless laparoscopic donor nephrectomy on renal function and histomorphology in donor and recipient. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2002, 16, 245-251.	2.4	24
261	Treatment of ruptured hepatocellular adenoma. <i>British Journal of Surgery</i> , 2002, 88, 207-209.	0.3	77
262	Size of lesion is not a criterion for resection during management of giant liver haemangioma. <i>British Journal of Surgery</i> , 2002, 89, 1240-1244.	0.3	56