David W Sibbritt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8886075/publications.pdf Version: 2024-02-01



DAVID W SIRRDITT

#	Article	IF	CITATIONS
1	The Hunter Serotonin Toxicity Criteria: simple and accurate diagnostic decision rules for serotonin toxicity. QJM - Monthly Journal of the Association of Physicians, 2003, 96, 635-642.	0.5	884
2	Effects of undernutrition on mortality and morbidity among adults living with HIV in sub-Saharan Africa: a systematic review and meta-analysis. BMC Infectious Diseases, 2021, 21, 1.	2.9	433
3	Women's Use of Complementary and Alternative Medicine During Pregnancy: A Critical Review of the Literature. Birth, 2009, 36, 237-245.	2.2	170
4	Reproducibility and comparative validity of a food frequency questionnaire for Australian children and adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2009, 6, 62.	4.6	168
5	Maternal and perinatal outcomes by planned place of birth among women with low-risk pregnancies in high-income countries: A systematic review and meta-analysis. Midwifery, 2018, 62, 240-255.	2.3	139
6	The profile of women who consult alternative health practitioners in Australia. Medical Journal of Australia, 2003, 179, 297-300.	1.7	122
7	Prevalence and determinants of complementary and alternative medicine use during pregnancy: Results from a nationally representative sample of Australian pregnant women. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2013, 53, 347-352.	1.0	118
8	The relationship between social support and mental health problems during pregnancy: a systematic review and meta-analysis. Reproductive Health, 2021, 18, 162.	3.1	118
9	The use of complementary and alternative medicine by 7427 Australian women with cyclic perimenstrual pain and discomfort: a cross-sectional study. BMC Complementary and Alternative Medicine, 2016, 16, 129.	3.7	109
10	Antioxidant Restriction and Oxidative Stress in Short-Duration Exhaustive Exercise. Medicine and Science in Sports and Exercise, 2005, 37, 63-71.	0.4	102
11	Complementary medicine use in the Australian population: Results of a nationally-representative cross-sectional survey. Scientific Reports, 2018, 8, 17325.	3.3	101
12	Alprazolam is relatively more toxic than other benzodiazepines in overdose. British Journal of Clinical Pharmacology, 2004, 58, 88-95.	2.4	94
13	Aspiration pneumonitis in an overdose population: Frequency, predictors, and outcomes. Critical Care Medicine, 2004, 32, 88-93.	0.9	92
14	Smart Devices and Wearable Technologies to Detect and Monitor Mental Health Conditions and Stress: A Systematic Review. Sensors, 2021, 21, 3461.	3.8	86
15	Diet Quality, Measured by Fruit and Vegetable Intake, Predicts Weight Change in Young Women. Journal of Obesity, 2013, 2013, 1-10.	2.7	82
16	Utilisation of complementary and alternative medicine (CAM) practitioners within maternity care provision: results from a nationally representative cohort study of 1,835 pregnant women. BMC Pregnancy and Childbirth, 2012, 12, 146.	2.4	77
17	Effects of Polyphenols in a Mediterranean Diet on Symptoms of Depression: A Systematic Literature Review. Advances in Nutrition, 2020, 11, 602-615.	6.4	75
18	Is there an association between the use of oral contraception and depressive symptoms in young Australian women?. Contraception, 2007, 75, 27-31.	1.5	74

#	Article	IF	CITATIONS
19	Zinc supplementation for improving glucose handling in pre-diabetes: A double blind randomized placebo controlled pilot study. Diabetes Research and Clinical Practice, 2016, 115, 39-46.	2.8	71
20	Prevalence, patterns, and predictors of massage practitioner utilization: Results of a US nationally representative survey. Musculoskeletal Science and Practice, 2017, 32, 31-37.	1.3	71
21	Weight gain in childhood and body composition at 18 years of age in Brazilian males. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 296-300.	1.5	67
22	Distribution of complementary and alternative medicine (CAM) providers in rural New South Wales, Australia: A step towards explaining high CAM use in rural health?. Australian Journal of Rural Health, 2011, 19, 197-204.	1.5	65
23	A workforce survey of Australian chiropractic: the profile and practice features of a nationally representative sample of 2,005 chiropractors. BMC Complementary and Alternative Medicine, 2017, 17, 14.	3.7	65
24	Factors Associated with Adolescents' Physical Inactivity in Xi'an City, China. Medicine and Science in Sports and Exercise, 2006, 38, 2075-2085.	0.4	62
25	The urban-rural divide in complementary and alternative medicine use: a longitudinal study of 10,638 women. BMC Complementary and Alternative Medicine, 2011, 11, 2.	3.7	62
26	An integrative review of complementary and alternative medicine use for back pain: a focus on prevalence, reasons for use, influential factors, self-perceived effectiveness, and communication. Spine Journal, 2015, 15, 1870-1883.	1.3	61
27	Experiences of occupational violence in Australian urban general practice: a crossâ€sectional study of GPs. Medical Journal of Australia, 2005, 183, 352-356.	1.7	60
28	Attitudes and referral practices of maternity care professionals with regard to complementary and alternative medicine: an integrative review. Journal of Advanced Nursing, 2011, 67, 472-483.	3.3	59
29	A workforce survey of Australian osteopathy: analysis of a nationally-representative sample of osteopaths from the Osteopathy Research and Innovation Network (ORION) project. BMC Health Services Research, 2018, 18, 352.	2.2	58
30	Identification of diabetes, heart disease, hypertension and stroke in mid―and olderâ€aged women: Comparing selfâ€report and administrative hospital data records. Geriatrics and Gerontology International, 2016, 16, 95-102.	1.5	57
31	The Use of Complementary and Alternative Medicine During Pregnancy: A Longitudinal Study of Australian Women. Birth, 2011, 38, 200-206.	2.2	56
32	Birthplace in New South Wales, Australia: an analysis of perinatal outcomes using routinely collected data. BMC Pregnancy and Childbirth, 2014, 14, 206.	2.4	54
33	Women's Use and Self-Prescription of Herbal Medicine during Pregnancy: An Examination of 1,835 Pregnant Women. Women's Health Issues, 2015, 25, 396-402.	2.0	53
34	Exploring the relationship between women's health and the use of complementary and alternative medicine. Complementary Therapies in Medicine, 2003, 11, 156-158.	2.7	51
35	Living with urinary incontinence: a longitudinal study of older women. Age and Ageing, 2008, 38, 333-338.	1.6	51
36	A comparison of complementary and alternative medicine users and use across geographical areas: A national survey of 1,427 women. BMC Complementary and Alternative Medicine, 2011, 11, 85.	3.7	51

#	Article	IF	CITATIONS
37	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. Contemporary Nurse, 2014, 48, 76-87.	1.0	50
38	Critical review of complementary and alternative medicine use in menopause. Menopause, 2014, 21, 536-548.	2.0	50
39	Factors associated with adolescents' overweight and obesity at community, school and household levels in Xi'an City, China: results of hierarchical analysis. European Journal of Clinical Nutrition, 2008, 62, 635-643.	2.9	49
40	The effectiveness of complementary manual therapies for pregnancy-related back and pelvic pain. Medicine (United States), 2016, 95, e4723.	1.0	49
41	Volunteering and older women: Psychosocial and health predictors of participation. Aging and Mental Health, 2010, 14, 917-927.	2.8	47
42	A critical review of manual therapy use for headache disorders: prevalence, profiles, motivations, communication and self-reported effectiveness. BMC Neurology, 2017, 17, 61.	1.8	46
43	Risk factors associated with intestinal permeability in an adult population: A systematic review. International Journal of Clinical Practice, 2019, 73, e13385.	1.7	46
44	ls dietary zinc protective for type 2 diabetes? Results from the Australian longitudinal study on women's health. BMC Endocrine Disorders, 2013, 13, 40.	2.2	45
45	Lifestyle Health Behaviors of Nurses and Midwives: The â€~Fit for the Future' Study. International Journal of Environmental Research and Public Health, 2018, 15, 945.	2.6	45
46	Comparison of Health Information Technology Use Between American Adults With and Without Chronic Health Conditions: Findings From The National Health Interview Survey 2012. Journal of Medical Internet Research, 2017, 19, e335.	4.3	45
47	Validity, reliability and clinical feasibility of a Needs Assessment Tool for people with progressive cancer. Psycho-Oncology, 2010, 19, 726-733.	2.3	44
48	Factors Associated with Physical Inactivity in Adolescents in Ho Chi Minh City, Vietnam. Medicine and Science in Sports and Exercise, 2009, 41, 1374-1383.	0.4	44
49	Prevalence of overweight and obesity in preschool children and associated socio-demographic factors in Ho Chi Minh City, Vietnam. Pediatric Obesity, 2007, 2, 40-50.	3.2	43
50	Use of pharmacological and non-pharmacological labour pain management techniques and their relationship to maternal and infant birth outcomes: Examination of a nationally representative sample of 1835 pregnant women. Midwifery, 2015, 31, 458-463.	2.3	43
51	The effect of a Mediterranean diet on the symptoms of depression in young males (the "AMMEND: A) Tj ETQ of Clinical Nutrition, 2022, 116, 572-580.	q1 1 0.78 4.7	4314 rgBT / 43
52	The Use of Complementary and Alternative Therapies by Patients With Cancer. Oncology Research, 2005, 15, 281-289.	1.5	42
53	Overweight and obesity are rapidly emerging among adolescents in Ho Chi Minh City, Vietnam, 2002–2004. Pediatric Obesity, 2007, 2, 194-201.	3.2	42
54	Improving Outcomes for People With Progressive Cancer: Interrupted Time Series Trial of a Needs Assessment Intervention. Journal of Pain and Symptom Management, 2012, 43, 569-581.	1.2	42

#	Article	IF	CITATIONS
55	The Influence of Perceived Stress on the Onset of Arthritis in Women: Findings from the Australian Longitudinal Study on Women's Health. Annals of Behavioral Medicine, 2013, 46, 9-18.	2.9	42
56	Health, workforce characteristics, quality of life and intention to leave: The â€̃Fit for the Future' survey of Australian nurses and midwives. Journal of Advanced Nursing, 2017, 73, 2745-2756.	3.3	42
57	Acute heart failure admissions in New South Wales and the Australian Capital Territory: the NSW HF Snapshot Study. Medical Journal of Australia, 2016, 204, 113-113.	1.7	41
58	Use of complementary medicine products: a nationally representative cross-sectional survey of 2019 Australian adults. BMJ Open, 2019, 9, e024198.	1.9	41
59	A Longitudinal Analysis of Mid-Age Women's Use of Complementary and Alternative Medicine (CAM) in Australia, 1996–1998. Women and Health, 2005, 40, 41-56.	1.0	40
60	Majority of Women Are Influenced by Nonprofessional Information Sources When Deciding to Consult a Complementary and Alternative Medicine Practitioner During Pregnancy. Journal of Alternative and Complementary Medicine, 2014, 20, 571-577.	2.1	40
61	Does nurses' health affect their intention to remain in their current position?. Journal of Nursing Management, 2016, 24, 1088-1097.	3.4	40
62	A critical review of complementary and alternative medicine use among people with arthritis: a focus upon prevalence, cost, user profiles, motivation, decision-making, perceived benefits and communication. Rheumatology International, 2017, 37, 337-351.	3.0	40
63	Dietary habits and overweight/obesity in adolescents in Xi'an City, China. Asia Pacific Journal of Clinical Nutrition, 2010, 19, 76-82.	0.4	40
64	Factors associated with adolescent overweight/obesity in Ho Chi Minh city. Pediatric Obesity, 2010, 5, 396-403.	3.2	39
65	Estimating the prevalence of urinary and faecal incontinence in Australia: systematic review. Australasian Journal on Ageing, 2005, 24, 19-27.	0.9	38
66	Vibrotactile threshold measurement for detecting peripheral neuropathy: defining variability and a normal range for clinical and research use. Diabetologia, 2007, 50, 2305-2312.	6.3	37
67	The use of traditional, complementary and alternative medicine in Sri Lankan cancer care: Results from a survey of 500 cancer patients. Public Health, 2010, 124, 232-237.	2.9	37
68	Who Uses Glucosamine and Why? A Study of 266,848 Australians Aged 45 Years and Older. PLoS ONE, 2012, 7, e41540.	2.5	37
69	Differences between Male and Female Consumers of Complementary and Alternative Medicine in a National US Population: A Secondary Analysis of 2012 NIHS Data. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-10.	1.2	37
70	Purpose and pleasure in late life: Conceptualising older women's participation in art and craft activities. Journal of Aging Studies, 2013, 27, 330-338.	1.4	36
71	Is the practice of yoga or meditation associated with a healthy lifestyle? Results of a national cross-sectional survey of 28,695 Australian women. Journal of Psychosomatic Research, 2017, 101, 104-109.	2.6	36
72	Validity and reliability of an FFQ for use with adolescents in Ho Chi Minh City, Vietnam. Public Health Nutrition, 2010, 13, 368-375.	2.2	35

#	Article	IF	CITATIONS
73	Efficacy of Tai Chi and qigong for the prevention of stroke and stroke risk factors. Medicine (United) Tj ETQq1	1 0.784314 1.0	rg <u>8</u> 5 /Overic
74	â€~Mental health day' sickness absence amongst nurses and midwives: workplace, workforce, psychosocial and health characteristics. Journal of Advanced Nursing, 2017, 73, 1172-1181.	3.3	35
75	Complementary and Alternative Medicine Use Among US Adults With Headache or Migraine: Results from the 2012 National Health Interview Survey. Headache, 2017, 57, 1228-1242.	3.9	35
76	The profiles of adults who consult alternative health practitioners and/or general practitioners. Scandinavian Journal of Primary Health Care, 2007, 25, 86-92.	1.5	34
77	A cross-sectional examination of the profile of chiropractors recruited to the Australian Chiropractic Research Network (ACORN): a sustainable resource for future chiropractic research. BMJ Open, 2017, 7, e015830.	1.9	34
78	Physical Activity and Sedentary Behavior in Adolescents in Xi'an City, China. Journal of Adolescent Health, 2007, 41, 99-101.	2.5	33
79	Generating preâ€ŧest probabilities: a neglected area in clinical decision making. Medical Journal of Australia, 2004, 180, 449-454.	1.7	32
80	Back pain amongst 8,910 young Australian women: a longitudinal analysis of the use of conventional providers, complementary and alternative medicine (CAM) practitioners and self-prescribed CAM. Clinical Rheumatology, 2010, 29, 25-32.	2.2	31
81	An Overview of the Practitioner Research and Collaboration Initiative (PRACI): a practice-based research network for complementary medicine. BMC Complementary and Alternative Medicine, 2017, 17, 87.	3.7	31
82	A longitudinal analysis of older Australian women's consultations with complementary and alternative medicine (CAM) practitioners, 1996-2005. Age and Ageing, 2008, 38, 93-99.	1.6	30
83	Use of complementary and alternative medicine by mid-age women with back pain: a national cross-sectional survey. BMC Complementary and Alternative Medicine, 2012, 12, 98.	3.7	30
84	Complementary and alternative medicine (CAM) use among elderly Australian women who have cancer. Supportive Care in Cancer, 2003, 11, 548-550.	2.2	29
85	Naturopathy/herbalism consultations by mid-aged Australian women who have cancer. European Journal of Cancer Care, 2005, 14, 443-447.	1.5	29
86	The prevalence and characteristics of young and mid-age women who use yoga and meditation: Results of a nationally representative survey of 19,209 Australian women. Complementary Therapies in Medicine, 2011, 19, 71-77.	2.7	28
87	My health, my responsibility? Complementary medicine and self (health) care. Journal of Sociology, 2014, 50, 515-530.	1.5	28
88	A Phase 2 Randomised Clinical Trial Assessing the Tolerability of Two Different Ratios of Medicinal Cannabis in Patients With High Grade Gliomas. Frontiers in Oncology, 2021, 11, 649555.	2.8	28
89	A Profile of Middle-Aged Women Who Consult a Chiropractor or Osteopath: Findings From a Survey of 11,143 Australian Women. Journal of Manipulative and Physiological Therapeutics, 2006, 29, 349-353.	0.9	26
90	Complementary and Alternative Medicine Consultations in Urban and Nonurban Areas: A National Survey of 1427 Australian Women. Journal of Manipulative and Physiological Therapeutics, 2013, 36, 12-19.	0.9	26

#	Article	IF	CITATIONS
91	Providing general practice needs-based care for carers of people with advanced cancer: a randomised controlled trial. British Journal of General Practice, 2013, 63, e683-e690.	1.4	26
92	Is energy healing an effective non-pharmacological therapy for improving symptom management of chronic illnesses? A systematic review. Complementary Therapies in Clinical Practice, 2016, 25, 26-41.	1.7	26
93	The Prevalence, Patterns, and Predictors of Chiropractic Use Among US Adults. Spine, 2017, 42, 1810-1816.	2.0	26
94	The Effects of Twelve Weeks of Tai Chi Practice on Anxiety in Stressed But Healthy People Compared to Exercise and Waitâ€List Groups–A Randomized Controlled Trial. Journal of Clinical Psychology, 2018, 74, 83-92.	1.9	26
95	Maternal and perinatal outcomes by planned place of birth in Australia 2000 – 2012: a linked population data study. BMJ Open, 2019, 9, e029192.	1.9	26
96	Factors associated with decline in physical functional health in a cohort of older women. Age and Ageing, 2007, 36, 382-388.	1.6	25
97	Determinants of Women Consulting with a Complementary and Alternative Medicine Practitioner for Pregnancy-Related Health Conditions. Women and Health, 2014, 54, 127-144.	1.0	25
98	Worsening renal function in heart failure: The need for a consensus definition. International Journal of Cardiology, 2014, 174, 484-491.	1.7	25
99	A critical review of traditional medicine and traditional healer use for malaria and among people in malaria-endemic areas: contemporary research in low to middle-income Asia-Pacific countries. Malaria Journal, 2015, 14, 98.	2.3	25
100	Establishing the ACORN National Practitioner Database: Strategies to Recruit Practitioners to a National Practice-Based Research Network. Journal of Manipulative and Physiological Therapeutics, 2016, 39, 594-602.	0.9	25
101	A qualitative study of influences on older women's practitioner choices for back pain care. BMC Health Services Research, 2014, 14, 131.	2.2	24
102	Psychosocial assessment of expectant fathers. Archives of Women's Mental Health, 2008, 11, 27-32.	2.6	23
103	Back pain amongst mid-age Australian women: A longitudinal analysis of provider use and self-prescribed treatments. Complementary Therapies in Medicine, 2012, 20, 275-282.	2.7	23
104	The Influence of Complementary and Alternative Medicine Use in Pregnancy on Labor Pain Management Choices: Results from a Nationally Representative Sample of 1,835 Women. Journal of Alternative and Complementary Medicine, 2014, 20, 87-97.	2.1	23
105	Consultations with complementary and alternative medicine practitioners amongst wider care options for back pain: a study of a nationally representative sample of 1,310 Australian women aged 60–65Âyears. Clinical Rheumatology, 2014, 33, 253-262.	2.2	23
106	Long-term outcomes from Healthy Eating and Exercise Lifestyle Program for overweight people with heart disease and diabetes. European Journal of Cardiovascular Nursing, 2016, 15, 91-99.	0.9	23
107	Relationship between complementary and alternative medicine use and incidence of adverse birth outcomes: An examination of a nationally representative sample of 1835 Australian women. Midwifery, 2014, 30, 1157-1165.	2.3	22
108	What impact do essential newborn care practices have on neonatal mortality in low and lower-middle income countries? Evidence from Bangladesh. Journal of Perinatology, 2016, 36, 225-230.	2.0	22

#	Article	IF	CITATIONS
109	Associations between yoga/meditation use, body satisfaction, and weight management methods: Results of a national cross-sectional survey of 8009 Australian women. Nutrition, 2017, 34, 58-64.	2.4	22
110	A cross-sectional analysis of traditional medicine use for malaria alongside free antimalarial drugs treatment amongst adults in high-risk malaria endemic provinces of Indonesia. PLoS ONE, 2017, 12, e0173522.	2.5	22
111	Stress Watch: The Use of Heart Rate and Heart Rate Variability to Detect Stress: A Pilot Study Using Smart Watch Wearables. Sensors, 2022, 22, 151.	3.8	22
112	An examination of the prescription and dispensing of medicines by Western herbal therapists: A national survey in Australia. Complementary Therapies in Medicine, 2007, 15, 13-20.	2.7	21
113	Facilitating needs based cancer care for people with a chronic disease: Evaluation of an intervention using a multi-centre interrupted time series design. BMC Palliative Care, 2010, 9, 2.	1.8	21
114	Evaluating the impact of cancer on complementary and alternative medicine use, distress and health related QoL among Australian women: A prospective longitudinal investigation. Complementary Therapies in Medicine, 2012, 20, 61-69.	2.7	21
115	Introducing national osteopathy practice-based research networks in Australia and New Zealand: an overview to inform future osteopathic research. Scientific Reports, 2020, 10, 846.	3.3	21
116	Emergency Department Performance Indicators That Encompass the Patient Journey. Quality Management in Health Care, 2006, 15, 27-38.	0.8	20
117	Socio-Demographic Characteristics and Health Perceptions among Male and Female Visitors to CAM Practitioners in a Total Population Study. Research in Complementary Medicine, 2008, 15, 146-151.	2.2	20
118	Weight catch-up and achieved schooling at 18 years of age in Brazilian males. European Journal of Clinical Nutrition, 2009, 63, 369-374.	2.9	20
119	Health Service Use Among Persons With Self-Reported Depression: A Longitudinal Analysis of 7,164 Women. Archives of Psychiatric Nursing, 2012, 26, 181-191.	1.4	20
120	\hat{I} ©-3 fatty acid supplement use in the 45 and Up Study Cohort. BMJ Open, 2013, 3, e002292.	1.9	20
121	Short- and long-term outcomes after valve replacement surgery forÂrheumatic heart disease in the South Pacific, conducted by aÂfly-in/fly-out humanitarian surgical team: A 20-year retrospective study for the years 1991 to 2011. Journal of Thoracic and Cardiovascular Surgery, 2014, 148, 1996-2003.	0.8	20
122	Helping address the national research and research capacity needs of Australian chiropractic: introducing the Australian Chiropractic Research Network (ACORN) project. Chiropractic & Manual Therapies, 2015, 23, 12.	1.5	20
123	Effects of occupational violence on Australian general practitioners' provision of home visits and after-hours care: a cross-sectional study. Journal of Evaluation in Clinical Practice, 2008, 14, 336-342.	1.8	19
124	Incidence of ventilator-associated pneumonia in Australasian intensive care units: use of a consensus-developed clinical surveillance checklist in a multisite prospective audit. BMJ Open, 2015, 5, e008924.	1.9	19
125	Unsaturated fat intakes and mental health outcomes in young women from the Australian Longitudinal Study on Women's Heath. Public Health Nutrition, 2015, 18, 546-553.	2.2	19
126	Use of Traditional Indigenous Medicine and Complementary Medicine Among Indigenous Cancer Patients in Queensland, Australia. Integrative Cancer Therapies, 2015, 14, 359-365.	2.0	19

#	Article	IF	CITATIONS
127	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. Contemporary Nurse, 2014, 48, 76-87.	1.0	19
128	An assessment of adolescent overweight and obesity in Xi'an City, China. Pediatric Obesity, 2006, 1, 50-58.	3.2	18
129	Implications of a needs assessment intervention for people with progressive cancer: Impact on clinical assessment, response and service utilisation. Psycho-Oncology, 2012, 21, 550-557.	2.3	18
130	The Australian Recommended Food Score did not predict weight gain in middleâ€aged Australian women during six years of followâ€up. Australian and New Zealand Journal of Public Health, 2013, 37, 322-328.	1.8	18
131	Rurality, mobility, identity: Women's use of complementary and alternative medicine in rural Australia. Health and Place, 2013, 20, 75-80.	3.3	18
132	Acupuncture in Australian General Practice: Trends in Reimbursed Acupuncture Services from 1995 to 2011. Acupuncture in Medicine, 2013, 31, 45-50.	1.0	18
133	The characteristics, experiences and perceptions of naturopathic and herbal medicine practitioners: results from a national survey in New Zealand. BMC Complementary and Alternative Medicine, 2015, 15, 114.	3.7	18
134	Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Cohort Studies. Current Nutrition Reports, 2015, 4, 88-101.	4.3	18
135	A critical review of complementary and alternative medicine use by women with cyclic perimenstrual pain and discomfort: a focus upon prevalence, patterns and applications of use and users' motivations, information seeking and selfâ€perceived efficacy. Acta Obstetricia Et Gynecologica Scandinavica. 2016. 95. 861-871.	2.8	18
136	The Australian Complementary Medicine Workforce: A Profile of 1,306 Practitioners from the PRACI Study. Journal of Alternative and Complementary Medicine, 2018, 24, 385-394.	2.1	18
137	Consultations with a naturopath or herbalist: The prevalence of use and profile of users amongst mid-aged women in Australia. Public Health, 2007, 121, 954-957.	2.9	17
138	Trends in overweight and obesity in pre-school children in urban areas of Ho Chi Minh City, Vietnam, from 2002 to 2005. Public Health Nutrition, 2009, 12, 702-709.	2.2	17
139	A GP caregiver needs toolkit versus usual care in the management of the needs of caregivers of patients with advanced cancer: a randomized controlled trial. Trials, 2010, 11, 115.	1.6	17
140	Bodies of knowledge: Nature, holism and women's plural health practices. Health (United Kingdom), 2013, 17, 300-318.	1.5	17
141	Health Care Utilisation and Out-of-Pocket Expenditure Associated with Back Pain: A Nationally Representative Survey of Australian Women. PLoS ONE, 2013, 8, e83559.	2.5	17
142	Developing a multi-modality complementary medicine practice-based research network: The PRACI project. Advances in Integrative Medicine, 2014, 1, 113-118.	0.9	17
143	The self-prescribed use of aromatherapy oils by pregnant women. Women and Birth, 2014, 27, 41-45.	2.0	17
144	The Characteristics of Women Who Use Complementary Medicine While Attempting to Conceive: Results from a Nationally Representative Sample of 13,224 Australian Women. Women's Health Issues, 2017, 27, 67-74.	2.0	17

#	Article	IF	CITATIONS
145	An examination of the clinical practices and perceptions of professional herbalists providing patient care concurrently with conventional medical practice in Australia. Complementary Therapies in Medicine, 2008, 16, 228-232.	2.7	16
146	Networks of knowledge or just old wives' tales?: A diary-based analysis of women's self-care practices and everyday lay expertise. Health (United Kingdom), 2014, 18, 335-351.	1.5	16
147	Complementary/alternative and conventional medicine use amongst menopausal women: Results from the Australian Longitudinal Study on Women's Health. Maturitas, 2014, 79, 340-342.	2.4	16
148	Complementary and Alternative Medicine Use by U.S. Adults with Selfâ€Reported Doctorâ€Diagnosed Arthritis: Results from the 2012 National Health Interview Survey. PM and R, 2019, 11, 1059-1069.	1.6	16
149	Women's use of herbal and alternative medicines for preconception care. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2015, 55, 222-226.	1.0	15
150	Use of Complementary and Alternative Medicine in Women With Heart Disease, Hypertension and Diabetes (fromÂtheÂAustralian Longitudinal Study on Women's Health). American Journal of Cardiology, 2015, 115, 1691-1695.	1.6	15
151	Is Health Practitioner Regulation Keeping Pace with the Changing Practitioner and Health-Care Landscape? An Australian Perspective. Frontiers in Public Health, 2016, 4, 91.	2.7	15
152	The determinants of essential newborn care for home births in Bangladesh. Public Health, 2016, 141, 7-16.	2.9	15
153	Severity of back pain may influence choice and order of practitioner consultations across conventional, allied and complementary health care: a cross-sectional study of 1851 mid-age Australian women. BMC Musculoskeletal Disorders, 2016, 17, 393.	1.9	15
154	Physical activity and depression symptoms in women with chronic illness and the mediating role of health-related quality of life. Journal of Affective Disorders, 2019, 252, 294-299.	4.1	15
155	Descriptive epidemiology of infectious gastrointestinal illnesses in Sydney, Australia, 2007–2010. Western Pacific Surveillance and Response Journal: WPSAR, 2015, 6, 7-16.	0.6	15
156	The Relationship Between Psychiatric Illnesses and Skin Disease. Archives of Dermatology, 2009, 145, 896-902.	1.4	14
157	Older Australian women's use of dentists: A longitudinal analysis over 6 years. Australasian Journal on Ageing, 2010, 29, 14-20.	0.9	14
158	Well-being outcomes of chiropractic intervention for lower back pain: a systematic review. Clinical Rheumatology, 2013, 32, 167-180.	2.2	14
159	The interface with naturopathy in rural primary health care: a survey of referral practices of general practitioners in rural and regional New South Wales, Australia. BMC Complementary and Alternative Medicine, 2014, 14, 238.	3.7	14
160	Self-prescribed complementary and alternative medicine use for back pain amongst a range of care options: Results from a nationally representative sample of 1310 women aged 60–65 years. Complementary Therapies in Medicine, 2014, 22, 133-140.	2.7	14
161	Healthcare practitioner utilisation for back pain, neck pain and/or pelvic pain during pregnancy: an analysis of 1835 pregnant women in Australia. International Journal of Clinical Practice, 2016, 70, 825-831.	1.7	14
162	Predictors of warfarin non-adherence in younger adults after valve replacement surgery in the South Pacific. Heart Asia, 2016, 8, 18-23.	1.1	14

#	Article	IF	CITATIONS
163	"Just Get on with Itâ€: Qualitative Insights of Coming to Terms with a Deteriorating Body for Older Women with Osteoarthritis. PLoS ONE, 2015, 10, e0120507.	2.5	14
164	Complementary and alternative medicine practitioner consultations among those who have or have have have or have had cancer in a Norwegian total population (Nord-TrÃ,ndelag Health Study): prevalence, socio-demographics and health perceptions. European Journal of Cancer Care, 2010, 19, 346-351.	1.5	13
165	Health service utilisation by pregnant women over a seven-year period. Midwifery, 2011, 27, 474-476.	2.3	13
166	Referral to Chinese medicine practitioners in Australian primary care: a survey of New South Wales rural and regional general practitioners. Chinese Medicine, 2013, 8, 8.	4.0	13
167	Acupuncture Referrals in Rural Primary Healthcare: A Survey of General Practitioners in Rural and Regional New South Wales, Australia. Acupuncture in Medicine, 2013, 31, 375-382.	1.0	13
168	Healthcare utilisation of pregnant women who experience sciatica, leg cramps and/or varicose veins: A cross-sectional survey of 1835 pregnant women. Women and Birth, 2016, 29, 35-40.	2.0	13
169	Special diets in modern America: Analysis of the 2012 National Health Interview Survey data. Nutrition and Health, 2018, 24, 11-18.	1.5	13
170	Health Behavior Change and Complementary Medicine Use: National Health Interview Survey 2012. Medicina (Lithuania), 2019, 55, 632.	2.0	13
171	A national cross-sectional survey of back pain care amongst Australian women aged 60–65. European Journal of Integrative Medicine, 2013, 5, 36-43.	1.7	12
172	The Outcomes of Complementary and Alternative Medicine Use among Pregnant and Birthing Women: Current Trends and Future Directions. Women's Health, 2015, 11, 309-323.	1.5	12
173	A Qualitative Study of Medical Oncologists' Experiences of Their Profession and Workforce Sustainability. PLoS ONE, 2016, 11, e0166302.	2.5	12
174	Prevalence and Factors Associated with the Use of Acupuncture and Chinese Medicine: Results of a Nationally Representative Survey of 17161 Australian Women. Acupuncture in Medicine, 2017, 35, 189-199.	1.0	12
175	Associations between yoga practice and joint problems: a cross-sectional survey among 9151 Australian women. Rheumatology International, 2017, 37, 1145-1148.	3.0	12
176	Efficacy of Chinese herbal medicine for stroke modifiable risk factors: a systematic review. Chinese Medicine, 2017, 12, 25.	4.0	12
177	The treatment of migraine patients within chiropractic: analysis of a nationally representative survey of 1869 chiropractors. BMC Complementary and Alternative Medicine, 2017, 17, 519.	3.7	12
178	Western herbal medicine consultations for common menstrual problems; practitioner experiences and perceptions of treatment. Phytotherapy Research, 2018, 32, 531-541.	5.8	12
179	Prevalence and profile of Australian chiropractors treating athletes or sports people: A cross-sectional study. Complementary Therapies in Medicine, 2018, 39, 56-61.	2.7	12
180	Tai chi and yoga in residential aged care: Perspectives of participants: A qualitative study. Journal of Clinical Nursing, 2018, 27, 4390-4399.	3.0	12

#	Article	IF	CITATIONS
181	Development and preliminarily validation of the Complementary Medicine Disclosure Index. Patient Education and Counseling, 2020, 103, 1237-1244.	2.2	12
182	Energy and macronutrient intakes in preschool children in urban areas of Ho Chi Minh City, Vietnam. BMC Pediatrics, 2008, 8, 44.	1.7	11
183	Mid-Age Women's Consultations with Acupuncturists: A Longitudinal Analysis of 11,200 Women, 2001–2007. Journal of Alternative and Complementary Medicine, 2011, 17, 735-740.	2.1	11
184	Painting pictures and playing musical instruments: Change in participation and relationship to health in older women. Australasian Journal on Ageing, 2012, 31, 218-221.	0.9	11
185	Referral to Massage Therapy in Primary Health Care: A Survey of Medical General Practitioners in Rural and Regional New South Wales, Australia. Journal of Manipulative and Physiological Therapeutics, 2013, 36, 595-603.	0.9	11
186	A critical review of traditional Chinese medicine use amongst women with menopausal symptoms. Climacteric, 2014, 17, 635-644.	2.4	11
187	Composite outcome measures in a pragmatic clinical trial of chronic heart failure management: A comparative assessment. International Journal of Cardiology, 2015, 185, 62-68.	1.7	11
188	The influence of communication and information sources upon decision-making around complementary and alternative medicine use forÂback pain among Australian women aged 60-65Âyears. Health and Social Care in the Community, 2017, 25, 114-122.	1.6	11
189	Primary care practitioner perceptions and attitudes of complementary medicine: a content analysis of free-text responses from a survey of non-metropolitan Australian general practitioners. Primary Health Care Research and Development, 2018, 19, 246-255.	1.2	11
190	Global service learning and health systems strengthening: An integrative literature review. Heliyon, 2018, 4, e00713.	3.2	11
191	Complementary and alternative medicine research in practice-based research networks: A critical review. Complementary Therapies in Medicine, 2019, 43, 7-19.	2.7	11
192	A randomised controlled trial assessing the effect of a Mediterranean diet on the symptoms of depression in young men (the â€~AMMEND' study): a study protocol. British Journal of Nutrition, 2021, 126, 730-737.	2.3	11
193	Prevalence and determinants of low social support during pregnancy among Australian women: a community-based cross-sectional study. Reproductive Health, 2021, 18, 158.	3.1	11
194	The Effective Use of a Summary Table and Decision Tree Methodology to Analyze Very Large Healthcare Datasets. Health Care Management Science, 2004, 7, 163-171.	2.6	10
195	Influence of contextual and individual level risk factors on adiposity in a preschool child cohort in Ho Chi Minh City, Vietnam. Pediatric Obesity, 2011, 6, e487-e500.	3.2	10
196	Sex differences in the use of complementary and alternative medicine in older men and women. Australasian Journal on Ageing, 2012, 31, 78-82.	0.9	10
197	Health-related quality of life of patients after mechanical valve replacement surgery for rheumatic heart disease in a developing country. Heart Asia, 2014, 6, 172-178.	1.1	10
198	Prayer or spiritual healing as adjuncts to conventional care: a cross sectional analysis of prevalence and characteristics of use among women. BMJ Open, 2015, 5, e007345.	1.9	10

#	Article	IF	CITATIONS
199	Health-related quality of life of patients after mechanical valve replacement surgery: An integrative review. European Journal of Cardiovascular Nursing, 2015, 14, 16-25.	0.9	10
200	Longitudinal analysis of associations between women's consultations with complementary and alternative medicine practitioners/use of self-prescribed complementary and alternative medicine and menopause-related symptoms, 2007-2010. Menopause, 2016, 23, 74-80.	2.0	10
201	Utilization of complementary and alternative medicine and conventional medicine for headache or migraine during pregnancy: A cross-sectional survey of 1,835 pregnant women. Complementary Therapies in Medicine, 2018, 41, 192-195.	2.7	10
202	Occupational and Leisure-Time Physical Activity Have Different Relationships With Health: A Cross-Sectional Survey Study of Working Nurses. Journal of Physical Activity and Health, 2021, 18, 1495-1502.	2.0	10
203	The association between social support and antenatal depressive and anxiety symptoms among Australian women. BMC Pregnancy and Childbirth, 2021, 21, 708.	2.4	10
204	The relative importance of psychosocial factors in arthritis: Findings from 10,509 Australian women. Journal of Psychosomatic Research, 2012, 73, 251-256.	2.6	9
205	Protocol: The Effect of 12 Weeks of Tai Chi Practice on Anxiety in Healthy but Stressed People Compared to Exercise and Wait-list Comparison Groups: A Randomized Controlled Trial. JAMS Journal of Acupuncture and Meridian Studies, 2014, 7, 159-165.	0.7	9
206	Managing the pain of labour: factors associated with the use of labour pain management for pregnant <scp>A</scp> ustralian women. Health Expectations, 2015, 18, 1633-1644.	2.6	9
207	A longitudinal analysis of self-prescribed complementary and alternative medicine use by a nationally representative sample of 19,783 Australian women, 2006–2010. Complementary Therapies in Medicine, 2015, 23, 699-704.	2.7	9
208	Association between use of self-prescribed complementary and alternative medicine and menopause-related symptoms: A cross-sectional study. Complementary Therapies in Medicine, 2015, 23, 666-673.	2.7	9
209	Prevalence of glucosamine and omega-3 fatty acid use and characteristics of users among mid-age women: Analysis of a nationally representative sample of 10,638 women. Journal of Nutrition, Health and Aging, 2016, 20, 637-644.	3.3	9
210	Complementary and alternative medicine use for constipation: a critical review focusing upon prevalence, type, cost, and users' profile, perception and motivations. International Journal of Clinical Practice, 2016, 70, 712-722.	1.7	9
211	Prevalence and characteristics of women who consult with osteopathic practitioners during pregnancy; a report from the Australian Longitudinal Study on Women's Health (ALSWH). Journal of Bodywork and Movement Therapies, 2016, 20, 168-172.	1.2	9
212	What impact does antenatal and postnatal care have on neonatal deaths in low- and lower-middle-income countries? Evidence from Bangladesh. Health Care for Women International, 2017, 38, 848-860.	1.1	9
213	Associations between complementary medicine utilization and influenza/pneumococcal vaccination: Results of a national cross-sectional survey of 9151 Australian women. Preventive Medicine, 2017, 105, 184-189.	3.4	9
214	Investigation into the diets and nutritional knowledge of young men with depression: The MENDDS survey. Nutrition, 2020, 78, 110946.	2.4	9
215	Health care utilisation and out-of-pocket expenditure associated with hypertension: an analysis of Australian adults from the 45 and Up Study. Journal of Human Hypertension, 2020, 34, 833-840.	2.2	9
216	The Association Between Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Prospective Cohort Studies. , 2013, , 3-27.		9

#	Article	IF	CITATIONS
217	Rehabilitation of stroke patients using traditional Thai massage, herbal treatments and physical therapies. Zhong Xi Yi Jie He Xue Bao, 2012, 10, 743-750.	0.7	9
218	The mediational role of social support in the relationship between stress and antenatal anxiety and depressive symptoms among Australian women: a mediational analysis. Reproductive Health, 2021, 18, 250.	3.1	9
219	Developing a decision tree algorithm for the diagnosis of suspected spider bites. EMA - Emergency Medicine Australasia, 2004, 16, 161-166.	1.1	8
220	The Characteristics of Middle Aged Australian Women who Consult Acupuncturists. Acupuncture in Medicine, 2007, 25, 22-28.	1.0	8
221	A Longitudinal Analysis of Complementary and Alternative Medicine Use by a Representative Cohort of Young Australian Women with Asthma, 1996–2006. Journal of Asthma, 2011, 48, 380-386.	1.7	8
222	Health-related factors associated with participation in creative hobbies by Australian women aged in their eighties. Arts and Health, 2014, 6, 132-142.	1.6	8
223	Research challenges for a complementary medicine higher education institution: Results from an organisational climate survey. European Journal of Integrative Medicine, 2015, 7, 442-449.	1.7	8
224	Health-care utilisation amongst pregnant women who experience sleeping problems and/or tiredness or fatigue: secondary analysis of a cross-sectional survey of 1835 pregnant women. Sleep and Breathing, 2016, 20, 355-362.	1.7	8
225	Cyclic Perimenstrual Pain and Discomfort and Australian Women's Associated Use of Complementary and Alternative Medicine: A Longitudinal Study. Journal of Women's Health, 2018, 27, 40-50.	3.3	8
226	The Australian Medical Oncologist Workforce Survey: The profile and challenges of medical oncology. Seminars in Oncology, 2018, 45, 284-290.	2.2	8
227	The rapid response system: an integrative review. Contemporary Nurse, 2019, 55, 139-155.	1.0	8
228	The prevalence and determinants of physical activity promotion by Australian chiropractors: A cross sectional study. Complementary Therapies in Medicine, 2019, 45, 172-178.	2.7	8
229	Prevalence and profile of Australian osteopaths treating older people. Complementary Therapies in Medicine, 2019, 43, 125-130.	2.7	8
230	How can human resources for health interventions contribute to sexual, reproductive, maternal, and newborn healthcare quality across the continuum in low- and lower-middle-income countries? A systematic review. Human Resources for Health, 2021, 19, 54.	3.1	8
231	Referral to yoga therapists in rural primary health care: A survey of general practitioners in rural and regional New South Wales, Australia. International Journal of Yoga, 2014, 7, 9.	1.0	8
232	Effects of undernutrition on opportunistic infections among adults living with HIV on ART in Northwest Ethiopia: Using inverse-probability weighting. PLoS ONE, 2022, 17, e0264843.	2.5	8
233	Researching the Utilisation of Complementary and Alternative Medicine. Evidence - Based Integrative Medicine, 2004, 1, 169-172.	0.2	7
234	The Prevalence and Determinants of Chinese Medicine Use by Australian Women: Analysis of a Cohort of 10,287 Women Aged 56–61 Years. The American Journal of Chinese Medicine, 2013, 41, 281-291.	3.8	7

#	Article	IF	CITATIONS
235	Diet quality and 6-year risk of overweight and obesity among mid-age Australian women who were initially in the healthy weight range. Health Promotion Journal of Australia, 2016, 27, 29-35.	1.2	7
236	The personal cancer screening behaviours of nurses and midwives. Journal of Advanced Nursing, 2017, 73, 1403-1420.	3.3	7
237	How are complementary health professions regulated in Australia? An examination of complementary health professions in the national registration and accreditation scheme. Complementary Therapies in Medicine, 2018, 37, 6-12.	2.7	7
238	The Utilization of Health Services and Self-Care by Older Women With Sleeping Problems: Results From a Nationally Representative Sample of 9,110 Women. Journal of Aging and Health, 2018, 30, 540-558.	1.7	7
239	Generational differences in complementary medicine use in young Australian women: Repeated cross-sectional dataset analysis from the Australian longitudinal study on women's health. Complementary Therapies in Medicine, 2019, 43, 66-72.	2.7	7
240	Is Depression Associated with Unhealthy Behaviors among Middle-Aged and Older Women with Hypertension or Heart Disease?. Women's Health Issues, 2020, 30, 35-40.	2.0	7
241	The Characteristics, Experiences and Perceptions of Registered Massage Therapists in New Zealand: Results from a National Survey of Practitioners. International Journal of Therapeutic Massage & Bodywork, 2018, 11, 11-24.	0.2	7
242	Associations between Sleep Quality and Heart Rate Variability: Implications for a Biological Model of Stress Detection Using Wearable Technology. International Journal of Environmental Research and Public Health, 2022, 19, 5770.	2.6	7
243	Transforming the SF-36 to Account for Death in Longitudinal Studies With Three-Year Follow-Up. Medical Care, 2006, 44, 956-959.	2.4	6
244	Health services use among young Australian women with allergies, hayfever and sinusitis: A longitudinal analysis. Complementary Therapies in Medicine, 2012, 20, 135-142.	2.7	6
245	Suffering, recognition and reframing: Healthcare choices and plural care pathways for women with chronic back pain. Current Sociology, 2015, 63, 652-668.	1.4	6
246	The characteristics of women who birth at home, in a birth centre or in a hospital labour ward: A study of a nationally-representative sample of 1835 pregnant women. Sexual and Reproductive Healthcare, 2015, 6, 132-137.	1.2	6
247	Rapid response systems: where we have come from and where we need to go?. Journal of Nursing Management, 2018, 26, 1-2.	3.4	6
248	The management of common recurrent headaches by chiropractors: a descriptive analysis of a nationally representative survey. BMC Neurology, 2018, 18, 171.	1.8	6
249	Prevalence and factors associated with the use of primary headache diagnostic criteria by chiropractors. Chiropractic & Manual Therapies, 2019, 27, 33.	1.5	6
250	Prevalence and practice characteristics of urban and rural or remote Australian chiropractors: Analysis of a nationally representative sample of 1830 chiropractors. Australian Journal of Rural Health, 2019, 27, 34-41.	1.5	6
251	Characteristics of yoga and meditation users among older Australian women – results from the 45 and up study. Complementary Therapies in Clinical Practice, 2019, 35, 219-223.	1.7	6
252	Frequency and variety of usual intakes of healthy foods, fruit, and vegetables predicts lower 6-year weight gain in young women. European Journal of Clinical Nutrition, 2020, 74, 945-952.	2.9	6

#	Article	IF	CITATIONS
253	The Value of Care Provided by Student Doulas: An Examination of the Perceptions of Women in Their Care. Journal of Perinatal Education, 2013, 22, 39-48.	0.4	6
254	No association between previous Caesarean-section delivery and back pain in mid-aged Australian women: an observational study. Australian Journal of Physiotherapy, 2008, 54, 269-272.	0.9	5
255	The profile of women who consult midwives in Australia. Women and Birth, 2013, 26, 240-245.	2.0	5
256	Homeopathy in rural Australian primary health care: a survey of general practitioner referral and practice in rural and regional New South Wales, Australia. Homeopathy, 2013, 102, 199-206.	1.0	5
257	A preliminary profile of <scp>A</scp> ustralian women accessing doula care: Findings from the <scp>A</scp> ustralian <scp>L</scp> ongitudinal <scp>S</scp> tudy on <scp>W</scp> omen's <scp>H</scp> ealth. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2013, 53, 589-592.	1.0	5
258	Complementary and alternative medicine practitioner use prior to pregnancy predicts use during pregnancy. Women and Health, 2016, 56, 926-939.	1.0	5
259	The characteristics of women who use hypnotherapy for intrapartum pain management: Preliminary insights from a nationally-representative sample of Australian women. Complementary Therapies in Medicine, 2016, 25, 67-70.	2.7	5
260	The use of conventional and complementary health services and self-prescribed treatments amongst young women with constipation: An Australian national cohort study. Digestive and Liver Disease, 2016, 48, 1308-1313.	0.9	5
261	Prevalence and characteristics of Australian women who use prayer or spiritual healing: A nationally representative cross-sectional study. Complementary Therapies in Medicine, 2016, 27, 35-42.	2.7	5
262	The characteristics, experiences and perceptions of homeopaths in New Zealand: results from a national survey of practitioners. Homeopathy, 2017, 106, 11-17.	1.0	5
263	Development of a Novel Questionnaire for the Traditional Chinese Medicine Pattern Diagnosis of Stress. JAMS Journal of Acupuncture and Meridian Studies, 2017, 10, 276-285.	0.7	5
264	Substantial out-of-pocket expenditure on maternity care practitioner consultations and treatments during pregnancy: estimates from a nationally-representative sample of pregnant women in Australia. BMC Pregnancy and Childbirth, 2017, 17, 114.	2.4	5
265	Treating People with Arthritis with Traditional Chinese Medicine (Tcm): An Examination of the Perception of Tcm Practitioners. Acupuncture in Medicine, 2018, 36, 228-239.	1.0	5
266	The health of working nurses: Hypertension prevalence, awareness, treatment and control by medication. Journal of Nursing Management, 2018, 26, 403-410.	3.4	5
267	Research capacity building in traditional, complementary and integrative medicine: Grass—roots action towards a broader vision. , 2012, , 275-281.		5
268	Weight change after antiretroviral therapy initiation among adults living with HIV in Northwest Ethiopia: a longitudinal data analysis. BMJ Open, 2022, 12, e055266.	1.9	5
269	Higher unprocessed red meat, chicken and fish intake is associated with a higher vegetable intake in midâ€age nonâ€vegetarian women. Nutrition and Dietetics, 2012, 69, 293-299.	1.8	4
270	Back pain sufferers' attitudes toward consultations with CAM practitioners and self- prescribed CAM products: A study of a nationally representative sample of 1310 Australian women aged 60–65 years. Complementary Therapies in Medicine, 2015, 23, 782-788.	2.7	4

#	Article	IF	CITATIONS
271	Association between consultations with complementary/alternative medicine practitioners and menopause-related symptoms: a cross-sectional study. Climacteric, 2015, 18, 551-558.	2.4	4
272	Characteristics of women who practice yoga in different locations during pregnancy. BMJ Open, 2015, 5, e008641.	1.9	4
273	Workforce Interventions to Deliver Postnatal Care to Improve Neonatal Outcomes in Low- and Lower-Middle-Income Countries. Asia-Pacific Journal of Public Health, 2016, 28, 659-681.	1.0	4
274	Does Australia's Health Policy Environment Create Unintended Outcomes for Birthing Women?. Birth, 2016, 43, 273-276.	2.2	4
275	The association between regular yoga and meditation practice and falls and injuries: Results of a national cross-sectional survey among Australian women. Maturitas, 2016, 84, 38-41.	2.4	4
276	Complementary and Conventional Health-care Utilization Among Young Australian Women With Urinary Incontinence. Urology, 2017, 99, 92-99.	1.0	4
277	Associations between complementary medicine, satisfaction with body weight and shape, and the use of methods to lose or control weight: Results of a national survey of 8009 Australian women. Complementary Therapies in Medicine, 2018, 36, 100-106.	2.7	4
278	Antimicrobial prescription patterns and ventilator associated pneumonia: findings from a 10-site prospective audit. BMC Research Notes, 2018, 11, 769.	1.4	4
279	Efficacy of acupuncture for lifestyle risk factors for stroke: A systematic review. PLoS ONE, 2018, 13, e0206288.	2.5	4
280	The features and burden of headaches within a chiropractic clinical population: A cross-sectional analysis. Complementary Therapies in Medicine, 2020, 48, 102276.	2.7	4
281	Modelling the cost of place of birth: a pathway analysis. BMC Health Services Research, 2021, 21, 816.	2.2	4
282	Prevalence and characteristics of older Australian women who consult dentists. Australian Journal of Rural Health, 2007, 15, 387-388.	1.5	3
283	Tyrosine supplementation as an adjunct treatment in anorexia nervosa – a noradrenergic repletion hypothesis. Advances in Eating Disorders (Abingdon, England), 2013, 1, 161-168.	0.7	3
284	Hypertension: What are the self-care and health-care-seeking behaviours in women over time?. Journal of Human Hypertension, 2016, 30, 783-787.	2.2	3
285	A mixed methods analysis of experiences and expectations among early areer medical oncologists in Australia. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e521-e527.	1.1	3
286	Associations Between Cancer Screening Behavior and Complementary Medicine Use: Results of a National Cross-Sectional Survey of 9151 Australian Women. Integrative Cancer Therapies, 2018, 17, 979-985.	2.0	3
287	Formal and informal healthcare behaviours of women with chronic illness: A crossâ€sectional analysis of 1925 women. International Journal of Clinical Practice, 2019, 73, e13343.	1.7	3
288	Risk Factors for Developing Comorbid Sleeping Problems: Results of a Survey of 1,925 Women Over 50 With a Chronic Health Condition. Journal of Aging and Health, 2020, 32, 472-480.	1.7	3

#	Article	IF	CITATIONS
289	Improving diet quality over nine-years is associated with less weight gain in mid-age Australian women: A cohort study. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 223-232.	2.6	3
290	Massage therapy utilisation by Australian women: Prevalence and determinants. Journal of Bodywork and Movement Therapies, 2020, 24, 29-37.	1.2	3
291	Utilisation of selfâ€care products and practices and its associated factors among stroke survivors. International Journal of Clinical Practice, 2021, 75, e13821.	1.7	3
292	Complementary medicine practitioner consultations amongst 1,314 individuals with chronic conditions: Characteristics of users, reasons for and predictors of use. Complementary Therapies in Clinical Practice, 2020, 40, 101194.	1.7	3
293	Changes in neonatal mortality and newborn health-care practices: descriptive data from the Bangladesh Demographic and Health Surveys 2011 and 2014. WHO South-East Asia Journal of Public Health, 2018, 7, 43.	0.7	3
294	Disclosure of conventional and complementary medicine use to medical doctors and complementary medicine practitioners: A survey of rates and reasons amongst those with chronic conditions. PLoS ONE, 2021, 16, e0258901.	2.5	3
295	Women's distinct diabetes self-management behaviours demand gender-specific diabetes research: improving chronic disease management and addressing clinical governance issues. Journal of Primary Health Care, 2021, 13, 308.	0.6	3
296	Associations Between Fatigue and Disability, Depression, Health-Related Hardiness and Quality of Life in People with Stroke. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106543.	1.6	3
297	The association between fatigue severity and risk of falls among middle-aged and older Australian stroke survivors. Aging Clinical and Experimental Research, 2022, 34, 2457-2463.	2.9	3
298	Complementary and Alternative Medicine for Victims of Intimate Partner Abuse: A Systematic Review of Use and Efficacy. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-6.	1.2	2
299	Prevalence and characteristics of Australian women aged 45 and older who consult acupuncturists for their osteoarthritis. International Journal of Clinical Practice, 2017, 71, e13040.	1.7	2
300	A critical review of self-care for sleep disturbances: prevalence, profile, motivation, perceived effectiveness and medical provider communication. Sleep Science and Practice, 2020, 4, .	1.3	2
301	Influence of COVID-19 on the preventive health behaviours of Indigenous Peoples of Australia residing in New South Wales: a mixed-method study protocol. BMJ Open, 2021, 11, e047404.	1.9	2
302	Integrative health services use for depression in middle-aged and older Australian women. European Journal of Integrative Medicine, 2021, 46, 101367.	1.7	2
303	Developing and promoting public health methods for integrative medicine: examples from the field in Australia. Zhong Xi Yi Jie He Xue Bao, 2011, 9, 233-236.	0.7	2
304	Annual out-of-pocket expenditure associated with healthcare use among Australian older women with osteoporosis: a cross-sectional study. Archives of Osteoporosis, 2021, 16, 148.	2.4	2
305	Sphygmomanometers–an audit in general practice. Australian Family Physician, 2004, 33, 952-4.	0.5	2
306	An Examination of Modifiable Risk Factors in Stroke Survivors, with a view to recurrent stroke prevention. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106547.	1.6	2

#	Article	IF	CITATIONS
307	Predictors of Complementary and Alternative Medicine (CAM) use in two cohorts of Australian women. International Psychogeriatrics, 2013, 25, 168-170.	1.0	1
308	The characteristics of women using different forms of botanical medicines to manage pregnancy-related health conditions: A preliminary cross-sectional analysis. Advances in Integrative Medicine, 2014, 1, 138-143.	0.9	1
309	The Association Between Women's Choice of Birth Setting and Their Use of CAM During Labor and Birth. Journal of Alternative and Complementary Medicine, 2014, 20, A20-A20.	2.1	1
310	The use of Benincasa hispida for the treatment of uninvestigated dyspepsia: Preliminary results of a non-randomised open label pilot clinical trial. Advances in Integrative Medicine, 2015, 2, 130-134.	0.9	1
311	Are traditional Thai therapies better than conventional treatment for stroke rehabilitation? A quasi-experimental study. European Journal of Integrative Medicine, 2015, 7, 16-22.	1.7	1
312	Is there an association between women's consultations with a massage therapist and health-related quality of life? Analyses of 1800 women aged 56–61 years. Journal of Bodywork and Movement Therapies, 2016, 20, 734-739.	1.2	1
313	Health care utilization among young Australian women with severe tiredness: Results from the Australian Longitudinal Study on Women's Health (ALSWH). Health Care for Women International, 2017, 38, 983-995.	1.1	1
314	Does nurses' role, health or symptoms influence their personal use of ingestible complementary and alternative medicines?. Complementary Therapies in Medicine, 2017, 35, 39-46.	2.7	1
315	Is there a role for Western herbal medicine in treating cyclic perimenstrual pain and discomfort?. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, 154-156.	1.0	1
316	Exploring Sick Leave in Integrative Care—Retrospective Observations and Future Study Recommendations. Journal of Alternative and Complementary Medicine, 2019, 25, 377-384.	2.1	1
317	Do women who consult with naturopaths or herbalists have a healthy lifestyle?: a secondary analysis of the Australian longitudinal study on women's health. BMC Complementary Medicine and Therapies, 2020, 20, 349.	2.7	1
318	Clinical characteristics of osteopaths treating work-related injuries in Australia: A cross-sectional study. International Journal of Osteopathic Medicine, 2020, 38, 50-56.	1.0	1
319	The health care utilization and out-of-pocket expenditure associated with asthma amongst a sample of Australian women aged over 45 years: analysis from the â€~45 and up' study. Journal of Asthma, 2021, 58, 865-873.	1.7	1
320	The Regulation of the Complementary Health Sector: General Public's Knowledge of Complementary Medicine-Related Quality Assurance and Consumer Protection. International Journal of Health Policy and Management, 2021, , .	0.9	1
321	Practitioner and practice characteristics of Australian osteopaths who discuss lifestyle factors with patients: Findings from a national practiceâ€based research network. Health and Social Care in the Community, 2022, 30, .	1.6	1
322	Health-seeking behaviour, views and preferences of adults with suspected increased intestinal permeability: A cross-sectional survey of Australian adults. Integrative Medicine Research, 2022, 11, 100757.	1.8	1
323	The use of herbal medicines for the treatment of menopausal symptoms. A pilot study of women attending general practice. Australian Family Physician, 2004, 33, 955-6.	0.5	1
324	What is the healthcare utilisation and out-of-pocket expenditure associated with osteoarthritis? A cross-sectional study. BMJ Open, 2022, 12, e055468.	1.9	1

#	Article	IF	CITATIONS
325	Does undernutrition increase the risk of lost to follow-up in adults living with HIV in sub-Saharan Africa? Protocol for a systematic review and meta-analysis. BMJ Open, 2021, 11, e048022.	1.9	1
326	Use of massage therapy by mid-aged and older Australian women. BMC Complementary Medicine and Therapies, 2022, 22, .	2.7	1
327	Author Reply. Urology, 2017, 99, 98-99.	1.0	0
328	Health care utilisation of women who experience pregnancy-related reflux, nausea and/or vomiting. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 1938-1943.	1.5	0
329	Associations between complementary medicine utilisation and the use of contraceptive methods: Results of a national cross-sectional survey. Complementary Therapies in Clinical Practice, 2018, 33, 100-106.	1.7	0
330	The utilisation of public and private health care among Australian women with diabetes: Findings from the 45 and Up Study. PLoS ONE, 2021, 16, e0255573.	2.5	0
331	The characteristics of women aged 59-64 years who consult health care practitioners for back pain from the Australian Longitudinal Study on Women's Health (ALSWH) Integrative Journal of Medical Sciences, 0, 8, .	0.0	0
332	The Subjective Well-being and Health-Related Quality of Life of Australian Adults with Increased Intestinal Permeability and Associations with Treatment Interventions. Journal of Alternative and Complementary Medicine, 2021, 27, 1136-1146.	2.1	0
333	The association between diet quality and weight change in adults over time: A systematic review of studies with follow up JBI Database of Systematic Reviews and Implementation Reports, 2011, 9, 1-9.	1.7	0
334	Women's use of complementary and alternative medicine during pregnancy: A critical review of the literature. , 2012, , 35-43.		0
335	Utilizing existing data sets to investigate complementary and alternative medicine consumption: Cohort studies and longitudinal analyses. , 2012, , 26-32.		0
336	The annual variation in activity and funding for acute public hospitals in NSW,1988?89 to 1992?93. Australian Health Review, 1996, 19, 52.	1.1	0
337	The health care utilisationÂand out-of-pocket expenditure associated with Australian stroke survivors aged 55 and over. PLoS ONE, 2022, 17, e0265907.	2.5	Ο