

# David W Sibbritt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8886075/publications.pdf>

Version: 2024-02-01

337  
papers

8,644  
citations

61984

43  
h-index

79698

73  
g-index

342  
all docs

342  
docs citations

342  
times ranked

8874  
citing authors

#	ARTICLE	IF	CITATIONS
1	Practitioner and practice characteristics of Australian osteopaths who discuss lifestyle factors with patients: Findings from a national practice-based research network. <i>Health and Social Care in the Community</i> , 2022, 30, .	1.6	1
2	Health-seeking behaviour, views and preferences of adults with suspected increased intestinal permeability: A cross-sectional survey of Australian adults. <i>Integrative Medicine Research</i> , 2022, 11, 100757.	1.8	1
3	Weight change after antiretroviral therapy initiation among adults living with HIV in Northwest Ethiopia: a longitudinal data analysis. <i>BMJ Open</i> , 2022, 12, e055266.	1.9	5
4	The health care utilisation and out-of-pocket expenditure associated with Australian stroke survivors aged 55 and over. <i>PLoS ONE</i> , 2022, 17, e0265907.	2.5	0
5	Effects of undernutrition on opportunistic infections among adults living with HIV on ART in Northwest Ethiopia: Using inverse-probability weighting. <i>PLoS ONE</i> , 2022, 17, e0264843.	2.5	8
6	What is the healthcare utilisation and out-of-pocket expenditure associated with osteoarthritis? A cross-sectional study. <i>BMJ Open</i> , 2022, 12, e055468.	1.9	1
7	Stress Watch: The Use of Heart Rate and Heart Rate Variability to Detect Stress: A Pilot Study Using Smart Watch Wearables. <i>Sensors</i> , 2022, 22, 151.	3.8	22
8	The effect of a Mediterranean diet on the symptoms of depression in young males (the "AMMEND: A" study). <i>Journal of Clinical Nutrition</i> , 2022, 116, 572-580.	4.7	43
9	Associations between Sleep Quality and Heart Rate Variability: Implications for a Biological Model of Stress Detection Using Wearable Technology. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5770.	2.6	7
10	Associations Between Fatigue and Disability, Depression, Health-Related Hardiness and Quality of Life in People with Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106543.	1.6	3
11	An Examination of Modifiable Risk Factors in Stroke Survivors, with a view to recurrent stroke prevention. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106547.	1.6	2
12	Use of massage therapy by mid-aged and older Australian women. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, .	2.7	1
13	The association between fatigue severity and risk of falls among middle-aged and older Australian stroke survivors. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2457-2463.	2.9	3
14	A randomised controlled trial assessing the effect of a Mediterranean diet on the symptoms of depression in young men (the "AMMEND" study): a study protocol. <i>British Journal of Nutrition</i> , 2021, 126, 730-737.	2.3	11
15	The health care utilization and out-of-pocket expenditure associated with asthma amongst a sample of Australian women aged over 45 years: analysis from the "45 and up" study. <i>Journal of Asthma</i> , 2021, 58, 865-873.	1.7	1
16	Utilisation of self-care products and practices and its associated factors among stroke survivors. <i>International Journal of Clinical Practice</i> , 2021, 75, e13821.	1.7	3
17	Effects of undernutrition on mortality and morbidity among adults living with HIV in sub-Saharan Africa: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2021, 21, 1.	2.9	433
18	How can human resources for health interventions contribute to sexual, reproductive, maternal, and newborn healthcare quality across the continuum in low- and lower-middle-income countries? A systematic review. <i>Human Resources for Health</i> , 2021, 19, 54.	3.1	8

#	ARTICLE	IF	CITATIONS
19	Smart Devices and Wearable Technologies to Detect and Monitor Mental Health Conditions and Stress: A Systematic Review. <i>Sensors</i> , 2021, 21, 3461.	3.8	86
20	A Phase 2 Randomised Clinical Trial Assessing the Tolerability of Two Different Ratios of Medicinal Cannabis in Patients With High Grade Gliomas. <i>Frontiers in Oncology</i> , 2021, 11, 649555.	2.8	28
21	The Regulation of the Complementary Health Sector: General Public's Knowledge of Complementary Medicine-Related Quality Assurance and Consumer Protection. <i>International Journal of Health Policy and Management</i> , 2021, , .	0.9	1
22	The relationship between social support and mental health problems during pregnancy: a systematic review and meta-analysis. <i>Reproductive Health</i> , 2021, 18, 162.	3.1	118
23	Prevalence and determinants of low social support during pregnancy among Australian women: a community-based cross-sectional study. <i>Reproductive Health</i> , 2021, 18, 158.	3.1	11
24	Modelling the cost of place of birth: a pathway analysis. <i>BMC Health Services Research</i> , 2021, 21, 816.	2.2	4
25	The utilisation of public and private health care among Australian women with diabetes: Findings from the 45 and Up Study. <i>PLoS ONE</i> , 2021, 16, e0255573.	2.5	0
26	The Subjective Well-being and Health-Related Quality of Life of Australian Adults with Increased Intestinal Permeability and Associations with Treatment Interventions. <i>Journal of Alternative and Complementary Medicine</i> , 2021, 27, 1136-1146.	2.1	0
27	Influence of COVID-19 on the preventive health behaviours of Indigenous Peoples of Australia residing in New South Wales: a mixed-method study protocol. <i>BMJ Open</i> , 2021, 11, e047404.	1.9	2
28	Integrative health services use for depression in middle-aged and older Australian women. <i>European Journal of Integrative Medicine</i> , 2021, 46, 101367.	1.7	2
29	Occupational and Leisure-Time Physical Activity Have Different Relationships With Health: A Cross-Sectional Survey Study of Working Nurses. <i>Journal of Physical Activity and Health</i> , 2021, 18, 1495-1502.	2.0	10
30	Annual out-of-pocket expenditure associated with healthcare use among Australian older women with osteoporosis: a cross-sectional study. <i>Archives of Osteoporosis</i> , 2021, 16, 148.	2.4	2
31	The association between social support and antenatal depressive and anxiety symptoms among Australian women. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 708.	2.4	10
32	Disclosure of conventional and complementary medicine use to medical doctors and complementary medicine practitioners: A survey of rates and reasons amongst those with chronic conditions. <i>PLoS ONE</i> , 2021, 16, e0258901.	2.5	3
33	Women's distinct diabetes self-management behaviours demand gender-specific diabetes research: improving chronic disease management and addressing clinical governance issues. <i>Journal of Primary Health Care</i> , 2021, 13, 308.	0.6	3
34	The mediational role of social support in the relationship between stress and antenatal anxiety and depressive symptoms among Australian women: a mediational analysis. <i>Reproductive Health</i> , 2021, 18, 250.	3.1	9
35	Does undernutrition increase the risk of lost to follow-up in adults living with HIV in sub-Saharan Africa? Protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2021, 11, e048022.	1.9	1
36	Risk Factors for Developing Comorbid Sleeping Problems: Results of a Survey of 1,925 Women Over 50 With a Chronic Health Condition. <i>Journal of Aging and Health</i> , 2020, 32, 472-480.	1.7	3

#	ARTICLE	IF	CITATIONS
37	Improving diet quality over nine-years is associated with less weight gain in mid-age Australian women: A cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 223-232.	2.6	3
38	Is Depression Associated with Unhealthy Behaviors among Middle-Aged and Older Women with Hypertension or Heart Disease?. <i>Women's Health Issues</i> , 2020, 30, 35-40.	2.0	7
39	The features and burden of headaches within a chiropractic clinical population: A cross-sectional analysis. <i>Complementary Therapies in Medicine</i> , 2020, 48, 102276.	2.7	4
40	Frequency and variety of usual intakes of healthy foods, fruit, and vegetables predicts lower 6-year weight gain in young women. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 945-952.	2.9	6
41	Investigation into the diets and nutritional knowledge of young men with depression: The MENDDS survey. <i>Nutrition</i> , 2020, 78, 110946.	2.4	9
42	Do women who consult with naturopaths or herbalists have a healthy lifestyle?: a secondary analysis of the Australian longitudinal study on women's health. <i>BMC Complementary Medicine and Therapies</i> , 2020, 20, 349.	2.7	1
43	Clinical characteristics of osteopaths treating work-related injuries in Australia: A cross-sectional study. <i>International Journal of Osteopathic Medicine</i> , 2020, 38, 50-56.	1.0	1
44	Effects of Polyphenols in a Mediterranean Diet on Symptoms of Depression: A Systematic Literature Review. <i>Advances in Nutrition</i> , 2020, 11, 602-615.	6.4	75
45	A critical review of self-care for sleep disturbances: prevalence, profile, motivation, perceived effectiveness and medical provider communication. <i>Sleep Science and Practice</i> , 2020, 4, .	1.3	2
46	Health care utilisation and out-of-pocket expenditure associated with hypertension: an analysis of Australian adults from the 45 and Up Study. <i>Journal of Human Hypertension</i> , 2020, 34, 833-840.	2.2	9
47	Introducing national osteopathy practice-based research networks in Australia and New Zealand: an overview to inform future osteopathic research. <i>Scientific Reports</i> , 2020, 10, 846.	3.3	21
48	Development and preliminary validation of the Complementary Medicine Disclosure Index. <i>Patient Education and Counseling</i> , 2020, 103, 1237-1244.	2.2	12
49	Massage therapy utilisation by Australian women: Prevalence and determinants. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 29-37.	1.2	3
50	Complementary medicine practitioner consultations amongst 1,314 individuals with chronic conditions: Characteristics of users, reasons for and predictors of use. <i>Complementary Therapies in Clinical Practice</i> , 2020, 40, 101194.	1.7	3
51	Is there a role for Western herbal medicine in treating cyclic perimenstrual pain and discomfort?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019, 59, 154-156.	1.0	1
52	Prevalence and factors associated with the use of primary headache diagnostic criteria by chiropractors. <i>Chiropractic &amp; Manual Therapies</i> , 2019, 27, 33.	1.5	6
53	Risk factors associated with intestinal permeability in an adult population: A systematic review. <i>International Journal of Clinical Practice</i> , 2019, 73, e13385.	1.7	46
54	Health Behavior Change and Complementary Medicine Use: National Health Interview Survey 2012. <i>Medicina (Lithuania)</i> , 2019, 55, 632.	2.0	13

#	ARTICLE	IF	CITATIONS
55	The rapid response system: an integrative review. <i>Contemporary Nurse</i> , 2019, 55, 139-155.	1.0	8
56	The prevalence and determinants of physical activity promotion by Australian chiropractors: A cross sectional study. <i>Complementary Therapies in Medicine</i> , 2019, 45, 172-178.	2.7	8
57	Exploring Sick Leave in Integrative Care – Retrospective Observations and Future Study Recommendations. <i>Journal of Alternative and Complementary Medicine</i> , 2019, 25, 377-384.	2.1	1
58	Formal and informal healthcare behaviours of women with chronic illness: A cross-sectional analysis of 1925 women. <i>International Journal of Clinical Practice</i> , 2019, 73, e13343.	1.7	3
59	Prevalence and practice characteristics of urban and rural or remote Australian chiropractors: Analysis of a nationally representative sample of 1830 chiropractors. <i>Australian Journal of Rural Health</i> , 2019, 27, 34-41.	1.5	6
60	Characteristics of yoga and meditation users among older Australian women – results from the 45 and up study. <i>Complementary Therapies in Clinical Practice</i> , 2019, 35, 219-223.	1.7	6
61	Physical activity and depression symptoms in women with chronic illness and the mediating role of health-related quality of life. <i>Journal of Affective Disorders</i> , 2019, 252, 294-299.	4.1	15
62	Complementary and Alternative Medicine Use by U.S. Adults with Self-Reported Doctor-Diagnosed Arthritis: Results from the 2012 National Health Interview Survey. <i>PM and R</i> , 2019, 11, 1059-1069.	1.6	16
63	Prevalence and profile of Australian osteopaths treating older people. <i>Complementary Therapies in Medicine</i> , 2019, 43, 125-130.	2.7	8
64	Use of complementary medicine products: a nationally representative cross-sectional survey of 2019 Australian adults. <i>BMJ Open</i> , 2019, 9, e024198.	1.9	41
65	Maternal and perinatal outcomes by planned place of birth in Australia 2000 – 2012: a linked population data study. <i>BMJ Open</i> , 2019, 9, e029192.	1.9	26
66	Complementary and alternative medicine research in practice-based research networks: A critical review. <i>Complementary Therapies in Medicine</i> , 2019, 43, 7-19.	2.7	11
67	Generational differences in complementary medicine use in young Australian women: Repeated cross-sectional dataset analysis from the Australian longitudinal study on women's health. <i>Complementary Therapies in Medicine</i> , 2019, 43, 66-72.	2.7	7
68	Treating People with Arthritis with Traditional Chinese Medicine (Tcm): An Examination of the Perception of Tcm Practitioners. <i>Acupuncture in Medicine</i> , 2018, 36, 228-239.	1.0	5
69	A mixed methods analysis of experiences and expectations among early-career medical oncologists in Australia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e521-e527.	1.1	3
70	Maternal and perinatal outcomes by planned place of birth among women with low-risk pregnancies in high-income countries: A systematic review and meta-analysis. <i>Midwifery</i> , 2018, 62, 240-255.	2.3	139
71	The health of working nurses: Hypertension prevalence, awareness, treatment and control by medication. <i>Journal of Nursing Management</i> , 2018, 26, 403-410.	3.4	5
72	Primary care practitioner perceptions and attitudes of complementary medicine: a content analysis of free-text responses from a survey of non-metropolitan Australian general practitioners. <i>Primary Health Care Research and Development</i> , 2018, 19, 246-255.	1.2	11

#	ARTICLE	IF	CITATIONS
73	Associations between complementary medicine, satisfaction with body weight and shape, and the use of methods to lose or control weight: Results of a national survey of 8009 Australian women. <i>Complementary Therapies in Medicine</i> , 2018, 36, 100-106.	2.7	4
74	Western herbal medicine consultations for common menstrual problems; practitioner experiences and perceptions of treatment. <i>Phytotherapy Research</i> , 2018, 32, 531-541.	5.8	12
75	The Australian Complementary Medicine Workforce: A Profile of 1,306 Practitioners from the PRACI Study. <i>Journal of Alternative and Complementary Medicine</i> , 2018, 24, 385-394.	2.1	18
76	Rapid response systems: where we have come from and where we need to go?. <i>Journal of Nursing Management</i> , 2018, 26, 1-2.	3.4	6
77	How are complementary health professions regulated in Australia? An examination of complementary health professions in the national registration and accreditation scheme. <i>Complementary Therapies in Medicine</i> , 2018, 37, 6-12.	2.7	7
78	The Effects of Twelve Weeks of Tai Chi Practice on Anxiety in Stressed But Healthy People Compared to Exercise and Waitlist Groups—A Randomized Controlled Trial. <i>Journal of Clinical Psychology</i> , 2018, 74, 83-92.	1.9	26
79	The Utilization of Health Services and Self-Care by Older Women With Sleeping Problems: Results From a Nationally Representative Sample of 9,110 Women. <i>Journal of Aging and Health</i> , 2018, 30, 540-558.	1.7	7
80	Special diets in modern America: Analysis of the 2012 National Health Interview Survey data. <i>Nutrition and Health</i> , 2018, 24, 11-18.	1.5	13
81	Cyclic Perimenstrual Pain and Discomfort and Australian Women's Associated Use of Complementary and Alternative Medicine: A Longitudinal Study. <i>Journal of Women's Health</i> , 2018, 27, 40-50.	3.3	8
82	The Australian Medical Oncologist Workforce Survey: The profile and challenges of medical oncology. <i>Seminars in Oncology</i> , 2018, 45, 284-290.	2.2	8
83	Antimicrobial prescription patterns and ventilator associated pneumonia: findings from a 10-site prospective audit. <i>BMC Research Notes</i> , 2018, 11, 769.	1.4	4
84	Complementary medicine use in the Australian population: Results of a nationally-representative cross-sectional survey. <i>Scientific Reports</i> , 2018, 8, 17325.	3.3	101
85	Utilization of complementary and alternative medicine and conventional medicine for headache or migraine during pregnancy: A cross-sectional survey of 1,835 pregnant women. <i>Complementary Therapies in Medicine</i> , 2018, 41, 192-195.	2.7	10
86	Efficacy of acupuncture for lifestyle risk factors for stroke: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0206288.	2.5	4
87	The management of common recurrent headaches by chiropractors: a descriptive analysis of a nationally representative survey. <i>BMC Neurology</i> , 2018, 18, 171.	1.8	6
88	Associations between complementary medicine utilisation and the use of contraceptive methods: Results of a national cross-sectional survey. <i>Complementary Therapies in Clinical Practice</i> , 2018, 33, 100-106.	1.7	0
89	Associations Between Cancer Screening Behavior and Complementary Medicine Use: Results of a National Cross-Sectional Survey of 9151 Australian Women. <i>Integrative Cancer Therapies</i> , 2018, 17, 979-985.	2.0	3
90	Prevalence and profile of Australian chiropractors treating athletes or sports people: A cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2018, 39, 56-61.	2.7	12

#	ARTICLE	IF	CITATIONS
91	Tai chi and yoga in residential aged care: Perspectives of participants: A qualitative study. <i>Journal of Clinical Nursing</i> , 2018, 27, 4390-4399.	3.0	12
92	Lifestyle Health Behaviors of Nurses and Midwives: The "Fit for the Future"™ Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 945.	2.6	45
93	A workforce survey of Australian osteopathy: analysis of a nationally-representative sample of osteopaths from the Osteopathy Research and Innovation Network (ORION) project. <i>BMC Health Services Research</i> , 2018, 18, 352.	2.2	58
94	Global service learning and health systems strengthening: An integrative literature review. <i>Heliyon</i> , 2018, 4, e00713.	3.2	11
95	Changes in neonatal mortality and newborn health-care practices: descriptive data from the Bangladesh Demographic and Health Surveys 2011 and 2014. <i>WHO South-East Asia Journal of Public Health</i> , 2018, 7, 43.	0.7	3
96	The Characteristics, Experiences and Perceptions of Registered Massage Therapists in New Zealand: Results from a National Survey of Practitioners. <i>International Journal of Therapeutic Massage &amp; Bodywork</i> , 2018, 11, 11-24.	0.2	7
97	The influence of communication and information sources upon decision-making around complementary and alternative medicine use for back pain among Australian women aged 60-65 years. <i>Health and Social Care in the Community</i> , 2017, 25, 114-122.	1.6	11
98	Author Reply. <i>Urology</i> , 2017, 99, 98-99.	1.0	0
99	A workforce survey of Australian chiropractic: the profile and practice features of a nationally representative sample of 2,005 chiropractors. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 14.	3.7	65
100	The characteristics, experiences and perceptions of homeopaths in New Zealand: results from a national survey of practitioners. <i>Homeopathy</i> , 2017, 106, 11-17.	1.0	5
101	Prevalence and Factors Associated with the Use of Acupuncture and Chinese Medicine: Results of a Nationally Representative Survey of 17161 Australian Women. <i>Acupuncture in Medicine</i> , 2017, 35, 189-199.	1.0	12
102	Health care utilisation of women who experience pregnancy-related reflux, nausea and/or vomiting. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 1938-1943.	1.5	0
103	What impact does antenatal and postnatal care have on neonatal deaths in low- and lower-middle-income countries? Evidence from Bangladesh. <i>Health Care for Women International</i> , 2017, 38, 848-860.	1.1	9
104	The Prevalence, Patterns, and Predictors of Chiropractic Use Among US Adults. <i>Spine</i> , 2017, 42, 1810-1816.	2.0	26
105	Health care utilization among young Australian women with severe tiredness: Results from the Australian Longitudinal Study on Women's Health (ALSWH). <i>Health Care for Women International</i> , 2017, 38, 983-995.	1.1	1
106	Associations between yoga practice and joint problems: a cross-sectional survey among 9151 Australian women. <i>Rheumatology International</i> , 2017, 37, 1145-1148.	3.0	12
107	Health, workforce characteristics, quality of life and intention to leave: The "Fit for the Future"™ survey of Australian nurses and midwives. <i>Journal of Advanced Nursing</i> , 2017, 73, 2745-2756.	3.3	42
108	Development of a Novel Questionnaire for the Traditional Chinese Medicine Pattern Diagnosis of Stress. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2017, 10, 276-285.	0.7	5

#	ARTICLE	IF	CITATIONS
109	A critical review of manual therapy use for headache disorders: prevalence, profiles, motivations, communication and self-reported effectiveness. <i>BMC Neurology</i> , 2017, 17, 61.	1.8	46
110	Associations between complementary medicine utilization and influenza/pneumococcal vaccination: Results of a national cross-sectional survey of 9151 Australian women. <i>Preventive Medicine</i> , 2017, 105, 184-189.	3.4	9
111	Does nurses' role, health or symptoms influence their personal use of ingestible complementary and alternative medicines?. <i>Complementary Therapies in Medicine</i> , 2017, 35, 39-46.	2.7	1
112	Prevalence, patterns, and predictors of massage practitioner utilization: Results of a US nationally representative survey. <i>Musculoskeletal Science and Practice</i> , 2017, 32, 31-37.	1.3	71
113	Is the practice of yoga or meditation associated with a healthy lifestyle? Results of a national cross-sectional survey of 28,695 Australian women. <i>Journal of Psychosomatic Research</i> , 2017, 101, 104-109.	2.6	36
114	Efficacy of Tai Chi and qigong for the prevention of stroke and stroke risk factors. <i>Medicine (United States)</i> , 2017, 96, 107-114.	2.0	35
115	Prevalence and characteristics of Australian women aged 45 and older who consult acupuncturists for their osteoarthritis. <i>International Journal of Clinical Practice</i> , 2017, 71, e13040.	1.7	2
116	Substantial out-of-pocket expenditure on maternity care practitioner consultations and treatments during pregnancy: estimates from a nationally-representative sample of pregnant women in Australia. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 114.	2.4	5
117	An Overview of the Practitioner Research and Collaboration Initiative (PRACI): a practice-based research network for complementary medicine. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 87.	3.7	31
118	Complementary and Conventional Health-care Utilization Among Young Australian Women With Urinary Incontinence. <i>Urology</i> , 2017, 99, 92-99.	1.0	4
119	The Characteristics of Women Who Use Complementary Medicine While Attempting to Conceive: Results from a Nationally Representative Sample of 13,224 Australian Women. <i>Women's Health Issues</i> , 2017, 27, 67-74.	2.0	17
120	Associations between yoga/meditation use, body satisfaction, and weight management methods: Results of a national cross-sectional survey of 8009 Australian women. <i>Nutrition</i> , 2017, 34, 58-64.	2.4	22
121	A critical review of complementary and alternative medicine use among people with arthritis: a focus upon prevalence, cost, user profiles, motivation, decision-making, perceived benefits and communication. <i>Rheumatology International</i> , 2017, 37, 337-351.	3.0	40
122	"Mental health day" sickness absence amongst nurses and midwives: workplace, workforce, psychosocial and health characteristics. <i>Journal of Advanced Nursing</i> , 2017, 73, 1172-1181.	3.3	35
123	The personal cancer screening behaviours of nurses and midwives. <i>Journal of Advanced Nursing</i> , 2017, 73, 1403-1420.	3.3	7
124	Efficacy of Chinese herbal medicine for stroke modifiable risk factors: a systematic review. <i>Chinese Medicine</i> , 2017, 12, 25.	4.0	12
125	A cross-sectional examination of the profile of chiropractors recruited to the Australian Chiropractic Research Network (ACORN): a sustainable resource for future chiropractic research. <i>BMJ Open</i> , 2017, 7, e015830.	1.9	34
126	The treatment of migraine patients within chiropractic: analysis of a nationally representative survey of 1869 chiropractors. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 519.	3.7	12



#	ARTICLE	IF	CITATIONS
127	Complementary and Alternative Medicine Use Among US Adults With Headache or Migraine: Results from the 2012 National Health Interview Survey. <i>Headache</i> , 2017, 57, 1228-1242.	3.9	35
128	A cross-sectional analysis of traditional medicine use for malaria alongside free antimalarial drugs treatment amongst adults in high-risk malaria endemic provinces of Indonesia. <i>PLoS ONE</i> , 2017, 12, e0173522.	2.5	22
129	Comparison of Health Information Technology Use Between American Adults With and Without Chronic Health Conditions: Findings From The National Health Interview Survey 2012. <i>Journal of Medical Internet Research</i> , 2017, 19, e335.	4.3	45
130	Long-term outcomes from Healthy Eating and Exercise Lifestyle Program for overweight people with heart disease and diabetes. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, 91-99.	0.9	23
131	Acute heart failure admissions in New South Wales and the Australian Capital Territory: the NSW HF Snapshot Study. <i>Medical Journal of Australia</i> , 2016, 204, 113-113.	1.7	41
132	A Qualitative Study of Medical Oncologists'™ Experiences of Their Profession and Workforce Sustainability. <i>PLoS ONE</i> , 2016, 11, e0166302.	2.5	12
133	Is Health Practitioner Regulation Keeping Pace with the Changing Practitioner and Health-Care Landscape? An Australian Perspective. <i>Frontiers in Public Health</i> , 2016, 4, 91.	2.7	15
134	A critical review of complementary and alternative medicine use by women with cyclic perimenstrual pain and discomfort: a focus upon prevalence, patterns and applications of use and users' motivations, information seeking and self-perceived efficacy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 861-871.	2.8	18
135	Longitudinal analysis of associations between women's consultations with complementary and alternative medicine practitioners/use of self-prescribed complementary and alternative medicine and menopause-related symptoms, 2007-2010. <i>Menopause</i> , 2016, 23, 74-80.	2.0	10
136	Diet quality and 6-year risk of overweight and obesity among mid-age Australian women who were initially in the healthy weight range. <i>Health Promotion Journal of Australia</i> , 2016, 27, 29-35.	1.2	7
137	Does nurses'™ health affect their intention to remain in their current position?. <i>Journal of Nursing Management</i> , 2016, 24, 1088-1097.	3.4	40
138	The effectiveness of complementary manual therapies for pregnancy-related back and pelvic pain. <i>Medicine (United States)</i> , 2016, 95, e4723.	1.0	49
139	Complementary and alternative medicine practitioner use prior to pregnancy predicts use during pregnancy. <i>Women and Health</i> , 2016, 56, 926-939.	1.0	5
140	Prevalence of glucosamine and omega-3 fatty acid use and characteristics of users among mid-age women: Analysis of a nationally representative sample of 10,638 women. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 637-644.	3.3	9
141	The characteristics of women who use hypnotherapy for intrapartum pain management: Preliminary insights from a nationally-representative sample of Australian women. <i>Complementary Therapies in Medicine</i> , 2016, 25, 67-70.	2.7	5
142	Hypertension: What are the self-care and health-care-seeking behaviours in women over time?. <i>Journal of Human Hypertension</i> , 2016, 30, 783-787.	2.2	3
143	Establishing the ACORN National Practitioner Database: Strategies to Recruit Practitioners to a National Practice-Based Research Network. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2016, 39, 594-602.	0.9	25
144	Is energy healing an effective non-pharmacological therapy for improving symptom management of chronic illnesses? A systematic review. <i>Complementary Therapies in Clinical Practice</i> , 2016, 25, 26-41.	1.7	26

#	ARTICLE	IF	CITATIONS
145	The determinants of essential newborn care for home births in Bangladesh. <i>Public Health</i> , 2016, 141, 7-16.	2.9	15
146	Complementary and alternative medicine use for constipation: a critical review focusing upon prevalence, type, cost, and users' profile, perception and motivations. <i>International Journal of Clinical Practice</i> , 2016, 70, 712-722.	1.7	9
147	Identification of diabetes, heart disease, hypertension and stroke in mid- and older-aged women: Comparing self-report and administrative hospital data records. <i>Geriatrics and Gerontology International</i> , 2016, 16, 95-102.	1.5	57
148	The use of conventional and complementary health services and self-prescribed treatments amongst young women with constipation: An Australian national cohort study. <i>Digestive and Liver Disease</i> , 2016, 48, 1308-1313.	0.9	5
149	Healthcare practitioner utilisation for back pain, neck pain and/or pelvic pain during pregnancy: an analysis of 1835 pregnant women in Australia. <i>International Journal of Clinical Practice</i> , 2016, 70, 825-831.	1.7	14
150	The use of complementary and alternative medicine by 7427 Australian women with cyclic perimenstrual pain and discomfort: a cross-sectional study. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 129.	3.7	109
151	Workforce Interventions to Deliver Postnatal Care to Improve Neonatal Outcomes in Low- and Lower-Middle-Income Countries. <i>Asia-Pacific Journal of Public Health</i> , 2016, 28, 659-681.	1.0	4
152	Does Australia's Health Policy Environment Create Unintended Outcomes for Birthing Women?. <i>Birth</i> , 2016, 43, 273-276.	2.2	4
153	Severity of back pain may influence choice and order of practitioner consultations across conventional, allied and complementary health care: a cross-sectional study of 1851 mid-age Australian women. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 393.	1.9	15
154	Predictors of warfarin non-adherence in younger adults after valve replacement surgery in the South Pacific. <i>Heart Asia</i> , 2016, 8, 18-23.	1.1	14
155	Is there an association between women's consultations with a massage therapist and health-related quality of life? Analyses of 1800 women aged 56-61 years. <i>Journal of Bodywork and Movement Therapies</i> , 2016, 20, 734-739.	1.2	1
156	Prevalence and characteristics of Australian women who use prayer or spiritual healing: A nationally representative cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2016, 27, 35-42.	2.7	5
157	Health-care utilisation amongst pregnant women who experience sleeping problems and/or tiredness or fatigue: secondary analysis of a cross-sectional survey of 1835 pregnant women. <i>Sleep and Breathing</i> , 2016, 20, 355-362.	1.7	8
158	Zinc supplementation for improving glucose handling in pre-diabetes: A double blind randomized placebo controlled pilot study. <i>Diabetes Research and Clinical Practice</i> , 2016, 115, 39-46.	2.8	71
159	Prevalence and characteristics of women who consult with osteopathic practitioners during pregnancy; a report from the Australian Longitudinal Study on Women's Health (ALSWH). <i>Journal of Bodywork and Movement Therapies</i> , 2016, 20, 168-172.	1.2	9
160	What impact do essential newborn care practices have on neonatal mortality in low and lower-middle income countries? Evidence from Bangladesh. <i>Journal of Perinatology</i> , 2016, 36, 225-230.	2.0	22
161	The association between regular yoga and meditation practice and falls and injuries: Results of a national cross-sectional survey among Australian women. <i>Maturitas</i> , 2016, 84, 38-41.	2.4	4
162	Healthcare utilisation of pregnant women who experience sciatica, leg cramps and/or varicose veins: A cross-sectional survey of 1835 pregnant women. <i>Women and Birth</i> , 2016, 29, 35-40.	2.0	13

#	ARTICLE	IF	CITATIONS
163	Managing the pain of labour: factors associated with the use of labour pain management for pregnant Australian women. <i>Health Expectations</i> , 2015, 18, 1633-1644.	2.6	9
164	Incidence of ventilator-associated pneumonia in Australasian intensive care units: use of a consensus-developed clinical surveillance checklist in a multisite prospective audit. <i>BMJ Open</i> , 2015, 5, e008924.	1.9	19
165	A longitudinal analysis of self-prescribed complementary and alternative medicine use by a nationally representative sample of 19,783 Australian women, 2006-2010. <i>Complementary Therapies in Medicine</i> , 2015, 23, 699-704.	2.7	9
166	Women's use of herbal and alternative medicines for preconception care. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015, 55, 222-226.	1.0	15
167	Suffering, recognition and reframing: Healthcare choices and plural care pathways for women with chronic back pain. <i>Current Sociology</i> , 2015, 63, 652-668.	1.4	6
168	Differences between Male and Female Consumers of Complementary and Alternative Medicine in a National US Population: A Secondary Analysis of 2012 NHIS Data. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-10.	1.2	37
169	Women's Use and Self-Prescription of Herbal Medicine during Pregnancy: An Examination of 1,835 Pregnant Women. <i>Women's Health Issues</i> , 2015, 25, 396-402.	2.0	53
170	The characteristics, experiences and perceptions of naturopathic and herbal medicine practitioners: results from a national survey in New Zealand. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 114.	3.7	18
171	Back pain sufferers' attitudes toward consultations with CAM practitioners and self-prescribed CAM products: A study of a nationally representative sample of 1310 Australian women aged 60-65 years. <i>Complementary Therapies in Medicine</i> , 2015, 23, 782-788.	2.7	4
172	Prayer or spiritual healing as adjuncts to conventional care: a cross sectional analysis of prevalence and characteristics of use among women. <i>BMJ Open</i> , 2015, 5, e007345.	1.9	10
173	The use of <i>Benincasa hispida</i> for the treatment of uninvestigated dyspepsia: Preliminary results of a non-randomised open label pilot clinical trial. <i>Advances in Integrative Medicine</i> , 2015, 2, 130-134.	0.9	1
174	Research challenges for a complementary medicine higher education institution: Results from an organisational climate survey. <i>European Journal of Integrative Medicine</i> , 2015, 7, 442-449.	1.7	8
175	Use of pharmacological and non-pharmacological labour pain management techniques and their relationship to maternal and infant birth outcomes: Examination of a nationally representative sample of 1835 pregnant women. <i>Midwifery</i> , 2015, 31, 458-463.	2.3	43
176	Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Cohort Studies. <i>Current Nutrition Reports</i> , 2015, 4, 88-101.	4.3	18
177	Use of Complementary and Alternative Medicine in Women With Heart Disease, Hypertension and Diabetes (from the Australian Longitudinal Study on Women's Health). <i>American Journal of Cardiology</i> , 2015, 115, 1691-1695.	1.6	15
178	Unsaturated fat intakes and mental health outcomes in young women from the Australian Longitudinal Study on Women's Health. <i>Public Health Nutrition</i> , 2015, 18, 546-553.	2.2	19
179	An integrative review of complementary and alternative medicine use for back pain: a focus on prevalence, reasons for use, influential factors, self-perceived effectiveness, and communication. <i>Spine Journal</i> , 2015, 15, 1870-1883.	1.3	61
180	Composite outcome measures in a pragmatic clinical trial of chronic heart failure management: A comparative assessment. <i>International Journal of Cardiology</i> , 2015, 185, 62-68.	1.7	11

#	ARTICLE	IF	CITATIONS
181	A critical review of traditional medicine and traditional healer use for malaria and among people in malaria-endemic areas: contemporary research in low to middle-income Asia-Pacific countries. <i>Malaria Journal</i> , 2015, 14, 98.	2.3	25
182	Helping address the national research and research capacity needs of Australian chiropractic: introducing the Australian Chiropractic Research Network (ACORN) project. <i>Chiropractic &amp; Manual Therapies</i> , 2015, 23, 12.	1.5	20
183	Use of Traditional Indigenous Medicine and Complementary Medicine Among Indigenous Cancer Patients in Queensland, Australia. <i>Integrative Cancer Therapies</i> , 2015, 14, 359-365.	2.0	19
184	Association between consultations with complementary/alternative medicine practitioners and menopause-related symptoms: a cross-sectional study. <i>Climacteric</i> , 2015, 18, 551-558.	2.4	4
185	Association between use of self-prescribed complementary and alternative medicine and menopause-related symptoms: A cross-sectional study. <i>Complementary Therapies in Medicine</i> , 2015, 23, 666-673.	2.7	9
186	The characteristics of women who birth at home, in a birth centre or in a hospital labour ward: A study of a nationally-representative sample of 1835 pregnant women. <i>Sexual and Reproductive Healthcare</i> , 2015, 6, 132-137.	1.2	6
187	Characteristics of women who practice yoga in different locations during pregnancy. <i>BMJ Open</i> , 2015, 5, e008641.	1.9	4
188	The Outcomes of Complementary and Alternative Medicine Use among Pregnant and Birthing Women: Current Trends and Future Directions. <i>Women's Health</i> , 2015, 11, 309-323.	1.5	12
189	Health-related quality of life of patients after mechanical valve replacement surgery: An integrative review. <i>European Journal of Cardiovascular Nursing</i> , 2015, 14, 16-25.	0.9	10
190	Are traditional Thai therapies better than conventional treatment for stroke rehabilitation? A quasi-experimental study. <i>European Journal of Integrative Medicine</i> , 2015, 7, 16-22.	1.7	1
191	“Just Get on with It”: Qualitative Insights of Coming to Terms with a Deteriorating Body for Older Women with Osteoarthritis. <i>PLoS ONE</i> , 2015, 10, e0120507.	2.5	14
192	Descriptive epidemiology of infectious gastrointestinal illnesses in Sydney, Australia, 2007–2010. <i>Western Pacific Surveillance and Response Journal: WPSAR</i> , 2015, 6, 7-16.	0.6	15
193	Complementary and Alternative Medicine for Victims of Intimate Partner Abuse: A Systematic Review of Use and Efficacy. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-6.	1.2	2
194	The characteristics of women using different forms of botanical medicines to manage pregnancy-related health conditions: A preliminary cross-sectional analysis. <i>Advances in Integrative Medicine</i> , 2014, 1, 138-143.	0.9	1
195	My health, my responsibility? Complementary medicine and self (health) care. <i>Journal of Sociology</i> , 2014, 50, 515-530.	1.5	28
196	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. <i>Contemporary Nurse</i> , 2014, 48, 76-87.	1.0	50
197	Determinants of Women Consulting with a Complementary and Alternative Medicine Practitioner for Pregnancy-Related Health Conditions. <i>Women and Health</i> , 2014, 54, 127-144.	1.0	25
198	Health-related factors associated with participation in creative hobbies by Australian women aged in their eighties. <i>Arts and Health</i> , 2014, 6, 132-142.	1.6	8

#	ARTICLE	IF	CITATIONS
199	The Influence of Complementary and Alternative Medicine Use in Pregnancy on Labor Pain Management Choices: Results from a Nationally Representative Sample of 1,835 Women. <i>Journal of Alternative and Complementary Medicine</i> , 2014, 20, 87-97.	2.1	23
200	Developing a multi-modality complementary medicine practice-based research network: The PRACI project. <i>Advances in Integrative Medicine</i> , 2014, 1, 113-118.	0.9	17
201	Critical review of complementary and alternative medicine use in menopause. <i>Menopause</i> , 2014, 21, 536-548.	2.0	50
202	Health-related quality of life of patients after mechanical valve replacement surgery for rheumatic heart disease in a developing country. <i>Heart Asia</i> , 2014, 6, 172-178.	1.1	10
203	Networks of knowledge or just old wives' tales?: A diary-based analysis of women's self-care practices and everyday lay expertise. <i>Health (United Kingdom)</i> , 2014, 18, 335-351.	1.5	16
204	A critical review of traditional Chinese medicine use amongst women with menopausal symptoms. <i>Climacteric</i> , 2014, 17, 635-644.	2.4	11
205	Protocol: The Effect of 12 Weeks of Tai Chi Practice on Anxiety in Healthy but Stressed People Compared to Exercise and Wait-list Comparison Groups: A Randomized Controlled Trial. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2014, 7, 159-165.	0.7	9
206	Short- and long-term outcomes after valve replacement surgery for rheumatic heart disease in the South Pacific, conducted by a fly-in/fly-out humanitarian surgical team: A 20-year retrospective study for the years 1991 to 2011. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 1996-2003.	0.8	20
207	The self-prescribed use of aromatherapy oils by pregnant women. <i>Women and Birth</i> , 2014, 27, 41-45.	2.0	17
208	Majority of Women Are Influenced by Nonprofessional Information Sources When Deciding to Consult a Complementary and Alternative Medicine Practitioner During Pregnancy. <i>Journal of Alternative and Complementary Medicine</i> , 2014, 20, 571-577.	2.1	40
209	The Association Between Women's Choice of Birth Setting and Their Use of CAM During Labor and Birth. <i>Journal of Alternative and Complementary Medicine</i> , 2014, 20, A20-A20.	2.1	1
210	Complementary/alternative and conventional medicine use amongst menopausal women: Results from the Australian Longitudinal Study on Women's Health. <i>Maturitas</i> , 2014, 79, 340-342.	2.4	16
211	Birthplace in New South Wales, Australia: an analysis of perinatal outcomes using routinely collected data. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 206.	2.4	54
212	The interface with naturopathy in rural primary health care: a survey of referral practices of general practitioners in rural and regional New South Wales, Australia. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 238.	3.7	14
213	Consultations with complementary and alternative medicine practitioners amongst wider care options for back pain: a study of a nationally representative sample of 1,310 Australian women aged 60-65 years. <i>Clinical Rheumatology</i> , 2014, 33, 253-262.	2.2	23
214	A qualitative study of influences on older women's practitioner choices for back pain care. <i>BMC Health Services Research</i> , 2014, 14, 131.	2.2	24
215	Worsening renal function in heart failure: The need for a consensus definition. <i>International Journal of Cardiology</i> , 2014, 174, 484-491.	1.7	25
216	Self-prescribed complementary and alternative medicine use for back pain amongst a range of care options: Results from a nationally representative sample of 1310 women aged 60-65 years. <i>Complementary Therapies in Medicine</i> , 2014, 22, 133-140.	2.7	14

#	ARTICLE	IF	CITATIONS
217	Relationship between complementary and alternative medicine use and incidence of adverse birth outcomes: An examination of a nationally representative sample of 1835 Australian women. <i>Midwifery</i> , 2014, 30, 1157-1165.	2.3	22
218	Referral to yoga therapists in rural primary health care: A survey of general practitioners in rural and regional New South Wales, Australia. <i>International Journal of Yoga</i> , 2014, 7, 9.	1.0	8
219	The influence of tai chi and yoga on balance and falls in a residential care setting: A randomised controlled trial. <i>Contemporary Nurse</i> , 2014, 48, 76-87.	1.0	19
220	Referral to Chinese medicine practitioners in Australian primary care: a survey of New South Wales rural and regional general practitioners. <i>Chinese Medicine</i> , 2013, 8, 8.	4.0	13
221	The Influence of Perceived Stress on the Onset of Arthritis in Women: Findings from the Australian Longitudinal Study on Women's Health. <i>Annals of Behavioral Medicine</i> , 2013, 46, 9-18.	2.9	42
222	Referral to Massage Therapy in Primary Health Care: A Survey of Medical General Practitioners in Rural and Regional New South Wales, Australia. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2013, 36, 595-603.	0.9	11
223	A national cross-sectional survey of back pain care amongst Australian women aged 60-65. <i>European Journal of Integrative Medicine</i> , 2013, 5, 36-43.	1.7	12
224	Is dietary zinc protective for type 2 diabetes? Results from the Australian longitudinal study on women's health. <i>BMC Endocrine Disorders</i> , 2013, 13, 40.	2.2	45
225	The Australian Recommended Food Score did not predict weight gain in middle-aged Australian women during six years of follow-up. <i>Australian and New Zealand Journal of Public Health</i> , 2013, 37, 322-328.	1.8	18
226	The profile of women who consult midwives in Australia. <i>Women and Birth</i> , 2013, 26, 240-245.	2.0	5
227	Rurality, mobility, identity: Women's use of complementary and alternative medicine in rural Australia. <i>Health and Place</i> , 2013, 20, 75-80.	3.3	18
228	Purpose and pleasure in late life: Conceptualising older women's participation in art and craft activities. <i>Journal of Aging Studies</i> , 2013, 27, 330-338.	1.4	36
229	Complementary and Alternative Medicine Consultations in Urban and Nonurban Areas: A National Survey of 1427 Australian Women. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2013, 36, 12-19.	0.9	26
230	Tyrosine supplementation as an adjunct treatment in anorexia nervosa - a noradrenergic repletion hypothesis. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013, 1, 161-168.	0.7	3
231	Well-being outcomes of chiropractic intervention for lower back pain: a systematic review. <i>Clinical Rheumatology</i> , 2013, 32, 167-180.	2.2	14
232	Homeopathy in rural Australian primary health care: a survey of general practitioner referral and practice in rural and regional New South Wales, Australia. <i>Homeopathy</i> , 2013, 102, 199-206.	1.0	5
233	Î©-3 fatty acid supplement use in the 45 and Up Study Cohort. <i>BMJ Open</i> , 2013, 3, e002292.	1.9	20
234	Acupuncture in Australian General Practice: Trends in Reimbursed Acupuncture Services from 1995 to 2011. <i>Acupuncture in Medicine</i> , 2013, 31, 45-50.	1.0	18

#	ARTICLE	IF	CITATIONS
235	Acupuncture Referrals in Rural Primary Healthcare: A Survey of General Practitioners in Rural and Regional New South Wales, Australia. <i>Acupuncture in Medicine</i> , 2013, 31, 375-382.	1.0	13
236	Bodies of knowledge: Nature, holism and women's plural health practices. <i>Health (United Kingdom)</i> , 2013, 17, 300-318.	1.5	17
237	A preliminary profile of Australian women accessing doula care: Findings from the Australian Longitudinal Study on Women's Health. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 589-592.	1.0	5
238	Prevalence and determinants of complementary and alternative medicine use during pregnancy: Results from a nationally representative sample of Australian pregnant women. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 347-352.	1.0	118
239	The Prevalence and Determinants of Chinese Medicine Use by Australian Women: Analysis of a Cohort of 10,287 Women Aged 56-61 Years. <i>The American Journal of Chinese Medicine</i> , 2013, 41, 281-291.	3.8	7
240	Providing general practice needs-based care for carers of people with advanced cancer: a randomised controlled trial. <i>British Journal of General Practice</i> , 2013, 63, e683-e690.	1.4	26
241	Predictors of Complementary and Alternative Medicine (CAM) use in two cohorts of Australian women. <i>International Psychogeriatrics</i> , 2013, 25, 168-170.	1.0	1
242	Health Care Utilisation and Out-of-Pocket Expenditure Associated with Back Pain: A Nationally Representative Survey of Australian Women. <i>PLoS ONE</i> , 2013, 8, e83559.	2.5	17
243	Diet Quality, Measured by Fruit and Vegetable Intake, Predicts Weight Change in Young Women. <i>Journal of Obesity</i> , 2013, 2013, 1-10.	2.7	82
244	The Association Between Diet Quality and Weight Change in Adults Over Time: A Systematic Review of Prospective Cohort Studies. , 2013, , 3-27.		9
245	The Value of Care Provided by Student Doulas: An Examination of the Perceptions of Women in Their Care. <i>Journal of Perinatal Education</i> , 2013, 22, 39-48.	0.4	6
246	The relative importance of psychosocial factors in arthritis: Findings from 10,509 Australian women. <i>Journal of Psychosomatic Research</i> , 2012, 73, 251-256.	2.6	9
247	Back pain amongst mid-age Australian women: A longitudinal analysis of provider use and self-prescribed treatments. <i>Complementary Therapies in Medicine</i> , 2012, 20, 275-282.	2.7	23
248	Health Service Use Among Persons With Self-Reported Depression: A Longitudinal Analysis of 7,164 Women. <i>Archives of Psychiatric Nursing</i> , 2012, 26, 181-191.	1.4	20
249	Evaluating the impact of cancer on complementary and alternative medicine use, distress and health related QoL among Australian women: A prospective longitudinal investigation. <i>Complementary Therapies in Medicine</i> , 2012, 20, 61-69.	2.7	21
250	Health services use among young Australian women with allergies, hayfever and sinusitis: A longitudinal analysis. <i>Complementary Therapies in Medicine</i> , 2012, 20, 135-142.	2.7	6
251	Utilisation of complementary and alternative medicine (CAM) practitioners within maternity care provision: results from a nationally representative cohort study of 1,835 pregnant women. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 146.	2.4	77
252	Use of complementary and alternative medicine by mid-age women with back pain: a national cross-sectional survey. <i>BMC Complementary and Alternative Medicine</i> , 2012, 12, 98.	3.7	30

#	ARTICLE	IF	CITATIONS
253	Who Uses Glucosamine and Why? A Study of 266,848 Australians Aged 45 Years and Older. PLoS ONE, 2012, 7, e41540.	2.5	37
254	Implications of a needs assessment intervention for people with progressive cancer: Impact on clinical assessment, response and service utilisation. Psycho-Oncology, 2012, 21, 550-557.	2.3	18
255	Sex differences in the use of complementary and alternative medicine in older men and women. Australasian Journal on Ageing, 2012, 31, 78-82.	0.9	10
256	Painting pictures and playing musical instruments: Change in participation and relationship to health in older women. Australasian Journal on Ageing, 2012, 31, 218-221.	0.9	11
257	Higher unprocessed red meat, chicken and fish intake is associated with a higher vegetable intake in midlife nonvegetarian women. Nutrition and Dietetics, 2012, 69, 293-299.	1.8	4
258	Improving Outcomes for People With Progressive Cancer: Interrupted Time Series Trial of a Needs Assessment Intervention. Journal of Pain and Symptom Management, 2012, 43, 569-581.	1.2	42
259	Research capacity building in traditional, complementary and integrative medicine: Grassroots action towards a broader vision. , 2012, , 275-281.		5
260	Rehabilitation of stroke patients using traditional Thai massage, herbal treatments and physical therapies. Zhong Xi Yi Jie He Xue Bao, 2012, 10, 743-750.	0.7	9
261	Women's use of complementary and alternative medicine during pregnancy: A critical review of the literature. , 2012, , 35-43.		0
262	Utilizing existing data sets to investigate complementary and alternative medicine consumption: Cohort studies and longitudinal analyses. , 2012, , 26-32.		0
263	A Longitudinal Analysis of Complementary and Alternative Medicine Use by a Representative Cohort of Young Australian Women with Asthma, 1996-2006. Journal of Asthma, 2011, 48, 380-386.	1.7	8
264	Influence of contextual and individual level risk factors on adiposity in a preschool child cohort in Ho Chi Minh City, Vietnam. Pediatric Obesity, 2011, 6, e487-e500.	3.2	10
265	Health service utilisation by pregnant women over a seven-year period. Midwifery, 2011, 27, 474-476.	2.3	13
266	Distribution of complementary and alternative medicine (CAM) providers in rural New South Wales, Australia: A step towards explaining high CAM use in rural health?. Australian Journal of Rural Health, 2011, 19, 197-204.	1.5	65
267	Attitudes and referral practices of maternity care professionals with regard to complementary and alternative medicine: an integrative review. Journal of Advanced Nursing, 2011, 67, 472-483.	3.3	59
268	The Use of Complementary and Alternative Medicine During Pregnancy: A Longitudinal Study of Australian Women. Birth, 2011, 38, 200-206.	2.2	56
269	The urban-rural divide in complementary and alternative medicine use: a longitudinal study of 10,638 women. BMC Complementary and Alternative Medicine, 2011, 11, 2.	3.7	62
270	A comparison of complementary and alternative medicine users and use across geographical areas: A national survey of 1,427 women. BMC Complementary and Alternative Medicine, 2011, 11, 85.	3.7	51



#	ARTICLE	IF	CITATIONS
271	The prevalence and characteristics of young and mid-age women who use yoga and meditation: Results of a nationally representative survey of 19,209 Australian women. <i>Complementary Therapies in Medicine</i> , 2011, 19, 71-77.	2.7	28
272	Mid-Age Women's Consultations with Acupuncturists: A Longitudinal Analysis of 11,200 Women, 2001â€“2007. <i>Journal of Alternative and Complementary Medicine</i> , 2011, 17, 735-740.	2.1	11
273	Developing and promoting public health methods for integrative medicine: examples from the field in Australia. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2011, 9, 233-236.	0.7	2
274	The association between diet quality and weight change in adults over time: A systematic review of studies with follow up.. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , 2011, 9, 1-9.	1.7	0
275	Validity, reliability and clinical feasibility of a Needs Assessment Tool for people with progressive cancer. <i>Psycho-Oncology</i> , 2010, 19, 726-733.	2.3	44
276	Back pain amongst 8,910 young Australian women: a longitudinal analysis of the use of conventional providers, complementary and alternative medicine (CAM) practitioners and self-prescribed CAM. <i>Clinical Rheumatology</i> , 2010, 29, 25-32.	2.2	31
277	Factors associated with adolescent overweight/obesity in Ho Chi Minh city. <i>Pediatric Obesity</i> , 2010, 5, 396-403.	3.2	39
278	Facilitating needs based cancer care for people with a chronic disease: Evaluation of an intervention using a multi-centre interrupted time series design. <i>BMC Palliative Care</i> , 2010, 9, 2.	1.8	21
279	A GP caregiver needs toolkit versus usual care in the management of the needs of caregivers of patients with advanced cancer: a randomized controlled trial. <i>Trials</i> , 2010, 11, 115.	1.6	17
280	Older Australian women's use of dentists: A longitudinal analysis over 6 years. <i>Australasian Journal on Ageing</i> , 2010, 29, 14-20.	0.9	14
281	Complementary and alternative medicine practitioner consultations among those who have or have had cancer in a Norwegian total population (Nord-Tr�ndelag Health Study): prevalence, socio-demographics and health perceptions. <i>European Journal of Cancer Care</i> , 2010, 19, 346-351.	1.5	13
282	Validity and reliability of an FFQ for use with adolescents in Ho Chi Minh City, Vietnam. <i>Public Health Nutrition</i> , 2010, 13, 368-375.	2.2	35
283	Volunteering and older women: Psychosocial and health predictors of participation. <i>Aging and Mental Health</i> , 2010, 14, 917-927.	2.8	47
284	The use of traditional, complementary and alternative medicine in Sri Lankan cancer care: Results from a survey of 500 cancer patients. <i>Public Health</i> , 2010, 124, 232-237.	2.9	37
285	Dietary habits and overweight/obesity in adolescents in Xi'an City, China. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2010, 19, 76-82.	0.4	40
286	Trends in overweight and obesity in pre-school children in urban areas of Ho Chi Minh City, Vietnam, from 2002 to 2005. <i>Public Health Nutrition</i> , 2009, 12, 702-709.	2.2	17
287	The Relationship Between Psychiatric Illnesses and Skin Disease. <i>Archives of Dermatology</i> , 2009, 145, 896-902.	1.4	14
288	Weight catch-up and achieved schooling at 18 years of age in Brazilian males. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 369-374.	2.9	20

#	ARTICLE	IF	CITATIONS
289	Women's Use of Complementary and Alternative Medicine During Pregnancy: A Critical Review of the Literature. <i>Birth</i> , 2009, 36, 237-245.	2.2	170
290	Reproducibility and comparative validity of a food frequency questionnaire for Australian children and adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 62.	4.6	168
291	Factors Associated with Physical Inactivity in Adolescents in Ho Chi Minh City, Vietnam. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1374-1383.	0.4	44
292	Psychosocial assessment of expectant fathers. <i>Archives of Women's Mental Health</i> , 2008, 11, 27-32.	2.6	23
293	Factors associated with adolescents' overweight and obesity at community, school and household levels in Xi'an City, China: results of hierarchical analysis. <i>European Journal of Clinical Nutrition</i> , 2008, 62, 635-643.	2.9	49
294	Effects of occupational violence on Australian general practitioners' provision of home visits and after-hours care: a cross-sectional study. <i>Journal of Evaluation in Clinical Practice</i> , 2008, 14, 336-342.	1.8	19
295	Energy and macronutrient intakes in preschool children in urban areas of Ho Chi Minh City, Vietnam. <i>BMC Pediatrics</i> , 2008, 8, 44.	1.7	11
296	An examination of the clinical practices and perceptions of professional herbalists providing patient care concurrently with conventional medical practice in Australia. <i>Complementary Therapies in Medicine</i> , 2008, 16, 228-232.	2.7	16
297	No association between previous Caesarean-section delivery and back pain in mid-aged Australian women: an observational study. <i>Australian Journal of Physiotherapy</i> , 2008, 54, 269-272.	0.9	5
298	Socio-Demographic Characteristics and Health Perceptions among Male and Female Visitors to CAM Practitioners in a Total Population Study. <i>Research in Complementary Medicine</i> , 2008, 15, 146-151.	2.2	20
299	A longitudinal analysis of older Australian women's consultations with complementary and alternative medicine (CAM) practitioners, 1996-2005. <i>Age and Ageing</i> , 2008, 38, 93-99.	1.6	30
300	Living with urinary incontinence: a longitudinal study of older women. <i>Age and Ageing</i> , 2008, 38, 333-338.	1.6	51
301	The Characteristics of Middle Aged Australian Women who Consult Acupuncturists. <i>Acupuncture in Medicine</i> , 2007, 25, 22-28.	1.0	8
302	Factors associated with decline in physical functional health in a cohort of older women. <i>Age and Ageing</i> , 2007, 36, 382-388.	1.6	25
303	Consultations with a naturopath or herbalist: The prevalence of use and profile of users amongst mid-aged women in Australia. <i>Public Health</i> , 2007, 121, 954-957.	2.9	17
304	Is there an association between the use of oral contraception and depressive symptoms in young Australian women?. <i>Contraception</i> , 2007, 75, 27-31.	1.5	74
305	An examination of the prescription and dispensing of medicines by Western herbal therapists: A national survey in Australia. <i>Complementary Therapies in Medicine</i> , 2007, 15, 13-20.	2.7	21
306	Physical Activity and Sedentary Behavior in Adolescents in Xi'an City, China. <i>Journal of Adolescent Health</i> , 2007, 41, 99-101.	2.5	33

#	ARTICLE	IF	CITATIONS
307	The profiles of adults who consult alternative health practitioners and/or general practitioners. <i>Scandinavian Journal of Primary Health Care</i> , 2007, 25, 86-92.	1.5	34
308	Prevalence and characteristics of older Australian women who consult dentists. <i>Australian Journal of Rural Health</i> , 2007, 15, 387-388.	1.5	3
309	Weight gain in childhood and body composition at 18 years of age in Brazilian males. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 296-300.	1.5	67
310	Prevalence of overweight and obesity in preschool children and associated socio-demographic factors in Ho Chi Minh City, Vietnam. <i>Pediatric Obesity</i> , 2007, 2, 40-50.	3.2	43
311	Overweight and obesity are rapidly emerging among adolescents in Ho Chi Minh City, Vietnam, 2002-2004. <i>Pediatric Obesity</i> , 2007, 2, 194-201.	3.2	42
312	Vibrotactile threshold measurement for detecting peripheral neuropathy: defining variability and a normal range for clinical and research use. <i>Diabetologia</i> , 2007, 50, 2305-2312.	6.3	37
313	A Profile of Middle-Aged Women Who Consult a Chiropractor or Osteopath: Findings From a Survey of 11,143 Australian Women. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2006, 29, 349-353.	0.9	26
314	Emergency Department Performance Indicators That Encompass the Patient Journey. <i>Quality Management in Health Care</i> , 2006, 15, 27-38.	0.8	20
315	Transforming the SF-36 to Account for Death in Longitudinal Studies With Three-Year Follow-Up. <i>Medical Care</i> , 2006, 44, 956-959.	2.4	6
316	Factors Associated with Adolescents' Physical Inactivity in Xi'an City, China. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 2075-2085.	0.4	62
317	An assessment of adolescent overweight and obesity in Xi'an City, China. <i>Pediatric Obesity</i> , 2006, 1, 50-58.	3.2	18
318	Naturopathy/herbalism consultations by mid-aged Australian women who have cancer. <i>European Journal of Cancer Care</i> , 2005, 14, 443-447.	1.5	29
319	Estimating the prevalence of urinary and faecal incontinence in Australia: systematic review. <i>Australasian Journal on Ageing</i> , 2005, 24, 19-27.	0.9	38
320	Experiences of occupational violence in Australian urban general practice: a cross-sectional study of GPs. <i>Medical Journal of Australia</i> , 2005, 183, 352-356.	1.7	60
321	The Use of Complementary and Alternative Therapies by Patients With Cancer. <i>Oncology Research</i> , 2005, 15, 281-289.	1.5	42
322	Antioxidant Restriction and Oxidative Stress in Short-Duration Exhaustive Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 63-71.	0.4	102
323	A Longitudinal Analysis of Mid-Age Women's Use of Complementary and Alternative Medicine (CAM) in Australia, 1996-1998. <i>Women and Health</i> , 2005, 40, 41-56.	1.0	40
324	Generating pre-test probabilities: a neglected area in clinical decision making. <i>Medical Journal of Australia</i> , 2004, 180, 449-454.	1.7	32

#	ARTICLE	IF	CITATIONS
325	Alprazolam is relatively more toxic than other benzodiazepines in overdose. British Journal of Clinical Pharmacology, 2004, 58, 88-95.	2.4	94
326	Developing a decision tree algorithm for the diagnosis of suspected spider bites. EMA - Emergency Medicine Australasia, 2004, 16, 161-166.	1.1	8
327	The Effective Use of a Summary Table and Decision Tree Methodology to Analyze Very Large Healthcare Datasets. Health Care Management Science, 2004, 7, 163-171.	2.6	10
328	Researching the Utilisation of Complementary and Alternative Medicine. Evidence - Based Integrative Medicine, 2004, 1, 169-172.	0.2	7
329	Aspiration pneumonitis in an overdose population: Frequency, predictors, and outcomes. Critical Care Medicine, 2004, 32, 88-93.	0.9	92
330	Sphygmomanometers—an audit in general practice. Australian Family Physician, 2004, 33, 952-4.	0.5	2
331	The use of herbal medicines for the treatment of menopausal symptoms. A pilot study of women attending general practice. Australian Family Physician, 2004, 33, 955-6.	0.5	1
332	Complementary and alternative medicine (CAM) use among elderly Australian women who have cancer. Supportive Care in Cancer, 2003, 11, 548-550.	2.2	29
333	Exploring the relationship between women's health and the use of complementary and alternative medicine. Complementary Therapies in Medicine, 2003, 11, 156-158.	2.7	51
334	The Hunter Serotonin Toxicity Criteria: simple and accurate diagnostic decision rules for serotonin toxicity. QJM - Monthly Journal of the Association of Physicians, 2003, 96, 635-642.	0.5	884
335	The profile of women who consult alternative health practitioners in Australia. Medical Journal of Australia, 2003, 179, 297-300.	1.7	122
336	The annual variation in activity and funding for acute public hospitals in NSW, 1988-89 to 1992-93. Australian Health Review, 1996, 19, 52.	1.1	0
337	The characteristics of women aged 59-64 years who consult health care practitioners for back pain from the Australian Longitudinal Study on Women's Health (ALSWH).. Integrative Journal of Medical Sciences, 0, 8, .	0.0	0