

Jan A L Van Kan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8886651/publications.pdf>

Version: 2024-02-01

103
papers

14,662
citations

44444

50
h-index

39744

98
g-index

107
all docs

107
docs citations

107
times ranked

12001
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Cytotoxic activity of Nep1-like proteins on monocots. <i>New Phytologist</i> , 2022, 235, 690-700. | 3.5 | 9 |
| 2 | Bitter and sweet make tomato hard to (b)eat. <i>New Phytologist</i> , 2021, 230, 90-100. | 3.5 | 29 |
| 3 | Peeling the Onion: Towards a Better Understanding of <i>Botrytis</i> Diseases of Onion. <i>Phytopathology</i> , 2021, 111, 464-473. | 1.1 | 11 |
| 4 | Red light imaging for programmed cell death visualization and quantification in plant-pathogen interactions. <i>Molecular Plant Pathology</i> , 2021, 22, 361-372. | 2.0 | 21 |
| 5 | Visualization of Three Sclerotiniaceae Species Pathogenic on Onion Reveals Distinct Biology and Infection Strategies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1865. | 1.8 | 5 |
| 6 | Deciphering the <i>Monilinia fructicola</i> Genome to Discover Effector Genes Possibly Involved in Virulence. <i>Genes</i> , 2021, 12, 568. | 1.0 | 23 |
| 7 | A Major Effect Gene Controlling Development and Pathogenicity in <i>Botrytis cinerea</i> Identified Through Genetic Analysis of Natural Mycelial Non-pathogenic Isolates. <i>Frontiers in Plant Science</i> , 2021, 12, 663870. | 1.7 | 3 |
| 8 | Comparative Genomics Used to Predict Virulence Factors and Metabolic Genes among <i>Monilinia</i> Species. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 464. | 1.5 | 11 |
| 9 | Fire Blight Susceptibility in <i>Lilium</i> spp. Correlates to Sensitivity to <i>Botrytis elliptica</i> Secreted Cell Death Inducing Compounds. <i>Frontiers in Plant Science</i> , 2021, 12, 660337. | 1.7 | 5 |
| 10 | Distinct immune sensor systems for fungal endopolygalacturonases in closely related Brassicaceae. <i>Nature Plants</i> , 2021, 7, 1254-1263. | 4.7 | 40 |
| 11 | Dynamics in Secondary Metabolite Gene Clusters in Otherwise Highly Syntenic and Stable Genomes in the Fungal Genus <i>Botrytis</i> . <i>Genome Biology and Evolution</i> , 2020, 12, 2491-2507. | 1.1 | 22 |
| 12 | Comparative genomics of plant pathogenic <i>Botrytis</i> species with distinct host specificity. <i>BMC Genomics</i> , 2019, 20, 203. | 1.2 | 53 |
| 13 | Grey mould of strawberry, a devastating disease caused by the ubiquitous necrotrophic fungal pathogen <i>Botrytis cinerea</i> . <i>Molecular Plant Pathology</i> , 2019, 20, 877-892. | 2.0 | 222 |
| 14 | Comparing Arabidopsis receptor kinase and receptor protein-mediated immune signaling reveals BIK1-dependent differences. <i>New Phytologist</i> , 2019, 221, 2080-2095. | 3.5 | 73 |
| 15 | Functional Analysis of Mating Type Genes and Transcriptome Analysis during Fruiting Body Development of <i>Botrytis cinerea</i> . <i>MBio</i> , 2018, 9, . | 1.8 | 40 |
| 16 | Many Shades of Grey in <i>Botrytis</i> -Host Plant Interactions. <i>Trends in Plant Science</i> , 2018, 23, 613-622. | 4.3 | 172 |
| 17 | The obligate alkalophilic soda-lake fungus <i>Sodiomyces alkalinus</i> has shifted to a protein diet. <i>Molecular Ecology</i> , 2018, 27, 4808-4819. | 2.0 | 20 |
| 18 | A gapless genome sequence of the fungus <i>Botrytis cinerea</i> . <i>Molecular Plant Pathology</i> , 2017, 18, 75-89. | 2.0 | 265 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Experimental evolution to increase the efficacy of the entomopathogenic fungus <i>Beauveria bassiana</i> against malaria mosquitoes: Effects on mycelial growth and virulence. <i>Evolutionary Applications</i> , 2017, 10, 433-443. | 1.5 | 22 |
| 20 | The Complete Genome Sequence of the Phytopathogenic Fungus <i>Sclerotinia sclerotiorum</i> Reveals Insights into the Genome Architecture of Broad Host Range Pathogens. <i>Genome Biology and Evolution</i> , 2017, 9, 593-618. | 1.1 | 187 |
| 21 | BcSUN1, a <i>B. cinerea</i> SUN-Family Protein, Is Involved in Virulence. <i>Frontiers in Microbiology</i> , 2017, 8, 35. | 1.5 | 18 |
| 22 | Silencing of DND1 in potato and tomato impedes conidial germination, attachment and hyphal growth of <i>Botrytis cinerea</i> . <i>BMC Plant Biology</i> , 2017, 17, 235. | 1.6 | 20 |
| 23 | Bcmimp1, a <i>Botrytis cinerea</i> Gene Transiently Expressed in planta, Encodes a Mitochondrial Protein. <i>Frontiers in Microbiology</i> , 2016, 7, 213. | 1.5 | 3 |
| 24 | Analysis of Cryptic, Systemic <i>Botrytis</i> Infections in Symptomless Hosts. <i>Frontiers in Plant Science</i> , 2016, 7, 625. | 1.7 | 51 |
| 25 | Comparative genomics of <i>Beauveria bassiana</i> : uncovering signatures of virulence against mosquitoes. <i>BMC Genomics</i> , 2016, 17, 986. | 1.2 | 38 |
| 26 | A novel Z ₂ C ₆ transcription factor B ₂ C ₆ regulates D ₂ galacturonic acid utilization in <i>Botrytis cinerea</i> . <i>Molecular Microbiology</i> , 2016, 100, 247-262. | 1.2 | 31 |
| 27 | RNA "Information Warfare"™ in Pathogenic and Mutualistic Interactions. <i>Trends in Plant Science</i> , 2016, 21, 738-748. | 4.3 | 42 |
| 28 | The transcriptional activator GaaR of <i>Aspergillus Niger</i> is required for release and utilization of D ₂ galacturonic acid from pectin. <i>FEBS Letters</i> , 2016, 590, 1804-1815. | 1.3 | 64 |
| 29 | Genes involved in virulence of the entomopathogenic fungus <i>Beauveria bassiana</i> . <i>Journal of Invertebrate Pathology</i> , 2016, 133, 41-49. | 1.5 | 101 |
| 30 | Mind the gap; seven reasons to close fragmented genome assemblies. <i>Fungal Genetics and Biology</i> , 2016, 90, 24-30. | 0.9 | 108 |
| 31 | Mating type and sexual fruiting body of <i>Botrytis elliptica</i> , the causal agent of fire blight in lily. <i>European Journal of Plant Pathology</i> , 2015, 142, 615-624. | 0.8 | 9 |
| 32 | A Novel <i>Botrytis</i> Species Is Associated with a Newly Emergent Foliar Disease in Cultivated <i>Hemerocallis</i> . <i>PLoS ONE</i> , 2014, 9, e89272. | 1.1 | 35 |
| 33 | Fungal Endopolygalacturonases Are Recognized as Microbe-Associated Molecular Patterns by the Arabidopsis Receptor-Like Protein RESPONSIVENESS TO BOTRYTIS POLYGALACTURONASES1. <i>Plant Physiology</i> , 2014, 164, 352-364. | 2.3 | 249 |
| 34 | Extensive Expansion of A1 Family Aspartic Proteinases in Fungi Revealed by Evolutionary Analyses of 107 Complete Eukaryotic Proteomes. <i>Genome Biology and Evolution</i> , 2014, 6, 1480-1494. | 1.1 | 17 |
| 35 | Natural variation in virulence of the entomopathogenic fungus <i>Beauveria bassiana</i> against malaria mosquitoes. <i>Malaria Journal</i> , 2014, 13, 479. | 0.8 | 43 |
| 36 | Genome-wide analysis of pectate-induced gene expression in <i>Botrytis cinerea</i> : Identification and functional analysis of putative D ₂ -galacturonate transporters. <i>Fungal Genetics and Biology</i> , 2014, 72, 182-191. | 0.9 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | <i>Botrytis</i> species: relentless necrotrophic thugs or endophytes gone rogue?. <i>Molecular Plant Pathology</i> , 2014, 15, 957-961. | 2.0 | 116 |
| 38 | One stop shop: backbone trees for important phytopathogenic genera: I (2014). <i>Fungal Diversity</i> , 2014, 67, 21-125. | 4.7 | 241 |
| 39 | Functional analysis of hydrophobin genes in sexual development of <i>Botrytis cinerea</i> . <i>Fungal Genetics and Biology</i> , 2014, 71, 42-51. | 0.9 | 21 |
| 40 | The Endo-Arabinanase BcAra1 Is a Novel Host-Specific Virulence Factor of the Necrotic Fungal Phytopathogen <i>Botrytis cinerea</i> . <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, 781-792. | 1.4 | 44 |
| 41 | The Genome of <i>Botrytis cinerea</i> , a Ubiquitous Broad Host Range Necrotroph. , 2014, , 19-44. | | 21 |
| 42 | Repeated loss of an anciently horizontally transferred gene cluster in <i>Botrytis</i> . <i>Mycologia</i> , 2013, 105, 1126-1134. | 0.8 | 39 |
| 43 | 14 Pectin as a Barrier and Nutrient Source for Fungal Plant Pathogens. , 2013, , 361-375. | | 11 |
| 44 | Aspartic Acid Protease from <i>Botrytis cinerea</i> Removes Haze-Forming Proteins during White Winemaking. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 130925134142009. | 2.4 | 33 |
| 45 | <i>Botrytis cinerea</i> mutants deficient in α -D-galacturonic acid catabolism have a perturbed virulence on <i>Nicotiana benthamiana</i> and <i>Arabidopsis</i> , but not on tomato. <i>Molecular Plant Pathology</i> , 2013, 14, 19-29. | 2.0 | 43 |
| 46 | The NADPH Oxidase Complexes in <i>Botrytis cinerea</i> : Evidence for a Close Association with the ER and the Tetraspanin Pls1. <i>PLoS ONE</i> , 2013, 8, e55879. | 1.1 | 75 |
| 47 | Genome Update of <i>Botrytis cinerea</i> Strains B05.10 and T4. <i>Eukaryotic Cell</i> , 2012, 11, 1413-1414. | 3.4 | 124 |
| 48 | PRP8 inteins in species of the genus <i>Botrytis</i> and other ascomycetes. <i>Fungal Genetics and Biology</i> , 2012, 49, 250-261. | 0.9 | 7 |
| 49 | The Top 10 fungal pathogens in molecular plant pathology. <i>Molecular Plant Pathology</i> , 2012, 13, 414-430. | 2.0 | 3,270 |
| 50 | The Top 10 fungal pathogens in molecular plant pathology. <i>Molecular Plant Pathology</i> , 2012, 13, 804-804. | 2.0 | 72 |
| 51 | The Top 10 fungal pathogens in molecular plant pathology. <i>Molecular Plant Pathology</i> , 2012, , no-no. | 2.0 | 22 |
| 52 | Genomic Analysis of the Necrotrophic Fungal Pathogens <i>Sclerotinia sclerotiorum</i> and <i>Botrytis cinerea</i> . <i>PLoS Genetics</i> , 2011, 7, e1002230. | 1.5 | 902 |
| 53 | The α -D-galacturonic acid catabolic pathway in <i>Botrytis cinerea</i> . <i>Fungal Genetics and Biology</i> , 2011, 48, 990-997. | 0.9 | 70 |
| 54 | The <i>FRP1</i> α -Box gene has different functions in sexuality, pathogenicity and metabolism in three fungal pathogens. <i>Molecular Plant Pathology</i> , 2011, 12, 548-563. | 2.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The aspartic proteinase family of three <i>Phytophthora</i> species. <i>BMC Genomics</i> , 2011, 12, 254. | 1.2 | 19 |
| 56 | Inadvertent gene silencing of argininosuccinate synthase (<i>bcss1</i>) in <i>Botrytis cinerea</i> by the pLOB1 vector system. <i>Molecular Plant Pathology</i> , 2010, 11, 613-624. | 2.0 | 18 |
| 57 | The <i>Botrytis cinerea</i> aspartic proteinase family. <i>Fungal Genetics and Biology</i> , 2010, 47, 53-65. | 0.9 | 101 |
| 58 | Sexual mating of <i>Botrytis cinerea</i> illustrates PRP8 intein HEG activity. <i>Fungal Genetics and Biology</i> , 2010, 47, 392-398. | 0.9 | 13 |
| 59 | Functional analysis and mode of action of phytotoxic Nep1-like proteins of <i>Botrytis cinerea</i> . <i>Physiological and Molecular Plant Pathology</i> , 2010, 74, 376-386. | 1.3 | 68 |
| 60 | Quantitative resistance to <i>Botrytis cinerea</i> from <i>Solanum neorickii</i> . <i>Euphytica</i> , 2008, 159, 83-92. | 0.6 | 27 |
| 61 | Phytotoxic Nep1-like proteins from the necrotrophic fungus <i>Botrytis cinerea</i> associate with membranes and the nucleus of plant cells. <i>New Phytologist</i> , 2008, 177, 493-505. | 3.5 | 136 |
| 62 | NADPH Oxidases Are Involved in Differentiation and Pathogenicity in <i>Botrytis cinerea</i> . <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 808-819. | 1.4 | 240 |
| 63 | The pOT and pLOB vector systems: Improving ease of transgene expression in <i>Botrytis cinerea</i> . <i>Journal of General and Applied Microbiology</i> , 2008, 54, 367-376. | 0.4 | 22 |
| 64 | Oxaloacetate Hydrolase, the C-C Bond Lyase of Oxalate Secreting Fungi. <i>Journal of Biological Chemistry</i> , 2007, 282, 9581-9590. | 1.6 | 102 |
| 65 | A Polygalacturonase-Inhibiting Protein from Grapevine Reduces the Symptoms of the Endopolygalacturonase BcPG2 from <i>Botrytis cinerea</i> in <i>Nicotiana benthamiana</i> Leaves Without Any Evidence for In Vitro Interaction. <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 392-402. | 1.4 | 60 |
| 66 | Positive selection in phytotoxic protein-encoding genes of <i>Botrytis</i> species. <i>Fungal Genetics and Biology</i> , 2007, 44, 52-63. | 0.9 | 104 |
| 67 | Extracellular Enzymes and Metabolites Involved in Pathogenesis of <i>Botrytis</i> . , 2007, , 99-118. | | 29 |
| 68 | Partial stem and leaf resistance against the fungal pathogen <i>Botrytis cinerea</i> in wild relatives of tomato. <i>European Journal of Plant Pathology</i> , 2007, 117, 153-166. | 0.8 | 32 |
| 69 | Plant Defence Compounds Against <i>Botrytis</i> Infection. , 2007, , 143-161. | | 31 |
| 70 | Histochemical and genetic analysis of host and non-host interactions of <i>Arabidopsis</i> with three <i>Botrytis</i> species: an important role for cell death control. <i>Molecular Plant Pathology</i> , 2007, 8, 41-54. | 2.0 | 164 |
| 71 | Functional analysis of NLP genes from <i>Botrytis elliptica</i> . <i>Molecular Plant Pathology</i> , 2007, 8, 209-214. | 2.0 | 53 |
| 72 | <i>Botrytis cinerea</i> : the cause of grey mould disease. <i>Molecular Plant Pathology</i> , 2007, 8, 561-580. | 2.0 | 1,345 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Three QTLs for <i>Botrytis cinerea</i> resistance in tomato. <i>Theoretical and Applied Genetics</i> , 2007, 114, 585-593. | 1.8 | 50 |
| 74 | The construction of a <i>Solanum habrochaites</i> LYC4 introgression line population and the identification of QTLs for resistance to <i>Botrytis cinerea</i> . <i>Theoretical and Applied Genetics</i> , 2007, 114, 1071-1080. | 1.8 | 72 |
| 75 | AFLP analysis of genetic diversity in populations of <i>Botrytis elliptica</i> and <i>Botrytis tulipae</i> from the Netherlands. <i>European Journal of Plant Pathology</i> , 2007, 117, 219-235. | 0.8 | 14 |
| 76 | Licensed to kill: the lifestyle of a necrotrophic plant pathogen. <i>Trends in Plant Science</i> , 2006, 11, 247-253. | 4.3 | 627 |
| 77 | Necrotizing activity of five <i>Botrytis cinerea</i> endopolygalacturonases produced in <i>Pichia pastoris</i> . <i>Plant Journal</i> , 2005, 43, 213-225. | 2.8 | 255 |
| 78 | Functional analysis of <i>Botrytis cinerea</i> pectin methylesterase genes by PCR-based targeted mutagenesis: <i>Bcpme1</i> and <i>Bcpme2</i> are dispensable for virulence of strain B05.10. <i>Molecular Plant Pathology</i> , 2005, 6, 641-652. | 2.0 | 86 |
| 79 | Molecular Phylogeny of the Plant Pathogenic Genus <i>Botrytis</i> and the Evolution of Host Specificity. <i>Molecular Biology and Evolution</i> , 2004, 22, 333-346. | 3.5 | 345 |
| 80 | Induction of programmed cell death in lily by the fungal pathogen <i>Botrytis elliptica</i> . <i>Molecular Plant Pathology</i> , 2004, 5, 559-574. | 2.0 | 100 |
| 81 | Simultaneous silencing of multiple genes in the apple scab fungus, <i>Venturia inaequalis</i> , by expression of RNA with chimeric inverted repeats. <i>Fungal Genetics and Biology</i> , 2004, 41, 963-971. | 0.9 | 115 |
| 82 | An aspartic proteinase gene family in the filamentous fungus <i>Botrytis cinerea</i> contains members with novel features. <i>Microbiology (United Kingdom)</i> , 2004, 150, 2475-2489. | 0.7 | 72 |
| 83 | The Role of Ethylene and Wound Signaling in Resistance of Tomato to <i>Botrytis cinerea</i> . <i>Plant Physiology</i> , 2002, 129, 1341-1351. | 2.3 | 301 |
| 84 | Resveratrol acts as a natural profungicide and induces self-intoxication by a specific laccase. <i>Molecular Microbiology</i> , 2002, 43, 883-894. | 1.2 | 151 |
| 85 | Functional analysis of an extracellular catalase of <i>Botrytis cinerea</i> . <i>Molecular Plant Pathology</i> , 2002, 3, 227-238. | 2.0 | 114 |
| 86 | The Contribution of Cell Wall Degrading Enzymes to Pathogenesis of Fungal Plant Pathogens. , 2002, , 341-358. | | 68 |
| 87 | <i>Botrytis cinerea</i> Endopolygalacturonase Genes Are Differentially Expressed in Various Plant Tissues. <i>Fungal Genetics and Biology</i> , 2001, 33, 97-105. | 0.9 | 129 |
| 88 | Cloning and characterization of a glutathione S-transferase homologue from the plant pathogenic fungus <i>Botrytis cinerea</i> . <i>Molecular Plant Pathology</i> , 2000, 1, 169-178. | 2.0 | 38 |
| 89 | Structure and Expression In planta of <i>Botrytis cinerea</i> Ubiquitin Genes. <i>European Journal of Plant Pathology</i> , 2000, 106, 693-698. | 0.8 | 7 |
| 90 | Regulation of endopolygalacturonase gene expression in <i>Botrytis cinerea</i> by galacturonic acid, ambient pH and carbon catabolite repression. <i>Current Genetics</i> , 2000, 37, 152-157. | 0.8 | 131 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Transgenic Expression of Pear PGIP in Tomato Limits Fungal Colonization. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 942-950. | 1.4 | 228 |
| 92 | Fungal and plant gene expression during synchronized infection of tomato leaves by <i>Botrytis cinerea</i> . <i>European Journal of Plant Pathology</i> , 1998, 104, 207-220. | 0.8 | 170 |
| 93 | The Endopolygalacturonase Gene <i>Bcpg1</i> Is Required for Full Virulence of <i>Botrytis cinerea</i> . <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 1009-1016. | 1.4 | 513 |
| 94 | Application of differential display RT-PCR to the analysis of gene expression in a plant-fungus interaction. <i>Plant Molecular Biology</i> , 1996, 32, 947-957. | 2.0 | 65 |
| 95 | Induction of tomato stress protein mRNAs by ethephon, 2,6-dichloroisonicotinic acid and salicylate. <i>Plant Molecular Biology</i> , 1995, 27, 1205-1213. | 2.0 | 76 |
| 96 | Molecular characterization of four chitinase cDNAs obtained from <i>Cladosporium fulvum</i> -infected tomato. <i>Plant Molecular Biology</i> , 1993, 22, 1017-1029. | 2.0 | 107 |
| 97 | Subcellular localization of plant chitinases and 1,3-β-D-glucanases in <i>Cladosporium fulvum</i> (syn. <i>Fulvia</i>) Tj ETQq1 1 0.784314 rgBT /Overlo 1.3 54 | | |
| 98 | Differential accumulation of mRNAs encoding extracellular and intracellular PR proteins in tomato induced by virulent and avirulent races of <i>Cladosporium fulvum</i> . <i>Plant Molecular Biology</i> , 1992, 20, 513-527. | 2.0 | 211 |
| 99 | Molecular analysis of the avirulence gene <i>avr9</i> of the fungal tomato pathogen <i>Cladosporium fulvum</i> fully supports the gene-for-gene hypothesis.. <i>Plant Journal</i> , 1992, 2, 359-366. | 2.8 | 233 |
| 100 | Cloning and Characterization of cDNA of Avirulence Gene <i>avr9</i> of the Fungal Pathogen <i>Cladosporium fulvum</i> , Causal Agent of Tomato Leaf Mold. <i>Molecular Plant-Microbe Interactions</i> , 1991, 4, 52. | 1.4 | 305 |
| 101 | A Virus-Inducible Tobacco Gene Encoding a Glycine-Rich Protein Shares Putative Regulatory Elements with the Ribulose Biphosphate Carboxylase Small Subunit Gene. <i>Molecular Plant-Microbe Interactions</i> , 1988, 1, 107. | 1.4 | 50 |
| 102 | Structure of tobacco genes encoding pathogenesis-related proteins from the PR-1 group. <i>Nucleic Acids Research</i> , 1987, 15, 6799-6811. | 6.5 | 137 |
| 103 | Necrotrophic Fungi: Live and Let Die. , 0, , 645-659. | | 0 |