

# Trine Vik Lagerberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8894319/publications.pdf>

Version: 2024-02-01

36  
papers

719  
citations

516710

16  
h-index

610901

24  
g-index

39  
all docs

39  
docs citations

39  
times ranked

1230  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 37-46.	4.3	10
2	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 299-306.	4.1	33
3	Affective lability and social functioning in severe mental disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	3.2	3
4	Locked out during COVID-19 lockdown—an online survey of relatives of people with psychotic and bipolar disorders in Norway. <i>BMC Public Health</i> , 2022, 22, 294.	2.9	8
5	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. <i>Bipolar Disorders</i> , 2022, 24, 709-719.	1.9	16
6	The COVID-19 pandemic impact on wellbeing and mental health in people with psychotic and bipolar disorders. <i>Brain and Behavior</i> , 2022, 12, e2559.	2.2	15
7	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 813256.	2.6	4
8	Childhood trauma and cardiometabolic risk in severe mental disorders: The mediating role of cognitive control. <i>European Psychiatry</i> , 2021, 64, e24.	0.2	5
9	Substance Misuse Trajectories and Risk of Relapse in the Early Course of Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 656912.	2.6	4
10	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis – A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021, 47, 54-61.	0.7	25
11	Characterizing the Genetic Overlap Between Psychiatric Disorders and Sleep-Related Phenotypes. <i>Biological Psychiatry</i> , 2021, 90, 621-631.	1.3	24
12	Exploring the relationship between recency and frequency of cannabis use and diminished expression and apathy as two dimensions of negative symptoms in first episode psychosis. A one-year follow-up study. <i>Schizophrenia Research</i> , 2021, 236, 89-96.	2.0	4
13	Characterization of affective lability across subgroups of psychosis spectrum disorders. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 34.	2.2	6
14	Disentangling the relationship between cholesterol, aggression, and impulsivity in severe mental disorders. <i>Brain and Behavior</i> , 2020, 10, e01751.	2.2	5
15	The genetic architecture of human brainstem structures and their involvement in common brain disorders. <i>Nature Communications</i> , 2020, 11, 4016.	12.8	26
16	Cannabis Use Is Associated With Increased Levels of Soluble gp130 in Schizophrenia but Not in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 642.	2.6	5
17	Polygenic scores for schizophrenia and general cognitive ability: associations with six cognitive domains, premorbid intelligence, and cognitive composite score in individuals with a psychotic disorder and in healthy controls. <i>Translational Psychiatry</i> , 2020, 10, 416.	4.8	16
18	Affective lability across psychosis spectrum disorders. <i>European Psychiatry</i> , 2020, 63, e53.	0.2	17

#	ARTICLE	IF	CITATIONS
19	Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 34.	2.2	10
20	Sleep disturbances in schizophrenia spectrum and bipolar disorders – a transdiagnostic perspective. <i>Comprehensive Psychiatry</i> , 2019, 91, 6-12.	3.1	55
21	Validity of the Birchwood insight scale in patients with schizophrenia spectrum- and bipolar disorders. <i>Psychiatry Research</i> , 2019, 272, 715-722.	3.3	8
22	Cortical thickness, cortical surface area and subcortical volumes in schizophrenia and bipolar disorder patients with cannabis use. <i>European Neuropsychopharmacology</i> , 2018, 28, 37-47.	0.7	13
23	White matter aberrations and age-related trajectories in patients with schizophrenia and bipolar disorder revealed by diffusion tensor imaging. <i>Scientific Reports</i> , 2018, 8, 14129.	3.3	53
24	Course of neurocognitive function in first treatment bipolar I disorder: One-year follow-up study. <i>Psychiatry Research</i> , 2017, 249, 286-292.	3.3	16
25	Impairment in emotion perception from body movements in individuals with bipolar I and bipolar II disorder is associated with functional capacity. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 13.	2.2	22
26	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 208, 316-324.	4.1	21
27	An exploration of metacognitive beliefs and thought control strategies in bipolar disorder. <i>Comprehensive Psychiatry</i> , 2017, 73, 84-92.	3.1	14
28	History of psychosis and previous episodes as potential explanatory factors for neurocognitive impairment in first-treatment bipolar I disorder. <i>Bipolar Disorders</i> , 2016, 18, 136-147.	1.9	19
29	Duration of untreated illness in first-treatment bipolar I disorder in relation to clinical outcome and cannabis use. <i>Psychiatry Research</i> , 2016, 246, 762-768.	3.3	17
30	Cannabis use is associated with 3 years earlier onset of schizophrenia spectrum disorder in a naturalistic, multi-site sample (N = 1119). <i>Schizophrenia Research</i> , 2016, 170, 217-221.	2.0	47
31	Polygenic risk scores in bipolar disorder subgroups. <i>Journal of Affective Disorders</i> , 2015, 183, 310-314.	4.1	24
32	Continued cannabis use at one year follow up is associated with elevated mood and lower global functioning in bipolar I disorder. <i>BMC Psychiatry</i> , 2015, 15, 11.	2.6	22
33	Affective lability in patients with bipolar disorders is associated with high levels of childhood trauma. <i>Psychiatry Research</i> , 2014, 218, 252-255.	3.3	50
34	Indications of a dose-response relationship between cannabis use and age at onset in bipolar disorder. <i>Psychiatry Research</i> , 2014, 215, 101-104.	3.3	43
35	An association between affective lability and executive functioning in bipolar disorder. <i>Psychiatry Research</i> , 2012, 198, 58-61.	3.3	34
36	Treatment Delay and Excessive Substance Use in Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 628-633.	1.0	21