

Gilles Mithieux

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8894716/publications.pdf>

Version: 2024-02-01

153
papers

10,136
citations

57758

44
h-index

37204

96
g-index

171
all docs

171
docs citations

171
times ranked

13436
citing authors

#	ARTICLE	IF	CITATIONS
1	Microbiota-Generated Metabolites Promote Metabolic Benefits via Gut-Brain Neural Circuits. <i>Cell</i> , 2014, 156, 84-96.	28.9	1,615
2	Metformin inhibits hepatic gluconeogenesis in mice independently of the LKB1/AMPK pathway via a decrease in hepatic energy state. <i>Journal of Clinical Investigation</i> , 2010, 120, 2355-2369.	8.2	1,001
3	Microbiota-Produced Succinate Improves Glucose Homeostasis via Intestinal Gluconeogenesis. <i>Cell Metabolism</i> , 2016, 24, 151-157.	16.2	496
4	Liver PPAR α is crucial for whole-body fatty acid homeostasis and is protective against NAFLD. <i>Gut</i> , 2016, 65, 1202-1214.	12.1	494
5	Brain energy rescue: an emerging therapeutic concept for neurodegenerative disorders of ageing. <i>Nature Reviews Drug Discovery</i> , 2020, 19, 609-633.	46.4	441
6	Resveratrol protects primary rat hepatocytes against oxidative stress damage. <i>European Journal of Pharmacology</i> , 2008, 591, 66-72.	3.5	274
7	Intestinal Gluconeogenesis Is a Key Factor for Early Metabolic Changes after Gastric Bypass but Not after Gastric Lap-Band in Mice. <i>Cell Metabolism</i> , 2008, 8, 201-211.	16.2	270
8	Liver Adenosine Monophosphate-Activated Kinase- α 2 Catalytic Subunit Is a Key Target for the Control of Hepatic Glucose Production by Adiponectin and Leptin But Not Insulin. <i>Endocrinology</i> , 2006, 147, 2432-2441.	2.8	216
9	Metabolic Adaptation Establishes Disease Tolerance to Sepsis. <i>Cell</i> , 2017, 169, 1263-1275.e14.	28.9	207
10	Portal sensing of intestinal gluconeogenesis is a mechanistic link in the diminution of food intake induced by diet protein. <i>Cell Metabolism</i> , 2005, 2, 321-329.	16.2	168
11	Rat Small Intestine Is an Insulin-Sensitive Gluconeogenic Organ. <i>Diabetes</i> , 2001, 50, 740-746.	0.6	167
12	The glucose-6 phosphatase gene is expressed in human and rat small intestine: Regulation of expression in fasted and diabetic rats. <i>Gastroenterology</i> , 1999, 117, 132-139.	1.3	158
13	Control of Blood Glucose in the Absence of Hepatic Glucose Production During Prolonged Fasting in Mice. <i>Diabetes</i> , 2011, 60, 3121-3131.	0.6	136
14	Gut-Brain Glucose Signaling in Energy Homeostasis. <i>Cell Metabolism</i> , 2017, 25, 1231-1242.	16.2	128
15	Targeted deletion of liver glucose-6 phosphatase mimics glycogen storage disease type 1a including development of multiple adenomas. <i>Journal of Hepatology</i> , 2011, 54, 529-537.	3.7	119
16	Gut Microbiota, Endocrine-Disrupting Chemicals, and the Diabetes Epidemic. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 612-625.	7.1	118
17	New knowledge regarding glucose-6 phosphatase gene and protein and their roles in the regulation of glucose metabolism. <i>European Journal of Endocrinology</i> , 1997, 136, 137-145.	3.7	107
18	A Novel Role for Glucose 6-Phosphatase in the Small Intestine in the Control of Glucose Homeostasis. <i>Journal of Biological Chemistry</i> , 2004, 279, 44231-44234.	3.4	103

#	ARTICLE	IF	CITATIONS
19	Induction of control genes in intestinal gluconeogenesis is sequential during fasting and maximal in diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 286, E370-E375.	3.5	101
20	Mu-Opioid Receptors and Dietary Protein Stimulate a Gut-Brain Neural Circuitry Limiting Food Intake. <i>Cell</i> , 2012, 150, 377-388.	28.9	99
21	The role of sodium-coupled glucose co-transporter 3 in the satiety effect of portal glucose sensing. <i>Molecular Metabolism</i> , 2013, 2, 47-53.	6.5	99
22	Hepatic circadian clock oscillators and nuclear receptors integrate microbiome-derived signals. <i>Scientific Reports</i> , 2016, 6, 20127.	3.3	92
23	Intrahepatic Mechanisms Underlying the Effect of Metformin in Decreasing Basal Glucose Production in Rats Fed a High-Fat Diet. <i>Diabetes</i> , 2002, 51, 139-143.	0.6	91
24	Induction of PEPCK gene expression in insulinopenia in rat small intestine.. <i>Diabetes</i> , 2000, 49, 1165-1168.	0.6	90
25	A liver Hif-2Î±â€™Irs2 pathway sensitizes hepatic insulin signaling and is modulated by Vegf inhibition. <i>Nature Medicine</i> , 2013, 19, 1331-1337.	30.7	90
26	Gut microbial degradation of organophosphate insecticides-induces glucose intolerance via gluconeogenesis. <i>Genome Biology</i> , 2017, 18, 8.	8.8	88
27	Development and regulation of glucose-6-phosphatase gene expression in rat liver, intestine, and kidney: in vivo and in vitro studies in cultured fetal hepatocytes. <i>Diabetes</i> , 1998, 47, 882-889.	0.6	80
28	Polyunsaturated Fatty Acyl Coenzyme A Suppress the Glucose-6-phosphatase Promoter Activity by Modulating the DNA Binding of Hepatocyte Nuclear Factor 4Î±. <i>Journal of Biological Chemistry</i> , 2002, 277, 15736-15744.	3.4	79
29	Hypothalamic bile acid-TGR5 signaling protects from obesity. <i>Cell Metabolism</i> , 2021, 33, 1483-1492.e10.	16.2	79
30	Gut-brain signaling in energy homeostasis: the unexpected role of microbiota-derived succinate. <i>Journal of Endocrinology</i> , 2018, 236, R105-R108.	2.6	64
31	New data and concepts on glutamine and glucose metabolism in the gut. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2001, 4, 267-271.	2.5	60
32	Protein Feeding Promotes Redistribution of Endogenous Glucose Production to the Kidney and Potentiates Its Suppression by Insulin. <i>Endocrinology</i> , 2009, 150, 616-624.	2.8	59
33	Protein-induced satiety is abolished in the absence of intestinal gluconeogenesis. <i>Physiology and Behavior</i> , 2011, 105, 89-93.	2.1	57
34	Leucine Supplementation Protects from Insulin Resistance by Regulating Adiposity Levels. <i>PLoS ONE</i> , 2013, 8, e74705.	2.5	57
35	Contribution of intestine and kidney to glucose fluxes in different nutritional states in rat. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2006, 143, 195-200.	1.6	53
36	A novel function of intestinal gluconeogenesis: Central signaling in glucose and energy homeostasis. <i>Nutrition</i> , 2009, 25, 881-884.	2.4	52

#	ARTICLE	IF	CITATIONS
37	Glucose-6 Phosphate, a Central Hub for Liver Carbohydrate Metabolism. <i>Metabolites</i> , 2019, 9, 282.	2.9	52
38	Liver Microsomal Glucose-6-phosphatase Is Competitively Inhibited by the Lipid Products of Phosphatidylinositol 3-Kinase. <i>Journal of Biological Chemistry</i> , 1998, 273, 17-19.	3.4	51
39	A gut-brain neural circuit controlled by intestinal gluconeogenesis is crucial in metabolic health. <i>Molecular Metabolism</i> , 2015, 4, 106-117.	6.5	51
40	Hypothalamic integration of portal glucose signals and control of food intake and insulin sensitivity. <i>Diabetes and Metabolism</i> , 2010, 36, 257-262.	2.9	50
41	Intestinal glucose metabolism revisited. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 295-301.	2.8	49
42	A link between hepatic glucose production and peripheral energy metabolism via hepatokines. <i>Molecular Metabolism</i> , 2014, 3, 531-543.	6.5	49
43	Intestinal gluconeogenesis is crucial to maintain a physiological fasting glycemia in the absence of hepatic glucose production in mice. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 104-111.	3.4	48
44	Insulin-like peptide 5 is a microbially regulated peptide that promotes hepatic glucose production. <i>Molecular Metabolism</i> , 2016, 5, 263-270.	6.5	48
45	Role of Glucose-6 Phosphatase, Glucokinase, and Glucose-6 Phosphate in Liver Insulin Resistance and Its Correction by Metformin. <i>Biochemical Pharmacology</i> , 1998, 55, 1213-1219.	4.4	47
46	Gut Microbiota and Host Metabolism: What Relationship. <i>Neuroendocrinology</i> , 2018, 106, 352-356.	2.5	47
47	Transcriptional Regulation of the Glucose-6-phosphatase Gene by cAMP/Vasoactive Intestinal Peptide in the Intestine. <i>Journal of Biological Chemistry</i> , 2006, 281, 31268-31278.	3.4	46
48	Intestinal gluconeogenesis: key signal of central control of energy and glucose homeostasis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2009, 12, 419-423.	2.5	46
49	Portal glucose influences the sensory, cortical and reward systems in rats. <i>European Journal of Neuroscience</i> , 2013, 38, 3476-3486.	2.6	46
50	Intracellular lipids are an independent cause of liver injury and chronic kidney disease in non alcoholic fatty liver disease-like context. <i>Molecular Metabolism</i> , 2018, 16, 100-115.	6.5	46
51	Glycogen storage disease type 1 and diabetes: Learning by comparing and contrasting the two disorders. <i>Diabetes and Metabolism</i> , 2013, 39, 377-387.	2.9	45
52	Targeted deletion of kidney glucose-6 phosphatase leads to nephropathy. <i>Kidney International</i> , 2014, 86, 747-756.	5.2	45
53	Phosphatidylinositol 3-Kinase Translocates onto Liver Endoplasmic Reticulum and May Account for the Inhibition of Glucose-6-phosphatase during Refeeding. <i>Journal of Biological Chemistry</i> , 1999, 274, 3597-3601.	3.4	43
54	Protein hydrolysates stimulate proglucagon gene transcription in intestinal endocrine cells via two elements related to cyclic AMP response element. <i>Diabetologia</i> , 2004, 47, 926-936.	6.3	43

#	ARTICLE	IF	CITATIONS
55	Mutation analysis in 24 French patients with glycogen storage disease type 1a.. Journal of Medical Genetics, 1996, 33, 358-360.	3.2	42
56	Differential time course of liver and kidney glucose-6 phosphatase activity during long-term fasting in rat correlates with differential time course of messenger RNA level. Molecular and Cellular Biochemistry, 1996, 155, 37-41.	3.1	40
57	The new functions of the gut in the control of glucose homeostasis. Current Opinion in Clinical Nutrition and Metabolic Care, 2005, 8, 445-449.	2.5	40
58	Bile Routing Modification Reproduces Key Features of Gastric Bypass in Rat. Annals of Surgery, 2015, 262, 1006-1015.	4.2	39
59	Leucine supplementation modulates fuel substrates utilization and glucose metabolism in previously obese mice. Obesity, 2014, 22, 713-720.	3.0	37
60	Intestinal gluconeogenesis prevents obesity-linked liver steatosis and non-alcoholic fatty liver disease. Gut, 2020, 69, 2193-2202.	12.1	37
61	Mechanisms by Which Fatty-Acyl-CoA Esters Inhibit or Activate Glucose-6-Phosphatase in Intact and Detergent-Treated Rat Liver Microsomes. FEBS Journal, 1996, 235, 799-803.	0.2	36
62	Mechanisms by which insulin, associated or not with glucose, may inhibit hepatic glucose production in the rat. American Journal of Physiology - Endocrinology and Metabolism, 1999, 277, E984-E989.	3.5	35
63	mRNA therapy restores euglycemia and prevents liver tumors in murine model of glycogen storage disease. Nature Communications, 2021, 12, 3090.	12.8	35
64	Differential regulation of the glucose-6-phosphatase TATA box by intestine-specific homeodomain proteins CDX1 and CDX2. Nucleic Acids Research, 2003, 31, 5238-5246.	14.5	34
65	What can bariatric surgery teach us about the pathophysiology of type 2 diabetes?. Diabetes and Metabolism, 2009, 35, 499-507.	2.9	34
66	Hepatic Carbohydrate Response Element Binding Protein Activation Limits Nonalcoholic Fatty Liver Disease Development in a Mouse Model for Glycogen Storage Disease Type 1a. Hepatology, 2020, 72, 1638-1653.	7.3	34
67	Liver glucose-6 phosphatase activity is inhibited by refeeding in rats. Journal of Nutrition, 1995, 125, 2727-32.	2.9	34
68	Immunocytochemical localization of glucose 6-phosphatase and cytosolic phosphoenolpyruvate carboxykinase in gluconeogenic tissues reveals unsuspected metabolic zonation. Histochemistry and Cell Biology, 2007, 127, 555-565.	1.7	33
69	A Distal Region Involving Hepatocyte Nuclear Factor 4 α and CAAT/Enhancer Binding Protein Markedly Potentiates the Protein Kinase A Stimulation of the Glucose-6-Phosphatase Promoter. Molecular Endocrinology, 2005, 19, 163-174.	3.7	31
70	Metabolic effects of portal vein sensing. Diabetes, Obesity and Metabolism, 2014, 16, 56-60.	4.4	31
71	Dietary exacerbation of metabolic stress leads to accelerated hepatic carcinogenesis in glycogen storage disease type 1a. Journal of Hepatology, 2018, 69, 1074-1087.	3.7	31
72	Glucotoxicity Induces Glucose-6-Phosphatase Catalytic Unit Expression by Acting on the Interaction of HIF-1 α With CREB-Binding Protein. Diabetes, 2012, 61, 2451-2460.	0.6	29

#	ARTICLE	IF	CITATIONS
73	Characteristics and specificity of the inhibition of liver glucose-6-phosphatase by arachidonic acid. Lesser inhibibility of the enzyme of diabetic rats. <i>FEBS Journal</i> , 1993, 213, 461-466.	0.2	28
74	Decreased glucose-induced thermogenesis at the onset of obesity. <i>American Journal of Clinical Nutrition</i> , 1993, 57, 851-856.	4.7	27
75	Enzymatic characterization of four new mutations in the glucose-6 phosphatase (G6PC) gene which cause glycogen storage disease type 1a. <i>Annals of Human Genetics</i> , 1999, 63, 141-146.	0.8	27
76	Atrial Natriuretic Peptide Orchestrates a Coordinated Physiological Response to Fuel Non-shivering Thermogenesis. <i>Cell Reports</i> , 2020, 32, 108075.	6.4	27
77	Differential time course of liver and kidney glucose-6 phosphatase activity during fasting in rats. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1994, 109, 99-104.	0.2	26
78	Vasoactive intestinal peptide is a local mediator in a gut-brain neural axis activating intestinal gluconeogenesis. <i>Neurogastroenterology and Motility</i> , 2015, 27, 443-448.	3.0	25
79	Does <i>Akkermansia muciniphila</i> play a role in type 1 diabetes?. <i>Gut</i> , 2018, 67, 1373-1374.	12.1	25
80	Association of purified thyroid lysosomes to reconstituted microtubules. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988, 969, 121-130.	4.1	24
81	Leptin Infusion and Obesity in Mouse Cause Alterations in the Hypothalamic Melanocortin System. <i>Obesity</i> , 2008, 16, 1763-1769.	3.0	24
82	Rescue of GSDIII Phenotype with Gene Transfer Requires Liver- and Muscle-Targeted GDE Expression. <i>Molecular Therapy</i> , 2018, 26, 890-901.	8.2	24
83	Inhibition of Glycogen Synthase II with RNAi Prevents Liver Injury in Mouse Models of Glycogen Storage Diseases. <i>Molecular Therapy</i> , 2018, 26, 1771-1782.	8.2	24
84	Role of Hypothalamic Melanocortin System in Adaptation of Food Intake to Food Protein Increase in Mice. <i>PLoS ONE</i> , 2011, 6, e19107.	2.5	24
85	Link between Intestinal CD36 Ligand Binding and Satiety Induced by a High Protein Diet in Mice. <i>PLoS ONE</i> , 2012, 7, e30686.	2.5	22
86	Comment about intestinal gluconeogenesis after gastric bypass in human in relation with the paper by Hayes et al., <i>Obes. Surg.</i> 2011. <i>Obesity Surgery</i> , 2012, 22, 1920-1922.	2.1	21
87	Glucose-6-Phosphate Regulates Hepatic Bile Acid Synthesis in Mice. <i>Hepatology</i> , 2019, 70, 2171-2184.	7.3	21
88	Progressive development of renal cysts in glycogen storage disease type I. <i>Human Molecular Genetics</i> , 2016, 25, 3784-3797.	2.9	20
89	Hepatic stress associated with pathologies characterized by disturbed glucose production. <i>Cell Stress</i> , 2019, 3, 86-99.	3.2	20
90	Glucose 6-Phosphate Hydrolysis Is Activated by Glucagon in a Low Temperature-sensitive Manner. <i>Journal of Biological Chemistry</i> , 2001, 276, 28126-28133.	3.4	19

#	ARTICLE	IF	CITATIONS
91	Nutrient Control of Energy Homeostasis via Gut-Brain Neural Circuits. <i>Neuroendocrinology</i> , 2014, 100, 89-94.	2.5	19
92	Hepatic lentiviral gene transfer prevents the long-term onset of hepatic tumours of glycogen storage disease type 1a in mice. <i>Human Molecular Genetics</i> , 2015, 24, 2287-2296.	2.9	19
93	Lessons from new mouse models of glycogen storage disease type 1a in relation to the time course and organ specificity of the disease. <i>Journal of Inherited Metabolic Disease</i> , 2015, 38, 521-527.	3.6	18
94	Hepatocytes contribute to residual glucose production in a mouse model for glycogen storage disease type 1a. <i>Hepatology</i> , 2017, 66, 2042-2054.	7.3	18
95	Study of a chromatin domain different from bulk chromatin in barley nuclei. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1984, 781, 286-293.	2.4	17
96	Regulatory role of glucose-6 phosphatase in the repletion of liver glycogen during refeeding in fasted rats. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1999, 1452, 172-178.	4.1	17
97	Unsaturated Fatty Acids Associated with Glycogen May Inhibit Glucose-6 Phosphatase in Rat Liver. <i>Journal of Nutrition</i> , 1997, 127, 2289-2292.	2.9	16
98	Glucose utilization is suppressed in the gut of insulin-resistant high fat-fed rats and is restored by metformin. <i>Biochemical Pharmacology</i> , 2006, 72, 198-203.	4.4	16
99	Metabolic and melanocortin gene expression alterations in male offspring of obese mice. <i>Molecular and Cellular Endocrinology</i> , 2010, 319, 99-108.	3.2	16
100	Challenges of Gene Therapy for the Treatment of Glycogen Storage Diseases Type I and Type III. <i>Human Gene Therapy</i> , 2019, 30, 1263-1273.	2.7	16
101	The role of kidney in the inter-organ coordination of endogenous glucose production during fasting. <i>Molecular Metabolism</i> , 2018, 16, 203-212.	6.5	15
102	Glucose 6-Phosphate and Mannose 6-Phosphate Are Equally and More Actively Hydrolyzed by Glucose 6-Phosphatase during Hysteretic Transition within Intact Microsomal Membrane Than after Detergent Treatment. <i>Archives of Biochemistry and Biophysics</i> , 1996, 326, 238-242.	3.0	14
103	Glyceroneogenesis: An unexpected metabolic pathway for glutamine in <i>Schistosoma mansoni</i> sporocysts. <i>Molecular and Biochemical Parasitology</i> , 2006, 147, 145-153.	1.1	14
104	Deregulation of Hepatic Insulin Sensitivity Induced by Central Lipid Infusion in Rats Is Mediated by Nitric Oxide. <i>PLoS ONE</i> , 2009, 4, e6649.	2.5	14
105	Nutrient control of hunger by extrinsic gastrointestinal neurons. <i>Trends in Endocrinology and Metabolism</i> , 2013, 24, 378-384.	7.1	14
106	In vivo hepatic lipid quantification using MRS at 7 Tesla in a mouse model of glycogen storage disease type 1a. <i>Journal of Lipid Research</i> , 2013, 54, 2010-2022.	4.2	14
107	The absence of hepatic glucose-6 phosphatase/ChREBP couple is incompatible with survival in mice. <i>Molecular Metabolism</i> , 2021, 43, 101108.	6.5	14
108	Brain, liver, intestine: a triumvirate to coordinate insulin sensitivity of endogenous glucose production. <i>Diabetes and Metabolism</i> , 2010, 36, S50-S53.	2.9	13

#	ARTICLE	IF	CITATIONS
109	Polycystic kidney features of the renal pathology in glycogen storage disease type I: possible evolution to renal neoplasia. <i>Journal of Inherited Metabolic Disease</i> , 2018, 41, 955-963.	3.6	13
110	Glycogen storage disease type 1a is associated with disturbed vitamin A metabolism and elevated serum retinol levels. <i>Human Molecular Genetics</i> , 2020, 29, 264-273.	2.9	13
111	Impaired Very-Low-Density Lipoprotein catabolism links hypoglycemia to hypertriglyceridemia in Glycogen Storage Disease type 1a. <i>Journal of Inherited Metabolic Disease</i> , 2021, 44, 879-892.	3.6	13
112	Transcriptional Regulation of the Glucose-6-phosphatase Gene by cAMP/Vasoactive Intestinal Peptide in the Intestine. <i>Journal of Biological Chemistry</i> , 2006, 281, 31268-31278.	3.4	13
113	Tubulin-chromatin interactions: Evidence for tubulin-binding sites on chromatin and isolated oligonucleosomes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986, 888, 49-61.	4.1	12
114	A Synergy between Incretin Effect and Intestinal Gluconeogenesis Accounting for the Rapid Metabolic Benefits of Gastric Bypass Surgery. <i>Current Diabetes Reports</i> , 2012, 12, 167-171.	4.2	12
115	Gut nutrient sensing and microbiota function in the control of energy homeostasis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018, 21, 273-276.	2.5	12
116	Association states of tubulin in the presence and absence of microtubule-associated proteins. <i>Biophysical Chemistry</i> , 1985, 22, 307-316.	2.8	11
117	Regulation of the microtubule-lysosome interaction: activation by Mg ²⁺ and inhibition by ATP. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988, 971, 29-37.	4.1	11
118	Activation of liver G-6-Pase in response to insulin-induced hypoglycemia or epinephrine infusion in the rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E905-E910.	3.5	11
119	Crosstalk between gastrointestinal neurons and the brain in the control of food intake. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014, 28, 739-744.	4.7	11
120	Mechanisms by Which Metabolic Reprogramming in GSD1 Liver Generates a Favorable Tumorigenic Environment. <i>FIRE Forum for International Research in Education</i> , 2016, 4, 232640981667942.	0.7	11
121	Post-Translational Regulation of the Glucose-6-Phosphatase Complex by Cyclic Adenosine Monophosphate Is a Crucial Determinant of Endogenous Glucose Production and Is Controlled by the Glucose-6-Phosphate Transporter. <i>Journal of Proteome Research</i> , 2016, 15, 1342-1349.	3.7	11
122	New insights into the organisation and intracellular localisation of the two subunits of glucose-6-phosphatase. <i>Biochimie</i> , 2012, 94, 695-703.	2.6	10
123	Pathogenesis of Hepatic Tumors following Gene Therapy in Murine and Canine Models of Glycogen Storage Disease. <i>Molecular Therapy - Methods and Clinical Development</i> , 2019, 15, 383-391.	4.1	10
124	A hypometabolic defense strategy against malaria. <i>Cell Metabolism</i> , 2022, 34, 1183-1200.e12.	16.2	10
125	Glucose-6-Phosphatase Specificity after Membrane Solubilization by Detergent Treatment. <i>Journal of Biochemistry</i> , 1994, 116, 1336-1340.	1.7	9
126	Chromatin structure in barley nuclei. <i>FEBS Journal</i> , 1983, 135, 443-447.	0.2	8

#	ARTICLE	IF	CITATIONS
127	Identification of Membrane-Bound Phosphoglucomutase and Glucose-6 Phosphatase by ³² P-Labeling of Rat Liver Microsomal Membrane Proteins with ³² P-Glucose-6 Phosphate ¹ . <i>Journal of Biochemistry</i> , 1995, 117, 908-914.	1.7	8
128	The suppression of hepatic glucose production improves metabolism and insulin sensitivity in subcutaneous adipose tissue in mice. <i>Diabetologia</i> , 2016, 59, 2645-2653.	6.3	8
129	Tamoxifen Treatment in the Neonatal Period Affects Glucose Homeostasis in Adult Mice in a Sex-Dependent Manner. <i>Endocrinology</i> , 2021, 162, .	2.8	8
130	Structural properties of barley nucleosomes. <i>Biophysical Chemistry</i> , 1984, 20, 111-119.	2.8	5
131	A role for PYY3-36 in GLP1-induced insulin secretion. <i>Molecular Metabolism</i> , 2013, 2, 123-125.	6.5	5
132	Metabolic benefits of gastric bypass surgery in the mouse: The role of fecal losses. <i>Molecular Metabolism</i> , 2020, 31, 14-23.	6.5	5
133	Calcitonin Gene-Related Peptide-Induced Phosphorylation of STAT3 in Arcuate Neurons Is a Link in the Metabolic Benefits of Portal Glucose. <i>Neuroendocrinology</i> , 2021, 111, 555-567.	2.5	5
134	Dietary Fibers and Proteins Modulate Behavior via the Activation of Intestinal Gluconeogenesis. <i>Neuroendocrinology</i> , 2021, 111, 1249-1265.	2.5	5
135	Glucose-6-phosphate phosphohydrolase of detergent-treated liver microsomal membranes exhibits a specific kinetic behaviour towards glucose 6-phosphate. <i>FEBS Journal</i> , 1993, 212, 335-338.	0.2	4
136	Satiety and the role of μ -opioid receptors in the portal vein. <i>Current Opinion in Pharmacology</i> , 2013, 13, 959-963.	3.5	4
137	Absence of Role of Dietary Protein Sensing in the Metabolic Benefits of Duodenal-jejunal Bypass in the Mouse. <i>Scientific Reports</i> , 2017, 7, 44856.	3.3	4
138	Intestinal gluconeogenesis and protein diet: future directions. <i>Proceedings of the Nutrition Society</i> , 2021, 80, 118-125.	1.0	4
139	Cellular and metabolic effects of renin-angiotensin system blockade on glycogen storage disease type I nephropathy. <i>Human Molecular Genetics</i> , 2022, 31, 914-928.	2.9	4
140	Intestinal gluconeogenesis shapes gut microbiota, fecal and urine metabolome in mice with gastric bypass surgery. <i>Scientific Reports</i> , 2022, 12, 1415.	3.3	4
141	The gut microbiota: stable bioreactor of variable composition?. <i>Trends in Endocrinology and Metabolism</i> , 2022, 33, 443-446.	7.1	4
142	Hepatocyte-specific glucose-6-phosphatase deficiency disturbs platelet aggregation and decreases blood monocytes upon fasting-induced hypoglycemia. <i>Molecular Metabolism</i> , 2021, 53, 101265.	6.5	3
143	La néoglucogénèse intestinale: un nouvel acteur du contrôle de la prise alimentaire. <i>Cahiers De Nutrition Et De Dietétique</i> , 2006, 41, 211-215.	0.3	2
144	Jejunal Insulin Signalling Is Increased in Morbidly Obese Subjects with High Insulin Resistance and Is Regulated by Insulin and Leptin. <i>Journal of Clinical Medicine</i> , 2020, 9, 196.	2.4	2

#	ARTICLE	IF	CITATIONS
145	Nutropioids Regulate Gut-Brain Circuitry Controlling Food Intake. <i>Frontiers of Hormone Research</i> , 2014, 42, 155-162.	1.0	1
146	Master role of glucose-6-phosphate in cell signaling and consequences of its deregulation in the liver and kidneys. , 2019, , 173-189.		1
147	Increased atherosclerosis in a mouse model of glycogen storage disease type 1a. <i>Molecular Genetics and Metabolism Reports</i> , 2022, 31, 100872.	1.1	1
148	Portal Glucose Infusion, Afferent Nerve Fibers, and Glucose and Insulin Tolerance of Insulin-Resistant Rats. <i>Journal of Nutrition</i> , 2022, 152, 1862-1871.	2.9	1
149	Polyunsaturated fatty acyl coenzyme A suppress the glucose-6-phosphatase promoter activity by modulating the DNA binding of hepatocyte nuclear factor 4Î±. <i>Journal of Biological Chemistry</i> , 2003, 278, 5488.	3.4	0
150	Sensibilit� au glucose : de lâ€™intestin au cerveau. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2007, 191, 911-921.	0.0	0
151	Adaptation of Hepatic, Renal and Intestinal Gluconeogenesis During Food Deprivation. , 2017, , 1-15.		0
152	Adaptation of Hepatic, Renal, and Intestinal Gluconeogenesis During Food Deprivation. , 2019, , 2133-2147.		0
153	Transcription factor p63, a member of the p53 family of tumour suppressors, regulates hepatic glucose metabolism. <i>Gut</i> , 0, , gutjnl-2022-327790.	12.1	0