

Ryan M White

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8899364/publications.pdf>

Version: 2024-02-01

269
papers

16,417
citations

13099

68
h-index

23533

111
g-index

273
all docs

273
docs citations

273
times ranked

9162
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Search for neutral MSSM Higgs bosons at LEP. European Physical Journal C, 2006, 47, 547. | 3.9 | 592 |
| 2 | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317. | 3.9 | 489 |
| 3 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292. | 3.9 | 453 |
| 4 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490. | 3.9 | 325 |
| 5 | Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581. | 3.9 | 298 |
| 6 | Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653. | 3.9 | 279 |
| 7 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6. | 3.9 | 274 |
| 8 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17. | 3.9 | 268 |
| 9 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299. | 3.9 | 238 |
| 10 | Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110. | 3.9 | 218 |
| 11 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130. | 3.9 | 213 |
| 12 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941. | 3.9 | 204 |
| 13 | Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45. | 3.9 | 197 |
| 14 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 903. | 3.9 | 181 |
| 15 | Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 175 |
| 16 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476. | 3.9 | 174 |
| 17 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1. | 3.9 | 172 |
| 18 | Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 168 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Measurement of the transverse momentum and ϕ_{η}^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291. | 3.9 | 154 |
| 20 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 145 |
| 21 | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466. | 3.9 | 145 |
| 22 | Precision measurement and interpretation of inclusive W^+W^- , W^+W^+ . European Physical Journal C, 2017, 77, 367. | 3.9 | 145 |
| 23 | Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b -tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109. | 3.9 | 143 |
| 24 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510. | 3.9 | 138 |
| 25 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 136 |
| 26 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199. | 3.9 | 132 |
| 27 | Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 131 |
| 28 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 128 |
| 29 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995. | 3.9 | 125 |
| 30 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349. | 3.9 | 123 |
| 31 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 116 |
| 32 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 116 |
| 33 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538. | 3.9 | 115 |
| 34 | Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5. | 3.9 | 109 |
| 35 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 108 |
| 36 | Search for heavy resonances decaying into WW in the e^+e^- final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24. | 3.9 | 108 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 102 |
| 38 | Search for heavy ZZ resonances in the $e^+e^-e^+e^-$, $e^+e^-e^+e^-$ and $e^+e^-e^+e^-$ final states using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293. | 3.9 | 101 |
| 39 | Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335. | 3.9 | 95 |
| 40 | Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210. | 3.9 | 95 |
| 41 | Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82. | 3.9 | 92 |
| 42 | Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412. | 3.9 | 90 |
| 43 | Search for the $b\bar{b}H$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 89 |
| 44 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 88 |
| 45 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195. | 3.9 | 87 |
| 46 | Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428. | 3.9 | 86 |
| 47 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 84 |
| 48 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 82 |
| 49 | Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76. | 3.9 | 81 |
| 50 | Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393. | 3.9 | 80 |
| 51 | Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209. | 3.9 | 79 |
| 52 | Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70. | 3.9 | 79 |
| 53 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565. | 3.9 | 79 |
| 54 | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39. | 4.7 | 78 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023. | 3.9 | 77 |
| 56 | Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92. | 3.9 | 77 |
| 57 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673. | 3.9 | 75 |
| 58 | Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s}=5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171. | 3.9 | 75 |
| 59 | Search for resonant diboson production in the $q\bar{q}$ final state in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69. | 3.9 | 74 |
| 60 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666. | 3.9 | 73 |
| 61 | Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392. | 3.9 | 73 |
| 62 | Search for supersymmetry at $\sqrt{s}=13\text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259. | 3.9 | 72 |
| 63 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8\text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 71 |
| 64 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 71 |
| 65 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 71 |
| 66 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2015, 75, 303. | 3.9 | 70 |
| 67 | Search for resonances in diphoton events at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 70 |
| 68 | Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \bar{\nu}_\tau, \tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 69 |
| 69 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157. | 3.9 | 68 |
| 70 | Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 67 |
| 71 | Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208. | 3.9 | 67 |
| 72 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 66 |
| 74 | A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250. | 3.9 | 66 |
| 75 | Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229. | 3.9 | 64 |
| 76 | Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 64 |
| 77 | Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283. | 3.9 | 63 |
| 78 | Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 120. | 3.9 | 62 |
| 79 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 154. | 3.9 | 62 |
| 80 | Charged-particle distributions at low transverse momentum in $\sqrt{s}=13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502. | 3.9 | 61 |
| 81 | Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s}=8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241. | 3.9 | 61 |
| 82 | Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762. | 3.9 | 61 |
| 83 | Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58. | 3.9 | 61 |
| 84 | Summary of the searches for squarks and gluinos using $\sqrt{s}=8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 60 |
| 85 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s}=8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 60 |
| 86 | Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263. | 3.9 | 60 |
| 87 | Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18. | 3.9 | 60 |
| 88 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 59 |
| 89 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 59 |
| 90 | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ and 5.0 . European Physical Journal C, 2018, 78, 142. | 3.9 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034. | 3.9 | 58 |
| 92 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318. | 3.9 | 56 |
| 93 | Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531. | 3.9 | 56 |
| 94 | Search for scalar quarks in $e+e'$ collisions at up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 5-20. | 4.1 | 55 |
| 95 | Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883. | 3.9 | 55 |
| 96 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 55 |
| 97 | Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11. | 3.9 | 54 |
| 98 | Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007. | 3.9 | 53 |
| 99 | Fermion pair production in e+e- collisions at 189-209 GeV and constraints on physics beyond the standard model. European Physical Journal C, 2007, 49, 411-437. | 3.9 | 52 |
| 100 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 52 |
| 101 | Search for lepton-flavour-violating $H \rightarrow \tau\mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 52 |
| 102 | Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330. | 3.9 | 52 |
| 103 | Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154. | 3.9 | 52 |
| 104 | Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z' boson in the $au, \bar{u}\bar{l}, \bar{l}l$, final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585. | 3.9 | 51 |
| 105 | Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322. | 3.9 | 51 |
| 106 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379. | 3.9 | 51 |
| 107 | Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997. | 3.9 | 51 |
| 108 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295. | 3.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. | 3.9 | 50 |
| 110 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401. | 3.9 | 50 |
| 111 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 49 |
| 112 | Absolute mass lower limit for the lightest neutralino of the MSSM from $e+e \rightarrow \gamma^* \rightarrow \tau^+ \tau^-$ data at \sqrt{s} up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 247-263. | 4.1 | 48 |
| 113 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134. | 3.9 | 48 |
| 114 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658. | 3.9 | 48 |
| 115 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 47 |
| 116 | Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361. | 3.9 | 47 |
| 117 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195. | 3.9 | 46 |
| 118 | Study of the rare decays of $B^0 \rightarrow s \gamma$ and $B^0 \rightarrow \mu^+ \mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513. | 3.9 | 46 |
| 119 | Measurement of the W boson mass and width in $e+e^-$ collisions at LEP. European Physical Journal C, 2006, 47, 309-335. | 3.9 | 45 |
| 120 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 121 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 122 | Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 123 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 124 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 45 |
| 125 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 44 |
| 126 | Search for neutral Higgs bosons decaying into four taus at LEP2. Journal of High Energy Physics, 2010, 2010, 1. | 4.7 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Search for charged Higgs bosons in the $H^{\pm} \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 43 |
| 128 | Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442. | 3.9 | 43 |
| 129 | Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55. | 3.9 | 43 |
| 130 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 42 |
| 131 | Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 42 |
| 132 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 41 |
| 133 | Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23. | 3.9 | 41 |
| 134 | Measurement of the $\sigma(\bar{t}tZ)$ and $\sigma(\bar{t}tW)$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40. | 3.9 | 41 |
| 135 | Search for single top production in e^+e^- collisions at s up to 209 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 543, 173-182. | 4.1 | 40 |
| 136 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117. | 3.9 | 40 |
| 137 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 40 |
| 138 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 40 |
| 139 | Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \rightarrow \hat{t} J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ \hat{t} \rightarrow$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4. | 3.9 | 40 |
| 140 | Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12. | 3.9 | 39 |
| 141 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87. | 3.9 | 39 |
| 142 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 38 |
| 143 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 38 |
| 144 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547. | 3.9 | 37 |
| 146 | Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264. | 3.9 | 37 |
| 147 | Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017. | 1.2 | 37 |
| 148 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 36 |
| 149 | Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 36 |
| 150 | Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362. | 3.9 | 36 |
| 151 | Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 36 |
| 152 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 35 |
| 153 | Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 35 |
| 154 | Search for $W' \rightarrow t\bar{t} \rightarrow q\bar{q}b\bar{b}$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165. | 3.9 | 35 |
| 155 | Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 35 |
| 156 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580. | 3.9 | 35 |
| 157 | Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676. | 3.9 | 33 |
| 158 | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 33 |
| 159 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 33 |
| 160 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 33 |
| 161 | Measurements of $\Upsilon(2S)$ and $\chi(3872)$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 33 |
| 162 | Measurement of $\Upsilon(1S)$ and $\Upsilon(2S)$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872. | 3.9 | 32 |
| 164 | Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 31 |
| 165 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565. | 3.9 | 31 |
| 166 | A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 31 |
| 167 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 31 |
| 168 | Search for W / WZ resonance production in $\ell\ell$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 31 |
| 169 | Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79. | 3.9 | 30 |
| 170 | Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 30 |
| 171 | Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 30 |
| 172 | Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403. | 3.9 | 30 |
| 173 | Searches for the $Z\ell\ell$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 30 |
| 174 | Study of $WW\gamma$ and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646. | 3.9 | 30 |
| 175 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26. | 3.9 | 29 |
| 176 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 29 |
| 177 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 28 |
| 178 | Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804. | 3.9 | 28 |
| 179 | Measurement of $WW/WZ \rightarrow \ell\ell$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563. | 3.9 | 28 |
| 180 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Measurement of differential cross sections and forward-backward ratios in pp collisions with the ATLAS detector. Physical Review Letters, 2015, 115, 231801. | 2.9 | 27 |
| 182 | Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407. | 3.9 | 27 |
| 183 | Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 27 |
| 184 | Measurements of top-quark pair differential cross-sections in the e^+e^- channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292. | 3.9 | 27 |
| 185 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625. | 3.9 | 27 |
| 186 | Measurements of electroweak Wjj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474. | 3.9 | 26 |
| 187 | Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 25 |
| 188 | Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 25 |
| 189 | Search for triboson $W^+W^+W^-$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141. | 3.9 | 25 |
| 190 | Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987. | 3.9 | 25 |
| 191 | Search for the Higgs boson produced in association with a W boson and decaying to four b -quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605. | 3.9 | 24 |
| 192 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions. European Physical Journal C, 2016, 76, 517. | 3.9 | 24 |
| 193 | A measurement of the ratio of the production cross sections for WW and ZZ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168. | 3.9 | 23 |
| 194 | Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1. | 3.9 | 23 |
| 195 | A search for high-mass resonances decaying to \tilde{l}, \tilde{l}^* in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 23 |
| 196 | Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228. | 3.9 | 23 |
| 197 | Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541. | 3.9 | 23 |
| 198 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead–lead collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982. | 3.9 | 22 |
| 200 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 22 |
| 201 | Measurement of the $t\bar{t} \rightarrow W^+W^-$ and $t\bar{t} \rightarrow Z\gamma$ production cross sections in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 22 |
| 202 | Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW \rightarrow \ell\ell$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 22 |
| 203 | Measurements of top-quark pair spin correlations in the $t\bar{t} \rightarrow e^+e^-$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1. | 3.9 | 22 |
| 204 | Measurement of the production cross-section of $\tilde{\chi}^0(2S) \rightarrow J/\psi(\psi(1S) + \psi(2S)) + \tilde{\chi}^{\pm}$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 21 |
| 205 | Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+e^- \mu^+\mu^-$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231. | 3.9 | 21 |
| 206 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526. | 3.9 | 21 |
| 207 | Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 21 |
| 208 | Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 20 |
| 209 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 20 |
| 210 | Measurements of top quark spin observables in $t\bar{t} \rightarrow \ell\ell$ events using dilepton final states in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 20 |
| 211 | Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=\{13\}$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186. | 3.9 | 20 |
| 212 | Search for flavour-changing neutral current top quark decays $t \rightarrow q \gamma$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65. | 4.7 | 19 |
| 213 | Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 19 |
| 214 | Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$, $\tau \rightarrow 3e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232. | 3.9 | 19 |
| 215 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765. | 3.9 | 19 |
| 216 | Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784. | 3.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tau\tau$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 18 |
| 218 | Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 970. | 3.9 | 18 |
| 219 | Track finding efficiency in. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013, 704, 44-59. | 1.6 | 17 |
| 220 | Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 17 |
| 221 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 17 |
| 222 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 158. | 3.9 | 17 |
| 223 | Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 17 |
| 224 | Probing the Wtb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 17 |
| 225 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 17 |
| 226 | Direct top-quark decay width measurement in the $t \rightarrow t \bar{t} \text{ lepton} + \text{jets}$ channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129. | 3.9 | 17 |
| 227 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 16 |
| 228 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 229 | Top-quark mass measurement in the all-hadronic $t \bar{t} \rightarrow \text{hadrons}$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 230 | Measurement of colour flow using jet-pull observables in $t \bar{t} \rightarrow \text{hadrons}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 847. | 3.9 | 16 |
| 231 | Measurement of event-shape observables in $Z \rightarrow e^+e^- \gamma \gamma$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375. | 3.9 | 15 |
| 232 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \mu^+\mu^-$ with the ATLAS detector at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 15 |
| 233 | Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 15 |
| 234 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 14 |
| 236 | Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 14 |
| 237 | Studies of $Z\bar{1}^3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 14 |
| 238 | Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 13 |
| 239 | Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46. | 4.7 | 13 |
| 240 | Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 13 |
| 241 | Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 102. | 3.9 | 13 |
| 242 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 12 |
| 243 | Measurement of the $\overline{b}b$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670. | 3.9 | 12 |
| 244 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144. | 3.9 | 12 |
| 245 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 12 |
| 246 | Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76. | 4.7 | 11 |
| 247 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013. | 1.2 | 11 |
| 248 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683. | 3.9 | 11 |
| 249 | Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220. | 3.9 | 11 |
| 250 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 11 |
| 251 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 10 |
| 252 | Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81. | 3.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the European Physical Journal C, 2018, 78, 487. Search for direct $C\bar{P}$ violation in singly Cabibbo-suppressed D^{\pm} decays with the ATLAS detector. European Physical Journal C, 2016, 76, 238. | 3.9 | 10 |
| 254 | Measurement of the $Z\bar{t}t$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 255 | A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238. | 3.9 | 9 |
| 256 | Measurement of the $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 257 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 258 | Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ $\hat{a}, \hat{a}, \hat{a}, \hat{a}^2 \hat{a}, \hat{a}^2+$ and ZZ $\hat{a}, \hat{a}, \hat{a} + 1/2 \hat{a}$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 259 | Test of colour reconnection models using three-jet events in hadronic Z decays. European Physical Journal C, 2006, 48, 685. | 3.9 | 8 |
| 260 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 261 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 262 | Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 263 | Measurement of σ_{pol} , polarisation in $Z/\gamma \rightarrow \text{au au}$. European Physical Journal C, 2018, 78, 163. | 3.9 | 7 |
| 264 | Search for Higgs bosons decaying to WW in e+e- collisions at LEP. European Physical Journal C, 2007, 49, 439. | 3.9 | 5 |
| 265 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 4.7 | 4 |
| 266 | Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 4 |
| 267 | Measurement of the kt splitting scales in Z $\hat{a}, \hat{a}, \hat{a}, \hat{a}$ events in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 3 |
| 268 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021. | 2.9 | 2 |
| 269 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ($\sqrt{s}=8$, TeV) with the ATLAS detector. , 2016, 76, 1. | | 1 |