

# Jeremy M Henley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8899487/publications.pdf>

Version: 2024-02-01

223  
papers

12,758  
citations

28736  
57  
h-index

31191  
106  
g-index

237  
all docs

237  
docs citations

237  
times ranked

11588  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of amyloid- $\beta$ on protein SUMOylation and levels of mitochondrial proteins in primary cortical neurons. <i>IBRO Neuroscience Reports</i> , 2022, 12, 142-148.	0.7	2
2	SUMOylation of synaptic and synapse-associated proteins: An update. <i>Journal of Neurochemistry</i> , 2021, 156, 145-161.	2.1	23
3	Phosphorylation of Syntaxin-1a by casein kinase 2 $\beta$ regulates pre-synaptic vesicle exocytosis from the reserve pool. <i>Journal of Neurochemistry</i> , 2021, 156, 614-623.	2.1	18
4	AMPA $\alpha$ 1 Phosphorylation at Serine 845 in Limbic System Is Associated with Cardiac Autonomic Tone. <i>Molecular Neurobiology</i> , 2021, 58, 1859-1870.	1.9	2
5	Interplay between Mitochondrial Protein Import and Respiratory Complexes Assembly in Neuronal Health and Degeneration. <i>Life</i> , 2021, 11, 432.	1.1	14
6	Neurotrophic effects of Botulinum neurotoxin type A in hippocampal neurons involve activation of Rac1 by the non-catalytic heavy chain (HCC/A). <i>IBRO Neuroscience Reports</i> , 2021, 10, 196-207.	0.7	1
7	Sorting nexin-27 regulates AMPA receptor trafficking through the synaptic adhesion protein LRFN2. <i>eLife</i> , 2021, 10, .	2.8	12
8	Kainate receptors and synaptic plasticity. <i>Neuropharmacology</i> , 2021, 196, 108540.	2.0	22
9	Kainate and AMPA receptors in epilepsy: Cell biology, signalling pathways and possible crosstalk. <i>Neuropharmacology</i> , 2021, 195, 108569.	2.0	16
10	Sustained postsynaptic kainate receptor activation downregulates AMPA receptor surface expression and induces hippocampal LTD. <i>iScience</i> , 2021, 24, 103029.	1.9	6
11	SEN3 Promotes an Mff-Primed Bcl-xL-Drp1 Interaction Involved in Cell Death Following Ischemia. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 752260.	1.8	4
12	Surface biotinylation of primary neurons to monitor changes in AMPA receptor surface expression in response to kainate receptor stimulation. <i>STAR Protocols</i> , 2021, 2, 100992.	0.5	5
13	Neuroprotective effects of mGluR5 activation through the PI3K/Akt pathway and the molecular switch of AMPA receptors. <i>Neuropharmacology</i> , 2020, 162, 107810.	2.0	13
14	Guanosine modulates SUMO2/3-ylation in neurons and astrocytes via adenosine receptors. <i>Purinergic Signalling</i> , 2020, 16, 439-450.	1.1	13
15	Protein Interactors and Trafficking Pathways That Regulate the Cannabinoid Type 1 Receptor (CB1R). <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 108.	1.4	22
16	Hexokinase II dissociation alone cannot account for changes in heart mitochondrial function, morphology and sensitivity to permeability transition pore opening following ischemia. <i>PLoS ONE</i> , 2020, 15, e0234653.	1.1	6
17	Phosphorylation on Ser-359 of the $\beta$ subunit in GABA type A receptors down-regulates their density at inhibitory synapses. <i>Journal of Biological Chemistry</i> , 2020, 295, 12330-12342.	1.6	5
18	Endocytosis, trafficking and exocytosis of intact full-length botulinum neurotoxin type a in cultured rat neurons. <i>NeuroToxicology</i> , 2020, 78, 80-87.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Mechanisms and roles of mitochondrial localisation and dynamics in neuronal function. <i>Neuronal Signaling</i> , 2020, 4, NS20200008.	1.7	61
20	Title is missing!. , 2020, 15, e0234653.		0
21	Title is missing!. , 2020, 15, e0234653.		0
22	Title is missing!. , 2020, 15, e0234653.		0
23	Title is missing!. , 2020, 15, e0234653.		0
24	Title is missing!. , 2020, 15, e0234653.		0
25	Title is missing!. , 2020, 15, e0234653.		0
26	Title is missing!. , 2020, 15, e0234653.		0
27	Title is missing!. , 2020, 15, e0234653.		0
28	Changes in excitatory and inhibitory receptor expression and network activity during induction and establishment of epilepsy in the rat Reduced Intensity Status Epilepticus (RISE) model. <i>Neuropharmacology</i> , 2019, 158, 107728.	2.0	14
29	Ginkgolic acid promotes autophagy-dependent clearance of intracellular alpha-synuclein aggregates. <i>Molecular and Cellular Neurosciences</i> , 2019, 101, 103416.	1.0	30
30	Parkin-mediated ubiquitination contributes to the constitutive turnover of mitochondrial fission factor (Mff). <i>PLoS ONE</i> , 2019, 14, e0213116.	1.1	11
31	Protective role of the deSUMOylating enzyme SENP3 in myocardial ischemia-reperfusion injury. <i>PLoS ONE</i> , 2019, 14, e0213331.	1.1	15
32	Developmental profiles of SUMOylation pathway proteins in rat cerebrum and cerebellum. <i>PLoS ONE</i> , 2019, 14, e0212857.	1.1	5
33	Sorting nexin 27 rescues neuroligin 2 from lysosomal degradation to control inhibitory synapse number. <i>Biochemical Journal</i> , 2019, 476, 293-306.	1.7	21
34	Exciting Times: New Advances Towards Understanding the Regulation and Roles of Kainate Receptors. <i>Neurochemical Research</i> , 2019, 44, 572-584.	1.6	36
35	The C-terminal helix 9 motif in rat cannabinoid receptor type 1 regulates axonal trafficking and surface expression. <i>ELife</i> , 2019, 8, .	2.8	22
36	MEF2A regulates mGluR-dependent AMPA receptor trafficking independently of Arc/Arg3.1. <i>Scientific Reports</i> , 2018, 8, 5263.	1.6	9

#	ARTICLE	IF	CITATIONS
37	Extranuclear SUMOylation in Neurons. <i>Trends in Neurosciences</i> , 2018, 41, 198-210.	4.2	60
38	Erythropoietin Induces Homeostatic Plasticity at Hippocampal Synapses. <i>Cerebral Cortex</i> , 2018, 28, 2795-2809.	1.6	11
39	Transcriptional and post-translational regulation of Arc in synaptic plasticity. <i>Seminars in Cell and Developmental Biology</i> , 2018, 77, 3-9.	2.3	35
40	ADAR2-mediated Q/R editing of GluK2 regulates kainate receptor upscaling in response to suppression of synaptic activity. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	14
41	The transcription factor MEF2A plays a key role in the differentiation/maturation of rat neural stem cells into neurons. <i>Biochemical and Biophysical Research Communications</i> , 2018, 500, 645-649.	1.0	20
42	The F238L Point Mutation in the Cannabinoid Type 1 Receptor Enhances Basal Endocytosis via Lipid Rafts. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 230.	1.4	15
43	Sumoylation: Implications for Neurodegenerative Diseases. <i>Advances in Experimental Medicine and Biology</i> , 2017, 963, 261-281.	0.8	44
44	SEN3-mediated deSUMOylation of Drp1 facilitates interaction with Mff to promote cell death. <i>Scientific Reports</i> , 2017, 7, 43811.	1.6	54
45	Metabotropic action of postsynaptic kainate receptors triggers hippocampal long-term potentiation. <i>Nature Neuroscience</i> , 2017, 20, 529-539.	7.1	48
46	Assembly, Secretory Pathway Trafficking, and Surface Delivery of Kainate Receptors Is Regulated by Neuronal Activity. <i>Cell Reports</i> , 2017, 19, 2613-2626.	2.9	43
47	SUMOylation of FOXP1 regulates transcriptional repression via CtBP1 to drive dendritic morphogenesis. <i>Scientific Reports</i> , 2017, 7, 877.	1.6	46
48	Commentary: Analysis of SUMO1-conjugation at synapses. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 345.	1.8	19
49	Increased SUMO-2/3-ylation mediated by SENP3 degradation is protective against cadmium-induced caspase 3-dependent cytotoxicity. <i>Journal of Toxicological Sciences</i> , 2017, 42, 529-538.	0.7	12
50	Editorial: Ionotropic Glutamate Receptors Trafficking in Health and Disease. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 242.	1.8	1
51	SUMOylation of Syntaxin1A regulates presynaptic endocytosis. <i>Scientific Reports</i> , 2016, 5, 17669.	1.6	55
52	Synaptic AMPA receptor composition in development, plasticity and disease. <i>Nature Reviews Neuroscience</i> , 2016, 17, 337-350.	4.9	403
53	Ubiquitin C-terminal hydrolase L1 (UCH-L1): structure, distribution and roles in brain function and dysfunction. <i>Biochemical Journal</i> , 2016, 473, 2453-2462.	1.7	193
54	SUMOylation of Argonaute-2 regulates RNA interference activity. <i>Biochemical and Biophysical Research Communications</i> , 2015, 464, 1066-1071.	1.0	14

#	ARTICLE	IF	CITATIONS
55	Clathrin-Independent Trafficking of AMPA Receptors. <i>Journal of Neuroscience</i> , 2015, 35, 4830-4836.	1.7	56
56	SUMOylation of synapsin Ia maintains synaptic vesicle availability and is reduced in an autism mutation. <i>Nature Communications</i> , 2015, 6, 7728.	5.8	39
57	Fighting polyglutamine disease by wrestling with SUMO. <i>Journal of Clinical Investigation</i> , 2015, 125, 498-500.	3.9	4
58	Small GTPase Rab17 Regulates the Surface Expression of Kainate Receptors but Not $\alpha$ -Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid (AMPA) Receptors in Hippocampal Neurons via Dendritic Trafficking of Syntaxin-4 Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 20773-20787.	1.6	12
59	The Ubiquitin C-Terminal Hydrolase L1 (UCH-L1) C Terminus Plays a Key Role in Protein Stability, but Its Farnesylation Is Not Required for Membrane Association in Primary Neurons. <i>Journal of Biological Chemistry</i> , 2014, 289, 36140-36149.	1.6	33
60	Differential Regulation of GABAB Receptor Trafficking by Different Modes of N-methyl-d-aspartate (NMDA) Receptor Signaling. <i>Journal of Biological Chemistry</i> , 2014, 289, 6681-6694.	1.6	24
61	Validity of pHluorin-tagged GluA2 as a reporter for AMPA receptor surface expression and endocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E304-E304.	3.3	9
62	Wrestling with stress: Roles of protein SUMOylation and deSUMOylation in cell stress response. <i>IUBMB Life</i> , 2014, 66, 71-77.	1.5	97
63	Neuronal SUMOylation: Mechanisms, Physiology, and Roles in Neuronal Dysfunction. <i>Physiological Reviews</i> , 2014, 94, 1249-1285.	13.1	157
64	Receptor Trafficking and the Regulation of Synaptic Plasticity by SUMO. <i>NeuroMolecular Medicine</i> , 2013, 15, 692-706.	1.8	33
65	RIM1 $\alpha$ SUMOylation Is Required for Fast Synaptic Vesicle Exocytosis. <i>Cell Reports</i> , 2013, 5, 1294-1301.	2.9	56
66	SENP3-mediated deSUMOylation of dynamin-related protein 1 promotes cell death following ischaemia. <i>EMBO Journal</i> , 2013, 32, 1514-1528.	3.5	177
67	Adenosine: setting the stage for plasticity. <i>Trends in Neurosciences</i> , 2013, 36, 248-257.	4.2	112
68	In vivo characterization of the properties of SUMO1-specific monobodies. <i>Biochemical Journal</i> , 2013, 456, 385-395.	1.7	5
69	Postsynaptic Kainate Receptor Recycling and Surface Expression Are Regulated by Metabotropic Autoreceptor Signalling. <i>Traffic</i> , 2013, 14, 810-822.	1.3	21
70	Homeostatic synaptic scaling is regulated by protein SUMOylation. <i>Journal of Biological Chemistry</i> , 2013, 288, 4208.	1.6	0
71	SUMOylation Is Required for Glycine-Induced Increases in AMPA Receptor Surface Expression (ChemLTP) in Hippocampal Neurons. <i>PLoS ONE</i> , 2013, 8, e52345.	1.1	67
72	AMPA receptor trafficking and the mechanisms underlying synaptic plasticity and cognitive aging. <i>Dialogues in Clinical Neuroscience</i> , 2013, 15, 11-27.	1.8	180

#	ARTICLE	IF	CITATIONS
73	SUMOylation, Arc and the regulation homeostatic synaptic scaling. <i>Communicative and Integrative Biology</i> , 2012, 5, 634-636.	0.6	11
74	Modification and movement. <i>Communicative and Integrative Biology</i> , 2012, 5, 223-226.	0.6	15
75	Enhanced SUMOylation and SENP-1 Protein Levels following Oxygen and Glucose Deprivation in Neurons. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012, 32, 17-22.	2.4	66
76	PICK1 Mediates Transient Synaptic Expression of GluA2-Lacking AMPA Receptors during Glycine-Induced AMPA Receptor Trafficking. <i>Journal of Neuroscience</i> , 2012, 32, 11618-11630.	1.7	60
77	Homeostatic Synaptic Scaling Is Regulated by Protein SUMOylation. <i>Journal of Biological Chemistry</i> , 2012, 287, 22781-22788.	1.6	72
78	Lateral Diffusion and Exocytosis of Membrane Proteins in Cultured Neurons Assessed using Fluorescence Recovery and Fluorescence-loss Photobleaching. <i>Journal of Visualized Experiments</i> , 2012, , .	0.2	12
79	SUMOylation and phosphorylation of GluK2 regulate kainate receptor trafficking and synaptic plasticity. <i>Nature Neuroscience</i> , 2012, 15, 845-852.	7.1	93
80	Protein SUMOylation in spine structure and function. <i>Current Opinion in Neurobiology</i> , 2012, 22, 480-487.	2.0	29
81	Measuring Membrane Protein Dynamics in Neurons Using Fluorescence Recovery after Photobleach. <i>Methods in Enzymology</i> , 2012, 504, 127-146.	0.4	21
82	Regulation of Neuronal Protein Trafficking and Translocation by SUMOylation. <i>Biomolecules</i> , 2012, 2, 256-268.	1.8	8
83	Kainate receptor trafficking. <i>Environmental Sciences Europe</i> , 2012, 1, 31-44.	2.6	13
84	Regulation of Calcium Sensing Receptor Trafficking by RAMPs. <i>Advances in Experimental Medicine and Biology</i> , 2012, 744, 39-48.	0.8	11
85	Activity-dependent SUMOylation of the brain-specific scaffolding protein GISP. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 657-662.	1.0	18
86	Analysis of metabotropic glutamate receptor 7 as a potential substrate for SUMOylation. <i>Neuroscience Letters</i> , 2011, 491, 181-186.	1.0	17
87	Profiles of SUMO and ubiquitin conjugation in an Alzheimer's disease model. <i>Neuroscience Letters</i> , 2011, 502, 201-208.	1.0	47
88	Routes, destinations and delays: recent advances in AMPA receptor trafficking. <i>Trends in Neurosciences</i> , 2011, 34, 258-268.	4.2	147
89	Shaping the synaptic signal: molecular mobility inside and outside the cleft. <i>Trends in Neurosciences</i> , 2011, 34, 359-369.	4.2	71
90	The Role of Protein SUMOylation in Neuronal Function. , 2011, , 177-199.		0

#	ARTICLE	IF	CITATIONS
91	Ubiquitin regulation of neuronal excitability. <i>Nature Neuroscience</i> , 2011, 14, 126-128.	7.1	9
92	PICK1 inhibition of the Arp2/3 complex controls dendritic spine size and synaptic plasticity. <i>EMBO Journal</i> , 2011, 30, 719-730.	3.5	89
93	Agonist-induced PKC phosphorylation regulates GluK2 SUMOylation and kainate receptor endocytosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19772-19777.	3.3	69
94	Oxygen/Glucose Deprivation Induces a Reduction in Synaptic AMPA Receptors on Hippocampal CA3 Neurons Mediated by mGluR1 and Adenosine A <sub>3</sub> Receptors. <i>Journal of Neuroscience</i> , 2011, 31, 11941-11952.	1.7	49
95	Targets and consequences of protein SUMOylation in neurons. <i>Brain Research Reviews</i> , 2010, 64, 195-212.	9.1	113
96	Mechanisms, regulation and consequences of protein SUMOylation. <i>Biochemical Journal</i> , 2010, 428, 133-145.	1.7	549
97	Differential roles of GRIP1a and GRIP1b in AMPA receptor trafficking. <i>Neuroscience Letters</i> , 2010, 485, 167-172.	1.0	20
98	Dynamamin-dependent Membrane Drift Recruits AMPA Receptors to Dendritic Spines. <i>Journal of Biological Chemistry</i> , 2009, 284, 12491-12503.	1.6	56
99	Protein SUMOylation modulates calcium influx and glutamate release from presynaptic terminals. <i>European Journal of Neuroscience</i> , 2009, 29, 1348-1356.	1.2	60
100	Ischaemia differentially regulates GABAB receptor subunits in organotypic hippocampal slice cultures. <i>Neuropharmacology</i> , 2009, 56, 1088-1096.	2.0	35
101	Synaptic receptor trafficking: The lateral point of view. <i>Neuroscience</i> , 2009, 158, 19-24.	1.1	39
102	GISP increases neurotransmitter receptor stability by down-regulating ESCRT-mediated lysosomal degradation. <i>Neuroscience Letters</i> , 2009, 452, 106-110.	1.0	16
103	Activity-dependent recruitment of AMPA receptors to the postsynaptic compartment by facilitated diffusion in the plasma membrane. <i>Communicative and Integrative Biology</i> , 2009, 2, 474-476.	0.6	1
104	Protein SUMOylation in neuropathological conditions. <i>Drug News and Perspectives</i> , 2009, 22, 255.	1.9	36
105	Corticosterone Alters AMPAR Mobility and Facilitates Bidirectional Synaptic Plasticity. <i>PLoS ONE</i> , 2009, 4, e4714.	1.1	113
106	The Role of Sumoylation in Neurodegenerative Diseases. , 2009, , 233-251.		1
107	GISP binding to TSG101 increases GABA <sub>B</sub> receptor stability by down-regulating ESCRT-mediated lysosomal degradation. <i>Journal of Neurochemistry</i> , 2008, 107, 86-95.	2.1	31
108	Analysis of SUMO-1 modification of neuronal proteins containing consensus SUMOylation motifs. <i>Neuroscience Letters</i> , 2008, 436, 239-244.	1.0	40

#	ARTICLE	IF	CITATIONS
109	Metabotropic Glutamate Receptor-Mediated LTD Involves Two Interacting Ca <sup>2+</sup> Sensors, NCS-1 and PICK1. <i>Neuron</i> , 2008, 60, 1095-1111.	3.8	100
110	Increased protein SUMOylation following focal cerebral ischemia. <i>Neuropharmacology</i> , 2008, 54, 280-289.	2.0	90
111	Presynaptic mGlu1 and mGlu5 autoreceptors facilitate glutamate exocytosis from mouse cortical nerve endings. <i>Neuropharmacology</i> , 2008, 55, 474-482.	2.0	49
112	Regulation of calcium-sensing-receptor trafficking and cell-surface expression by GPCRs and RAMPs. <i>Trends in Pharmacological Sciences</i> , 2008, 29, 633-639.	4.0	31
113	Bidirectional Regulation of Kainate Receptor Surface Expression in Hippocampal Neurons. <i>Journal of Biological Chemistry</i> , 2008, 283, 36435-36440.	1.6	37
114	Investigating the Mechanisms Underlying Neuronal Death in Ischemia Using In Vitro Oxygen-Glucose Deprivation: Potential Involvement of Protein SUMOylation. <i>Neuroscientist</i> , 2008, 14, 626-636.	2.6	44
115	The calcium-sensing receptor changes cell shape via a $\beta$ -arrestin-1-ARNO-ARF6-ELMO protein network. <i>Journal of Cell Science</i> , 2007, 120, 2489-2497.	1.2	41
116	Wrestling with epilepsy; potential roles for kainate receptor SUMOylation in regulating neuronal excitability. <i>Future Neurology</i> , 2007, 2, 591-595.	0.9	2
117	Retaining Synaptic AMPARs. <i>Neuron</i> , 2007, 55, 825-827.	3.8	7
118	Differential redistribution of native AMPA receptor complexes following LTD induction in acute hippocampal slices. <i>Neuropharmacology</i> , 2007, 52, 92-99.	2.0	25
119	PICK1 interacts with $\alpha$ 7 neuronal nicotinic acetylcholine receptors and controls their clustering. <i>Molecular and Cellular Neurosciences</i> , 2007, 35, 339-355.	1.0	32
120	Emerging extranuclear roles of protein SUMOylation in neuronal function and dysfunction. <i>Nature Reviews Neuroscience</i> , 2007, 8, 948-959.	4.9	185
121	SUMOylation regulates kainate-receptor-mediated synaptic transmission. <i>Nature</i> , 2007, 447, 321-325.	13.7	255
122	GISP: a novel brain-specific protein that promotes surface expression and function of GABAB receptors. <i>Journal of Neurochemistry</i> , 2007, 100, 1003-1017.	2.1	30
123	A novel method for monitoring the cell surface expression of heteromeric protein complexes in dispersed neurons and acute hippocampal slices. <i>Journal of Neuroscience Methods</i> , 2007, 160, 302-308.	1.3	27
124	Picking out the Details of Cerebellar LTD. <i>Neuron</i> , 2006, 49, 778-780.	3.8	4
125	The schizophrenic faces of PICK1. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 574-579.	4.0	44
126	Ultrastructural localisation and differential agonist-induced regulation of AMPA and kainate receptors present at the presynaptic active zone and postsynaptic density. <i>Journal of Neurochemistry</i> , 2006, 99, 549-560.	2.1	43



#	ARTICLE	IF	CITATIONS
127	Novel putative targets of N-ethylmaleimide sensitive fusion protein (NSF) and $\beta$ soluble NSF attachment proteins (SNAPs) include the Pak-binding nucleotide exchange factor $\beta$ PIX. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 1203-1215.	1.2	16
128	Lateral Diffusion Drives Constitutive Exchange of AMPA Receptors at Dendritic Spines and Is Regulated by Spine Morphology. <i>Journal of Neuroscience</i> , 2006, 26, 7046-7055.	1.7	272
129	Visualization of AMPAR Trafficking and Surface Expression. <i>Frontiers in Neuroscience</i> , 2006, , 119-141.	0.0	1
130	PICK1 is a calcium-sensor for NMDA-induced AMPA receptor trafficking. <i>EMBO Journal</i> , 2005, 24, 3266-3278.	3.5	142
131	(35) Acetylcholinesterase effects on glutamate receptors. <i>Chemico-Biological Interactions</i> , 2005, 157-158, 410-411.	1.7	1
132	Receptor-activity-modifying proteins are required for forward trafficking of the calcium-sensing receptor to the plasma membrane. <i>Journal of Cell Science</i> , 2005, 118, 4709-4720.	1.2	150
133	The Molecular Pharmacology and Cell Biology of $\beta$ -Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid Receptors. <i>Pharmacological Reviews</i> , 2005, 57, 253-277.	7.1	206
134	Profile of changes in gene expression in cultured hippocampal neurones evoked by the GABAB receptor agonist baclofen. <i>Physiological Genomics</i> , 2005, 22, 93-98.	1.0	27
135	Syntenin is involved in the developmental regulation of neuronal membrane architecture. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 737-746.	1.0	45
136	Calcium as an extracellular signalling molecule: perspectives on the Calcium Sensing Receptor in the brain. <i>Comptes Rendus - Biologies</i> , 2005, 328, 691-700.	0.1	43
137	Hippocalcin Functions as a Calcium Sensor in Hippocampal LTD. <i>Neuron</i> , 2005, 47, 487-494.	3.8	120
138	Removal of AMPA Receptors (AMPARs) from Synapses Is Preceded by Transient Endocytosis of Extrasynaptic AMPARs. <i>Journal of Neuroscience</i> , 2004, 24, 5172-5176.	1.7	219
139	Regulation of Synaptic Strength and AMPA Receptor Subunit Composition by PICK1. <i>Journal of Neuroscience</i> , 2004, 24, 5381-5390.	1.7	160
140	The PDZ Domain of PICK1 Differentially Accepts Protein Kinase C- $\beta$ and GluR2 as Interacting Ligands. <i>Journal of Biological Chemistry</i> , 2004, 279, 41393-41397.	1.6	34
141	Activity-dependent endocytic sorting of kainate receptors to recycling or degradation pathways. <i>EMBO Journal</i> , 2004, 23, 4749-4759.	3.5	106
142	It's green outside: tracking cell surface proteins with pH-sensitive GFP. <i>Trends in Neurosciences</i> , 2004, 27, 257-261.	4.2	112
143	Development of GABAB subunits and functional GABAB receptors in rat cultured hippocampal neurons. <i>Neuropharmacology</i> , 2004, 47, 475-484.	2.0	22
144	Proteins interactions implicated in AMPA receptor trafficking: a clear destination and an improving route map. <i>Neuroscience Research</i> , 2003, 45, 243-254.	1.0	50

#	ARTICLE	IF	CITATIONS
145	AMPA receptor potentiation by acetylcholinesterase is age-dependently upregulated at synaptogenesis sites of the rat brain. <i>International Journal of Developmental Neuroscience</i> , 2003, 21, 49-61.	0.7	8
146	Acetylcholinesterase promotes neurite elongation, synapse formation, and surface expression of AMPA receptors in hippocampal neurones. <i>Molecular and Cellular Neurosciences</i> , 2003, 23, 96-106.	1.0	42
147	Rapid and Differential Regulation of AMPA and Kainate Receptors at Hippocampal Mossy Fibre Synapses by PICK1 and GRIP. <i>Neuron</i> , 2003, 37, 625-638.	3.8	196
148	Characterization of the Intracellular Transport of GluR1 and GluR2 $\alpha$ -Amino-3-hydroxy-5-methyl-4-isoxazole Propionic Acid Receptor Subunits in Hippocampal Neurons. <i>Journal of Biological Chemistry</i> , 2003, 278, 43525-43532.	1.6	42
149	Regulation of kainate receptors by protein kinase C and metabotropic glutamate receptors. <i>Journal of Physiology</i> , 2003, 548, 723-730.	1.3	47
150	The PDZ Proteins PICK1, GRIP, and Syntenin Bind Multiple Glutamate Receptor Subtypes. <i>Journal of Biological Chemistry</i> , 2002, 277, 15221-15224.	1.6	128
151	Proteins Involved in the Trafficking and Functional Synaptic Expression of AMPA and KA Receptors. <i>Scientific World Journal</i> , The, 2002, 2, 461-482.	0.8	10
152	Phospholipase A2 Down-Regulates the Affinity of [3H]AMPA Binding to Rat Cortical Membranes. <i>Journal of Neurochemistry</i> , 2002, 65, 184-191.	2.1	12
153	GABAB Receptors Couple Directly to the Transcription Factor ATF4. <i>Molecular and Cellular Neurosciences</i> , 2001, 17, 637-645.	1.0	82
154	Characterization of a Metabotropic Glutamate Receptor Type 5-Green Fluorescent Protein Chimera (mGluR5 $\alpha$ -GFP): Pharmacology, Surface Expression, and Differential Effects of Homer-1a and Homer-1c. <i>Molecular and Cellular Neurosciences</i> , 2001, 18, 296-306.	1.0	31
155	Regulation of mglu7 receptors by proteins that interact with the intracellular C-terminus. <i>Trends in Pharmacological Sciences</i> , 2001, 22, 355-361.	4.0	58
156	CAK $\beta$ /Pyk2 Activates Src. <i>Neuron</i> , 2001, 29, 312-314.	3.8	8
157	Transient synaptic activation of NMDA receptors leads to the insertion of native AMPA receptors at hippocampal neuronal plasma membranes. <i>Neuropharmacology</i> , 2001, 41, 700-713.	2.0	101
158	Regional localization and developmental profile of acetylcholinesterase-evoked increases in [3H]-5-fluorowillardiine binding to AMPA receptors in rat brain. <i>British Journal of Pharmacology</i> , 2001, 133, 1055-1062.	2.7	5
159	Glutamate receptor trafficking. <i>Pharmaceutical Science Series</i> , 2001, , 56-68.	0.0	1
160	Targeting of tetracycline-regulatable transgene expression specifically to neuronal and glial cell populations using adenoviral vectors. <i>NeuroReport</i> , 2000, 11, 2051-2055.	0.6	44
161	Developmental Changes in Synaptic AMPA and NMDA Receptor Distribution and AMPA Receptor Subunit Composition in Living Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2000, 20, 7922-7931.	1.7	205
162	PICK1 Interacts with and Regulates PKC Phosphorylation of mGLUR7. <i>Journal of Neuroscience</i> , 2000, 20, 7252-7257.	1.7	144

#	ARTICLE	IF	CITATIONS
163	PDZ Proteins Interacting with C-Terminal GluR2/3 Are Involved in a PKC-Dependent Regulation of AMPA Receptors at Hippocampal Synapses. <i>Neuron</i> , 2000, 28, 873-886.	3.8	297
164	Interactions between AMPA receptors and intracellular proteins. <i>Neuropharmacology</i> , 2000, 39, 919-930.	2.0	80
165	The N-Terminal Domain of $\hat{\Gamma}^3$ -Aminobutyric Acid<sub>B</sub> Receptors Is Sufficient to Specify Agonist and Antagonist Binding. <i>Molecular Pharmacology</i> , 1999, 56, 448-454.	1.0	109
166	Experience-dependent development of NMDA receptor transmission. <i>Nature Neuroscience</i> , 1999, 2, 297-299.	7.1	61
167	Surface Expression of AMPA Receptors in Hippocampal Neurons Is Regulated by an NSF-Dependent Mechanism. <i>Neuron</i> , 1999, 23, 365-376.	3.8	311
168	Hippocampal LTD Expression Involves a Pool of AMPARs Regulated by the NSF $\hat{\Gamma}$ “GluR2 Interaction. <i>Neuron</i> , 1999, 24, 389-399.	3.8	298
169	Differential changes in the subcellular distribution of $\hat{\Gamma}^{\pm}$ -amino-3-hydroxy-5-methyl-4-isoxazole propionate and N-methyl-d-aspartate receptors in neonate and adult rat cortex. <i>Neuroscience Letters</i> , 1999, 270, 49-52.	1.0	11
170	Kainate receptors: subunits, synaptic localization and function. <i>Trends in Pharmacological Sciences</i> , 1999, 20, 26-35.	4.0	250
171	Characterisation and partial purification of the GABAB receptor from the rat cerebellum using the novel antagonist [ ]CGP 62349. <i>Molecular Brain Research</i> , 1999, 71, 279-289.	2.5	16
172	The protein kinase C $\hat{\Gamma}$ binding protein PICK1 interacts with short but not long form alternative splice variants of AMPA receptor subunits. <i>Neuropharmacology</i> , 1999, 38, 635-644.	2.0	201
173	Rapid internalization and surface expression of a functional, fluorescently tagged G-protein-coupled glutamate receptor. <i>Biochemical Journal</i> , 1999, 341, 415-422.	1.7	40
174	Construction and Expression of Human Metabotropic Glutamate Receptor 5a-GFP Fusion Protein (hmGluR5-GFP). <i>Biochemical Society Transactions</i> , 1999, 27, A119-A119.	1.6	0
175	Rapid internalization and surface expression of a functional, fluorescently tagged G-protein-coupled glutamate receptor. <i>Biochemical Journal</i> , 1999, 341, 415.	1.7	17
176	The regulation of AMPA receptor-binding sites. <i>Molecular Neurobiology</i> , 1998, 17, 33-58.	1.9	20
177	Different effects of phospholipase A2 on agonist binding to hippocampal, cortical and recombinant homomeric $\hat{\Gamma}^{\pm}$ -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptors. <i>Neuroscience Letters</i> , 1998, 246, 25-28.	1.0	4
178	NSF Binding to GluR2 Regulates Synaptic Transmission. <i>Neuron</i> , 1998, 21, 87-97.	3.8	539
179	Surface expression and metabolic half-life of AMPA receptors in cultured rat cerebellar granule cells. <i>Neuropharmacology</i> , 1998, 37, 1345-1353.	2.0	60
180	Effects of phospholipase A2 on $\hat{\Gamma}^{\pm}$ -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor subunits. <i>Biochemical Society Transactions</i> , 1997, 25, 537S-537S.	1.6	3

#	ARTICLE	IF	CITATIONS
181	Effect of thiol group modification on 3[H]-NBQX binding in rat cortical membranes. <i>Biochemical Society Transactions</i> , 1997, 25, 538S-538S.	1.6	2
182	Half life analysis of the $\hat{\pm}$ -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor subunit gluR1 in primary cultured rat cerebellar granule cells. <i>Biochemical Society Transactions</i> , 1997, 25, 539S-539S.	1.6	3
183	GFP Fusion proteins and AMPA receptor trafficking. <i>Biochemical Society Transactions</i> , 1997, 25, 540S-540S.	1.6	4
184	Subcellular localization of $\hat{\pm}$ -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor subunits in rat cortex. <i>Biochemical Society Transactions</i> , 1997, 25, 541S-541S.	1.6	1
185	High-affinity binding sites for 125I-labelled pancreatic secretory phospholipase A2 in rat brain. <i>Molecular Brain Research</i> , 1997, 49, 120-126.	2.5	11
186	Effects of memantine on recombinant rat NMDA receptors expressed in HEK 293 cells. <i>British Journal of Pharmacology</i> , 1996, 119, 195-204.	2.7	90
187	Characterisation of the interaction between guanyl nucleotides and AMPA receptors in rat brain. <i>Neuropharmacology</i> , 1996, 35, 1583-1593.	2.0	18
188	Detection of protein-protein interactions in the nervous system using the two-hybrid system. <i>Trends in Neurosciences</i> , 1996, 19, 261-266.	4.2	11
189	Regulation of glutamate release by presynaptic kainate receptors in the hippocampus. <i>Nature</i> , 1996, 379, 78-81.	13.7	373
190	Pharmacology and Regional Distribution of the Binding of $^3\text{H}$ -Nitro $^7\text{S}$ -sulphamoylbenzo[ <i>f</i> ]quinoxaline $^2,3\text{-dione}$ to Rat Brain. <i>Journal of Neurochemistry</i> , 1996, 67, 2609-2612.	2.1	25
191	Mercuric chloride modulates [3H] AMPA binding to Xenopus brain membranes. <i>Biochemical Society Transactions</i> , 1995, 23, 118S-118S.	1.6	0
192	Solubilization and Purification of a Functional Ionotropic Excitatory Amino Acid Receptor. , 1995, 41, 17-24.		0
193	Subcellular localization and molecular pharmacology of distinct populations of $^3\text{H}$ -AMPA binding sites in rat hippocampus. <i>British Journal of Pharmacology</i> , 1995, 115, 295-301.	2.7	31
194	Quantitative analysis of the distributions of glutamatergic ligand binding sites in goldfish brain. <i>Brain Research</i> , 1994, 637, 323-327.	1.1	13
195	Phospholipase A2 enhances [3 H]AMPA binding to a putative homomeric GluR-B receptor in the rat spinal cord. <i>FEBS Letters</i> , 1994, 339, 168-170.	1.3	9
196	Kainate-binding proteins: phylogeny, structures and possible functions. <i>Trends in Pharmacological Sciences</i> , 1994, 15, 182-190.	4.0	46
197	Cyclothiazide unmasks AMPA-evoked stimulation of $^3\text{H}$ - $\hat{\pm}$ -glutamate release from rat hippocampal synaptosomes. <i>British Journal of Pharmacology</i> , 1994, 113, 339-341.	2.7	61
198	Stereoselective antagonism of the metabotropic glutamate receptor mGluR1 $\hat{\pm}$ by $\hat{\pm}$ -methyl-4-carboxyphenylglycine. <i>Biochemical Society Transactions</i> , 1994, 22, 138S-138S.	1.6	0

#	ARTICLE	IF	CITATIONS
199	Subcellular localisations of AMPA receptors in rat hippocampus. <i>Biochemical Society Transactions</i> , 1994, 22, 154S-154S.	1.6	1
200	Modulation of [3H]glutamate release from rat hippocampal synaptosomes by kainate. <i>Biochemical Society Transactions</i> , 1994, 22, 155S-155S.	1.6	3
201	Characteristics of the goldfish brain adenylyl cyclase system. <i>Biochemical Society Transactions</i> , 1994, 22, 227S-227S.	1.6	1
202	Induction of LTP in the hippocampus needs synaptic activation of glutamate metabotropic receptors. <i>Nature</i> , 1993, 363, 347-350.	13.7	716
203	Interaction of Guanine Nucleotides with [3H]Kainate and 6-[3H]Cyano-7-Nitroquinoxaline-2,3-dione Binding in Goldfish Brain. <i>Journal of Neurochemistry</i> , 1993, 61, 1685-1691.	2.1	57
204	Localisation of glutamate receptor binding sites and mRNAs to the dorsal horn of the rat spinal cord. <i>Neuropharmacology</i> , 1993, 32, 37-41.	2.0	58
205	Characterization of adenylyl cyclase in goldfish brain. <i>Biochemical Pharmacology</i> , 1993, 46, 1559-1563.	2.0	2
206	Molecular size of the kainate binding protein in goldfish brain determined by radiation inactivation. <i>Biochemical Pharmacology</i> , 1993, 46, 539-541.	2.0	1
207	Autoradiographic distribution of glutamatergic ligand binding sites in <i>Xenopus</i> brain: evidence for intracellular [3H]AMPA binding sites. <i>Brain Research</i> , 1993, 626, 259-264.	1.1	5
208	Characterization of the allosteric modulatory protein associated with non-NMDA receptors. <i>Biochemical Society Transactions</i> , 1993, 21, 89-93.	1.6	5
209	Developmental changes in the properties of the chicken brain kainate-binding protein. <i>Biochemical Society Transactions</i> , 1993, 21, 15S-15S.	1.6	2
210	Interaction of guanyl nucleotides with [3H]kainate binding in goldfish brain. <i>Biochemical Society Transactions</i> , 1993, 21, 17S-17S.	1.6	0
211	Binding of the AMPA receptor antagonist [3H]GYKI 53405 to <i>Xenopus</i> brain membranes. <i>NeuroReport</i> , 1993, 5, 93.	0.6	8
212	Localization of AMPA receptor subunits in rat CNS using anti-peptide antibodies. <i>NeuroReport</i> , 1993, 4, 334.	0.6	9
213	Characterisation of an Allosteric Modulatory Protein Associated with $\gamma$ -[3H]Amino-3-Hydroxy-5-Methylisoxazolepropionate Binding Sites in Chick Telencephalon: Effects of High-Energy Radiation and Detergent Solubilisation. <i>Journal of Neurochemistry</i> , 1992, 58, 2030-2036.	2.1	9
214	Autoradiographic localisations of glutamatergic ligand binding sites in <i>Xenopus</i> brain. <i>Neuroscience Letters</i> , 1991, 129, 35-38.	1.0	6
215	Comparison of Solubilised Kainate and $\gamma$ -Amino-3-Hydroxy-5-Methylisoxazolepropionate Binding Sites in Chick Cerebellum. <i>Journal of Neurochemistry</i> , 1991, 56, 702-705.	2.1	14
216	Autoradiographic distribution of binding sites for the non-NMDA receptor antagonist CNQX in chick brain. <i>Neuroscience Letters</i> , 1990, 116, 17-22.	1.0	21

#	ARTICLE	IF	CITATIONS
217	The non-NMDA receptors: types, protein structure and molecular biology. Trends in Pharmacological Sciences, 1990, 11, 500-507.	4.0	110
218	Solubilisation and Characterisation of a Putative Quisqualate-Type Glutamate Receptor from Chick Brain. Journal of Neurochemistry, 1989, 53, 140-148.	2.1	31
219	Kainate Receptors in Xenopus Central Nervous System: Solubilisation with n-Octyl- $\beta$ -D-Glucopyranoside. Journal of Neurochemistry, 1989, 52, 31-37.	2.1	23
220	Localization and Quantitative Autoradiography of Glutamatergic Ligand Binding Sites in Chick Brain. European Journal of Neuroscience, 1989, 1, 516-523.	1.2	41
221	Solubilization and characterization of kainate receptors from goldfish brain. Biochimica Et Biophysica Acta - Biomembranes, 1988, 937, 103-111.	1.4	18
222	Interaction of ionophore A23187 with a "masked" $\text{Ca}^{2+}$ binding site in pig and pigeon red cells. Biochemical Pharmacology, 1986, 35, 3401-3403.	2.0	1
223	Interaction of monoclonal antibodies to electroplaque acetylcholine receptors with the $\alpha$ -bungarotoxin binding site of goldfish brain. Brain Research, 1986, 364, 405-408.	1.1	21