
## Pau Morey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8903144/publications.pdf Version: 2024-02-01



DALL MODEY

| #  | Article  | IF                | CITATIONS           |
|----|--|-------------------|---------------------|
| 1  | Nontypeable <i>Haemophilus influenzae</i> Clearance by Alveolar Macrophages Is Impaired by Exposure to Cigarette Smoke. Infection and Immunity, 2009, 77, 4232-4242.   | 2.2               | 115                 |
| 2  | Helicobacter pylori Depletes Cholesterol in Gastric Glands to Prevent Interferon Gamma Signaling and Escape the Inflammatory Response. Gastroenterology, 2018, 154, 1391-1404.e9.  | 1.3               | 98                  |
| 3  | Impact of cigarette smoke exposure on host-bacterial pathogen interactions. European Respiratory<br>Journal, 2012, 39, 467-477.  | 6.7               | 81                  |
| 4  | Evidence for a non-replicative intracellular stage of nontypable Haemophilus influenzae in epithelial<br>cells. Microbiology (United Kingdom), 2011, 157, 234-250.   | 1.8               | 79                  |
| 5  | Polarised epithelial monolayers of the gastric mucosa reveal insights into mucosal homeostasis and defence against infection. Gut, 2019, 68, 400-413.  | 12.1              | 76                  |
| 6  | Dissection of Host Cell Signal Transduction during Acinetobacter baumannii – Triggered<br>Inflammatory Response. PLoS ONE, 2010, 5, e10033.  | 2.5               | 57                  |
| 7  | Relative Contributions of Lipooligosaccharide Inner and Outer Core Modifications to Nontypeable<br>Haemophilus influenzae Pathogenesis. Infection and Immunity, 2013, 81, 4100-4111.   | 2.2               | 48                  |
| 8  | Lipopolysaccharide-binding protein and CD14 are increased in the bronchoalveolar lavage fluid of smokers. European Respiratory Journal, 2008, 33, 273-281.   | 6.7               | 40                  |
| 9  | Host cell kinases, α5 and β1 integrins, and Rac1 signalling on the microtubule cytoskeleton are important for non-typable Haemophilus influenzae invasion of respiratory epithelial cells. Microbiology (United) Tj ETQq1 1 (                            | ) <b>.78</b> 4314 | rg <b>Bi</b> /Overl |
| 10 | Quinolones Sensitize Gram-Negative Bacteria to Antimicrobial Peptides. Antimicrobial Agents and Chemotherapy, 2006, 50, 2361-2367.   | 3.2               | 29                  |
| 11 | Nontypable Haemophilus influenzae Displays a Prevalent Surface Structure Molecular Pattern in<br>Clinical Isolates. PLoS ONE, 2011, 6, e21133.   | 2.5               | 22                  |
| 12 | Genome Expression Profiling-Based Identification and Administration Efficacy of Host-Directed<br>Antimicrobial Drugs against Respiratory Infection by Nontypeable Haemophilus influenzae.<br>Antimicrobial Agents and Chemotherapy, 2015, 59, 7581-7592. | 3.2               | 15                  |
| 13 | The Sweeping Role of Cholesterol Depletion in the Persistence of Helicobacter pylori Infections.<br>Current Topics in Microbiology and Immunology, 2019, 421, 209-227.   | 1.1               | 5                   |
| 14 | A Future for a Vaccine Against the Cancer-Inducing Bacterium Helicobacter pylori?. , 2020, , 579-596.  |                   | 0                   |