

Niklaus D Labhardt, Mih, Dtm&h

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8903936/publications.pdf>

Version: 2024-02-01

76
papers

1,296
citations

471509

17
h-index

414414

32
g-index

88
all docs

88
docs citations

88
times ranked

2106
citing authors

#	ARTICLE	IF	CITATIONS
1	Dolutegravir in real life: Self-reported mental and physical health outcomes after transitioning from efavirenz to dolutegravir-based antiretroviral therapy in a prospective cohort study in Lesotho. <i>HIV Medicine</i> , 2023, 24, 153-162.	2.2	3
2	Viral suppression after transition from nonnucleoside reverse transcriptase inhibitor to dolutegravir-based antiretroviral therapy: A prospective cohort study in Lesotho (DO-REAL study). <i>HIV Medicine</i> , 2022, 23, 287-293.	2.2	16
3	Association between allergic sensitization and intestinal parasite infection in schoolchildren in Qqerberha, South Africa. <i>Clinical and Experimental Allergy</i> , 2022, , .	2.9	2
4	Severe acute respiratory syndrome coronavirus 2, primary varicella zoster virus coinfection, and a polymicrobial ventilator-associated tracheobronchitis in an adult immunocompetent male: a case report. <i>Journal of Medical Case Reports</i> , 2022, 16, 45.	0.8	1
5	eHealth supported multi-months dispensing of antiretroviral therapy: a mixed-methods preference assessment in rural Lesotho. <i>Pilot and Feasibility Studies</i> , 2022, 8, 61.	1.2	4
6	Sensitive Diagnosis and Post-Treatment Follow-Up of <i>Schistosoma mansoni</i> Infections in Asymptomatic Eritrean Refugees by Circulating Anodic Antigen Detection and Polymerase Chain Reaction. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, 106, 1240-1246.	1.4	10
7	Assessment of a viral load result-triggered automated differentiated service delivery model for people taking ART in Lesotho (the VITAL study): Study protocol of a cluster-randomized trial. <i>PLoS ONE</i> , 2022, 17, e0268100.	2.5	1
8	Community-based care models for arterial hypertension management in non-pregnant adults in sub-Saharan Africa: a literature scoping review and framework for designing chronic services. <i>BMC Public Health</i> , 2022, 22, .	2.9	6
9	The coArTHA trial "identifying the most effective treatment strategies to control arterial hypertension in sub-Saharan Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 77.	1.6	5
10	Emergence of Human Immunodeficiency Virus-1 Drug Resistance During the 3-Month World Health Organization-Recommended Enhanced Adherence Counseling Period in the CART-1 Cohort Study. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab046.	0.9	0
11	Extensive drug resistance during low-level HIV viraemia while taking NNRTI-based ART supports lowering the viral load threshold for regimen switch in resource-limited settings: a pre-planned analysis from the SESOTHO trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1294-1298.	3.0	11
12	How to bring research evidence into policy? Synthesizing strategies of five research projects in low-and middle-income countries. <i>Health Research Policy and Systems</i> , 2021, 19, 29.	2.8	18
13	Reaching Absent and Refusing Individuals During Home-Based HIV Testing Through Self-Testing "at What Cost?". <i>Frontiers in Medicine</i> , 2021, 8, 653677.	2.6	1
14	Community-based models of care for management of type 2 diabetes mellitus among non-pregnant adults in sub-Saharan Africa: a scoping review protocol. <i>F1000Research</i> , 2021, 10, 535.	1.6	6
15	Mental health and resilience among Eritrean refugees at arrival and one-year post-registration in Switzerland: a cohort study. <i>BMC Research Notes</i> , 2021, 14, 281.	1.4	5
16	Same-day antiretroviral therapy initiation for people living with HIV who have tuberculosis symptoms: a systematic review. <i>HIV Medicine</i> , 2021, , .	2.2	8
17	Offering ART refill through community health workers versus clinic-based follow-up after home-based same-day ART initiation in rural Lesotho: The VIBRA cluster-randomized clinical trial. <i>PLoS Medicine</i> , 2021, 18, e1003839.	8.4	8
18	Long-term outcome after SARS-CoV-2 infection in healthcare workers: a single centre cohort study. <i>Swiss Medical Weekly</i> , 2021, 151, w30094.	1.6	8

#	ARTICLE	IF	CITATIONS
19	Post-exposure Lopinavir-Ritonavir Prophylaxis versus Surveillance for Individuals Exposed to SARS-CoV-2: The COPEP Pragmatic Open-Label, Cluster Randomized Trial. <i>EClinicalMedicine</i> , 2021, 42, 101188.	7.1	5
20	The Suboptimal Pediatric HIV Viral Load Cascade. <i>Pediatric Infectious Disease Journal</i> , 2021, Publish Ahead of Print, .	2.0	3
21	Glycaemic control among patients with type 2 diabetes followed in a rural African primary care setting – A reality check in the Democratic Republic of Congo. <i>Primary Care Diabetes</i> , 2020, 14, 139-146.	1.8	9
22	Engagement in Care, Viral Suppression, Drug Resistance, and Reasons for Nonengagement After Home-Based Same-Day Antiretroviral Therapy Initiation in Lesotho: A Two-Year Follow-up of the CASCADE Trial. <i>Clinical Infectious Diseases</i> , 2020, 71, 2608-2614.	5.8	15
23	Genotype-Informed Versus Empiric Management Of VirEmia (GIVE MOVE): study protocol of an open-label randomised clinical trial in children and adolescents living with HIV in Lesotho and Tanzania. <i>BMC Infectious Diseases</i> , 2020, 20, 773.	2.9	2
24	Efficacy of pragmatic same-day ring prophylaxis for adult individuals exposed to SARS-CoV-2 in Switzerland (COPEP): protocol of an open-label cluster randomised trial. <i>BMJ Open</i> , 2020, 10, e040110.	1.9	5
25	Home-based oral self-testing for absent and declining individuals during a door-to-door HIV testing campaign in rural Lesotho (HOSENG): a cluster-randomised trial. <i>Lancet HIV</i> , 2020, 7, e752-e761.	4.7	21
26	Switch to second-line versus continued first-line antiretroviral therapy for patients with low-level HIV-1 viremia: An open-label randomized controlled trial in Lesotho. <i>PLoS Medicine</i> , 2020, 17, e1003325.	8.4	16
27	“If it is left, it becomes easy for me to get tested” Use of oral self-tests and community health workers to maximize the potential of home-based HIV testing among adolescents in Lesotho. <i>Journal of the International AIDS Society</i> , 2020, 23, e25563.	3.0	11
28	Low rates of active hepatitis B and C infections among adults and children living with HIV and taking antiretroviral therapy: A multicenter screening study in Lesotho. <i>Journal of Medical Virology</i> , 2020, 92, 3857-3861.	5.0	1
29	PEBRA trial – effect of a peer-educator coordinated preference-based ART service delivery model on viral suppression among adolescents and young adults living with HIV: protocol of a cluster-randomized clinical trial in rural Lesotho. <i>BMC Public Health</i> , 2020, 20, 425.	2.9	9
30	Title is missing!. , 2020, 17, e1003325.		0
31	Title is missing!. , 2020, 17, e1003325.		0
32	Title is missing!. , 2020, 17, e1003325.		0
33	Title is missing!. , 2020, 17, e1003325.		0
34	The HOSENG trial – Effect of the provision of oral self-testing for absent and refusing individuals during a door-to-door HIV-testing campaign on testing coverage: protocol of a cluster-randomized clinical trial in rural Lesotho. <i>Trials</i> , 2019, 20, 496.	1.6	6
35	VIBRA trial – Effect of village-based refill of ART following home-based same-day ART initiation vs clinic-based ART refill on viral suppression among individuals living with HIV: protocol of a cluster-randomized clinical trial in rural Lesotho. <i>Trials</i> , 2019, 20, 522.	1.6	9
36	Effect and cost of two successive home visits to increase HIV testing coverage: a prospective study in Lesotho, Southern Africa. <i>BMC Public Health</i> , 2019, 19, 1441.	2.9	6

#	ARTICLE	IF	CITATIONS
37	Cardiovascular diseases risk factors among recently arrived Eritrean refugees in Switzerland. BMC Research Notes, 2019, 12, 668.	1.4	3
38	The viral load monitoring cascade in a resource-limited setting: A prospective multicentre cohort study after introduction of routine viral load monitoring in rural Lesotho. PLoS ONE, 2019, 14, e0220337.	2.5	41
39	Emtricitabine and lamivudine concentrations in saliva: a simple suitable test for treatment adherence. Journal of Antimicrobial Chemotherapy, 2019, 74, 2468-2470.	3.0	3
40	Seroprotection rates of vaccine-preventable diseases among newly arrived Eritrean asylum seekers in Switzerland: a cross-sectional study. Journal of Travel Medicine, 2019, 26, .	3.0	14
41	Changing Trends in International Versus Domestic HCV Transmission in HIV-Positive Men Who Have Sex With Men: A Perspective for the Direct-Acting Antiviral Scale-Up Era. Journal of Infectious Diseases, 2019, 220, 91-99.	4.0	24
42	Importance of routine viral load monitoring: higher levels of resistance at ART failure in Uganda and Lesotho compared with Switzerland. Journal of Antimicrobial Chemotherapy, 2019, 74, 468-472.	3.0	9
43	Performance of the point-of-care circulating cathodic antigen (POC-CCA) urine cassette test for follow-up after treatment of S. mansoni infection in Eritrean refugees. Travel Medicine and Infectious Disease, 2019, 28, 59-63.	3.0	16
44	Social Resilience and Mental Health Among Eritrean Asylum-Seekers in Switzerland. Qualitative Health Research, 2019, 29, 222-236.	2.1	29
45	Effect of Offering Same-Day ART vs Usual Health Facility Referral During Home-Based HIV Testing on Linkage to Care and Viral Suppression Among Adults With HIV in Lesotho. JAMA - Journal of the American Medical Association, 2018, 319, 1103.	7.4	199
46	Spectrum of infectious diseases among newly arrived Eritrean refugees in Switzerland: a cross-sectional study. International Journal of Public Health, 2018, 63, 233-239.	2.3	18
47	The Treatment Cascade in Children With Unsuppressed Viral Load—A Reality Check in Rural Lesotho, Southern Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 77, 250-256.	2.1	6
48	Prevalence rates of six selected infectious diseases among African migrants and refugees: a systematic review and meta-analysis. European Journal of Clinical Microbiology and Infectious Diseases, 2018, 37, 605-619.	2.9	14
49	SESOTHO trial (‘‘Switch Either near Suppression Or THOUSAND’’) switch to second-line versus WHO-guided standard of care for unsuppressed patients on first-line ART with viremia below 1000 copies/mL: protocol of a multicenter, parallel-group, open-label, randomized clinical trial in Lesotho, Southern Africa. BMC Infectious Diseases, 2018, 18, 76.	2.9	6
50	Unexpected low soil-transmitted helminth prevalence in the Butha-Buthe district in Lesotho, results from a cross-sectional survey. Parasites and Vectors, 2017, 10, 72.	2.5	6
51	Accuracy of Diagnostic Tests for Schistosoma mansoni Infection in Asymptomatic Eritrean Refugees: Serology and Point-of-Care Circulating Cathodic Antigen Against Stool Microscopy. Clinical Infectious Diseases, 2017, 65, 568-574.	5.8	34
52	Linkage to HIV care after home-based HIV counselling and testing in sub-Saharan Africa: a systematic review. Tropical Medicine and International Health, 2017, 22, 807-821.	2.3	50
53	Metabolic syndrome in patients on first-line antiretroviral therapy containing zidovudine or tenofovir in rural Lesotho, Southern Africa. Tropical Medicine and International Health, 2017, 22, 725-733.	2.3	12
54	When patients fail UNAIDS™ last 90—the ‘‘failure cascade’’ beyond 90-90-90 in rural Lesotho, Southern Africa: a prospective cohort study. Journal of the International AIDS Society, 2017, 20, 21803.	3.0	23

#	ARTICLE	IF	CITATIONS
55	Serum 25-hydroxyvitamin D levels and intramuscular vitamin D3 supplementation among Eritrean migrants recently arrived in Switzerland. <i>Swiss Medical Weekly</i> , 2017, 147, w14568.	1.6	4
56	Alcohol use and depression: link with adherence and viral suppression in adult patients on antiretroviral therapy in rural Lesotho, Southern Africa: a cross-sectional study. <i>BMC Public Health</i> , 2016, 16, 947.	2.9	14
57	Performance of Risk Charts to Guide Targeted HIV Viral Load Monitoring of ART. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, e22-e25.	2.1	1
58	Staphylococcus aureus Endocarditis as a Complication of Toxocariasis-Associated Endomyocarditis With Fibrosis: A Case Report. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw145.	0.9	0
59	Still Far From 90-90-90. <i>Pediatric Infectious Disease Journal</i> , 2016, 35, 78-80.	2.0	6
60	Should viral load thresholds be lowered?. <i>Medicine (United States)</i> , 2016, 95, e3985.	1.0	36
61	Same day ART initiation versus clinic-based pre-ART assessment and counselling for individuals newly tested HIV-positive during community-based HIV testing in rural Lesotho – a randomized controlled trial (CASCADE trial). <i>BMC Public Health</i> , 2016, 16, 329.	2.9	35
62	Is zidovudine first-line therapy virologically comparable to tenofovir in resource-limited settings?. <i>Tropical Medicine and International Health</i> , 2015, 20, 914-918.	2.3	17
63	TB or not TB – Persistent cough, fever and night sweats in a 46-year-old traveler returning from South America. <i>Travel Medicine and Infectious Disease</i> , 2015, 13, 346-348.	3.0	2
64	Higher rates of metabolic syndrome among women taking zidovudine as compared to tenofovir in rural Africa: preliminary data from the CART-1 study. <i>Journal of the International AIDS Society</i> , 2014, 17, 19552.	3.0	4
65	Clinical and socio-demographic predictors for virologic failure in rural Southern Africa: preliminary findings from CART-1. <i>Journal of the International AIDS Society</i> , 2014, 17, 19666.	3.0	14
66	Home-Based Versus Mobile Clinic HIV Testing and Counseling in Rural Lesotho: A Cluster-Randomized Trial. <i>PLoS Medicine</i> , 2014, 11, e1001768.	8.4	81
67	Outcomes of antiretroviral treatment programmes in rural Lesotho: health centres and hospitals compared. <i>Journal of the International AIDS Society</i> , 2013, 16, 18616.	3.0	17
68	Outcomes of Antiretroviral Treatment Programs in Rural Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, e9-e16.	2.1	68
69	A Clinical Prediction Score in Addition to WHO Criteria for Anti-Retroviral Treatment Failure in Resource-Limited Settings - Experience from Lesotho. <i>PLoS ONE</i> , 2012, 7, e47937.	2.5	15
70	Adoption of new HIV treatment guidelines and drug substitutions within first-line as a measure of quality of care in rural Lesotho: health centers and hospitals compared. <i>Tropical Medicine and International Health</i> , 2012, 17, 1245-1254.	2.3	15
71	Improved retention rates with low-cost interventions in hypertension and diabetes management in a rural African environment of nurse-led care: a cluster-randomised trial. <i>Tropical Medicine and International Health</i> , 2011, 16, 1276-1284.	2.3	60
72	Task shifting to non-physician clinicians for integrated management of hypertension and diabetes in rural Cameroon: a programme assessment at two years. <i>BMC Health Services Research</i> , 2010, 10, 339.	2.2	106

#	ARTICLE	IF	CITATIONS
73	Bridging the gap: how traditional healers interact with their patients. A comparative study in Cameroon. <i>Tropical Medicine and International Health</i> , 2010, 15, no-no.	2.3	26
74	Provider-patient interaction in rural Cameroon-How it relates to the patient's understanding of diagnosis and prescribed drugs, the patient's concept of illness, and access to therapy. <i>Patient Education and Counseling</i> , 2009, 76, 196-201.	2.2	15
75	Early assessment of the implementation of a national programme for the prevention of mother-to-child transmission of HIV in Cameroon and the effects of staff training: a survey in 70 rural health care facilities. <i>Tropical Medicine and International Health</i> , 2009, 14, 288-293.	2.3	19
76	Community-based care models for arterial hypertension management in non-pregnant adults in sub-Saharan Africa: A scoping review protocol. <i>F1000Research</i> , 0, 10, 487.	1.6	1