

Luigi Tornillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8909307/publications.pdf>

Version: 2024-02-01

123
papers

7,459
citations

36303

51
h-index

58581

82
g-index

126
all docs

126
docs citations

126
times ranked

11934
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical impact of programmed cell death ligand 1 expression in colorectal cancer. <i>European Journal of Cancer</i> , 2013, 49, 2233-2242.	2.8	384
2	Long noncoding RNA HOTTIP/HOXA13 expression is associated with disease progression and predicts outcome in hepatocellular carcinoma patients. <i>Hepatology</i> , 2014, 59, 911-923.	7.3	382
3	Diagnostic value of HSP70, glypican 3, and glutamine synthetase in hepatocellular nodules in cirrhosis. <i>Hepatology</i> , 2007, 45, 725-734.	7.3	379
4	High frequency of tumor-infiltrating FOXP3 ⁺ regulatory T cells predicts improved survival in mismatch repair-proficient colorectal cancer patients. <i>International Journal of Cancer</i> , 2010, 126, 2635-2643.	5.1	287
5	Glypican 3 Expression in Human Nonneoplastic, Preneoplastic, and Neoplastic Tissues. <i>American Journal of Clinical Pathology</i> , 2008, 129, 899-906.	0.7	229
6	The homeobox intestinal differentiation factor CDX2 is selectively expressed in gastrointestinal adenocarcinomas. <i>Modern Pathology</i> , 2004, 17, 1392-1399.	5.5	194
7	YAP promotes proliferation, chemoresistance, and angiogenesis in human cholangiocarcinoma through TEAD transcription factors. <i>Hepatology</i> , 2015, 62, 1497-1510.	7.3	187
8	Human and Mouse VEGFA-Amplified Hepatocellular Carcinomas Are Highly Sensitive to Sorafenib Treatment. <i>Cancer Discovery</i> , 2014, 4, 730-743.	9.4	165
9	Hepatoid Adenocarcinoma With Liver Metastasis Mimicking Hepatocellular Carcinoma. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1302-1312.	3.7	160
10	Is the improved prognosis of p16 positive oropharyngeal squamous cell carcinoma dependent of the treatment modality?. <i>International Journal of Cancer</i> , 2010, 126, 1256-1262.	5.1	156
11	The Interplay Between Neutrophils and CD8+ T Cells Improves Survival in Human Colorectal Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 3847-3858.	7.0	151
12	Enhanced Expression of ANO1 in Head and Neck Squamous Cell Carcinoma Causes Cell Migration and Correlates with Poor Prognosis. <i>PLoS ONE</i> , 2012, 7, e43265.	2.5	135
13	Expression of Voltage-Gated Potassium Channels in Human and Mouse Colonic Carcinoma. <i>Clinical Cancer Research</i> , 2007, 13, 824-831.	7.0	132
14	Loss of Raf-1 Kinase Inhibitor Protein Expression Is Associated With Tumor Progression and Metastasis in Colorectal Cancer. <i>American Journal of Clinical Pathology</i> , 2007, 127, 820-827.	0.7	119
15	Histopathologic Features and Microsatellite Instability of Cancers of the Papilla of Vater and Their Precursor Lesions. <i>American Journal of Surgical Pathology</i> , 2009, 33, 691-704.	3.7	114
16	Notch2 signaling promotes biliary epithelial cell fate specification and tubulogenesis during bile duct development in mice. <i>Hepatology</i> , 2009, 50, 871-879.	7.3	112
17	NK cells and T cells cooperate during the clinical course of colorectal cancer. <i>Oncolmmunology</i> , 2014, 3, e952197.	4.6	110
18	Disruption of Notch1 Induces Vascular Remodeling, Intussusceptive Angiogenesis, and Angiosarcomas in Livers of Mice. <i>Gastroenterology</i> , 2012, 142, 967-977.e2.	1.3	108

#	ARTICLE	IF	CITATIONS
19	Hepatocyte Paraffin 1 Expression in Human Normal and Neoplastic Tissues. American Journal of Clinical Pathology, 2004, 122, 721-727.	0.7	105
20	HER2, TOP2A, CCND1, EGFR and C-MYC oncogene amplification in colorectal cancer. Journal of Clinical Pathology, 2006, 60, 768-772.	2.0	103
21	Constitutive Notch2 signaling induces hepatic tumors in mice. Hepatology, 2013, 57, 1607-1619.	7.3	102
22	HLA Class II Antigen Expression in Colorectal Carcinoma Tumors as a Favorable Prognostic Marker. Neoplasia, 2014, 16, 31-W15.	5.3	99
23	Tumor budding in colorectal cancer revisited: results of a multicenter interobserver study. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 466, 485-493.	2.8	94
24	High Myeloperoxidase Positive Cell Infiltration in Colorectal Cancer Is an Independent Favorable Prognostic Factor. PLoS ONE, 2013, 8, e64814.	2.5	92
25	Tumor infiltration by Fc γ RIII (CD16)+ myeloid cells is associated with improved survival in patients with colorectal carcinoma. International Journal of Cancer, 2011, 128, 2663-2672.	5.1	88
26	The RNA-Binding Protein RBM3 Is Required for Cell Proliferation and Protects Against Serum Deprivation-Induced Cell Death. Pediatric Research, 2010, 67, 35-41.	2.3	86
27	Calcifying Fibrous Tumor of the Stomach: Clinicopathologic and Molecular Study of Seven Cases With Literature Review and Reappraisal of Histogenesis. American Journal of Surgical Pathology, 2010, 34, 271-278.	3.7	83
28	Loss of the CBX7 protein expression correlates with a more aggressive phenotype in pancreatic cancer. European Journal of Cancer, 2010, 46, 1438-1444.	2.8	83
29	EphB2 Expression across 138 Human Tumor Types in a Tissue Microarray: High Levels of Expression in Gastrointestinal Cancers. Clinical Cancer Research, 2005, 11, 6450-6458.	7.0	81
30	Loss of p16 protein defines high-risk patients with gastrointestinal stromal tumors: a tissue microarray study. Clinical Cancer Research, 2005, 11, 638-45.	7.0	77
31	The loss of the CBX7 gene expression represents an adverse prognostic marker for survival of colon carcinoma patients. European Journal of Cancer, 2010, 46, 2304-2313.	2.8	76
32	Microscopic Gastrointestinal Stromal Tumors in Esophageal and Intestinal Surgical Resection Specimens. American Journal of Surgical Pathology, 2008, 32, 867-873.	3.7	74
33	Prognostic significance of mammalian sterile20-like kinase 1 in colorectal cancer. Modern Pathology, 2007, 20, 331-338.	5.5	69
34	Galectin-1 and Its Involvement in Hepatocellular Carcinoma Aggressiveness. Molecular Medicine, 2010, 16, 102-115.	4.4	69
35	Screening for ALK in non-small cell lung carcinomas: 5A4 and D5F3 antibodies perform equally well, but combined use with FISH is recommended. Lung Cancer, 2015, 89, 104-109.	2.0	69
36	Clinical Features and Genotype-Phenotype Correlations in Children With Progressive Familial Intrahepatic Cholestasis Type 3 Related to ABCB4 Mutations. Journal of Pediatric Gastroenterology and Nutrition, 2011, 52, 73-83.	1.8	64

#	ARTICLE	IF	CITATIONS
37	Silencing of the <i>SEC62</i> gene inhibits migratory and invasive potential of various tumor cells. <i>International Journal of Cancer</i> , 2011, 128, 2284-2295.	5.1	61
38	Melanoma Cells Inhibit NK Cell Functions Letter. <i>Cancer Research</i> , 2012, 72, 5428-5429.	0.9	61
39	Patterns of gene amplification in gastrointestinal stromal tumors (GIST). <i>Laboratory Investigation</i> , 2005, 85, 921-931.	3.7	60
40	Loss of APAF-1 expression is associated with tumour progression and adverse prognosis in colorectal cancer. <i>European Journal of Cancer</i> , 2007, 43, 1101-1107.	2.8	60
41	Close association between HER-2 amplification and overexpression in human tumors of non-breast origin. <i>Modern Pathology</i> , 2007, 20, 192-198.	5.5	60
42	The <i>HOX</i> gene network in hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2011, 129, 2577-2587.	5.1	60
43	Bioreactor-engineered cancer tissue-like structures mimic phenotypes, gene expression profiles and drug resistance patterns observed in vivo. <i>Biomaterials</i> , 2015, 62, 138-146.	11.4	59
44	Marked genetic similarities between hepatitis B virus-positive and hepatitis C virus-positive hepatocellular carcinomas. <i>Journal of Pathology</i> , 2000, 192, 307-312.	4.5	58
45	Chromosomal Alterations in Hepatocellular Nodules by Comparative Genomic Hybridization: High-Grade Dysplastic Nodules Represent Early Stages of Hepatocellular Carcinoma. <i>Laboratory Investigation</i> , 2002, 82, 547-554.	3.7	58
46	Differential significance of tumour infiltrating lymphocytes in sporadic mismatch repair deficient versus proficient colorectal cancers: A potential role for dysregulation of the transforming growth factor- β^2 pathway. <i>European Journal of Cancer</i> , 2007, 43, 624-631.	2.8	57
47	Interferon- γ -Stimulated Genes, but Not USP18, Are Expressed in Livers of Patients With Acute Hepatitis C. <i>Gastroenterology</i> , 2012, 143, 777-786.e6.	1.3	57
48	GM-CSF Production by Tumor Cells Is Associated with Improved Survival in Colorectal Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 3094-3106.	7.0	57
49	NY-ESO-1/LAGE-1 coexpression with MAGE-A cancer/testis antigens: A tissue microarray study. <i>International Journal of Cancer</i> , 2005, 115, 960-966.	5.1	54
50	Defective Infiltration of Natural Killer Cells in MICA/B-Positive Renal Cell Carcinoma Involves β^2 -Integrin-Mediated Interaction. <i>Neoplasia</i> , 2009, 11, 662-671.	5.3	54
51	MAGE-A Antigens and Cancer Immunotherapy. <i>Frontiers in Medicine</i> , 2017, 4, 18.	2.6	54
52	Hepatocyte Paraffin 1 Expression in Human Normal and Neoplastic Tissues: Tissue Microarray Analysis on 3,940 Tissue Samples. <i>American Journal of Clinical Pathology</i> , 2004, 122, 721-727.	0.7	54
53	HOX D13 expression across 79 tumor tissue types. <i>International Journal of Cancer</i> , 2009, 125, 1532-1541.	5.1	53
54	Overexpression of the receptor for hyaluronic acid mediated motility is an independent adverse prognostic factor in colorectal cancer. <i>Modern Pathology</i> , 2006, 19, 1302-1309.	5.5	51

#	ARTICLE	IF	CITATIONS
55	Multiple Sporadic Gastrointestinal Stromal Tumors (GISTs) of the Proximal Stomach are Caused by Different Somatic KIT Mutations Suggesting a Field Effect. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1553-1559.	3.7	51
56	Chromosomal imbalances in small cell carcinomas of the urinary bladder. , 1999, 189, 230-235.		50
57	Tenascin α W, a new marker of cancer stroma, is elevated in sera of colon and breast cancer patients. <i>International Journal of Cancer</i> , 2008, 122, 2454-2461.	5.1	50
58	Activation of Pro-Inflammatory and Anti-Inflammatory Cytokines in Host Organs During Chronic Allograft Rejection: Role of Endothelin Receptor Signaling. <i>American Journal of Transplantation</i> , 2005, 5, 1042-1049.	4.7	47
59	Systematic assessment of the prognostic impact of membranous CD44v6 protein expression in colorectal cancer. <i>Histopathology</i> , 2009, 55, 564-575.	2.9	46
60	MAGE α 10 is a nuclear protein frequently expressed in high percentages of tumor cells in lung, skin and urothelial malignancies. <i>International Journal of Cancer</i> , 2011, 129, 1137-1148.	5.1	46
61	Clinical Significance of Cell Cycle α and Apoptosis-Related Markers in Biliary Tract Cancer. <i>American Journal of Clinical Pathology</i> , 2008, 130, 780-786.	0.7	45
62	Malignant Gastrointestinal Leiomyosarcoma and Gastrointestinal Stromal Tumor With Prominent Osteoclast-like Giant Cells. <i>Archives of Pathology and Laboratory Medicine</i> , 2004, 128, 440-443.	2.5	44
63	Comparative genomic hybridization analysis of hepatoblastoma reveals high frequency of X-chromosome gains and similarities between epithelial and stromal components. <i>Human Pathology</i> , 2003, 34, 864-871.	2.0	41
64	HMGA1 Expression in Human Hepatocellular Carcinoma Correlates with Poor Prognosis and Promotes Tumor Growth and Migration in in vitro Models. <i>Neoplasia</i> , 2016, 18, 724-731.	5.3	41
65	High expression of HOXA13 correlates with poorly differentiated hepatocellular carcinomas and modulates sorafenib response in in vitro models. <i>Laboratory Investigation</i> , 2018, 98, 95-105.	3.7	41
66	Role of the mitogen-activated protein kinase and phosphoinositide 3-kinase/AKT pathways downstream molecules, phosphorylated extracellular signal α regulated kinase, and phosphorylated AKT in colorectal cancer α A tissue microarray α based approach α †. <i>Human Pathology</i> , 2006, 37, 1022-1031.	2.0	40
67	A Spectrum of Histopathologic Findings in Autoimmune Liver Disease. <i>American Journal of Clinical Pathology</i> , 2000, 114, 705-711.	0.7	39
68	OX40 expression enhances the prognostic significance of CD8 positive lymphocyte infiltration in colorectal cancer. <i>Oncotarget</i> , 2015, 6, 37588-37599.	1.8	37
69	PED is overexpressed and mediates TRAIL resistance in human non α small cell lung cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 2416-2426.	3.6	36
70	Co α overexpression of p21 and Ki α 67 in head and neck squamous cell carcinoma relative to a significantly poor prognosis. <i>Head and Neck</i> , 2011, 33, 267-273.	2.0	32
71	Multiple sporadic gastrointestinal stromal tumours arising at different gastrointestinal sites: pattern of involvement of the muscularis propria as a clue to independent primary GISTs. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 101-108.	2.8	31
72	Frequency, phenotype, and genotype of minute gastrointestinal stromal tumors in the stomach: an autopsy study. <i>Human Pathology</i> , 2011, 42, 1849-1854.	2.0	30

#	ARTICLE	IF	CITATIONS
73	Effect of EpCAM, CD44, CD133 and CD166 expression on patient survival in tumours of the ampulla of Vater. <i>Journal of Clinical Pathology</i> , 2012, 65, 140-145.	2.0	30
74	The clinical impact of p16 status in fine-needle aspirates of cervical lymph node metastasis of head and neck squamous cell carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 661-667.	1.6	29
75	Prognostic Value of Cell Cycle and Apoptosis Regulatory Proteins in Mismatch Repair-Proficient Colorectal Cancer. <i>American Journal of Clinical Pathology</i> , 2007, 127, 114-123.	0.7	25
76	Endothelin inhibition delays onset of hyperglycemia and associated vascular injury in type I diabetes: Evidence for endothelin release by pancreatic islet β -cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 689-695.	2.1	24
77	Transcriptional regulation of vascular bone morphogenetic protein by endothelin receptors in early autoimmune diabetes mellitus. <i>Life Sciences</i> , 2006, 78, 2213-2218.	4.3	24
78	Is immunohistochemical epidermal growth factor receptor expression overestimated as a prognostic factor in head-neck squamous cell carcinoma?. <i>Human Pathology</i> , 2008, 39, 1527-1534.	2.0	24
79	Hepatocellular Carcinoma Xenografts Established From Needle Biopsies Preserve the Characteristics of the Originating Tumors. <i>Hepatology Communications</i> , 2019, 3, 971-986.	4.3	24
80	DNA methylation instability by BRAF-mediated TET silencing and lifestyle-exposure divides colon cancer pathways. <i>Clinical Epigenetics</i> , 2019, 11, 196.	4.1	22
81	Skp2 expression is associated with high risk and elevated Ki67 expression in gastrointestinal stromal tumours. <i>BMC Cancer</i> , 2008, 8, 134.	2.6	21
82	Differential cell cycle and proliferation marker expression in ductal pancreatic adenocarcinoma and pancreatic intraepithelial neoplasia (PanIN). <i>Pathology</i> , 2010, 42, 229-234.	0.6	21
83	VEGFA gene locus (6p12) amplification identifies a small but highly aggressive subgroup of colorectal patients. <i>Modern Pathology</i> , 2011, 24, 1404-1412.	5.5	20
84	VEGFA gene locus analysis across 80 human tumour types reveals gene amplification in several neoplastic entities. <i>Angiogenesis</i> , 2014, 17, 519-527.	7.2	20
85	An unusual association of malignant gastrointestinal neuroectodermal tumor (clear cell) Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50	2.3	20
86	Absence of myeloperoxidase and CD8 positive cells in colorectal cancer infiltrates identifies patients with severe prognosis. <i>Oncolmmunology</i> , 2015, 4, e1050574.	4.6	20
87	Clinicopathological Features and Metastatic Pattern of Hepatocellular Carcinoma: An Autopsy Study of 398 Patients. <i>Pathobiology</i> , 2016, 83, 301-307.	3.8	20
88	Low prevalence of SV40 in Swiss mesothelioma patients after elimination of false-positive PCR results. <i>Lung Cancer</i> , 2007, 57, 282-291.	2.0	19
89	Human Papillomavirus (HPV) Detection in Cytologic Specimens: Similarities and Differences of Available Methodology. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017, 25, 184-189.	1.2	17
90	High Frequency of CD8 Positive Lymphocyte Infiltration Correlates with Lack of Lymph Node Involvement in Early Rectal Cancer. <i>Disease Markers</i> , 2014, 2014, 1-7.	1.3	16

#	ARTICLE	IF	CITATIONS
91	Colorectal carcinoma infiltration by myeloperoxidase-expressing neutrophil granulocytes is associated with favorable prognosis. <i>OncImmunology</i> , 2013, 2, e25990.	4.6	15
92	Gastrointestinal Stromal Tumor – An Evolving Concept. <i>Frontiers in Medicine</i> , 2014, 1, 43.	2.6	15
93	Vascular endothelial growth factor A amplification in colorectal cancer is associated with reduced M1 and M2 macrophages and diminished PD-1-expressing lymphocytes. <i>PLoS ONE</i> , 2017, 12, e0175563.	2.5	15
94	Infiltration by IL22-Producing T Cells Promotes Neutrophil Recruitment and Predicts Favorable Clinical Outcome in Human Colorectal Cancer. <i>Cancer Immunology Research</i> , 2020, 8, 1452-1462.	3.4	15
95	Low Expression of Programmed Death 1 (PD-1), PD-1 Ligand 1 (PD-L1), and Low CD8+ T Lymphocyte Infiltration Identify a Subgroup of Patients With Gastric and Esophageal Adenocarcinoma With Severe Prognosis. <i>Frontiers in Medicine</i> , 2020, 7, 144.	2.6	15
96	Immunophenotyping and oncogene amplifications in tumors of the papilla of Vater. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 453, 579-588.	2.8	14
97	KRAS Mutation Testing in Colorectal Cancer. <i>Diagnostic Molecular Pathology</i> , 2012, 21, 14-23.	2.1	14
98	Acinic Cell Carcinoma of the Breast Arising in Microglandular Adenosis. <i>Case Reports in Pathology</i> , 2013, 2013, 1-6.	0.3	13
99	Downregulation of the Endothelial Genes Notch1 and EphrinB2 in Patients with Nodular Regenerative Hyperplasia. <i>Liver International</i> , 2014, 34, 594-603.	3.9	13
100	Combined Histomorphologic and Immunohistochemical Phenotype to Predict the Presence of Vascular Invasion in Colon Cancer. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1114-1121.	1.3	12
101	Hands-On Experience: Accreditation of Pathology Laboratories according to ISO 15189. <i>Pathobiology</i> , 2017, 84, 121-129.	3.8	12
102	Coexistence of Primary Gastric Giant Cell-Rich Leiomyosarcoma and Gastrointestinal Stromal Tumor. <i>International Journal of Surgical Pathology</i> , 2012, 20, 74-78.	0.8	11
103	PipeIT. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 884-894.	2.8	11
104	Identification of New Players in Hepatocarcinogenesis: Limits and Opportunities of Using Tissue Microarray (TMA). <i>Microarrays (Basel, Switzerland)</i> , 2014, 3, 91-102.	1.4	10
105	Hepatic Notch1 deletion predisposes to diabetes and steatosis via glucose-6-phosphatase and perilipin-5 upregulation. <i>Laboratory Investigation</i> , 2016, 96, 972-980.	3.7	10
106	Chromosomal instability in gastric mucosa-associated lymphoid tissue lymphomas: a fluorescent in situ hybridization study using a tissue microarray approach. <i>Human Pathology</i> , 2008, 39, 536-542.	2.0	9
107	Expression of CD24, P-cadherin and S100A4 in tumors of the ampulla of Vater. <i>Modern Pathology</i> , 2009, 22, 306-313.	5.5	9
108	Case report: appearance of an intestinal metastasis from intrahepatic cholangiocarcinoma occurring 5 years after resection of the primary tumor. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 892-894.	1.6	9

#	ARTICLE	IF	CITATIONS
109	SH2D4A is frequently downregulated in hepatocellular carcinoma and cirrhotic nodules. <i>European Journal of Cancer</i> , 2014, 50, 731-738.	2.8	9
110	KIT, PDGFR α and EGFR analysis in nephroblastoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 637-650.	2.8	6
111	Molecular Profile of Gastrointestinal Stromal Tumors in Sixty-Eight Patients from a Single Swiss Institution. <i>Pathobiology</i> , 2020, 87, 171-178.	3.8	6
112	Incarcerated Umbilical Hernia of Unexpected Origin: A Primitive Neuroectodermal Tumor With Early Recurrence. <i>Journal of Clinical Oncology</i> , 2014, 32, e3-e6.	1.6	5
113	Nestin and CD34 expression in colorectal cancer predicts improved overall survival. <i>Acta Oncologica</i> , 2021, 60, 727-734.	1.8	5
114	The Genomic Landscape of Serrated Lesion of the Colorectum: Similarities and Differences With Tubular and Tubulovillous Adenomas. <i>Frontiers in Oncology</i> , 2021, 11, 668466.	2.8	4
115	Clinicopathologic and immunohistochemical study of surgically treated primary gastric MALT lymphoma. <i>Journal of Surgical Oncology</i> , 2003, 83, 106-111.	1.7	3
116	Sensitive detection methods are key to identify secondary EGFR c.2369C>T p.(Thr790Met) in non-small cell lung cancer tissue samples. <i>BMC Cancer</i> , 2020, 20, 366.	2.6	3
117	Impaired vascular function in normoglycemic mice prone to autoimmune diabetes: Role of nitric oxide. <i>European Journal of Pharmacology</i> , 2007, 557, 161-167.	3.5	2
118	Re-Punching Tissue Microarrays Is Possible: Why Can This Be Useful and How to Do It. <i>Microarrays (Basel, Switzerland)</i> , 2015, 4, 245-254.	1.4	2
119	Diffuse Minute Clear Cell Proliferation in Kidney: Case Report and Review of Literature. <i>Urology</i> , 2009, 73, 443.e9-443.e11.	1.0	1
120	Biology of gastrointestinal stromal tumour and mechanisms of imatinib resistance. <i>Diagnostic Histopathology</i> , 2013, 19, 203-210.	0.4	1
121	11 CDX2 Immunostaining in Primary and Secondary Ovarian Carcinomas. <i>Handbook of Immunohistochemistry and in Situ Hybridization of Human Carcinomas</i> , 2005, 4, 393-397.	0.0	0
122	Salmonella enterocolitis and hemorrhagic shock. <i>Gastrointestinal Endoscopy</i> , 2007, 65, 1077-1078.	1.0	0
123	Medikament \ddot{u} s-toxischer Leberschaden (DILI). <i>Pathologie</i> , 2020, , 117-157.	0.0	0