

Simin Kiany

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8919902/publications.pdf>

Version: 2024-02-01

13
papers

344
citations

933447

10
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

609
citing authors

#	ARTICLE	IF	CITATIONS
1	The Histone Deacetylase Inhibitor Entinostat/Syndax 275 in Osteosarcoma. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1257, 75-83.	1.6	11
2	Monitoring of intracerebellarly-administered natural killer cells with fluorine-19 MRI. <i>Journal of Neuro-Oncology</i> , 2019, 142, 395-407.	2.9	25
3	Effect of entinostat on NK cell-mediated cytotoxicity against osteosarcoma cells and osteosarcoma lung metastasis. <i>Oncolmmunology</i> , 2017, 6, e1333214.	4.6	32
4	Aerosol Delivery of Interleukin-2 in Combination with Adoptive Transfer of Natural Killer Cells for the Treatment of Lung Metastasis: Methodology and Effect. <i>Methods in Molecular Biology</i> , 2016, 1441, 285-295.	0.9	8
5	The Narrow-Spectrum HDAC Inhibitor Entinostat Enhances NKG2D Expression Without NK Cell Toxicity, Leading to Enhanced Recognition of Cancer Cells. <i>Pharmaceutical Research</i> , 2015, 32, 779-792.	3.5	86
6	The role of IL15 gene variants in visceral leishmaniasis among Iranian patients. <i>Molecular Biology Reports</i> , 2013, 40, 5151-5157.	2.3	5
7	Interleukin-17A genetic variants can confer resistance to brucellosis in Iranian population. <i>Cytokine</i> , 2013, 61, 297-303.	3.2	22
8	New immunological investigations on <i>Helicobacter pylori</i> -induced gastric ulcer in patients. <i>Microbiology and Immunology</i> , 2013, 57, 455-462.	1.4	10
9	Toll-like receptor 4 (TLR4) polymorphisms in Iranian patients with visceral leishmaniasis. <i>Molecular Biology Reports</i> , 2012, 39, 10795-10802.	2.3	18
10	IL-1 β ($\hat{\sim}$ 511T/C) gene polymorphism not IL-1 β (+3953T/C) and LT-1 \pm (+252A/G) gene variants confers susceptibility to visceral leishmaniasis. <i>Molecular Biology Reports</i> , 2012, 39, 6907-6914.	2.3	25
11	Interleukin-18 single nucleotide polymorphisms contribute to the susceptibility to brucellosis in Iranian patients. <i>Cytokine</i> , 2011, 54, 272-276.	3.2	15
12	Association of interferon-gamma and interleukin-4 gene polymorphisms with susceptibility to brucellosis in Iranian patients. <i>Cytokine</i> , 2007, 38, 49-53.	3.2	38
13	Association study of IL-10 and IFN- β gene polymorphisms in Iranian women with preeclampsia. <i>Journal of Reproductive Immunology</i> , 2006, 72, 118-126.	1.9	48