## Naohiro Yonemoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8922277/publications.pdf

Version: 2024-02-01

257450 114465 5,007 65 24 63 citations g-index h-index papers 69 69 69 10567 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	A Retrospective Cohort Study on Mortality and Neurodevelopmental Outcomes of Preterm Very Low Birth Weight Infants Born to Mothers with Hypertensive Disorders of Pregnancy. American Journal of Perinatology, 2022, 39, 1465-1477.	1.4	4
2	Real world data and data science in medical research: present and future. Japanese Journal of Statistics and Data Science, 2022, 5, 769-781.	1.2	6
3	Predictive factors for recurrent suicide attempts: Evidence from the ACTION†study. , 2022, 1, .		O
4	Association between prenatal exposure to antidepressants and neonatal morbidity: An analysis of real-world data from a nationwide claims database in Japan. Journal of Affective Disorders, 2022, 310, 60-67.	4.1	5
5	Issues of infant feeding for postnatal prevention of human Tâ€cell leukemia/lymphoma virus typeâ€1 motherâ€toâ€child transmission. Pediatrics International, 2021, 63, 284-289.	0.5	8
6	The Effect of Early Postnatal Nutrition on Human T Cell Leukemia Virus Type 1 Mother-to-Child Transmission: A Systematic Review and Meta-Analysis. Viruses, 2021, 13, 819.	3.3	6
7	Predicting the environmental suitability for onchocerciasis in Africa as an aid to elimination planning. PLoS Neglected Tropical Diseases, 2021, 15, e0008824.	3.0	10
8	Impact of Induced Therapeutic Hypothermia by Intravenous Infusion of Ice-Cold Fluids After Hospital Arrival in Comatose Survivors of Out-of-Hospital Cardiac Arrest With Initial Shockable Rhythm. Circulation Journal, 2021, 85, 1842-1848.	1.6	4
9	Effectiveness of assertive case management for patients with suicidal intent. Psychiatry Research, 2021, 304, 114125.	3.3	3
10	Impacts of early intervention on family outcomes: A multicenter cross-sectional study in Japan. Disability and Health Journal, 2020, 13, 100832.	2.8	1
11	Response to "suicide prevention among patients with cancer". General Hospital Psychiatry, 2020, 64, 123.	2.4	1
12	Hopelessness is associated with repeated suicidal behaviors after discharge in patients admitted to emergency departments for attempted suicide. Journal of Affective Disorders, 2020, 272, 170-175.	4.1	9
13	Implementation of nationwide screening of pregnant women for HTLV-1 infection in Japan: analysis of a repeated cross-sectional study. BMC Public Health, 2020, 20, 1150.	2.9	9
14	Twoâ€day assertiveâ€caseâ€management educational program for medical personnel to prevent suicide attempts: A multicenter pre–post observational study. Psychiatry and Clinical Neurosciences, 2020, 74, 362-370.	1.8	8
15	Association of the time to first epinephrine administration and outcomes in out-of-hospital cardiac arrest: SOS-KANTO 2012 study. American Journal of Emergency Medicine, 2019, 37, 241-248.	1.6	15
16	Interventions to prevent suicidal behavior and ideation for patients with cancer: A systematic review. General Hospital Psychiatry, 2019, 60, 98-110.	2.4	24
17	Association between patients' feedback comments and depressive mood, satisfaction, homework conducted, and dropouts during selfâ€guided smartphone cognitive behavioral therapy. Psychiatry and Clinical Neurosciences, 2019, 73, 349-350.	1.8	0
18	Differences in Cerebral Aneurysm Rupture Rate According to Arterial Anatomies Depend on the Hemodynamic Environment. American Journal of Neuroradiology, 2019, 40, 834-839.	2.4	10

#	Article	IF	Citations
19	Gatekeeper training for suicidal behaviors: A systematic review. Journal of Affective Disorders, 2019, 246, 506-514.	4.1	56
20	Implementation of gatekeeper training programs for suicide prevention in Japan: a systematic review. International Journal of Mental Health Systems, 2019, 13, 2.	2.7	12
21	Changes in survival and neurodevelopmental outcomes of infants born at <25 weeks' gestation: a retrospective observational study in tertiary centres in Japan. BMJ Paediatrics Open, 2018, 2, e000211.	1.4	48
22	Obesity was associated with worse neurological outcome among Japanese patients with out-of-hospital cardiac arrest. Intensive Care Medicine, 2018, 44, 665-666.	8.2	12
23	Social involvement issues in patients with Becker muscular dystrophy: A questionnaire survey of subjects from a patient registry. Brain and Development, 2018, 40, 268-277.	1.1	12
24	Predictors of Cardioembolic Stroke in Japanese Patients with Atrial Fibrillation in the Fushimi AF Registry. Cerebrovascular Diseases Extra, 2018, 8, 50-59.	1.5	7
25	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016. JAMA Oncology, 2018, 4, 1553.	7.1	1,260
26	Characteristics of Japanese Patients with Becker Muscular Dystrophy and Intermediate Muscular Dystrophy in a Japanese National Registry of Muscular Dystrophy (Remudy): Heterogeneity and Clinical Variation. Journal of Neuromuscular Diseases, 2018, 5, 193-203.	2.6	12
27	Optimising first- and second-line treatment strategies for untreated major depressive disorder — the SUNâ <sup>-</sup> D study: a pragmatic, multi-centre, assessor-blinded randomised controlled trial. BMC Medicine, 2018, 16, 103.	5.5	49
28	Maternal socio-demographic and psychological predictors for risk of developmental delays among young children in Mongolia. BMC Pediatrics, 2018, 18, 68.	1.7	6
29	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	7.4	189
30	Burden of musculoskeletal disorders in the Eastern Mediterranean Region, 1990–2013: findings from the Global Burden of Disease Study 2013. Annals of the Rheumatic Diseases, 2017, 76, 1365-1373.	0.9	81
31	Global Cardiovascular and Renal Outcomes of Reduced GFR. Journal of the American Society of Nephrology: JASN, 2017, 28, 2167-2179.	6.1	194
32	Assessing archetypes of organizational culture based on the Competing Values Framework: the experimental use of the framework in Japanese neonatal intensive care units. International Journal for Quality in Health Care, 2017, 29, 384-391.	1.8	7
33	Early Lactate Clearance Is Associated With Improved Outcomes in Patients With Postcardiac Arrest Syndrome: A Prospective, Multicenter Observational Study (SOS-KANTO 2012 Study). Critical Care Medicine, 2017, 45, e559-e566.	0.9	46
34	The Burden of Primary Liver Cancer and Underlying Etiologies From 1990 to 2015 at the Global, Regional, and National Level. JAMA Oncology, 2017, 3, 1683.	7.1	1,448
35	Mechanical Cardiopulmonary Resuscitation and Hospital Survival Among Adult Patients With Nontraumatic Outâ€ofâ€Hospital Cardiac Arrest Attending the Emergency Department: A Prospective, Multicenter, Observational Study in Japan (SOSâ€KANTO [Survey of Survivors after Outâ€ofâ€Hospital) Tj ETQq	1 1 <sup>3</sup> 0.784	3149gBT/C
36	Association between cardiopulmonary resuscitation duration and one-month neurological outcomes for out-of-hospital cardiac arrest: a prospective cohort study. BMC Anesthesiology, 2017, 17, 59.	1.8	13

#	Article	IF	CITATIONS
37	Does the number of emergency medical technicians affect the neurological outcome of patients with out-of-hospital cardiac arrest?. American Journal of Emergency Medicine, 2017, 35, 391-396.	1.6	12
38	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575.	2.5	102
39	Smartphone Cognitive Behavioral Therapy as an Adjunct to Pharmacotherapy for Refractory Depression: Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e373.	4.3	125
40	Does Antiarrhythmic Drug During Cardiopulmonary Resuscitation Improve the One-month Survival: The SOS-KANTO 2012 Study. Journal of Cardiovascular Pharmacology, 2016, 68, 58-66.	1.9	7
41	Renal dysfunction can be a common complication in patients with myotonic dystrophy 1. Journal of the Neurological Sciences, 2016, 368, 266-271.	0.6	6
42	Trends in steroid therapy for Duchenne muscular dystrophy in Japan. Muscle and Nerve, 2016, 54, 673-680.	2.2	5
43	Early inhaled steroid use in extremely low birthweight infants: a randomised controlled trial. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2016, 101, F552-F556.	2.8	33
44	Burden of Diarrhea in the Eastern Mediterranean Region, 1990–2013: Findings from the Global Burden of Disease Study 2013. American Journal of Tropical Medicine and Hygiene, 2016, 95, 1319-1329.	1.4	27
45	Applying the termination of resuscitation rules to out-of-hospital cardiac arrests of both cardiac and non-cardiac etiologies: a prospective cohort study. Critical Care, 2016, 20, 49.	5.8	34
46	Developmental assessment of VLBW infants at 18months of age: A comparison study between KSPD and Bayley III. Brain and Development, 2016, 38, 377-385.	1.1	95
47	Association between accessibility to emergency cardiovascular centers and cardiovascular mortality in Japan. International Journal for Quality in Health Care, 2016, 28, 281-287.	1.8	3
48	Serum Osteopontin as a Novel Biomarker for Muscle Regeneration in Duchenne Muscular Dystrophy. American Journal of Pathology, 2016, 186, 1302-1312.	3.8	27
49	<b>Completion Report of the Overseas Training Program Awarded by Japanese Society of Clinical Pharmacology and Therapeutics in 2013</b> . Japanese Journal of Clinical Pharmacology and Therapeutics, 2016, 47, 25-28.	0.1	O
50	Subsequent shock deliveries are associated with increased favorable neurological outcomes in cardiac arrest patients who had initially non-shockable rhythms. Critical Care, 2015, 19, 322.	5.8	22
51	Adding smartphone-based cognitive-behavior therapy to pharmacotherapy for major depression (FLATT) Tj ETQq1	1,0.78431 1.6	14 rgBT /Ov
52	Strategic use of new generation antidepressants for depression: SUN(^_^) D protocol update and statistical analysis plan. Trials, 2015, 16, 459.	1.6	6
53	Psychometric validation of the Family Outcomes Survey-Revised in Japan. Research in Developmental Disabilities, 2015, 39, 55-66.	2,2	8
54	Interventions to prevent repeat suicidal behavior in patients admitted to an emergency department for a suicide attempt: A meta-analysis. Journal of Affective Disorders, 2015, 175, 66-78.	4.1	105

#	Article	lF	CITATIONS
55	Interventions for bereaved parents following a child's death: A systematic review. Palliative Medicine, 2015, 29, 590-604.	3.1	59
56	An hour-specific transcutaneous bilirubin nomogram for Mongolian neonates. European Journal of Pediatrics, 2015, 174, 1299-1304.	2.7	9
57	Weight Growth Velocity and Neurodevelopmental Outcomes in Extremely Low Birth Weight Infants. PLoS ONE, 2015, 10, e0139014.	2.5	22
58	Prevalence of suicide attempters in emergency departments in Japan: A systematic review and meta-analysis. Journal of Affective Disorders, 2014, 163, 33-39.	4.1	55
59	Validity and reliability of the Japanese version of the family needs survey. Research in Developmental Disabilities, 2013, 34, 3596-3606.	2.2	12
60	Validation of a transcutaneous bilirubin meter in Mongolian neonates: comparison with total serum bilirubin. BMC Pediatrics, 2013, 13, 151.	1.7	18
61	Outcomes of Infants Born at 22 and 23 Weeks' Gestation. Pediatrics, 2013, 132, 62-71.	2.1	213
62	Nationwide Improvements in Survival From Out-of-Hospital Cardiac Arrest in Japan. Circulation, 2012, 126, 2834-2843.	1.6	288
63	Neonatal correlates of adverse outcomes in very lowâ€birthweight infants in the NICU Network. Pediatrics International, 2011, 53, 930-935.	0.5	32
64	Outcomes of veryâ€lowâ€birthweight infants at 3 years of age born in 2003–2004 in Japan. Pediatrics International, 2011, 53, 1051-1058.	0.5	40
65	Strategic use of new generation antidepressants for depression: SUN(^_^)D study protocol. Trials, 2011, 12, 116.	1.6	20