Jocelyn Grosse

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8922534/publications.pdf

Version: 2024-02-01

623734 713466 21 711 14 21 citations g-index h-index papers 23 23 23 1039 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Stress-induced depressive-like behavior in male rats is associated with microglial activation and inflammation dysregulation in the hippocampus in adulthood. Brain, Behavior, and Immunity, 2022, 99, 397-408.	4.1	21
2	Opposite effects of stress on effortful motivation in high and low anxiety are mediated by CRHR1 in the VTA. Science Advances, 2022, 8, eabj9019.	10.3	17
3	eNAMPT actions through nucleus accumbens NAD ⁺ /SIRT1 link increased adiposity with sociability deficits programmed by peripuberty stress. Science Advances, 2022, 8, eabj9109.	10.3	20
4	Creatine transporter–deficient rat model shows motor dysfunction, cerebellar alterations, and muscle creatine deficiency without muscle atrophy. Journal of Inherited Metabolic Disease, 2022, 45, 278-291.	3.6	7
5	Mitofusin-2 in the Nucleus Accumbens Regulates Anxiety and Depression-like Behaviors Through Mitochondrial and Neuronal Actions. Biological Psychiatry, 2021, 89, 1033-1044.	1.3	55
6	Probiotics improve the neurometabolic profile of rats with chronic cholestatic liver disease. Scientific Reports, 2021, 11, 2269.	3.3	19
7	A new rat model of creatine transporter deficiency reveals behavioral disorder and altered brain metabolism. Scientific Reports, 2021, 11, 1636.	3.3	18
8	Amygdala GluN2B-NMDAR dysfunction is critical in abnormal aggression of neurodevelopmental origin induced by St8sia2 deficiency. Molecular Psychiatry, 2020, 25, 2144-2161.	7.9	18
9	The glucocorticoid receptor in the nucleus accumbens plays a crucial role in social rank attainment in rodents. Psychoneuroendocrinology, 2020, 112, 104538.	2.7	21
10	Mitochondrial gene signature in the prefrontal cortex for differential susceptibility to chronic stress. Scientific Reports, 2020, 10, 18308.	3.3	43
11	Metabolic signature in nucleus accumbens for anti-depressant-like effects of acetyl-L-carnitine. ELife, 2020, 9, .	6.0	45
12	Peripubertal stress-induced heightened aggression: modulation of the glucocorticoid receptor in the central amygdala and normalization by mifepristone treatment. Neuropsychopharmacology, 2019, 44, 674-682.	5.4	36
13	Longitudinal neurometabolic changes in the hippocampus of a rat model of chronic hepatic encephalopathy. Journal of Hepatology, 2019, 71, 505-515.	3.7	55
14	Low vagal tone in two rat models of psychopathology involving high or low corticosterone stress responses. Psychoneuroendocrinology, 2019, 101, 101-110.	2.7	8
15	Increased brain glucocorticoid actions following social defeat in rats facilitates the long-term establishment of social subordination. Physiology and Behavior, 2018, 186, 31-36.	2.1	15
16	Peripubertal stress increases play fighting at adolescence and modulates nucleus accumbens CB1 receptor expression and mitochondrial function in the amygdala. Translational Psychiatry, 2018, 8, 156.	4.8	26
17	Neuroligin-2 Expression in the Prefrontal Cortex is Involved in Attention Deficits Induced by Peripubertal Stress. Neuropsychopharmacology, 2016, 41, 751-761.	5.4	31
18	Involvement of CRFR ₁ in the Basolateral Amygdala in the Immediate Fear Extinction Deficit. ENeuro, 2016, 3, ENEURO.0084-16.2016.	1.9	23

#	Article	IF	CITATIONS
19	Hippocampal neuroligin-2 links early-life stress with impaired social recognition and increased aggression in adult mice. Psychoneuroendocrinology, 2015, 55, 128-143.	2.7	63
20	Role for MMP-9 in stress-induced downregulation of nectin-3 in hippocampal CA1 and associated behavioural alterations. Nature Communications, 2014, 5, 4995.	12.8	101
21	Impaired Hippocampal Neuroligin-2 Function by Chronic Stress or Synthetic Peptide Treatment is Linked to Social Deficits and Increased Aggression. Neuropsychopharmacology, 2014, 39, 1148-1158.	5.4	69