
Miguel Mota Carmo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/892686/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Soluble CD40 ligand expression in stable atherosclerosis: A systematic review and meta-analysis. Atherosclerosis, 2021, 319, 86-100.	0.8	8
2	Association between microvascular dysfunction and impaired myocardial deformation in hypertrophic cardiomyopathy. European Heart Journal Cardiovascular Imaging, 2021, 22, .	1.2	0
3	The Proinflammatory Soluble CD40 Ligand Is Associated with the Systemic Extent of Stable Atherosclerosis. Medicina (Lithuania), 2021, 57, 39.	2.0	4
4	Cigarette Smoking, miR-27b Downregulation, and Peripheral Artery Disease: Insights into the Mechanisms of Smoking Toxicity. Journal of Clinical Medicine, 2021, 10, 890.	2.4	12
5	Circulating miRNAs Are Associated with the Systemic Extent of Atherosclerosis: Novel Observations for miR-27b and miR-146. Diagnostics, 2021, 11, 318.	2.6	14
6	Association between miR-146a and Tumor Necrosis Factor Alpha (TNF-α) in Stable Coronary Artery Disease. Medicina (Lithuania), 2021, 57, 575.	2.0	4
7	The Impact of Ischemia Assessed by Magnetic Resonance on Functional, Arrhythmic, and Imaging Features of Hypertrophic Cardiomyopathy. Frontiers in Cardiovascular Medicine, 2021, 8, 761860.	2.4	8
8	Prognostic effect and modulation of cardiac sympathetic function in heart failure patients treated with cardiac resynchronization therapy. Journal of Nuclear Cardiology, 2020, 27, 283-290.	2.1	12
9	P1827 Impact of coronary microcirculatory dysfunction in the impairment of left ventricular deformation parameters by 4D echocardiographic techniques in hypertrophic cardiomyopathy patients. European Heart Journal Cardiovascular Imaging, 2020, 21, .	1.2	0
10	P1594 Relationship between left ventricular morphology and systolic performance and coronary microcirculatory dysfunction in hypertrophic cardiomyopathy. European Heart Journal Cardiovascular Imaging, 2020, 21, .	1.2	0
11	Insights from microRNAs into the pathophysiology of coronary and multiterritorial atherosclerosis. European Heart Journal, 2020, 41, .	2.2	0
12	Inflammation is associated with the presence and severity of chronic coronary syndrome through soluble CD40 ligand. American Journal of Cardiovascular Disease, 2020, 10, 329-339.	0.5	2
13	Myocardial work: a new way to predict fibrosis in patients with hypertrophic cardiomyopathy. European Heart Journal, 2020, 41, .	2.2	0
14	Innate immunity is linked to the severity of stable coronary artery disease through sCD40L pathway. European Heart Journal, 2020, 41, .	2.2	0
15	ls metabolic syndrome a prognostic marker in patients at high cardiovascular risk? A long-term cohort study. Revista Portuguesa De Cardiologia (English Edition), 2019, 38, 325-332.	0.2	5
16	250Risk stratification of heart failure patients submitted to cardiac resynchronization therapy using a combination of renal function and 123I-mIBG scintigraphy. European Heart Journal Cardiovascular Imaging, 2019, 20, .	1.2	1
17	P379123MIBG Cardiac Scintigraphy Heart Failure Patients: Can it predict CRT Response?. European Heart Journal Cardiovascular Imaging, 2019, 20, .	1.2	0
18	Has carotid intimaâ€media thickness prognostic impact in patients with high cardiovascular risk? A longâ€term cohort study. Echocardiography, 2019, 36, 125-132.	0.9	4

#	Article	IF	CITATIONS
19	Impact of cardiac resynchronization therapy on inflammatory biomarkers and cardiac remodeling: The paradox of functional and echocardiographic response. Revista Portuguesa De Cardiologia, 2018, 37, 105-113.	0.5	6

Impact of cardiac resynchronization therapy on inflammatory biomarkers and cardiac remodeling: The paradox of functional and echocardiographic response. Revista Portuguesa De Cardiologia (English) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

21	Circulating microRNA profiles in different arterial territories of stable atherosclerotic disease: a systematic review. American Journal of Cardiovascular Disease, 2018, 8, 1-13.	0.5	31
22	Predictors of response to cardiac resynchronization therapy: A prospective cohort study. Revista Portuguesa De Cardiologia, 2017, 36, 417-425.	0.5	7
23	Twelve Years of Kawasaki Disease in Portugal. Pediatric Infectious Disease Journal, 2017, 36, 364-368.	2.0	12
24	Importância da deformação longitudinal na deteção da cardiotoxicidade induzida por quimioterapia e na identificação de padrões especÃficos de afetação segmentar. Revista Portuguesa De Cardiologia, 2017, 36, 9-15.	0.5	18
25	Does permanent atrial fibrillation modify response to cardiac resynchronization therapy in heart failure patients?. Revista Portuguesa De Cardiologia, 2017, 36, 687-694.	0.5	3
26	Predictors of response to cardiac resynchronization therapy: A prospective cohort study. Revista Portuguesa De Cardiologia (English Edition), 2017, 36, 417-425.	0.2	4
27	4774Cardiac sympathetic activity pre and post resynchronization therapy. European Heart Journal, 2017, 38, .	2.2	0
28	P1117The role of MIBC scintigraphy in anticipating the occurrence of sustained ventricular arrhythmias after CRT in patients with remote monitoring. European Heart Journal, 2017, 38, .	2.2	0
29	P4344Can we predict adverse events in patients with heart failure with reduced ejection fraction submitted to cardiac resynchronization therapy? The role of MIBC scintigraphy. European Heart Journal, 2017, 38, .	2.2	0
30	P5499Is there a correlation between magnitude of response to CRT and inflammatory response?. European Heart Journal, 2017, 38, .	2.2	0
31	Prognostic evaluation of soluble CD40L in acute myocardial infarction: is not fancy, is science!. Annals of Translational Medicine, 2017, 5, 90-90.	1.7	6
32	Stratification of ST-elevation myocardial infarction patients based on soluble CD40L longitudinal changes. Translational Research, 2016, 176, 95-104.	5.0	9
33	Changes of soluble CD40 ligand in the progression of acute myocardial infarction associate to endothelial nitric oxide synthase polymorphisms and vascular endothelial growth factor but not to platelet CD62P expression. Translational Research, 2015, 166, 650-659.	5.0	17
34	Optimal Cut-Off Value for Homeostasis Model Assessment (HOMA) Index of Insulin-Resistance in a Population of Patients Admitted Electively in a Portuguese Cardiology Ward. Acta Medica Portuguesa, 2014, 27, 473-479.	0.4	29
35	Prognostic Value of VEGF in Patients Submitted to Percutaneous Coronary Intervention. Disease Markers, 2014, 2014, 1-7.	1.3	16
36	Body mass index as a predictor of the presence but not the severity of coronary artery disease evaluated by cardiac computed tomography. European Journal of Preventive Cardiology, 2014, 21, 1387-1393.	1.8	17

MIGUEL MOTA CARMO

#	Article	IF	CITATIONS
37	T lymphocytes alterations are associated with oxidized LDL, troponin T, white blood cells and C-reactive protein during acute myocardial infarction. Clinical Hemorheology and Microcirculation, 2014, 56, 57-66.	1.7	0
38	Diabetes as an independent predictor of high atherosclerotic burden assessed by coronary computed tomography angiography: the coronary artery disease equivalent revisited. International Journal of Cardiovascular Imaging, 2013, 29, 1105-1114.	1.5	28
39	Prevalence and predictors of coronary artery disease in patients with a calcium score of zero. International Journal of Cardiovascular Imaging, 2013, 29, 1839-1846.	1.5	15
40	Marfan syndrome with ascending aortic aneurysm: Value of cardiac computed tomography. Revista Portuguesa De Cardiologia, 2013, 32, 59-62.	0.5	3
41	Carotid Intima–Media Thickness and Carotid Plaques Improves Prediction of Obstructive Angiographic Coronary Artery Disease in Women. Angiology, 2013, 64, 57-63.	1.8	21
42	Coronary computed tomography angiography-adapted Leaman score as a tool to noninvasively quantify total coronary atherosclerotic burden. International Journal of Cardiovascular Imaging, 2013, 29, 1575-1584.	1.5	61
43	Nonobstructive coronary disease leading to STEMI. Coronary Artery Disease, 2013, 24, 154-159.	0.7	13
44	T lymphocytes alterations are associated with oxidized LDL, troponin T, white blood cells and C-reactive protein during acute myocardial infarction. Clinical Hemorheology and Microcirculation, 2013, 55, 349-358.	1.7	3
45	Can 123 I-MIBC cardiac scintigraphy predict functional recovery in heart failure after cardiac resynchronization?. European Heart Journal, 2013, 34, P1866-P1866.	2.2	0
46	Chronic caffeine intake decreases circulating catecholamines and prevents diet-induced insulin resistance and hypertension in rats. British Journal of Nutrition, 2012, 107, 86-95.	2.3	79
47	Does metabolic syndrome predict significant angiographic coronary artery disease?. Revista Portuguesa De Cardiologia, 2012, 31, 769-778.	0.5	5
48	Diaphragmatic function in patients with chronic left ventricular failure. Pathophysiology, 2001, 8, 55-60.	2.2	10
49	Control of breathing, respiratory patterns and dyspnoea in patients with congestive heart failure. Pathophysiology, 1999, 6, 129-134.	2.2	0