## Nicolaus Andratschke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8927328/publications.pdf

Version: 2024-02-01

133 papers

4,164 citations

34 h-index 58 g-index

139 all docs 139 docs citations

times ranked

139

4374 citing authors

#	Article	IF	CITATIONS
1	ESTRO ACROP consensus guideline on implementation and practice of stereotactic body radiotherapy for peripherally located early stage non-small cell lung cancer. Radiotherapy and Oncology, 2017, 124, 11-17.	0.6	230
2	Safety and Efficacy of Stereotactic Body Radiotherapy for Stage I Non–Small-Cell Lung Cancer in Routine Clinical Practice: A Patterns-of-Care and Outcome Analysis. Journal of Thoracic Oncology, 2013, 8, 1050-1058.	1.1	179
3	ICRU reportÂ91 on prescribing, recording, and reporting of stereotactic treatments with small photon beams. Strahlentherapie Und Onkologie, 2019, 195, 193-198.	2.0	143
4	Stereotactic body radiotherapy (SBRT) for medically inoperable lung metastases—A pooled analysis of the German working group "stereotactic radiotherapy― Lung Cancer, 2016, 97, 51-58.	2.0	128
5	Evaluation of First-line Radiosurgery vs Whole-Brain Radiotherapy for Small Cell Lung Cancer Brain Metastases. JAMA Oncology, 2020, 6, 1028.	7.1	122
6	The SBRT database initiative of the German Society for Radiation Oncology (DEGRO): patterns of care and outcome analysis of stereotactic body radiotherapy (SBRT) for liver oligometastases in 474 patients with 623 metastases. BMC Cancer, 2018, 18, 283.	2.6	115
7	Safety evaluation of nivolumab added concurrently to radiotherapy in a standard first line chemo-radiotherapy regimen in stage III non-small cell lung cancerâ€"The ETOP NICOLAS trial. Lung Cancer, 2019, 133, 83-87.	2.0	113
8	Current status of angiogenesis inhibitors combined with radiation therapy. Cancer Treatment Reviews, 2006, 32, 348-364.	7.7	109
9	Stereotactic radiotherapy of histologically proven inoperable stage I non-small cell lung cancer: Patterns of failure. Radiotherapy and Oncology, 2011, 101, 245-249.	0.6	106
10	Textural features in pre-treatment [F18]-FDG-PET/CT are correlated with risk of local recurrence and disease-specific survival in early stage NSCLC patients receiving primary stereotactic radiation therapy. Radiation Oncology, 2015, 10, 100.	2.7	104
11	Late radiation-induced heart disease after radiotherapy. Clinical importance, radiobiological mechanisms and strategies of prevention. Radiotherapy and Oncology, 2011, 100, 160-166.	0.6	103
12	Applicability of the linear-quadratic formalism for modeling local tumor control probability in high dose per fraction stereotactic body radiotherapy for early stage non-small cell lung cancer. Radiotherapy and Oncology, 2013, 109, 13-20.	0.6	103
13	Local tumor control probability modeling of primary and secondary lung tumors in stereotactic body radiotherapy. Radiotherapy and Oncology, 2016, 118, 485-491.	0.6	101
14	Pretreatment 18F-FAZA PET Predicts Success of Hypoxia-Directed Radiochemotherapy Using Tirapazamine. Journal of Nuclear Medicine, 2007, 48, 973-980.	5.0	92
15	Radiotherapy for High-Grade Gliomas. Strahlentherapie Und Onkologie, 2004, 180, 401-407.	2.0	90
16	Stereotactic body radiotherapy for oligo-metastatic liver disease – Influence of pre-treatment chemotherapy and histology on local tumor control. Radiotherapy and Oncology, 2017, 123, 227-233.	0.6	85
17	Progression-Free and Overall Survival for Concurrent Nivolumab With Standard Concurrent Chemoradiotherapy in Locally Advanced Stage IIIA-B NSCLC: Results From the European Thoracic Oncology Platform NICOLAS Phase II Trial (European Thoracic Oncology Platform 6-14). Journal of Thoracic Oncology. 2021. 16. 278-288.	1.1	82
18	How we treat patients with leptomeningeal metastases. ESMO Open, 2019, 4, e000507.	4.5	79

#	Article	IF	Citations
19	Bevacizumab may improve quality of life, but not overall survival in glioblastoma: an epidemiological study. Annals of Oncology, 2018, 29, 1431-1436.	1.2	73
20	The impact of local control on overall survival after stereotactic body radiotherapy for liver and lung metastases from colorectal cancer: a combined analysis of 388 patients with 500 metastases. BMC Cancer, 2019, 19, 173.	2.6	68
21	First magnetic resonance imaging-guided cardiac radioablation of sustained ventricular tachycardia. Radiotherapy and Oncology, 2020, 152, 203-207.	0.6	59
22	CT radiomics and PET radiomics: ready for clinical implementation?. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2019, 63, 355-370.	0.7	58
23	Nomogram based overall survival prediction in stereotactic body radiotherapy for oligo-metastatic lung disease. Radiotherapy and Oncology, 2017, 123, 182-188.	0.6	55
24	Support Vector Machine-Based Prediction of Local Tumor Control After Stereotactic Body Radiation Therapy for Early-Stage Non-Small Cell Lung Cancer. International Journal of Radiation Oncology Biology Physics, 2014, 88, 732-738.	0.8	54
25	Organ at risk delineation for radiation therapy clinical trials: Global Harmonization Group consensus guidelines. Radiotherapy and Oncology, 2020, 150, 30-39.	0.6	53
26	Stereotactic body radiotherapy for centrally located stageÂl NSCLC. Strahlentherapie Und Onkologie, 2015, 191, 125-132.	2.0	52
27	Recursive Partitioning Analysis (RPA) Class Does Not Predict Survival in Patients with Four or More Brain Metastases. Strahlentherapie Und Onkologie, 2003, 179, 16-20.	2.0	51
28	LINAC based stereotactic radiosurgery for multiple brain metastases: guidance for clinical implementation. Acta Oncol $\tilde{A}^3$ gica, 2019, 58, 1275-1282.	1.8	50
29	Re-irradiation for Recurrent Primary Brain Tumors. Anticancer Research, 2016, 36, 4985-4996.	1.1	47
30	Evolution of treatment strategies for oligometastatic NSCLC patients – A systematic review of the literature. Cancer Treatment Reviews, 2019, 80, 101892.	7.7	45
31	Influence of Institutional Experience and Technological Advances on Outcome of Stereotactic Body Radiation Therapy for Oligometastatic Lung Disease. International Journal of Radiation Oncology Biology Physics, 2017, 98, 511-520.	0.8	42
32	Correlating Dose Variables with Local Tumor Control in Stereotactic Body Radiation Therapy for Early-Stage Non-Small Cell Lung Cancer: A Modeling Study on 1500 Individual Treatments. International Journal of Radiation Oncology Biology Physics, 2020, 107, 579-586.	0.8	40
33	Stereotactic Radiosurgery for Multiple Brain Metastases. Current Treatment Options in Neurology, 2019, 21, 6.	1.8	38
34	ESTRO-ACROP recommendations on the clinical implementation of hybrid MR-linac systems in radiation oncology. Radiotherapy and Oncology, 2021, 159, 146-154.	0.6	37
35	Stereotactic body radiotherapy (SBRT) for multiple pulmonary oligometastases: Analysis of number and timing of repeat SBRT as impact factors on treatment safety and efficacy. Radiotherapy and Oncology, 2018, 127, 246-252.	0.6	36
36	Treatment plan quality during online adaptive re-planning. Radiation Oncology, 2020, 15, 203.	2.7	36

#	Article	IF	CITATIONS
37	Repeated Courses of Radiosurgery for New Brain Metastases to Defer Whole Brain Radiotherapy: Feasibility and Outcome With Validation of the New Prognostic Metric Brain Metastasis Velocity. Frontiers in Oncology, 2018, 8, 551.	2.8	32
38	Is there a role for stereotactic radiotherapy in the treatment of renal cell carcinoma?. Clinical and Translational Radiation Oncology, 2019, 18, 104-112.	1.7	30
39	Variation in current prescription practice of stereotactic body radiotherapy for peripherally located early stage non-small cell lung cancer: Recommendations for prescribing and recording according to the ACROP guideline and ICRU report 91. Radiotherapy and Oncology, 2020, 142, 217-223.	0.6	29
40	Benefit of replanning in MR-guided online adaptive radiation therapy in the treatment of liver metastasis. Radiation Oncology, 2021, 16, 84.	2.7	29
41	Clinical results of mean GTV dose optimized robotic guided SBRT for liver metastases. Radiation Oncology, 2016, 11, 74.	2.7	28
42	Interdisciplinary Clinical Target Volume Generation for Cardiac Radioablation: Multicenter Benchmarking for the RAdiosurgery for VENtricular TAchycardia (RAVENTA) Trial. International Journal of Radiation Oncology Biology Physics, 2021, 110, 745-756.	0.8	28
43	ESTRO ACROP guidelines for external beam radiotherapy of patients with uncomplicated bone metastases. Radiotherapy and Oncology, 2022, 173, 197-206.	0.6	28
44	Current status and recent advances in resection cavity irradiation of brain metastases. Radiation Oncology, 2021, 16, 73.	2.7	27
45	Optimization of combined proton–photon treatments. Radiotherapy and Oncology, 2018, 128, 133-138.	0.6	26
46	A national survey on radiation oncology patterns of practice in Switzerland during the COVID-19 pandemic: Present changes and future perspectives. Radiotherapy and Oncology, 2020, 150, 1-3.	0.6	26
47	Optimal management of brain metastases in oncogenic-driven non-small cell lung cancer (NSCLC). Lung Cancer, 2019, 129, 63-71.	2.0	25
48	Recommendations regarding cardiac stereotactic body radiotherapy for treatment refractory ventricular tachycardia. Heart Rhythm, 2021, 18, 2137-2145.	0.7	25
49	Radiation Therapy Plus Angiogenesis Inhibition with Bevacizumab: Rationale and Initial Experience. Reviews on Recent Clinical Trials, 2007, 2, 163-168.	0.8	23
50	Doseâ€intensified hypofractionated stereotactic body radiation therapy for painful spinal metastases: Results of a phase 2 study. Cancer, 2018, 124, 2001-2009.	4.1	23
51	Stereotactic Radiotherapy for the Management of Refractory Ventricular Tachycardia: Promise and Future Directions. Frontiers in Cardiovascular Medicine, 2020, 7, 108.	2.4	23
52	Interchangeability of radiomic features between [18F]â€ <scp>FDG PET</scp> / <scp>CT</scp> and [18F]â€ <scp>FDG PET</scp> / <scp>MR</scp> . Medical Physics, 2019, 46, 1677-1685.	3.0	22
53	Estimation of the $\hat{l}\pm\hat{l}^2$ ratio of non-small cell lung cancer treated with stereotactic body radiotherapy. Radiotherapy and Oncology, 2020, 142, 210-216.	0.6	22
54	Distance to isocenter is not associated with an increased risk for local failure in LINAC-based single-isocenter SRS or SRT for multiple brain metastases. Radiotherapy and Oncology, 2021, 159, 168-175.	0.6	22

#	Article	IF	CITATIONS
55	Stereotactic radioablation of ventricular arrhythmias in patients with structural heart disease – A systematic review. Radiotherapy and Oncology, 2021, 162, 132-139.	0.6	22
56	Generalizability assessment of head and neck cancer NTCP models based on the TRIPOD criteria. Radiotherapy and Oncology, 2020, 146, 143-150.	0.6	21
57	Report dose-to-medium in clinical trials where available; a consensus from the Global Harmonisation Group to maximize consistency. Radiotherapy and Oncology, 2021, 159, 106-111.	0.6	21
58	Adhesion Molecule Expression and Function of Primary Endothelial Cells in Benign and Malignant Tissues Correlates with Proliferation. PLoS ONE, 2014, 9, e91808.	2.5	20
59	Response assessment and outcome of combining immunotherapy and radiosurgery for brain metastasis from malignant melanoma. ESMO Open, 2020, 5, e000763.	4.5	20
60	Safety evaluation of nivolumab added concurrently to radiotherapy in a standard first line chemo-RT regimen in unresectable locally advanced NSCLC: The ETOP NICOLAS phase II trial Journal of Clinical Oncology, 2018, 36, 8510-8510.	1.6	20
61	Evaluation of the prognostic value of the ESTRO EORTC classification of oligometastatic disease in patients treated with stereotactic body radiotherapy: A retrospective single center study. Radiotherapy and Oncology, 2022, 168, 256-264.	0.6	20
62	Comparison of serum growth factors and tumor markers as prognostic factors for survival in non-small cell lung cancer. Anticancer Research, 2003, 23, 5117-23.	1.1	20
63	Bayesian Cure Rate Modeling of Local Tumor Control: Evaluation in Stereotactic Body Radiation Therapy for Pulmonary Metastases. International Journal of Radiation Oncology Biology Physics, 2016, 94, 841-849.	0.8	19
64	Re-irradiation in the thorax $\hat{a}\in$ An analysis of efficacy and safety based on accumulated EQD2 doses. Radiotherapy and Oncology, 2020, 152, 56-62.	0.6	19
65	Treatment of malignant gliomas: radiotherapy, chemotherapy and integration of new targeted agents. Expert Review of Neurotherapeutics, 2004, 4, 691-703.	2.8	18
66	Quality of Training in Radiation Oncology in Germany. Strahlentherapie Und Onkologie, 2008, 184, 239-244.	2.0	18
67	Effects of Insulin-Like Growth Factor-1 (IGF-1) and Amifostine in Spinal Cord Reirradiation. Strahlentherapie Und Onkologie, 2005, 181, 691-695.	2.0	17
68	Diagnostic value of 18F-fluordesoxyglucose positron emission tomography for patients with brain metastasis from unknown primary site. European Journal of Cancer, 2018, 96, 64-72.	2.8	17
69	18F-FET PET for Diagnosis of Pseudoprogression of Brain Metastases in Patients With Non–Small Cell Lung Cancer. Clinical Nuclear Medicine, 2020, 45, 113-117.	1.3	17
70	Head and neck radiotherapy on the MR linac: aÂmulticenter planning challenge amongst MRIdian platform users. Strahlentherapie Und Onkologie, 2021, 197, 1093-1103.	2.0	17
71	Gating has a negligible impact on dose delivered in MRI-guided online adaptive radiotherapy of prostate cancer. Radiotherapy and Oncology, 2022, 170, 205-212.	0.6	17
72	Innovative prevention strategies for radiation necrosis of the central nervous system. Anticancer Research, 2002, 22, 1017-23.	1.1	16

#	Article	lF	Citations
<b>7</b> 3	Spatiotemporal fractionation schemes for liver stereotactic body radiotherapy. Radiotherapy and Oncology, 2017, 125, 357-364.	0.6	15
74	Radiomic Analysis to Predict Outcome in Recurrent Glioblastoma Based on Multi-Center MR Imaging From the Prospective DIRECTOR Trial. Frontiers in Oncology, 2021, 11, 636672.	2.8	15
75	Long-Term Results of Dose-Intensified Fractionated Stereotactic Body Radiation Therapy (SBRT) for Painful Spinal Metastases. International Journal of Radiation Oncology Biology Physics, 2021, 110, 348-357.	0.8	15
76	Radiotherapy quality assurance of SBRT for patients with centrally located lung tumours within the multicentre phase II EORTC Lungtech trial: Benchmark case results. Radiotherapy and Oncology, 2019, 132, 63-69.	0.6	13
77	Leukoencephalopathy after prophylactic whole-brain irradiation with or without hippocampal sparing: a longitudinal magnetic resonance imaging analysis. European Journal of Cancer, 2020, 124, 194-203.	2.8	13
78	Dosimetric and geometric end-to-end accuracy of a magnetic resonance guided linear accelerator. Physics and Imaging in Radiation Oncology, 2020, 16, 109-112.	2.9	13
79	MR-Guided Adaptive Radiotherapy for Head and Neck Cancer: Prospective Evaluation of Migration and Anatomical Changes of the Major Salivary Glands. Cancers, 2021, 13, 5404.	3.7	13
80	Operating procedures, risk management and challenges during implementation of adaptive and non-adaptive MR-guided radiotherapy: 1-year single-center experience. Radiation Oncology, 2021, 16, 217.	2.7	13
81	The role of growth factors in central nervous system tumours. Anticancer Research, 2003, 23, 1681-6.	1.1	13
82	Preclinical evaluation of erythropoietin administration in a model of radiation-induced kidney dysfunction. International Journal of Radiation Oncology Biology Physics, 2006, 64, 1513-1518.	0.8	12
83	Stereotactic Body Radiation Therapy (SBRT) as Salvage Therapy for Oligorecurrent Pleural Mesothelioma After Multi-Modality Therapy. Frontiers in Oncology, 2019, 9, 961.	2.8	12
84	Development of staffing, workload and infrastructure in member departments of the European Organisation for Research and Treatment of Cancer (EORTC) radiation oncology group. Radiotherapy and Oncology, 2021, 155, 226-231.	0.6	12
85	Radiation myelitis after hypofractionated radiotherapy with concomitant gefitinib. Radiation Oncology, 2015, 10, 29.	2.7	11
86	Venous thromboembolic events in patients with brain metastases: the PICOS score. European Journal of Cancer, 2020, 134, 75-85.	2.8	11
87	Role of radiotherapy in the management of brain metastases of NSCLC – Decision criteria in clinical routine. Radiotherapy and Oncology, 2021, 154, 269-273.	0.6	11
88	Management of multiple brain metastases: a patterns of care survey within the German Society for Radiation Oncology. Journal of Neuro-Oncology, 2021, 152, 395-404.	2.9	10
89	Single-isocenter versus multiple-isocenters for multiple lung metastases: Evaluation of lung dose. Radiotherapy and Oncology, 2022, 166, 189-194.	0.6	10
90	Evaluation of insulin-like growth factor-1 for prevention of radiation-induced spinal cord damage. Growth Factors, 2005, 23, 15-18.	1.7	9

#	Article	IF	Citations
91	Challenges in the treatment of breast cancer brain metastases: evidence, unresolved questions, and a practical algorithm. Clinical and Translational Oncology, 2020, 22, 1698-1709.	2.4	9
92	Role of Postoperative Radiotherapy in the Management for Resected NSCLC – Decision Criteria in Clinical Routine Pre- and Post-LungART. Clinical Lung Cancer, 2021, 22, 579-586.	2.6	9
93	True abscopal effect in a patient with metastatic non-small cell lung cancer. Radiation Oncology, 2021, 16, 194.	2.7	8
94	Efficacy evaluation of concurrent nivolumab addition to a first-line, concurrent chemo-radiotherapy regimen in unresectable locally advanced NSCLC: Results from the European Thoracic Oncology Platform (ETOP 6-14) NICOLAS phase II trial. Annals of Oncology, 2019, 30, v591.	1.2	7
95	Underweight and weight loss are predictors of poor outcome in patients with brain metastasis. Journal of Neuro-Oncology, 2019, 145, 339-347.	2.9	7
96	Comparison of beam segment versus full plan re-optimization in daily magnetic resonance imaging-guided online-adaptive radiotherapy. Physics and Imaging in Radiation Oncology, 2021, 17, 43-46.	2.9	7
97	High-dose re-irradiation of intracranial lesions – Efficacy and safety including dosimetric analysis based on accumulated EQD2Gy dose calculation. Clinical and Translational Radiation Oncology, 2021, 27, 132-138.	1.7	7
98	SBRT in operable early stage lung cancer patients. Translational Lung Cancer Research, 2014, 3, 212-24.	2.8	7
99	Comprehensive summary and retrospective evaluation of prognostic scores for patients with newly diagnosed brain metastases treated with upfront radiosurgery in a modern patient collective. Radiotherapy and Oncology, 2022, 172, 23-31.	0.6	7
100	Acceleration of Normal-Tissue Damage Expression by Early Stimulation of Cell Proliferation in Rat Spinal Cord. Strahlentherapie Und Onkologie, 2006, 182, 680-684.	2.0	6
101	Development of a Score Predicting Survival after Palliative Reirradiation. Journal of Oncology, 2014, 2014, 1-7.	1.3	6
102	Dosimetric comparison of protons vs photons in re-irradiation of intracranial meningioma. British Journal of Radiology, 2019, 92, 20190113.	2.2	6
103	In-field stereotactic body radiotherapy (SBRT) reirradiation for pulmonary malignancies as a multicentre analysis of the German Society of Radiation Oncology (DEGRO). Scientific Reports, 2021, 11, 4590.	3.3	6
104	Critical impact of radiotherapy protocol compliance and quality in the treatment of retroperitoneal sarcomas: Results from the 62092-22092 STRASS trial Journal of Clinical Oncology, 2021, 39, 11566-11566.	1.6	5
105	Long-Term Survival in Metastasized Leiomyosarcoma: A Case Report and Review of the Literature. Tumori, 2015, 101, e141-e144.	1.1	4
106	Hippocampal Avoidance and Memantine for Whole-Brain Radiotherapy: Long-Term Follow-Up Warranted. Journal of Clinical Oncology, 2020, 38, 3454-3455.	1.6	4
107	Margin calculation for multiple lung metastases treated with single-isocenter SBRT. Radiotherapy and Oncology, 2021, 162, 105-111.	0.6	4
108	Adding cetuximab to stereotactic radiotherapy for non-small cell lung cancer might reduce local failure rates. Medical Hypotheses, 2012, 78, 420-422.	1.5	3

#	Article	IF	Citations
109	Distinct Cerebrovascular Reactivity Patterns for Brain Radiation Necrosis. Cancers, 2021, 13, 1840.	3.7	3
110	Single-institution analysis of the prevalence, indications and outcomes of end-of-life radiotherapy. Clinical and Translational Radiation Oncology, 2021, 30, 26-30.	1.7	3
111	Detrimental effects of an antibody directed against tumor necrosis factor alpha in experimental kidney irradiation. Anticancer Research, 2007, 27, 2353-7.	1.1	3
112	Late residual gamma-H2AX foci in murine spinal cord might facilitate development of response-modifying strategies: a research hypothesis. Anticancer Research, 2011, 31, 561-4.	1.1	3
113	Predicting Adverse Radiation Effects in Brain Tumors After Stereotactic Radiotherapy With Deep Learning and Handcrafted Radiomics. Frontiers in Oncology, 0, 12, .	2.8	3
114	Stereotactic ablative radiotherapy for inoperable stage I NSCLC. Lancet Oncology, The, 2012, 13, 746-748.	10.7	2
115	Correspondence on Rajyaguru et al. Journal of Clinical Oncology, 2018, 36, 2561-2562.	1.6	2
116	Pathologic Features of Tumor Activity and Stability in Uveal Melanoma Specimens after Fractionated CyberKnife Radiosurgery. Pathology and Oncology Research, 2019, 25, 731-740.	1.9	2
117	Radiotherapy for glioblastoma patients with poor performance status. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2127-2136.	2.5	2
118	Validation and extension of the METSSS score in a metastatic cancer patient cohort after palliative radiotherapy within the last phase of life. Clinical and Translational Radiation Oncology, 2022, 34, 107-111.	1.7	2
119	A Multi-Institutional Estimation of Interobserver Variability in Glioblastoma Delineation in the EORTC-1709-BTG /CCTG CE.8 Trial. International Journal of Radiation Oncology Biology Physics, 2019, 105, E617-E618.	0.8	1
120	In Regard to Ohri etÂal. International Journal of Radiation Oncology Biology Physics, 2021, 110, 249-250.	0.8	1
121	Increase in contrast-enhancing volume of irradiated meningiomas reflects tumor progression and not pseudoprogression. Neuro-Oncology, 2021, 23, 1612-1613.	1.2	1
122	Postoperative radiotherapy for meningiomas – a decision-making analysis. BMC Cancer, 2022, 22, 492.	2.6	1
123	Prospective assessment of stress and health concerns of radiation oncology staff during the COVID-19 pandemic. Clinical and Translational Radiation Oncology, 2022, 35, 110-117.	1.7	1
124	P2.05-044 Influence of Technological Advances and Institutional Experience on Outcome of Stereotactic Body Radiotherapy for Lung Metastases. Journal of Thoracic Oncology, 2017, 12, S1058-S1059.	1.1	0
125	CMET-26. DIAGNOSTIC VALUE OF FDG-PET/CT FOR PATIENTS WITH BRAIN METASTASIS FROM UNKNOWN PRIMARY SITE. Neuro-Oncology, 2017, 19, vi44-vi44.	1.2	0
126	MLTI-13. RESPONSE ASSESSMENT OF MELANOMA BRAIN METASTASES TREATED BY STEREOTACTIC RADIOTHERAPY OR IMMUNOTHERAPY OR BOTH: A COMPARISON OF RECIST 1.1, RANO AND IRANO CRITERIA. Neuro-Oncology Advances, 2019, 1, i17-i17.	0.7	0

#	Article	IF	CITATIONS
127	MLTI-19. VENOUS THROMBOEMBOLIC EVENTS IN PATIENTS WITH BRAIN METASTASES: THE PICOS SCORE. Neuro-Oncology Advances, 2019, 1, i18-i18.	0.7	O
128	MLTI-09. UNDERWEIGHT AND WEIGHT LOSS ARE PREDICTORS OF POOR OUTCOME IN PATIENTS WITH BRAIN METASTASIS. Neuro-Oncology Advances, 2019, 1, i16-i16.	0.7	0
129	SP-0695 Systemic treatment as alternative or addition to radiotherapy. Radiotherapy and Oncology, 2019, 133, S360.	0.6	O
130	Leukoencephalopathy after Prophylactic Whole-Brain Irradiation with or without Hippocampal Sparing: A Long-Term MRI Analysis. International Journal of Radiation Oncology Biology Physics, 2019, 105, E79.	0.8	0
131	Glioblastoma in the era of bevacizumab: An epidemiological study in the Canton of Zurich, Switzerland, 2010-2014 Journal of Clinical Oncology, 2018, 36, e14062-e14062.	1.6	O
132	Response assessment and outcome of combining immunotherapy and radiosurgery for brain metastasis from malignant melanoma Journal of Clinical Oncology, 2020, 38, 2532-2532.	1.6	0
133	Evaluation of insulin-like growth factor-1 in a mouse model of long-term abdominal radiation toxicity. Anticancer Research, 2007, 27, 183-7.	1.1	0