
Michael G Perri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8929006/publications.pdf Version: 2024-02-01



MICHAEL C. DEDDI

#	Article	IF	CITATIONS
1	Impact of transition from faceâ€toâ€face to telehealth on behavioral obesity treatment during the COVIDâ€19 pandemic. Obesity, 2022, 30, 858-863.	3.0	14
2	Engaging primary care patients with existing online tools for weight loss: A pilot trial. Obesity Science and Practice, 2022, 8, 569-584.	1.9	2
3	Differential impact of telehealth extended-care programs for weight-loss maintenance in African American versus white adults. Journal of Behavioral Medicine, 2022, , 1.	2.1	1
4	General and Eating Disorder Psychopathology in Relation to Short- and Long-Term Weight Change in Treatment-Seeking Children: A Latent Profile Analysis. Annals of Behavioral Medicine, 2021, 55, 698-704.	2.9	3
5	Examining the interdependence of parentâ€child dyads: Effects on weight loss and maintenance. Pediatric Obesity, 2021, 16, e12697.	2.8	4
6	Effect of Behavioral Therapy With In-Clinic or Telephone Group Visits vs In-Clinic Individual Visits on Weight Loss Among Patients With Obesity in Rural Clinical Practice. JAMA - Journal of the American Medical Association, 2021, 325, 363.	7.4	36
7	Racial and socioeconomic disparities in the efficacy of a familyâ€based treatment programme for paediatric obesity. Pediatric Obesity, 2021, 16, e12792.	2.8	9
8	Relation of social network support to child health behaviors among children in treatment for overweight/obesity. Eating and Weight Disorders, 2021, , 1.	2.5	0
9	Children with Severe Obesity in Familyâ€Based Obesity Treatment Compared with Other Participants: Conclusions Depend on Metrics. Obesity, 2021, 29, 393-401.	3.0	4
10	Weight loss in primary care: A pooled analysis of two pragmatic clusterâ€randomized trials. Obesity, 2021, 29, 2044-2054.	3.0	4
11	Rural/urban disparities in access to the National Diabetes Prevention Program. Translational Behavioral Medicine, 2020, 10, 1554-1558.	2.4	30
12	Cost-Effectiveness of Three Doses of a Behavioral Intervention to Prevent or Delay Type 2 Diabetes in Rural Areas. Journal of the Academy of Nutrition and Dietetics, 2020, 120, 1163-1171.	0.8	9
13	Family Encouragement of Healthy Eating Predicts Child Dietary Intake and Weight Loss in Family-Based Behavioral Weight-Loss Treatment. Childhood Obesity, 2020, 16, 218-225.	1.5	6
14	Effect of Telehealth Extended Care for Maintenance of Weight Loss in Rural US Communities. JAMA Network Open, 2020, 3, e206764.	5.9	39
15	Longitudinal Changes in Food Addiction Symptoms and Body Weight among Adults in a Behavioral Weight-Loss Program. Nutrients, 2020, 12, 3687.	4.1	8
16	Effects of Intervention Characteristics on Willingness to Initiate a Weight Gain Prevention Program. American Journal of Health Promotion, 2020, 34, 837-847.	1.7	2
17	Does Yoga Help College-Aged Women with Body-Image Dissatisfaction Feel Better About Their Bodies?. Sex Roles, 2019, 80, 41-51.	2.4	16
18	Effect of dose of behavioral weight loss treatment on glycemic control in adults with prediabetes. BMJ Open Diabetes Research and Care, 2019, 7, e000653.	2.8	12

#	Article	IF	CITATIONS
19	Featured Article: Behavior Interventions Addressing Obesity in Rural Settings: The E-FLIP for Kids Trial. Journal of Pediatric Psychology, 2019, 44, 889-901.	2.1	12
20	Child and parent reports of children's depressive symptoms in relation to children's weight loss response in familyâ€based obesity treatment. Pediatric Obesity, 2019, 14, e12511.	2.8	2
21	Factors associated with depression and anxiety symptoms among children seeking treatment for obesity: A socialâ€ecological approach. Pediatric Obesity, 2019, 14, e12518.	2.8	14
22	Design of the Rural LEAP randomized trial: An evaluation of extended-care programs for weight management delivered via group or individual telephone counseling. Contemporary Clinical Trials, 2019, 76, 55-63.	1.8	11
23	Psychometric evaluation of the youth eating disorder examination questionnaire in children with overweight or obesity. International Journal of Eating Disorders, 2017, 50, 776-780.	4.0	11
24	Dose, Content, and Mediators of Family-Based Treatment for Childhood Obesity. JAMA Pediatrics, 2017, 171, 1151.	6.2	76
25	Patterns of Eating Disorder Pathology are Associated with Weight Change in Familyâ€Based Behavioral Obesity Treatment. Obesity, 2017, 25, 2115-2122.	3.0	24
26	Comparison of an alternative schedule of extended care contacts to a self-directed control: a randomized trial of weight loss maintenance. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 107.	4.6	14
27	The US Cancer Moonshot initiative. Lancet Oncology, The, 2016, 17, e178-e180.	10.7	15
28	Effect of dose of behavioral treatment for obesity on binge eating severity. Eating Behaviors, 2016, 22, 55-61.	2.0	15
29	Weight loss maintenance strategies among rural breast cancer survivors: The rural women connecting for better health trial. Obesity, 2016, 24, 2070-2077.	3.0	40
30	Decreasing food fussiness in children with obesity leads to greater weight loss in familyâ€based treatment. Obesity, 2016, 24, 2158-2163.	3.0	20
31	Quantile regression in the presence of monotone missingness with sensitivity analysis. Biostatistics, 2016, 17, 108-121.	1.5	4
32	The role of self-monitoring in the maintenance of weight loss success. Eating Behaviors, 2016, 21, 193-197.	2.0	40
33	Protocol for the Rural Engagement in Primary Care for Optimizing Weight Reduction (RE-POWER) Trial: Comparing three obesity treatment models in rural primary care. Contemporary Clinical Trials, 2016, 47, 304-314.	1.8	22
34	Group dynamics are associated with weight loss in the behavioral treatment of obesity. Obesity, 2015, 23, 1563-1569.	3.0	83
35	Public Health Education at the University of Florida: Synergism and Educational Innovation. American Journal of Public Health, 2015, 105, S83-S87.	2.7	2
36	Delivery, Evaluation, and Future Directions for Cognitive-Behavioral Treatments of Obesity. , 2015, , .		0

Delivery, Evaluation, and Future Directions for Cognitive-Behavioral Treatments of Obesity. , 2015, , . 36

3

#	Article	IF	CITATIONS
37	Reduction in Food Away from Home Is Associated with Improved Child Relative Weight and Body Composition Outcomes and This Relation Is Mediated by Changes in Diet Quality. Journal of the Academy of Nutrition and Dietetics, 2015, 115, 1400-1407.	0.8	42
38	NIH working group report: Innovative research to improve maintenance of weight loss. Obesity, 2015, 23, 7-15.	3.0	405
39	Successful aging: Advancing the science of physical independence in older adults. Ageing Research Reviews, 2015, 24, 304-327.	10.9	172
40	A Randomized Trial Investigating the Effect of a Brief Lifestyle Intervention on Freshman-Year Weight Gain. Journal of American College Health, 2014, 62, 101-109.	1.5	15
41	Effects of behavioral treatment on long-term weight loss: Lessons learned from the look AHEAD trial. Obesity, 2014, 22, 3-4.	3.0	16
42	Modifications in parent feeding practices and child diet during familyâ€based behavioral treatment improve child zBMI. Obesity, 2014, 22, E119-26.	3.0	35
43	Dietary selfâ€monitoring and longâ€ŧerm success with weight management. Obesity, 2014, 22, 1962-1967.	3.0	93
44	A randomized trial comparing weight loss treatment delivered in large versus small groups. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 123.	4.6	17
45	Protocol and recruitment results from a randomized controlled trial comparing group phone-based versus newsletter interventions for weight loss maintenance among rural breast cancer survivors. Contemporary Clinical Trials, 2014, 37, 261-271.	1.8	25
46	Effect of Dietary Restriction and Exercise on Lower Extremity Tissue Compartments in Obese, Older Women: A Pilot Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 101-108.	3.6	39
47	Lifestyle Interventions for Cardiovascular Disease Risk Reduction: A Systematic Review of the Effects of Diet Composition, Food Provision, and Treatment Modality on Weight Loss. Current Atherosclerosis Reports, 2014, 16, 442.	4.8	27
48	Comparative effectiveness of three doses of weight-loss counseling: Two-year findings from the rural LITE trial. Obesity, 2014, 22, 2293-2300.	3.0	49
49	The Stanford Leisure-Time Activity Categorical Item (L-Cat): a single categorical item sensitive to physical activity changes in overweight/obese women. International Journal of Obesity, 2013, 37, 1597-1602.	3.4	73
50	Effects of prescribing 1,000 versus 1,500 kilocalories per day in the behavioral treatment of obesity: A randomized trial. Obesity, 2013, 21, 2481-2487.	3.0	16
51	Promoting healthy weight with "stability skills first†A randomized trial Journal of Consulting and Clinical Psychology, 2013, 81, 336-346.	2.0	58
52	Developing a Research Agenda for Cardiovascular Disease Prevention in High-Risk Rural Communities. American Journal of Public Health, 2013, 103, 1011-1021.	2.7	29
53	Benefits and risks of weight-loss treatment for older, obese women. Clinical Interventions in Aging, 2013, 8, 157.	2.9	3
54	Behavioral economic predictors of overweight children's weight loss Journal of Consulting and Clinical Psychology, 2012, 80, 1086-1096.	2.0	112

#	Article	IF	CITATIONS
55	Bayesian Inference for the Causal Effect of Mediation. Biometrics, 2012, 68, 1028-1036.	1.4	36
56	Comparing Costs of Telephone vs Face-to-Face Extended-Care Programs for the Management of Obesity in Rural Settings. Journal of the Academy of Nutrition and Dietetics, 2012, 112, 1363-1373.	0.8	29
57	Social Support for Healthy Behaviors: Scale Psychometrics and Prediction of Weight Loss Among Women in a Behavioral Program. Obesity, 2012, 20, 756-764.	3.0	126
58	Disease Prevention Through Lifestyle Interventions. , 2012, , .		0
59	Outcomes of a weight loss intervention among rural breast cancer survivors. Breast Cancer Research and Treatment, 2012, 132, 631-639.	2.5	114
60	Prevalence of Obesity Among Adults From Rural and Urban Areas of the United States: Findings From NHANES (2005â€⊋008). Journal of Rural Health, 2012, 28, 392-397.	2.9	441
61	The impact of extended care on the longâ€term maintenance of weight loss: a systematic review and metaâ€analysis. Obesity Reviews, 2012, 13, 509-517.	6.5	211
62	Child appetitive traits influence dietary intake in treatment seeking overweight children. FASEB Journal, 2012, 26, 632.4.	0.5	0
63	How Much Walking Is Needed To Improve Cardiorespiratory Fitness? An Examination of the 2008 Physical Activity Guidelines for Americans. Research Quarterly for Exercise and Sport, 2011, 82, 365-370.	1.4	34
64	The Extension Family Lifestyle Intervention Project (E-FLIP for Kids): Design and methods. Contemporary Clinical Trials, 2011, 32, 50-58.	1.8	29
65	Effects of a weight loss plus exercise program on physical function in overweight, older women: a randomized controlled trial. Clinical Interventions in Aging, 2011, 6, 141.	2.9	66
66	Weight Loss With Naltrexone SR/Bupropion SR Combination Therapy as an Adjunct to Behavior Modification: The CORâ€BMOD Trial. Obesity, 2011, 19, 110-120.	3.0	394
67	The Impact of Behavioral Intervention on Obesity Mediated Declines in Mobility Function: Implications for Longevity. Journal of Aging Research, 2011, 2011, 1-8.	0.9	11
68	An Exploratory Analysis of the Effects of a Weight Loss Plus Exercise Program on Cellular Quality Control Mechanisms in Older Overweight Women. Rejuvenation Research, 2011, 14, 315-324.	1.8	51
69	Translating Weight Loss and Physical Activity Programs Into the Community to Preserve Mobility in Older, Obese Adults in Poor Cardiovascular Health. Archives of Internal Medicine, 2011, 171, 880-6.	3.8	130
70	Differential response of African American and Caucasian women to extended-care programs for obesity management. Ethnicity and Disease, 2011, 21, 170-5.	2.3	17
71	The Association Between Rate of Initial Weight Loss and Long-Term Success in Obesity Treatment: Does Slow and Steady Win the Race?. International Journal of Behavioral Medicine, 2010, 17, 161-167.	1.7	128
72	Effects of Exercise on Mobility in Obese and Nonobese Older Adults. Obesity, 2010, 18, 1168-1175.	3.0	58

#	Article	IF	CITATIONS
73	The Use of Biosimulation in the Design of a Novel Multilevel Weight Loss Maintenance Program for Overweight Children. Obesity, 2010, 18, S91-8.	3.0	25
74	What Words Should We Use When Discussing Excess Weight?. Journal of the American Board of Family Medicine, 2010, 23, 606-613.	1.5	52
75	Cynicism: Incident diabetes and worsening of metabolic syndrome in postmenopausal women. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2010, 4, 187-189.	3.6	6
76	Group versus individual phone-based obesity treatment for rural women. Eating Behaviors, 2010, 11, 11-17.	2.0	80
77	Weight loss goals of patients in a health maintenance organization. Eating Behaviors, 2010, 11, 74-78.	2.0	25
78	Comparison of physician weight loss goals for obese male and female patients. Preventive Medicine, 2010, 50, 186-188.	3.4	15
79	Comparison of Program Costs for Parentâ€Only and Familyâ€Based Interventions for Pediatric Obesity in Medically Underserved Rural Settings. Journal of Rural Health, 2009, 25, 326-330.	2.9	63
80	The contributions of weight loss and increased physical fitness to improvements in health-related quality of life. Eating Behaviors, 2009, 10, 84-88.	2.0	30
81	Problem solving, treatment adherence, and weight-loss outcome among women participating in lifestyle treatment for obesity. Eating Behaviors, 2009, 10, 146-151.	2.0	58
82	Sensible Treatment of Obesity in Rural Youth (STORY): Design and methods. Contemporary Clinical Trials, 2008, 29, 270-280.	1.8	44
83	Low-Fat Dietary Pattern and Risk of Treated Diabetes Mellitus in Postmenopausal Women <subtitle>The Women's Health Initiative Randomized Controlled Dietary Modification Trial</subtitle> . Archives of Internal Medicine, 2008, 168, 1500.	3.8	141
84	Extended-Care Programs for Weight Management in Rural Communities. Archives of Internal Medicine, 2008, 168, 2347.	3.8	227
85	Comparison of Parent-Only vs Family-Based Interventions for Overweight Children in Underserved Rural Settings. JAMA Pediatrics, 2008, 162, 1119.	3.0	172
86	Preventing Weight Regain After Weight Loss. , 2008, , 249-268.		4
87	Predictors of Dietary Change and Maintenance in the Women's Health Initiative Dietary Modification Trial. Journal of the American Dietetic Association, 2007, 107, 1155-1165.	1.1	89
88	Low-Fat Dietary Pattern and Risk of Colorectal Cancer: The Women???s Health Initiative Randomized Controlled Dietary Modification Trial. Obstetrical and Gynecological Survey, 2006, 61, 456-458.	0.4	8
89	Low-Fat Dietary Pattern and Risk of Cardiovascular Disease: The Women???s Health Initiative Randomized Controlled Dietary Modification Trial. Obstetrical and Gynecological Survey, 2006, 61, 451-453.	0.4	1
90	Relation of BMI and Physical Activity to Sex Hormones in Postmenopausal Women. Obesity, 2006, 14, 1662-1677.	3.0	274

#	Article	IF	CITATIONS
91	Low-Fat Dietary Pattern and Risk of Cardiovascular Disease. JAMA - Journal of the American Medical Association, 2006, 295, 655.	7.4	939
92	Low-Fat Dietary Pattern and Risk of Colorectal Cancer. JAMA - Journal of the American Medical Association, 2006, 295, 643.	7.4	355
93	Problem Solving to Promote Treatment Adherence. , 2006, , 135-148.		12
94	Differential Predictors of Adherence in Exercise Programs with Moderate versus Higher Levels of Intensity and Frequency. Journal of Sport and Exercise Psychology, 2005, 27, 171-187.	1.2	16
95	Prescribing Exercise at Varied Levels of Intensity and Frequency. Archives of Internal Medicine, 2005, 165, 2362.	3.8	152
96	Treatment of Obesity. , 2005, , 181-202.		0
97	Changing weight-loss expectations: A randomized pilot study. Eating Behaviors, 2005, 6, 259-269.	2.0	58
98	Body Mass Index and Alcohol Use. Journal of Addictive Diseases, 2004, 23, 105-118.	1.3	135
99	Dietary adherence in the women's health initiative dietary modification trial. Journal of the American Dietetic Association, 2004, 104, 654-658.	1.1	69
100	Effects of exercise on emerging and traditional cardiovascular risk factors. Preventive Medicine, 2004, 39, 894-902.	3.4	40
101	Comparison of perceived health to physiological measures of health in Black and White womenâ~†â~†This work was supported by HL58873 and RR0082 Preventive Medicine, 2003, 36, 624-628.	3.4	28
102	Exercise Training, Without Weight Loss, Increases Insulin Sensitivity and Postheparin Plasma Lipase Activity in Previously Sedentary Adults. Diabetes Care, 2003, 26, 557-562.	8.6	326
103	Minimal Intervention Programs for Weight Loss in Heart Transplant Candidates: A Preliminary Examination. Progress in Transplantation, 2003, 13, 284-288.	0.7	9
104	Minimal intervention programs for weight loss in heart transplant candidates: a preliminary examination. Progress in Transplantation, 2003, 13, 284-288.	0.7	4
105	Adherence to exercise prescriptions: Effects of prescribing moderate versus higher levels of intensity and frequency Health Psychology, 2002, 21, 452-458.	1.6	256
106	Impact of Body Weight on Long-term Survival After Lung Transplantation. Chest, 2002, 121, 401-406.	0.8	106
107	Walking Compared with Vigorous Exercise for the Prevention of Cardiovascular Events in Women. New England Journal of Medicine, 2002, 347, 716-725.	27.0	1,106
108	The effects of physical and emotional status on adherence to a low-fat dietary pattern in the Women's Health Initiative. Journal of the American Dietetic Association, 2002, 102, 789-800.	1.1	39

#	Article	IF	CITATIONS
109	Adherence to exercise prescriptions: effects of prescribing moderate versus higher levels of intensity and frequency. Health Psychology, 2002, 21, 452-8.	1.6	106
110	Individual versus group therapy for obesity: Effects of matching participants to their treatment preferences Journal of Consulting and Clinical Psychology, 2001, 69, 717-721.	2.0	287
111	Can Sedentary Adults Accurately Recall the Intensity of Their Physical Activity?. Preventive Medicine, 2001, 33, 18-26.	3.4	113
112	Relapse prevention training and problem-solving therapy in the long-term management of obesity Journal of Consulting and Clinical Psychology, 2001, 69, 722-726.	2.0	349
113	A Psychometric Normative Database for Pre-Lung Transplantation Evaluations. Journal of Clinical Psychology in Medical Settings, 2001, 8, 229-236.	1.4	10
114	Ethnic, socioeconomic, and lifestyle correlates of obesity in U.S. women:. Clinical Journal of Women's Health, 2001, 1, 225-234.	0.4	10
115	Who Will Adhere? Key Issues in the Study and Prediction of Adherence in Randomized Controlled Trials. Contemporary Clinical Trials, 2000, 21, S195-S199.	1.9	46
116	Dietary Adherence. Contemporary Clinical Trials, 2000, 21, S206-S211.	1.9	35
117	Medical coping modes questionnaire: Factor structure for adult transplant candidates. International Journal of Behavioral Medicine, 2000, 7, 89-110.	1.7	14
118	Discrepancy between actual and ideal body images. Eating Behaviors, 2000, 1, 153-160.	2.0	80
119	Maintenance of dietary behavior change Health Psychology, 2000, 19, 42-56.	1.6	141
120	Title is missing!. Journal of Clinical Psychology in Medical Settings, 1999, 6, 303-316.	1.4	17
121	Effects of exercise-focused versus weight-focused maintenance programs on the management of obesity. Addictive Behaviors, 1999, 24, 219-227.	3.0	66
122	A Psychometric Normative Database for Pre-Liver Transplantation Evaluations. Psychosomatics, 1999, 40, 479-485.	2.5	50
123	The maintenance of treatment effects in the long-term management of obesity Clinical Psychology: Science and Practice, 1998, 5, 526-543.	0.9	108
124	Effects of a personalized system of skill acquisition and an educational program in the treatment of obesity. Addictive Behaviors, 1998, 23, 97-100.	3.0	22
125	Effects of group- versus home-based exercise in the treatment of obesity Journal of Consulting and Clinical Psychology, 1997, 65, 278-285.	2.0	179
126	Comparative effectiveness of social problem-solving therapy and reminiscence therapy as treatments for depression in older adults Journal of Consulting and Clinical Psychology, 1993, 61, 1003-1010.	2.0	273

#	Article	IF	CITATIONS
127	Effects of an intermittent, low-fat, low-calorie diet in the behavioral treatment of obesity. Behavior Therapy, 1990, 21, 499-509.	2.4	24
128	Social problem-solving therapy for unipolar depression: An initial dismantling investigation Journal of Consulting and Clinical Psychology, 1989, 57, 408-413.	2.0	280
129	Effect of length of treatment on weight loss Journal of Consulting and Clinical Psychology, 1989, 57, 450-452.	2.0	217
130	Effects of four maintenance programs on the long-term management of obesity Journal of Consulting and Clinical Psychology, 1988, 56, 529-534.	2.0	295
131	Effects of peer support and therapist contact on long-term weight loss Journal of Consulting and Clinical Psychology, 1987, 55, 615-617.	2.0	107
132	Effects of ECT given two vs. three times weekly. Psychiatry Research, 1987, 21, 63-69.	3.3	32
133	Enhancing the efficacy of behavior therapy for obesity: Effects of aerobic exercise and a multicomponent maintenance program Journal of Consulting and Clinical Psychology, 1986, 54, 670-675.	2.0	134
134	Do behavioral treatments of obesity last? A five-year follow-up investigation. Addictive Behaviors, 1984, 9, 175-183.	3.0	94
135	Maintenance strategies for the treatment of obesity: An evaluation of relapse prevention training and posttreatment contact by mail and telephone Journal of Consulting and Clinical Psychology, 1984, 52, 404-413.	2.0	174
136	Effect of a multicomponent maintenance program on long-term weight loss Journal of Consulting and Clinical Psychology, 1984, 52, 480-481.	2.0	89
137	Maintenance strategies for the treatment of obesity: An evaluation of relapse prevention training and posttreatment contact by mail and telephone Journal of Consulting and Clinical Psychology, 1984, 52, 404-413.	2.0	35
138	A critical evaluation of the research methodology employed in the investigation of causative factors of child abuse and neglect. Child Abuse and Neglect, 1981, 5, 449-455.	2.6	40
139	Assessment of Heterosocial Skills in Male College Students. Behavior Modification, 1979, 3, 337-354.	1.6	18
140	An investigation of naturally occurring episodes of self-controlled behaviors Journal of Counseling Psychology, 1977, 24, 178-183.	2.0	59
141	Behavioral self-control and smoking reduction: A study of self-initiated attempts to reduce smoking. Behavior Therapy, 1977, 8, 360-365.	2.4	73
142	Increasing the maintenance of self-control treatments through faded counselor contact and high information feedback Journal of Counseling Psychology, 1976, 23, 405-406.	2.0	14
143	Parents of minor children lose less weight during a behavioral weight loss intervention: Findings from the Rural LEAP trial. Obesity Science and Practice, 0, , .	1.9	2