

Kotohiro Nomura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8934113/publications.pdf>

Version: 2024-02-01

297
papers

9,874
citations

30070

54
h-index

64796

79
g-index

307
all docs

307
docs citations

307
times ranked

3545
citing authors

#	ARTICLE	IF	CITATIONS
1	Design of Vanadium Complex Catalysts for Precise Olefin Polymerization. <i>Chemical Reviews</i> , 2011, 111, 2342-2362.	47.7	265
2	Synthesis of Various Nonbridged Titanium(IV) Cyclopentadienyl η^5 -Aryloxy Complexes of the Type CpTi(OAr) ₂ and Their Use in the Catalysis of Alkene Polymerization. Important Roles of Substituents on both Aryloxy and Cyclopentadienyl Groups. <i>Organometallics</i> , 1998, 17, 2152-2154.	2.3	212
3	Nonbridged half-metallocenes containing anionic ancillary donor ligands: New promising candidates as catalysts for precise olefin polymerization. <i>Journal of Molecular Catalysis A</i> , 2007, 267, 1-29.	4.8	195
4	Olefin Polymerization by (Cyclopentadienyl)(aryloxy)titanium(IV) Complexes η^5 -Cocatalyst Systems. <i>Macromolecules</i> , 1998, 31, 7588-7597.	4.8	193
5	Precise synthesis of polymers containing functional end groups by living ring-opening metathesis polymerization (ROMP): Efficient tools for synthesis of block/graft copolymers. <i>Polymer</i> , 2010, 51, 1861-1881.	3.8	144
6	Half-titanocenes containing anionic ancillary donor ligands as promising new catalysts for precise olefin polymerisation. <i>Dalton Transactions</i> , 2009, , 8811.	3.3	138
7	Remarkable Effects of Aluminum Cocatalyst and Comonomer in Ethylene Copolymerizations Catalyzed by (Arylimido)(aryloxo)vanadium Complexes: A Efficient Synthesis of High Molecular Weight Ethylene/Norbornene Copolymer. <i>Macromolecules</i> , 2005, 38, 5905-5913.	4.8	127
8	Ethylene/Styrene Copolymerization by Various (Cyclopentadienyl)(aryloxy)titanium(IV) Complexes η^5 -MAO Catalyst Systems. <i>Macromolecules</i> , 2002, 35, 5388-5395.	4.8	124
9	Olefin Polymerization and Ring-Opening Metathesis Polymerization of Norbornene by (Arylimido)(aryloxo)vanadium(V) Complexes of the Type VX ₂ (NAr)(OAr η^5). Remarkable Effect of Aluminum Cocatalyst for the Coordination and Insertion and Ring-Opening Metathesis Polymerization. <i>Macromolecules</i> , 2002, 35, 1583-1590.	4.8	123
10	Preparation of α -Sugar-Coated β -Homopolymers and Multiblock ROMP Copolymers. <i>Macromolecules</i> , 1996, 29, 540-545.	4.8	119
11	Syndiospecific Styrene Polymerization and Efficient Ethylene/Styrene Copolymerization Catalyzed by (Cyclopentadienyl)(aryloxy)titanium(IV) Complexes η^5 -MAO System. <i>Macromolecules</i> , 2000, 33, 8122-8124.	4.8	118
12	Transition metal catalyzed hydrogenation or reduction in water. <i>Journal of Molecular Catalysis A</i> , 1998, 130, 1-28.	4.8	117
13	Synthesis of Poly(macromonomer)s by Repeating Ring-Opening Metathesis Polymerization (ROMP) with Mo(CHCMe ₂ Ph)(NAr)(OR) ₂ Initiators. <i>Macromolecules</i> , 2001, 34, 4712-4723.	4.8	116
14	Copolymerization of Ethylene with Cyclohexene (CHE) Catalyzed by Nonbridged Half-Titanocenes Containing Aryloxo Ligand: A Notable Effect of Both Cyclopentadienyl and Anionic Donor Ligand for Efficient CHE Incorporation. <i>Journal of the American Chemical Society</i> , 2005, 127, 4582-4583.	13.7	115
15	Efficient Ethylene/Norbornene Copolymerization by (Aryloxo)(indenyl)titanium(IV) Complexes η^5 -MAO Catalyst System. <i>Macromolecules</i> , 2003, 36, 3797-3799.	4.8	112
16	A Vanadium(V) Alkylidene Complex Exhibiting Remarkable Catalytic Activity for Ring-Opening Metathesis Polymerization (ROMP). <i>Organometallics</i> , 2005, 24, 2248-2250.	2.3	109
17	Notable Effect of Fluoro Substituents in the Imino Group in Ring-Opening Polymerization of β -Caprolactone by Al Complexes Containing Phenoxyimine Ligands. <i>Organometallics</i> , 2009, 28, 2179-2187.	2.3	106
18	Olefin metathesis polymerization: Some recent developments in the precise polymerizations for synthesis of advanced materials (by ROMP, ADMET). <i>Tetrahedron</i> , 2018, 74, 619-643.	1.9	106

#	ARTICLE	IF	CITATIONS
19	Half-titanocenes for precise olefin polymerisation: effects of ligand substituents and some mechanistic aspects. <i>Dalton Transactions</i> , 2011, 40, 7666.	3.3	104
20	Living Copolymerization of Ethylene with Styrene Catalyzed by (Cyclopentadienyl)(ketimide)titanium(IV) Complex \sim MAO Catalyst System. <i>Journal of the American Chemical Society</i> , 2005, 127, 9364-9365.	13.7	98
21	Effect of the Cyclopentadienyl Fragment on Monomer Reactivities and Monomer Sequence Distributions in Ethylene/ β -Olefin Copolymerization by a Nonbridged (Cyclopentadienyl)(aryloxy)titanium(IV) Complex \sim MAO Catalyst System. <i>Macromolecules</i> , 2000, 33, 3187-3189.	4.8	96
22	Notable Effects of Aluminum Alkyls and Solvents for Highly Efficient Ethylene (Co)polymerizations Catalyzed by (Arylimido)-(aryloxy)vanadium Complexes. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 743-750.	4.3	95
23	Olefin polymerization by (cyclopentadienyl)(ketimide)titanium(IV) complexes of the type, Cp η^2 TiCl ₂ (N \bar{r} ...CtBu ₂)-methylaluminoxane (MAO) catalyst systems. <i>Journal of Molecular Catalysis A</i> , 2004, 220, 133-144.	4.8	93
24	Ethylene/ β -olefin copolymerization by various nonbridged (cyclopentadienyl)(aryloxy)titanium(IV) complexes $\hat{=}$ MAO catalyst system. <i>Journal of Molecular Catalysis A</i> , 2001, 174, 127-140.	4.8	92
25	Ring-opening polymerization of various cyclic esters by Al complex catalysts containing a series of phenoxy-imine ligands: Effect of the imino substituents for the catalytic activity. <i>Journal of Molecular Catalysis A</i> , 2008, 292, 67-75.	4.8	88
26	Notable norbornene (NBE) incorporation in ethylene $\hat{=}$ NBE copolymerization catalysed by nonbridged half-titanocenes: better correlation between NBE incorporation and coordination energy. <i>Chemical Communications</i> , 2006, , 2659-2661.	4.1	83
27	n-Alkene and dihydrogen formation from n-alkanes by photocatalysis using carbonyl(chloro)phosphine $\hat{=}$ rhodium complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, .	2.0	80
28	Synthesis of Al complexes containing phenoxy-imine ligands and their use as the catalyst precursors for efficient living ring-opening polymerisation of β -caprolactone. <i>Dalton Transactions</i> , 2008, , 3978.	3.3	78
29	Facile, Efficient Functionalization of Polyolefins via Controlled Incorporation of Terminal Olefins by Repeated 1,7-Octadiene Insertion. <i>Journal of the American Chemical Society</i> , 2007, 129, 14170-14171.	13.7	77
30	(Imido)vanadium(v)-alkyl, -alkylidene complexes exhibiting unique reactivity towards olefins and alcohols. <i>Chemical Science</i> , 2010, 1, 161.	7.4	77
31	Facile Synthesis of (Imido)vanadium(V) $\hat{=}$ Alkyl, Alkylidene Complexes Containing an N-Heterocyclic Carbene Ligand from Their Trialkyl Analogues. <i>Organometallics</i> , 2008, 27, 6400-6402.	2.3	73
32	Highly Efficient Dimerization of Ethylene by (Imido)vanadium Complexes Containing (2-Anilidomethyl)pyridine Ligands: Notable Ligand Effect toward Activity and Selectivity. <i>Journal of the American Chemical Society</i> , 2010, 132, 4960-4965.	13.7	73
33	Efficient Incorporation of 2-Methyl-1-pentene in Copolymerization of Ethylene with 2-Methyl-1-pentene Catalyzed by Nonbridged Half-Titanocenes. <i>Macromolecules</i> , 2005, 38, 2053-2055.	4.8	70
34	Synthesis and Structural Analysis of (Arylimido)vanadium(V) Complexes Containing Phenoxyimine Ligands: New, Efficient Catalyst Precursors for Ethylene Polymerization. <i>Organometallics</i> , 2008, 27, 2590-2596.	2.3	70
35	Synthesis and characterization of organoaluminum compounds containing quinolin-8-amine derivatives and their catalytic behaviour for ring-opening polymerization of β -caprolactone. <i>Dalton Transactions</i> , 2009, , 9000.	3.3	69
36	Synthesis of high molecular weight trans-poly(9,9-di-n-octylfluorene-2,7-vinylene) by the acyclic diene metathesis polymerization using molybdenum catalysts. <i>Journal of Polymer Science Part A</i> , 2001, 39, 2463-2470.	2.3	68

#	ARTICLE	IF	CITATIONS
37	(Arylimido)vanadium(V) η^5 -Alkylidene Complexes Containing Fluorinated Aryloxo and Alkoxo Ligands for Fast Living Ring-Opening Metathesis Polymerization (ROMP) and Highly Cis-Specific ROMP. <i>Journal of the American Chemical Society</i> , 2015, 137, 4662-4665.	13.7	68
38	Ring-Opening Metathesis Polymerization of Cyclic Olefins by (Arylimido)vanadium(V)-Alkylidenes: Highly Active, Thermally Robust <i>cis</i> -Specific Polymerization. <i>Journal of the American Chemical Society</i> , 2016, 138, 11840-11849.	13.7	67
39	Effect of Cyclopentadienyl Fragment in Copolymerization of Ethylene with Cyclic Olefins Catalyzed by Non-Bridged (Aryloxo)(cyclopentadienyl)titanium(IV) Complexes. <i>Advanced Synthesis and Catalysis</i> , 2005, 347, 433-446.	4.3	66
40	Synthesis and Structural Analysis of (Imido)vanadium(V) Dichloride Complexes Containing Imidazolin-2-iminato- and Imidazolidin-2-iminato Ligands, and their Use as Catalyst Precursors for Ethylene (Co)polymerization. <i>Inorganic Chemistry</i> , 2014, 53, 607-623.	4.0	66
41	Precise Synthesis of Poly(macromonomer)s Containing Sugars by Repetitive ROMP and Their Attachments to Poly(ethylene glycol): Synthesis, TEM Analysis and Their Properties as Amphiphilic Block Fragments. <i>Chemistry - A European Journal</i> , 2007, 13, 8985-8997.	3.3	65
42	Effect of Cyclopentadienyl and Amide Fragment in Olefin Polymerization by Nonbridged (Amide)(cyclopentadienyl)titanium(IV) Complexes of the Type Cp η^5 -TiCl ₂ [N(R)R] η^5 -Methylaluminoxane (MAO) Catalyst Systems. <i>Macromolecules</i> , 2003, 36, 2633-2641.	4.8	64
43	1,2-C [^] H Activation of Benzene Promoted by (Arylimido)vanadium(V)-Alkylidene Complexes: Isolation of the Alkylidene, Benzyne Complexes. <i>Organometallics</i> , 2011, 30, 2712-2720.	2.3	64
44	Syntheses of Various (Arylimido)vanadium(V) η^5 -Dialkyl Complexes Containing Aryloxo and Alkoxo Ligands, and Ring-Opening Metathesis Polymerization Using a Vanadium(V) η^5 -Alkylidene Complex. <i>Organometallics</i> , 2008, 27, 3818-3824.	2.3	63
45	Precise Synthesis of Amphiphilic Polymeric Architectures by Grafting Poly(ethylene glycol) to End-Functionalized Block ROMP Copolymers. <i>Macromolecules</i> , 2005, 38, 1075-1083.	4.8	62
46	Notable effect of imino substituent for the efficient ring-opening polymerization of ϵ -caprolactone initiated by Al complexes containing phenoxy-imine ligand of type, Me ₂ Al(L) [L: O-2-Bu-6-(RN CH) ₂ C ₆ H ₃ ; R: 2,6-Pr ₂ C ₆ H ₃ , Bu, adamantyl, C ₆ F ₅]. <i>Catalysis Communications</i> , 2008, 9, 1148-1152.	3.3	62
47	Synthesis of vanadium η^5 -alkylidene complexes and their use as catalysts for ring opening metathesis polymerization. <i>Dalton Transactions</i> , 2017, 46, 12-24.	3.3	62
48	Living Copolymerization of Ethylene with Styrene Catalyzed by (Cyclopentadienyl)(ketimide)titanium(IV) Complex η^5 -MAO Catalyst System: η^5 Effect of Anionic Ancillary Donor Ligand. <i>Macromolecules</i> , 2006, 39, 5266-5274.	4.8	59
49	Synthesis of (1-Adamantylimido)vanadium(V) Complexes Containing Aryloxo, Ketimide Ligands: Effect of Ligand Substituents in Olefin Insertion/Metathesis Polymerization. <i>Inorganic Chemistry</i> , 2008, 47, 6482-6492.	4.0	59
50	Effect of Cyclopentadienyl and Anionic Ancillary Ligand in Syndiospecific Styrene Polymerization Catalyzed by Nonbridged Half-Titanocenes Containing Aryloxo, Amide, and Anilide Ligands: η^5 Cocatalyst Systems. <i>Macromolecules</i> , 2004, 37, 5520-5530.	4.8	57
51	Effect of Cyclopentadienyl and Anionic Donor Ligands on Monomer Reactivities in Copolymerization of Ethylene with 2-Methyl-1-pentene by Nonbridged Half-Titanocenes η^5 -Cocatalyst Systems. <i>Macromolecules</i> , 2007, 40, 6489-6499.	4.8	57
52	Synthesis of (Imido)Vanadium(V) Dichloride Complexes Containing Anionic N-Heterocyclic Carbenes That Contain a Weakly Coordinating Borate Moiety: New MAO-Free Ethylene Polymerization Catalysts. <i>Organometallics</i> , 2016, 35, 1778-1784.	2.3	57
53	Efficient Incorporation of Vinylcyclohexane in Ethylene/Vinylcyclohexane Copolymerization Catalyzed by Nonbridged Half-Titanocenes. <i>Macromolecules</i> , 2005, 38, 8121-8123.	4.8	55
54	Synthesis of Vanadium(III), -(IV), and -(V) Complexes That Contain the Pentafluorophenyl-Substituted Triamidoamine Ligand [(C ₆ F ₅ NCH ₂ CH ₂) ₃ N] ₃ -. <i>Inorganic Chemistry</i> , 1996, 35, 3695-3701.	4.0	54

#	ARTICLE	IF	CITATIONS
55	Ethylene Dimerization/Polymerization Catalyzed by (Adamantylimido)vanadium(V) Complexes Containing (2-Anilidomethyl)pyridine Ligands: Factors Affecting the Ethylene Reactivity. <i>Organometallics</i> , 2012, 31, 3575-3581.	2.3	53
56	Synthesis of All-Trans High Molecular Weight Poly(<i>N</i> -alkylcarbazole-2,7-vinylene)s and Poly(9,9-dialkylfluorene-2,7-vinylene)s by Acyclic Diene Metathesis (ADMET) Polymerization Using Ruthenium Carbene Complex Catalysts. <i>Macromolecules</i> , 2009, 42, 5104-5111.	4.8	52
57	A Stable Vanadium(V)-Methyl Complex Containing Arylimido and Bis(ketimide) Ligands That Exhibits Unique Reactivity with Alcohol. <i>Organometallics</i> , 2005, 24, 3621-3623.	2.3	51
58	Olefin Polymerization by the (Pybox)RuX ₂ (ethylene) MAO Catalyst System. <i>Macromolecules</i> , 1999, 32, 4732-4734.	4.8	50
59	Synthesis of Nonbridged (Anilide)(cyclopentadienyl)titanium(IV) Complexes of the Type Cp ⁺ TiCl ₂ [N(2,6-Me ₂ C ₆ H ₃)(R)] and Their Use in Catalysis for Olefin Polymerization. <i>Organometallics</i> , 2002, 21, 3042-3049.	2.3	49
60	Reactions of an (Arylimido)vanadium(V) Alkylidene, V(CHSiMe ₃)(N-2,6-Me ₂ C ₆ H ₃)(N-C ₆ H ₄ -2,6-tBu ₂)(PMe ₃) ₂ with Nitriles, Diphenylacetylene, and Styrene. <i>Organometallics</i> , 2008, 27, 5353-5360.		
61	Polymerization of 1-hexene, 1-octene catalyzed by Cp ⁺ TiCl ₂ (O-2,6-iPr ₂ C ₆ H ₃) MAO system. Unexpected increase of the catalytic activity for ethylene/1-hexene copolymerization by (1,3-tBu ₂ C ₅ H ₃)TiCl ₂ (O-2,6-iPr ₂ C ₆ H ₃) MAO catalyst system. <i>Journal of Molecular Catalysis A</i> , 2000, 152, 249-252.	4.8	48
62	Ruthenium catalyzed hydrogenation of methyl phenylacetate under low hydrogen pressure. <i>Journal of Molecular Catalysis A</i> , 2002, 178, 105-114.	4.8	48
63	Synthesis of (Arylimido)vanadium(V) Complexes Containing (2-Anilidomethyl)pyridine Ligands and Their Use as the Catalyst Precursors for Olefin Polymerization. <i>Organometallics</i> , 2009, 28, 5925-5933.	2.3	48
64	Ethylene Homopolymerization and Ethylene/1-Butene Copolymerization Catalyzed by a [1,8-C ₁₀ H ₆ (NR) ₂]TiCl ₂ MAO Catalyst System. <i>Macromolecules</i> , 1998, 31, 8009-8015.	4.8	47
65	Efficient selective reduction of aromatic nitro compounds by ruthenium catalysis under CO ₂ conditions. <i>Journal of Molecular Catalysis A</i> , 1995, 95, 203-210.	4.8	46
66	Ethylene Polymerization Catalyzed by Ruthenium and Iron Complexes Containing 2,6-Bis(2-oxazolin-2-yl)pyridine (Pybox) Ligand-Cocatalyst System. <i>Bulletin of the Chemical Society of Japan</i> , 2000, 73, 599-605.	3.2	45
67	Synthesis of Oligo(thiophene)-Coated Star-Shaped ROMP Polymers: Unique Emission Properties by the Precise Integration of Functionality. <i>Journal of the American Chemical Society</i> , 2012, 134, 7892-7895.	13.7	45
68	Highly Efficient Ethylene/Cyclopentene Copolymerization with Exclusive 1,2-Cyclopentene Incorporation by (Cyclopentadienyl)(ketimide)titanium(IV) Complex MAO Catalysts. <i>Advanced Synthesis and Catalysis</i> , 2007, 349, 2235-2240.	4.3	44
69	Effect of aryloxo ligand for ethylene polymerization by (arylimido)(aryloxo)vanadium(V) complexes MAO catalyst systems: attempt for polymerization of styrene. <i>Catalysis Communications</i> , 2003, 4, 159-164.	3.3	43
70	Polymerization of 1,5-Hexadiene by the Nonbridged Half-Titanocene Complex MAO Catalyst System: Remarkable Difference in the Selectivity of Repeated 1,2-Insertion. <i>Macromolecules</i> , 2004, 37, 1693-1695.	4.8	43
71	Acyclic diene metathesis polymerization of 2,5-dialkyl-1,4-divinylbenzene with molybdenum or ruthenium catalysts: Factors affecting the precise synthesis of defect-free, high-molecular-weight trans-poly(p-phenylene vinylene)s. <i>Journal of Polymer Science Part A</i> , 2005, 43, 6166-6177.	2.3	43
72	Copolymerization of Ethylene with α -Olefins Containing Various Substituents Catalyzed by Half-Titanocenes: Factors Affecting the Monomer Reactivities. <i>Macromolecules</i> , 2009, 42, 4585-4595.	4.8	43

#	ARTICLE	IF	CITATIONS
73	Ring-Opening Polymerization of THF by Aryloxo-Modified (Imido)vanadium(V)-alkyl Complexes and Ring-Opening Metathesis Polymerization by Highly Active V(CHSiMe ₃) ₃ (NAd)(OC ₆ F ₅) ₂ (PMe ₃) ₂ . <i>Organometallics</i> , 2012, 31, 5114-5120.	2.3	43
74	Synthesis of Bio-Based Aliphatic Polyesters from Plant Oils by Efficient Molecular Catalysis: A Selected Survey from Recent Reports. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 5486-5505.	6.7	43
75	Precise Synthesis of Amphiphilic Multiblock Copolymers by Combination of Acyclic Diene Metathesis (ADMET) Polymerization with Atom Transfer Radical Polymerization (ATRP) and Click Chemistry. <i>ACS Macro Letters</i> , 2012, 1, 423-427.	4.8	42
76	Chiral optofluidics: gigantic circularly polarized light enhancement of all-trans-poly(9,9-di-n-octylfluorene-2,7-vinylene) during mirror-symmetry-breaking aggregation by optically tuning fluidic media. <i>RSC Advances</i> , 2012, 2, 6663.	3.6	42
77	Copolymerizations of Norbornene and Tetracyclododecene with $\hat{\pm}$ -Olefins by Half-Titanocene Catalysts: Efficient Synthesis of Highly Transparent, Thermal Resistance Polymers. <i>Macromolecules</i> , 2016, 49, 59-70.	4.8	42
78	Ligand effect in olefin polymerization catalyzed by (cyclopentadienyl)(aryloxy) titanium(IV) complexes, Cp $\hat{\epsilon}^2$ TiCl ₂ (OAr) $\hat{\epsilon}$ MAO system.. <i>Journal of Molecular Catalysis A</i> , 2000, 159, 127-137.	4.8	41
79	Ethylene Polymerization and Ring-Opening Metathesis Polymerization of Norbornene Catalyzed by (Arylimido)(aryloxy)vanadium(V) Complexes of the Type, V(Nar)(OAr $\hat{\epsilon}^2$)X ₂ (X = Cl, CH ₂ Ph). <i>Chemistry Letters</i> , 2001, 30, 36-37.	1.3	41
80	Exclusive End Functionalization of all-trans-Poly(fluorene vinylene)s Prepared by Acyclic Diene Metathesis Polymerization: Facile Efficient Synthesis of Amphiphilic Triblock Copolymers by Grafting Poly(ethylene glycol). <i>Macromolecules</i> , 2008, 41, 4245-4249.	4.8	41
81	Synthesis of Half-Titanocenes Containing Phenoxy-imine Ligands and Their Use as Catalysts for Olefin Polymerization. <i>Organometallics</i> , 2007, 26, 5967-5977.	2.3	40
82	Efficient Functional Group Introduction into Polyolefins by Copolymerization of Ethylene with Allyltrialkylsilane Using Nonbridged Half-Titanocenes. <i>Macromolecules</i> , 2008, 41, 1070-1072.	4.8	40
83	Facile Controlled Synthesis of Soluble Star Shape Polymers by Ring-Opening Metathesis Polymerization (ROMP). <i>Macromolecules</i> , 2009, 42, 899-901.	4.8	40
84	Effects of cyclopentadienyl fragment in ethylene, 1-hexene, and styrene polymerizations catalyzed by half-titanocenes containing ketimide ligand of the type, Cp $\hat{\epsilon}^2$ TiCl ₂ (N $\hat{\epsilon}$...CtBu ₂). <i>Catalysis Communications</i> , 2004, 5, 413-417.	3.3	39
85	Design of Efficient Molecular Catalysts for Synthesis of Cyclic Olefin Copolymers (COC) by Copolymerization of Ethylene and $\hat{\pm}$ -Olefins with Norbornene or Tetracyclododecene. <i>Catalysts</i> , 2016, 6, 175.	3.5	39
86	Effect of aryloxide ligand in 1-hexene, styrene polymerization catalyzed by nonbridged half-titanocenes of the type, Cp $\hat{\epsilon}^2$ TiCl ₂ (OAr) (Cp $\hat{\epsilon}^2$ =C ₅ Me ₅ , tBuC ₅ H ₄). <i>Journal of Molecular Catalysis A</i> , 2006, 254, 197-205.	4.8	38
87	Direct synthesis of 2-phenylethanol by hydrogenation of methyl phenylacetate using homogeneous ruthenium-phosphine catalysis under low hydrogen pressure. <i>Journal of Molecular Catalysis A</i> , 2001, 166, 345-349.	4.8	37
88	Polymerization of 1,5-Hexadiene by Half-Titanocenes $\hat{\epsilon}$ MAO Catalyst Systems: $\hat{\epsilon}$ % Factors Affecting the Selectivity for the Favored Repeated 1,2-Insertion. <i>Macromolecules</i> , 2006, 39, 4009-4017.	4.8	37
89	Direct Precise Functional Group Introduction into Polyolefins: Efficient Incorporation of Vinyltrialkylsilanes in Ethylene Copolymerizations by Nonbridged Half-Titanocenes. <i>Macromolecules</i> , 2008, 41, 8974-8976.	4.8	37
90	Synthesis of binuclear phenoxyimino organoaluminum complexes and their use as the catalyst precursors for efficient ring-opening polymerisation of $\hat{\mu}$ -caprolactone. <i>Dalton Transactions</i> , 2013, 42, 12346.	3.3	37

#	ARTICLE	IF	CITATIONS
91	Synthesis and Structural Analysis of (Imido)Vanadium(V) Complexes Containing Chelate (Anilido)Methyl-imine Ligands: Ligand Effect in Ethylene Dimerization. <i>Inorganic Chemistry</i> , 2013, 52, 2607-2614.	4.0	37
92	(Arylimido)Vanadium(V)-Alkylidenes Containing Chlorinated Phenoxy Ligands: Thermally Robust, Highly Active Catalyst in Ring-Opening Metathesis Polymerization of Cyclic Olefins. <i>Organometallics</i> , 2018, 37, 2064-2074.	2.3	37
93	Recent Developments in Z-selective Olefin Metathesis Reactions by Molybdenum, Tungsten, Ruthenium, and Vanadium Catalysts. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 1970-1997.	4.3	37
94	Synthesis and Structure of Titanatranes Containing Tetradentate Trianionic Donor Ligands of the Type [(O-2,4-R ₂ C ₆ H ₂ -6-CH ₂) ₂ (OCH ₂ CH ₂) ₂] ³⁻ and Their Use in Catalysis for Ethylene Polymerization. <i>Organometallics</i> , 2007, 26, 1616-1626.	2.3	36
95	Efficient ethylene/norbornene copolymerization by half-titanocenes containing imidazolinato ligands and MAO catalyst systems. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2575-2580.	2.3	36
96	Ethylene Polymerization Catalyzed by Titanium(IV) Complexes of a Triaryloxoamine Ligand [TiX{(OArCH ₂) ₃ N}]. <i>Macromolecular Rapid Communications</i> , 2004, 25, 504-507.	3.9	35
97	Recent Progress in Precise Synthesis of Polyolefins Containing Polar Functionalities by Transition Metal Catalysis. <i>Current Organic Synthesis</i> , 2008, 5, 217-226.	1.3	35
98	Noticeable Chiral Center Dependence of Signs and Magnitudes in Circular Dichroism (CD) and Circularly Polarized Luminescence (CPL) Spectra of all-trans-Poly(9,9-dialkylfluorene-2,7-vinylene)s Bearing Chiral Alkyl Side Chains in Solution, Aggregates, and Thin Films. <i>Macromolecules</i> , 2018, 51, 2377-2387.	4.8	35
99	Synthesis of homopolymers and multiblock copolymers by the living ring-opening metathesis polymerization of norbornenes containing acetyl-protected carbohydrates with well-defined ruthenium and molybdenum initiators. <i>Journal of Polymer Science Part A</i> , 2004, 42, 4248-4265.	2.3	34
100	Tuning the active species from syndiospecific styrene polymerisation to ethylene/styrene copolymerisation by (aryloxo)(cyclopentadienyl)titanium complexes as MAO catalysts. <i>Dalton Transactions</i> , 2007, , 1802-1806.	3.3	34
101	Dithieno[3,4-b:3',4'-d]thiophene-Annulated Antiaromatic Planar Cyclooctatetraene with Olefinic Protons. <i>Organic Letters</i> , 2013, 15, 3522-3525.	4.6	34
102	Ethylene polymerisation and ethylene/norbornene copolymerisation by using aryloxo-modified vanadium complexes containing 2,6-difluoro-, dichloro-phenylimido complexes. <i>Dalton Transactions</i> , 2015, 44, 12273-12281.	3.3	34
103	Effect of Al Cocatalyst in Ethylene and Ethylene/Norbornene (Co)polymerization by (Imido)vanadium Dichloride Complexes Containing Anionic Heterocyclic Carbenes Having Weakly Coordinating Borate Moiety. <i>Journal of the Japan Petroleum Institute</i> , 2017, 60, 256-262.	0.6	34
104	Alkene and dihydrogen formation by catalytic dehydrogenation of alkane with RhCl(<i>pr</i>) ₂ photogenerated from rhcl(<i>co</i>)(<i>pr</i>) ₂ . <i>Journal of Molecular Catalysis</i> , 1989, 54, 57-64.	1.2	33
105	Precise synthesis of poly(macromonomer)s containing sugars by repetitive ring-opening metathesis polymerisation. <i>Chemical Communications</i> , 2005, , 4080.	4.1	33
106	Effect of ketimide ligand for ethylene polymerization and ethylene/norbornene copolymerization catalyzed by (cyclopentadienyl)(ketimide)titanium complexes as MAO catalyst systems: Structural analysis for Cp-TiCl ₂ (NCPH ₂). <i>Journal of Organometallic Chemistry</i> , 2007, 692, 4675-4682.	1.8	33
107	Synthesis and Structural Analysis of (Cyclopentadienyl)(pyrrolide)titanium(IV) Complexes and Their Use in Catalysis for Olefin Polymerization. <i>Organometallics</i> , 2009, 28, 111-122.	2.3	33
108	Precise Synthesis of Poly(fluorene-2,7-vinylene)s Containing Oligo(thiophene)s at the Chain Ends: Unique Emission Properties by the End Functionalization. <i>Macromolecules</i> , 2011, 44, 3705-3711.	4.8	33

#	ARTICLE	IF	CITATIONS
109	Ethylene copolymerization by half-titanocenes containing imidazolin-2-iminato ligandsâ€“MAO catalyst systems. <i>Journal of Molecular Catalysis A</i> , 2012, 363-364, 501-511.	4.8	33
110	Synthesis of (Adamantylimido)vanadium(V) Dimethyl Complex Containing (2-Anilidomethyl)pyridine Ligand and Selected Reactions: Exploring the Oxidation State of the Catalytically Active Species in Ethylene Dimerization. <i>Organometallics</i> , 2017, 36, 530-542.	2.3	33
111	XAS Analysis of Reactions of (Arylimido)vanadium(V) Dichloride Complexes Containing Anionic NHC That Contains a Weakly Coordinating B(C ₆ F ₅) ₃ Moiety (WCA-NHC) or Phenoxide Ligands with Al Alkyls: A Potential Ethylene Polymerization Catalyst with WCA-NHC Ligands. <i>ACS Omega</i> , 2019, 4, 18833-18845.	3.5	33
112	Copolymerization of Ethylene with <i>tert</i> -Butylethylene Using Nonbridged Half-Titanocene-Cocatalyst Systems. <i>Macromolecules</i> , 2009, 42, 3767-3773.	4.8	32
113	Synthesis of (Imido)vanadium(V) Alkyl and Alkylidene Complexes Containing Imidazolidin-2-iminato Ligands: Effect of Imido Ligand on ROMP and 1,2-C-H Bond Activation of Benzene. <i>Organometallics</i> , 2014, 33, 6682-6691.	2.3	32
114	Synthesis of Half-Titanocenes Containing Anionic N-Heterocyclic Carbenes That Contain a Weakly Coordinating Borate Moiety, Cp ² TiX ₂ (WCA-NHC), and Their Use as Catalysts for Ethylene (Co)polymerization. <i>Organometallics</i> , 2019, 38, 3233-3244.	2.3	32
115	Synthesis of new polyesters by acyclic diene metathesis polymerization of bio-based 1,5-dienes prepared from eugenol and castor oil (undecenoate). <i>RSC Advances</i> , 2019, 9, 10245-10252.	3.6	32
116	Effect of ligand in ethylene/styrene copolymerization by [Me ₂ Si(C ₅ Me ₄)(NR)]TiCl ₂ (R = <i>tert</i> -Bu.) <i>J. Polym. Sci. Part A: Polym. Chem.</i> , 2002, 40, 225-234.	4.8	31
117	Efficient living polymerization of 1-hexene by Cp [*] TiMe ₂ (O-2,6-iPr ₂ C ₆ H ₃)-borate catalyst systems at low temperature. <i>Journal of Molecular Catalysis A</i> , 2004, 209, 9-17.	4.8	31
118	<i>Cis</i> -Specific Chain Transfer Ring-Opening Metathesis Polymerization Using a Vanadium(V) Alkylidene Catalyst for Efficient Synthesis of End-Functionalized Polymers. <i>Organometallics</i> , 2017, 36, 4103-4106.	2.3	31
119	A study concerning the effect of organoboron compounds in 1-hexene polymerization catalyzed by Cp [*] TiMe ₂ (O-2,6-iPr ₂ C ₆ H ₃). Structural analysis for Cp [*] TiMe ₂ (O-2,6-iPr ₂ C ₆ H ₃) and Cp [*] TiMe(CF ₃ SO ₃)(O-2,6-iPr ₂ C ₆ H ₃). <i>Inorganica Chimica Acta</i> , 2003, 345, 37-43.	2.4	30
120	Precise Synthesis of Poly(fluorene vinylene)s Capped with Chromophores: Efficient Fluorescent Polymers Modified by Conjugation Length and End-Groups. <i>ACS Macro Letters</i> , 2013, 2, 980-984.	4.8	30
121	Effect of ligand substituents in olefin polymerisation by half-sandwich titanium complexes containing monoanionic iminoimidazolidide ligandsâ€“MAO catalyst systems. <i>Dalton Transactions</i> , 2011, 40, 7842.	3.3	29
122	Precise One-Pot Synthesis of End-Functionalized Conjugated Multi-Block Copolymers via Combined Olefin Metathesis and Wittig-type Coupling. <i>Macromolecules</i> , 2013, 46, 9563-9574.	4.8	29
123	Synthesis of (Adamantylimido)vanadium(V)-Alkyl, Alkylidene Complex Trapped with PMe ₃ : Reactions of the Alkylidene Complexes with Phenols. <i>Organometallics</i> , 2014, 33, 6585-6592.	2.3	29
124	Synthesis of (Imido)vanadium(V) Complexes Containing 8-(2,6-Dimethylanilide)-5,6,7-trihydroquinoline Ligands: Highly Active Catalyst Precursors for Ethylene Dimerization. <i>Organometallics</i> , 2014, 33, 1053-1060.	2.3	28
125	Synthesis of (Imido)niobium(V) Alkylidene Complexes That Exhibit High Catalytic Activities for Metathesis Polymerization of Cyclic Olefins and Internal Alkynes. <i>Organometallics</i> , 2016, 35, 2773-2777.	2.3	28
126	Synthesis of Various (Arylimido)vanadium(V) Methyl Complexes Containing Ketimide Ligands and Reactions with Alcohols, Thiols, and Borates: Implications for Unique Reactivity toward Alcohols. <i>Organometallics</i> , 2007, 26, 2579-2588.	2.3	27

#	ARTICLE	IF	CITATIONS
127	Efficient ring-opening metathesis polymerization of norbornene by vanadium-alkylidenes generated in situ from V(NAr)Cl ₂ (L) (L: ketimide, aryloxo). <i>Journal of Molecular Catalysis A</i> , 2007, 275, 1-8.	4.8	27
128	Hetero-bimetallic Complexes of Titanatranes with Aluminum Alkyls: Synthesis, Structural Analysis, and Their Use in Catalysis for Ethylene Polymerization. <i>Organometallics</i> , 2010, 29, 3500-3506.	2.3	27
129	Efficient Selective Reduction of Aromatic Nitro Compounds Affording Aromatic Amines under CO/H ₂ O Conditions Catalyzed by Amine-Added Rhodium ⁺ -Carbonyl Complexes. <i>Bulletin of the Chemical Society of Japan</i> , 1991, 64, 2624-2628.	3.2	26
130	Effect of Terminal Aryloxo Ligands in Ethylene Polymerization Using Titanatranes of the Type, [Ti(OAr){O-2,4-R ₂ C ₆ H ₂ -6-CH ₂ } ₃ N]: Synthesis and Structural Analysis of the Heterobimetallic Complexes of Titanatranes with AlMe ₃ . <i>Organometallics</i> , 2012, 31, 8237-8248.	2.3	26
131	Synthesis and Structural Analysis of (Imido)vanadium Dichloride Complexes Containing 2-(2- ⁺ -Benz-imidazolyl)pyridine Ligands: Effect of Al Cocatalyst for Efficient Ethylene (Co)polymerization. <i>ACS Omega</i> , 2017, 2, 8660-8673.	3.5	26
132	A practical convenient homogeneous palladium-phosphine catalysis for hydrocarbonylation of chlorobenzenes. <i>Journal of Molecular Catalysis A</i> , 1997, 120, L9-L11.	4.8	25
133	Factors affecting product distributions in ethylene/styrene copolymerization by (aryloxo)(cyclopentadienyl)titanium complexes ⁺ MAO catalyst systems. <i>Journal of Polymer Science Part A</i> , 2008, 46, 4162-4174.	2.3	25
134	Efficient Synthesis of Functionalized Polyolefin by Incorporation of 4-Vinylcyclohexene in Ethylene Copolymerization Using Half-Titanocene Catalysts. <i>Macromolecules</i> , 2009, 42, 5097-5103.	4.8	25
135	Olefin Polymerization by Half-Titanocenes Containing ⁺ -Pyrazolato Ligands ⁺ MAO Catalyst Systems. <i>Macromolecules</i> , 2011, 44, 1986-1998.	4.8	24
136	Synthesis of Poly(arylene vinylene)s with Different End Groups by Combining Acyclic Diene Metathesis Polymerization with Wittig ⁺ type Couplings. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 5288-5293.	13.8	24
137	Olefin polymerization and copolymerization with soluble transition-metal complex catalysts. <i>Journal of Polymer Science Part A</i> , 2000, 38, 4613-4626.	2.3	23
138	Copolymerization of ethylene with ⁺ -olefin catalyzed by [1,8-C ₁₀ H ₆ (NSi ⁺ BuMe ₂) ₂]TiCl ₂ and [ArN(CH ₂) ₃ NAr]TiCl ₂ (Ar=2,6-iPr ₂ C ₆ H ₃) ⁺ MAO catalyst systems. <i>Polymer</i> , 2000, 41, 2755-2764.	3.8	23
139	Synthesis of Isoxazolino Norbornene Derivatives Containing Sugar Residues by 1,3-Dipolar Cycloaddition and Their Application to the Synthesis of Neoglycopolymers by Living Ring-Opening Metathesis Polymerization. <i>Macromolecules</i> , 2006, 39, 3147-3153.	4.8	23
140	Acyclic Diene Metathesis (ADMET) Polymerization for Precise Synthesis of Defect-Free Conjugated Polymers with Well-Defined Chain Ends. <i>Catalysts</i> , 2015, 5, 500-517.	3.5	23
141	Solution X-Ray Absorption Spectroscopy (XAS) for Analysis of Catalytically Active Species in Reactions with Ethylene by Homogeneous (Imido)vanadium(V) Complexes ⁺ Al Cocatalyst Systems. <i>Catalysts</i> , 2019, 9, 1016.	3.5	23
142	Photocatalytic dehydrogenation of methanol using [IrH(SnCl ₃) ₅] ⁺ complex. <i>Journal of Molecular Catalysis</i> , 1994, 89, 143-149.	1.2	22
143	NONBRIDGED HALF-TITANOCENES CONTAINING ANIONIC ANCILLARY DONOR LIGANDS: PROMISING NEW CATALYSTS FOR PRECISE SYNTHESIS OF CYCLIC OLEFIN COPOLYMERS (COCs). <i>Chinese Journal of Polymer Science (English Edition)</i> , 2008, 26, 513.	3.8	22
144	Synthesis of (1-Adamantylimido)vanadium(V)-alkyl Complexes Containing a Chelate Alkoxo(imino)pyridine Ligand, and Reactions with Alcohols (ROH) That Proceed via Intermediates Formed by Coordination of ROH. <i>Organometallics</i> , 2009, 28, 1558-1568.	2.3	22

#	ARTICLE	IF	CITATIONS
145	Synthesis and Structural Analysis of Titanatranes Bearing Terminal Substituted Aryloxo Ligands of the type $[Ti(OAr)\{(O-2,4-Me_2C_6H_2-6-CH_2)_2(OCH_2CH_2)N\}_n]$ ($n = 1, 2$): Effect of Aryloxo Substituents in the Ethylene Polymerization. <i>Inorganic Chemistry</i> , 2009, 48, 9491-9500.	4.0	22
146	Synthesis and Reaction Chemistry of Alkylidene Complexes With Titanium, Zirconium, Vanadium, and Niobium: Effective Catalysts for Olefin Metathesis Polymerization and Other Organic Transformations. <i>Advances in Organometallic Chemistry</i> , 2017, 68, 93-136.	1.0	22
147	Use of Pyridine-Coated Star-Shaped ROMP Polymer As the Supporting Ligand for Ruthenium-Catalyzed Chemoselective Hydrogen Transfer Reduction of Ketones. <i>Organometallics</i> , 2012, 31, 5074-5080.	2.3	21
148	Precise Synthesis of End-Functionalized Oligo(2,5-dialkoxy-1,4-phenylene vinylene)s with Controlled Repeat Units via Combined Olefin Metathesis and Wittig-Type Coupling. <i>Organic Letters</i> , 2013, 15, 1618-1621.	4.6	21
149	Precise one-pot synthesis of fully conjugated end-functionalized star polymers containing poly(fluorene-2,7-vinylene) (PFV) arms. <i>Polymer Chemistry</i> , 2015, 6, 380-388.	3.9	21
150	Catalytic One-Pot Synthesis of End-Functionalized Poly(9,9-di-n-octylfluorenevinylene)s by Acyclic Diene Metathesis (ADMET) Polymerization Using Ruthenium Carbene Catalysts. <i>Macromolecules</i> , 2016, 49, 518-526.	4.8	21
151	Effects of End-Groups on Photophysical Properties of Poly(9,9-di-n-octylfluorene-2,7-vinylene)s Linked with Metalloporphyrins: Synthesis and Time-Resolved Fluorescence Spectroscopy. <i>Macromolecules</i> , 2017, 50, 1803-1814.	4.8	21
152	Novel selective catalytic reduction of aromatic nitro compounds affording amines using ruthenium carbonyl complex in the presence of NEt_3 under CO/H_2O conditions. <i>Journal of Molecular Catalysis</i> , 1992, 73, L1-L4.	1.2	20
153	Selective reduction of aromatic nitro compounds affording aromatic amines under CO/H_2O conditions catalyzed by phosphine-added rhodium and ruthenium carbonyl complexes. <i>Journal of Molecular Catalysis</i> , 1993, 78, 273-282.	1.2	20
154	Synthesis of titanium(IV) complexes that contain the Bis(silylamide) ligand of the type $[1,8-C_{10}H_6(NR)_2]_2^{2+}$, and alkene polymerization catalyzed by $[1,8-C_{10}H_6(NR)_2]TiCl_2$ -cocatalyst system. <i>Journal of Molecular Catalysis A</i> , 1998, 130, L209-L213.	4.8	20
155	Tris(pyrazolyl)borate Ti(IV) Complexes Containing Phenoxy Ligands: Effective Catalyst Precursors for Ethylene Polymerization That Proceeds via Cationic Ti(IV) Species. <i>Organometallics</i> , 2009, 28, 1942-1949.	2.3	20
156	Syndiospecific Styrene Polymerization and Ethylene/Styrene Copolymerization Using Half-Titanocenes: Ligand Effects and Some New Mechanistic Aspects. <i>Catalysis Surveys From Asia</i> , 2010, 14, 33-49.	2.6	20
157	Synthesis of Biobased Long-Chain Polyesters by Acyclic Diene Metathesis Polymerization and Tandem Hydrogenation and Depolymerization with Ethylene. <i>ACS Omega</i> , 2020, 5, 18301-18312.	3.5	20
158	Extremely efficient catalytic reduction of aromatic nitro compounds affording amines using amine-added $Rh_6(CO)_{16}$ catalyst systems under CO/H_2O conditions. <i>Journal of Molecular Catalysis</i> , 1991, 66, L11-L13.	1.2	19
159	Syndiospecific styrene polymerization by $(tert-BuC_5H_4)TiCl_2(O-2,6-Pr_2C_6H_3)$ borate catalyst system. <i>Catalysis Communications</i> , 2003, 4, 269-274.	3.3	19
160	(Imido)vanadium Complexes as Efficient Catalyst Precursors for Olefin Polymerization/Oligomerization. <i>Catalysis Surveys From Asia</i> , 2011, 15, 127-133.	2.6	19
161	Ethylene Copolymerization with 4-Methylcyclohexene or 1-Methylcyclopentene by Half-Titanocene Catalysts: Effect of Ligands and Microstructural Analysis of the Copolymers. <i>Macromolecules</i> , 2018, 51, 853-863.	4.8	19
162	Solution XANES and EXAFS analysis of active species of titanium, vanadium complex catalysts in ethylene polymerisation/dimerisation and syndiospecific styrene polymerisation. <i>Dalton Transactions</i> , 2020, 49, 8008-8028.	3.3	19

#	ARTICLE	IF	CITATIONS
163	Selective Catalytic Reduction of Aromatic Nitro Compounds Affording Amines under CO/H ₂ O Conditions Using Amine-added Ruthenium Carbonyl Complexes. <i>Chemistry Letters</i> , 1991, 20, 1679-1682.	1.3	18
164	Selective hydrogen transfer reduction of ketones by recyclable ruthenium complex catalysts containing a ROMP polymer-attached ligand. <i>Journal of Molecular Catalysis A</i> , 2006, 245, 152-160.	4.8	18
165	Unique Reactivity of (Arylimido)vanadium(IV) Alkyl Complexes with Phenols: Fast Phenoxy Ligand Exchange in the Presence of Vanadium(IV) Alkyls. <i>Organometallics</i> , 2011, 30, 3610-3618.	2.3	18
166	The Effect of SiMe ₃ and SiEt ₃ Para Substituents for High Activity and Introduction of a Hydroxy Group in Ethylene Copolymerization Catalyzed by Phenoxide-Modified Half-Titanocenes. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 23072-23076.	13.8	18
167	Photocatalytic dehydrogenation of 2-propanol with carbonyl(halogeno)phosphine-rhodium complexes. <i>Journal of Molecular Catalysis</i> , 1989, 52, 99-111.	1.2	17
168	Novel reduction of aromatic nitro compounds affording amines using CO and water catalysed by phosphine-added Rh(CO) ₂ (acac) complexes. <i>Journal of Molecular Catalysis</i> , 1991, 66, L19-L21.	1.2	17
169	Facile selective reduction of aromatic nitro compounds affording amines using Rh ₄ (CO) ₁₂ -9,10-diaminophenanthrene catalyst system under CO/H ₂ O conditions: The effect of 9,10-diaminophenanthrene. <i>Journal of Molecular Catalysis</i> , 1991, 66, L1-L3.	1.2	17
170	Synthesis of Half-Titanocenes Containing Aryloxo Ligands Attached to the ROMP Polymer Chain End: Unique Catalyst Precursors for Ethylene (Co)polymerization. <i>Organometallics</i> , 2007, 26, 3461-3465.	2.3	17
171	Vanadyl Di(5- <i>t</i> -butyl(aryliminomethyl)quinolinolate): Synthesis, Characterization, and Ethylene (Co)Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 1744-1752.	2.2	17
172	Time-Resolved Fluorescence Spectra in the End-Functionalized Conjugated Triblock Copolymers Consisting of Poly(fluorene vinylene) and Oligo(phenylene vinylene): Proposal of Dynamical Distortion in the Excited State. <i>Macromolecules</i> , 2015, 48, 6233-6240.	4.8	17
173	Efficient Norbornene (NBE) Incorporation in Ethylene/NBE Copolymerization by Half-Titanocene Catalysts Containing Chlorinated Aryloxo Ligands. <i>Organometallics</i> , 2016, 35, 1895-1905.	2.3	17
174	Selective catalytic reduction of aromatic nitro compounds using CO and water with highly active rhodium-phosphine chelate complexes. <i>Journal of Molecular Catalysis</i> , 1991, 65, L5-L7.	1.2	16
175	Ethylene polymerization and ethylene/1-octene copolymerization using group 4 half-metallocenes containing aryloxo ligands, CpMCl ₂ (OAr) [M=Ti, Zr, Hf; Ar=O-2,6-R ₂ C ₆ H ₃ , R=tBu, Ph] MAO catalyst systems. <i>Journal of Molecular Catalysis A</i> , 2009, 303, 102-109.	4.8	16
176	A Facile, Controlled Synthesis of Soluble Star Polymers Containing a Sugar Residue by Ring-Opening Metathesis Polymerization (ROMP). <i>Macromolecular Symposia</i> , 2010, 293, 53-57.	0.7	16
177	New Approaches in Precise Synthesis of Polyolefins Containing Polar Functionalities by Olefin Copolymerizations Using Transition Metal Catalysts. Yuki Gosei Kagaku Kyokaiishi/ <i>Journal of Synthetic Organic Chemistry</i> , 2010, 68, 1150-1158.	0.1	16
178	Ring opening metathesis polymerization of norbornene and tetracyclododecene with cyclooctene by using (arylimido)vanadium(IV) alkylidene catalyst. <i>Journal of Polymer Science Part A</i> , 2017, 55, 3067-3074.	2.3	16
179	Solution XAS Analysis for Exploring Active Species in Syndiospecific Styrene Polymerization and 1-Hexene Polymerization Using Half-Titanocene MAO Catalysts: Significant Changes in the Oxidation State in the Presence of Styrene. <i>Organometallics</i> , 2019, 38, 4497-4507.	2.3	16
180	Dialkylaluminum 2-substituted 6,6-dimethylcyclopentylpyridin-7-oxylates toward structural-differentiation of the ring-opening polymerization of μ -caprolactone and ϵ -lactides. <i>Dalton Transactions</i> , 2019, 48, 4157-4167.	3.3	16

#	ARTICLE	IF	CITATIONS
181	Time-dependent DFT study of the K-edge spectra of vanadium and titanium complexes: effects of chloride ligands on pre-edge features. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 674-682.	2.8	16
182	Vanadium(V) Arylimido Alkylidene N-Heterocyclic Carbene Alkyl and Perhalophenoxy Alkylidenes for the Cis, Syndiospecific Ring Opening Metathesis Polymerization of Norbornene. <i>Organometallics</i> , 2021, 40, 2017-2022.	2.3	16
183	Effect of cocatalyst in 1-hexene polymerization by Cp [∗] -TiMe ₂ (O-2,6-iPr ₂ C ₆ H ₃) complex. <i>Journal of Molecular Catalysis A</i> , 2000, 164, 131-135.	4.8	15
184	Hydrogenation of PhCH ₂ CHO catalyzed by ruthenium complex containing a polymer-attached ligand prepared by living ring-opening metathesis polymerization. <i>Journal of Molecular Catalysis A</i> , 2002, 185, 311-316.	4.8	15
185	Effect of Anionic Ancillary Ligand in Ethylene Polymerization Catalyzed by (Arylimido)vanadium Complexes Containing Aryloxo, Ketimide Ligand. <i>Studies in Surface Science and Catalysis</i> , 2006, , 123-128.	1.5	15
186	Synthesis of (adamantylimido)vanadium(V)-alkyl complexes containing aryloxo ligands and their use as the catalyst precursors for ring-opening metathesis polymerization of norbornene, and ring-opening polymerization of tetrahydrofuran. <i>Journal of Organometallic Chemistry</i> , 2011, 696, 4057-4063.	1.8	15
187	Synthesis and structural analysis of phenoxy-substituted half-titanocenes with different anionic ligands, Cp [∗] TiX(Y)(O-2,6-iPr ₂ C ₆ H ₃): Effect of anionic ligands (X,Y) in ethylene/styrene copolymerization. <i>Journal of Molecular Catalysis A</i> , 2012, 365, 136-145.	4.8	15
188	Facile <i>in situ</i> generation of highly active (arylimido)vanadium(IV)-alkylidene catalysts for the ring-opening metathesis polymerization (ROMP) of cyclic olefins by immediate phenoxy ligand exchange. <i>Chemical Communications</i> , 2018, 54, 13559-13562.	4.1	15
189	Transition Metal Ketene Complexes as Active Intermediate for Catalytic Carbonylation of Geminal Dibromoalkanes. <i>Chemistry Letters</i> , 1986, 15, 1607-1610.	1.3	14
190	Photoenhanced catalytic dehydrogenation of methanol with tin(II)-coordinated iridium complexes. <i>Journal of Molecular Catalysis</i> , 1989, 50, 303-313.	1.2	14
191	Living Ring-Opening Metathesis Polymerization of Norbornenes Containing Acetyl-Protected Carbohydrates Using Well-Defined Molybdenum and Ruthenium Initiators. <i>Macromolecular Rapid Communications</i> , 2004, 25, 571-576.	3.9	14
192	Synthesis, structural analysis of the hetero-bimetallic complexes MMe[(O-2,4-tBu ₂ C ₆ H ₂ -6-CH ₂) ₂ (¹ / ₂ -O-2,4-tBu ₂ C ₆ H ₂ -6-CH ₂)N] [Me ₂ Al(¹ / ₂ -OiPr)] [M = Zr, Hf] and their use in catalysis for ethylene polymerisation. <i>Dalton Transactions</i> , 2013, 42, 11632.	3.3	14
193	Half-Titanocenes Containing Anionic Ancillary Donor Ligands: Effective Catalyst Precursors for Ethylene/Styrene Copolymerization. <i>Catalysts</i> , 2013, 3, 157-175.	3.5	14
194	Synthesis of half-titanocenes containing 1,3-imidazolidin-2-iminato ligands of type, Cp [∗] TiCl ₂ [1,3-R(CH ₂) ₂ CiN]: highly active catalyst precursors in ethylene (co)polymerisation. <i>RSC Advances</i> , 2015, 5, 64503-64513.	3.6	14
195	Synthesis of Titanium Complexes Containing an Amine Triphenolate Ligand of the Type [TiX{(O-2,4-R ₂ C ₆ H ₂ -6-CH ₂) ₂ -6-CH ₂) ₃ N] and the Ti-Al Heterobimetallic Complexes with AlMe ₃ : Effect of a Terminal Donor Ligand in Ethylene Polymerization. <i>Organometallics</i> , 2015, 34, 3272-3281.	2.3	14
196	Solution XAS Analysis for Exploring the Active Species in Homogeneous Vanadium Complex Catalysis. <i>Journal of the Physical Society of Japan</i> , 2018, 87, 061014.	1.6	14
197	Synthesis and Structural Analysis of Half-Titanocenes Containing ¹ -Pyrazolato Ligands, and Their Use in Catalysis for Ethylene Polymerization. <i>Inorganic Chemistry</i> , 2009, 48, 5011-5020.	4.0	13
198	Efficient Terpolymerization of Ethylene and Styrene with 1,7-Octadiene by Aryloxo Modified Half-Titanocenes-Cocatalyst Systems: Efficient Introduction of the Reactive Functionality. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 1785-1791.	2.2	13

#	ARTICLE	IF	CITATIONS
199	Efficient Conversion of Renewable Unsaturated Fatty Acid Methyl Esters by Cross-Metathesis with Eugenol. <i>ACS Omega</i> , 2018, 3, 11041-11049.	3.5	13
200	La(η^3)-Catalysed degradation of polyesters to monomers via transesterifications. <i>Chemical Communications</i> , 2022, 58, 8141-8144.	4.1	13
201	Co ₂ (CH ₂ =C=O)(CO) ₇ as an Active Intermediate for Cobalt-catalyzed Alkoxy carbonylation of CH ₂ Br ₂ . <i>Chemistry Letters</i> , 1989, 18, 1983-1986.	1.3	12
202	Donor-Acceptor Segregated Paracyclophanes Composed of Naphthobipyrrole and Stacked Fluoroarenes. <i>Organic Letters</i> , 2013, 15, 3202-3205.	4.6	12
203	Synthesis of Well-Defined Oligo(2,5-dialkoxy-1,4-phenylene vinylene)s by Combined Olefin Metathesis and Wittig-type Coupling: Effect of Conjugation Repeat Units and End Groups Toward Optical Properties. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 1973-1983.	2.2	12
204	Synthesis and structural analysis of half-titanocenes containing 1,3-imidazolidin-2-iminato ligands: Effect of ligand substituents in ethylene (co)polymerization. <i>Journal of Organometallic Chemistry</i> , 2015, 798, 375-383.	1.8	12
205	Synthesis of Mono-, Di-, and Trinuclear Rhodium Diphosphine Complexes Containing Light-Harvesting Fluorene Backbones. <i>Inorganic Chemistry</i> , 2017, 56, 1027-1030.	4.0	12
206	(Arylimido)niobium(V)-alkylidenes, Nb(CHSiMe ₃)(NAr)[OC(CF ₃) ₃](PMe ₃) ₂ , That Enable to Proceed Living Metathesis Polymerization of Internal Alkynes. <i>Macromolecules</i> , 2020, 53, 5266-5279.	4.8	12
207	cis-Specific ring opening metathesis polymerisation (ROMP) of cyclic olefins using (pentafluorophenylimido)vanadium-alkylidene, V(CHSiMe ₃)(NC ₆ F ₅)[OC(CF ₃) ₃](PMe ₃) ₂ . <i>Catalysis Science and Technology</i> , 2020, 10, 5840-5846.	4.1	12
208	Ethylene Copolymerization with Limonene and β -Pinene: New Bio-Based Polyolefins Prepared by Coordination Polymerization. <i>Macromolecules</i> , 2021, 54, 4693-4703.	4.8	12
209	Ethylene Polymerization by Phenoxy Substituted Tris(pyrazolyl)borate Ti(IV) Methyl Complexes. <i>Macromolecules</i> , 2011, 44, 773-777.	4.8	11
210	Effect of Cocatalyst in Ethylene/Styrene Copolymerization by Aryloxo-Modified Half-titanocene Cocatalyst Systems for Exclusive Synthesis of Copolymers at High Styrene Concentrations. <i>Macromolecular Reaction Engineering</i> , 2012, 6, 351-356.	1.5	11
211	Synthesis of ultrahigh molecular weight polymers by homopolymerisation of higher α -olefins catalysed by aryloxo-modified half-titanocenes. <i>RSC Advances</i> , 2016, 6, 16203-16207.	3.6	11
212	Synthesis of Ultrahigh Molecular Weight Polymers with Low PDIs by Polymerizations of 1-Decene, 1-Dodecene, and 1-Tetradecene by Cp*TiMe ₂ (O-2,6-iPr ₂ C ₆ H ₃)-Borate Catalyst. <i>Molecules</i> , 2019, 24, 1634.	3.8	11
213	On-demand hydrogen production from formic acid by light-active dinuclear iridium catalysts. <i>Chemical Communications</i> , 2020, 56, 4519-4522.	4.1	11
214	Efficient synthesis of 2,3-dimethylbutenes by dimerization of propylene using nickel-phosphine catalyst in the presence of strong sulfonic acids and/or dialkyl sulfates. Remarkable effect of strong sulfonic acids and/or dialkyl sulfates. <i>Journal of Molecular Catalysis A</i> , 1997, 126, L93-L97.	4.8	10
215	Title is missing!. <i>Catalysis Surveys From Asia</i> , 1998, 2, 59-69.	1.2	10
216	Synthesis of Titanatranes Containing Bis(aryloxo)-(alkoxo)amines and their Use in Catalysis for Ethylene Polymerization. <i>Macromolecular Symposia</i> , 2007, 260, 133-139.	0.7	10

#	ARTICLE	IF	CITATIONS
217	Effect of aryloxo substituents in ethylene polymerisation by tris(pyrazolyl)borate titanium(IV) complexes containing aryloxo ligands of type, $TpTiCl_2(OAr)$. Dalton Transactions, 2009, , 9052.	3.3	10
218	Synthesis and structural analysis of aryloxo-modified trinuclear half-titanocenes, and their use as catalyst precursors for ethylene polymerisation. RSC Advances, 2017, 7, 41345-41358.	3.6	10
219	Solution XAS Analysis of Various (Imido)vanadium(V) Dichloride Complexes Containing Monodentate Anionic Ancillary Donor Ligands: Effect of Aluminium Cocatalyst in Ethylene/Norbornene (Co)polymerization. Journal of the Japan Petroleum Institute, 2018, 61, 282-287.	0.6	10
220	(Arylimido)niobium(V) Complexes Containing 2-Pyridylmethylanilido Ligand as Catalyst Precursors for Ethylene Dimerization That Proceeds via Cationic Nb(V) Species. Organometallics, 2019, 38, 1544-1559.	2.3	10
221	The synthesis of cyclic olefin copolymers (COCs) by ethylene copolymerisations with cyclooctene, cycloheptene, and with tricyclo[6.2.1.0(2,7)]undeca-4-ene: the effects of cyclic monomer structures on thermal properties. Polymer Chemistry, 2020, 11, 5590-5600.	3.9	10
222	Synthesis of Semicrystalline Long Chain Aliphatic Polyesters by ADMET Copolymerization of Dianhydro-D-glucityl bis(undec-10-enoate) with 1,9-Decadiene and Tandem Hydrogenation. Catalysts, 2021, 11, 1098.	3.5	10
223	Cobalt-catalyzed aminocarbonylation of geminal dihaloalkanes. Formation of 2-aminoamide and malonamide derivatives. Tetrahedron Letters, 1991, 32, 781-784.	1.4	9
224	One-pot Synthesis of End-functionalized Conjugated Polymers by Combined Acyclic Diene Metathesis (ADMET) Polymerization Using Molybdenum Catalyst with Wittig-type Coupling. Journal of the Japan Petroleum Institute, 2016, 59, 197-203.	0.6	9
225	Efficient synthesis of cyclic olefin copolymers with high glass transition temperatures by ethylene copolymerization with tetracyclododecene using $(i\text{-}tert\text{-}Bu)_5CH_4TiCl_2(N=C\text{-}Bu)_2$ MAO catalyst. Journal of Polymer Science Part A, 2016, 54, 2662-2667.	2.3	9
226	Cu-Pd Dinuclear Complexes with Earth-Abundant Cu Photosensitizer: Synthesis and Photopolymerization. Organometallics, 2020, 39, 2464-2469.	2.3	9
227	Analysis of Ethylene Copolymers with Long-Chain \pm -Olefins (1-Dodecene, 1-Tetradecene, 1-Hexadecene): A Transition between Main Chain Crystallization and Side Chain Crystallization. ACS Omega, 2022, 7, 6900-6910.	3.5	9
228	Some reactions of $Cp^*TiMe_2(OAr)$ and $Cp^*TiMe(CF_3SO_3)(OAr)$ with 5-hexen-1-ol and 3-buten-1-ol, structural analysis for $Cp^*Ti(CF_3SO_3)[OCH_2(CH_2)_3CH_2]_n(OAr)$. Inorganic Chemistry Communication, 2003, 6, 517-522.	3.9	8
229	1-Hexene polymerization by $CpTiX_2(O-2,6-iPr_2C_6H_3)$ [X: Cl, Me] in the presence of MAO- and MMAO-modified carbonaceous supports. Journal of Molecular Catalysis A, 2010, 319, 85-91.	4.8	8
230	Mono- and bis-amidinate 2,6-xylylimido vanadium chlorides: synthesis, structure, and reactivity. Dalton Transactions, 2010, 39, 5643.	3.3	8
231	Efficient terpolymerization of ethylene and styrene with \pm -olefins by aryloxo-modified half-titanocene-based catalysts and cocatalyst systems. Journal of Polymer Science Part A, 2013, 51, 2565-2574.	2.3	8
232	Synthesis of Well-Defined Oligo(2,5-dialkoxy-1,4-phenylene vinylene)s with Chiral End Groups: Unique Helical Aggregations Induced by the Chiral Chain Ends. Chemistry - A European Journal, 2015, 21, 16764-16768.	3.3	8
233	Cross metathesis of methyl oleate (MO) with terminal, internal olefins by ruthenium catalysts: factors affecting the efficient MO conversion and the selectivity. RSC Advances, 2016, 6, 100925-100930.	3.6	8
234	Synthesis and Structural Analysis of Zr-Al Heterobimetallic Complexes, $[ZrX\{(O-2,4\text{-}Bu)_2C_6H_2\text{-}6\text{-}CH_2\}_3](i\text{-}Bu)_2$ [X = Cl, Et, $\text{-}Bu$; R = Me, Et, $\text{-}Bu$]. Unique Reactivity of the $\text{-}Bu$ Complex. Organometallics, 2016, 35, 866-874.	2.3	8

#	ARTICLE	IF	CITATIONS
235	One-pot synthesis of end-functionalised soluble star-shaped polymers by living ring-opening metathesis polymerisation using a molybdenum-alkylidene catalyst. <i>RSC Advances</i> , 2018, 8, 27703-27708.	3.6	8
236	Light-driven catalytic hydrogenation of carbon dioxide at low-pressure by a trinuclear iridium polyhydride complex. <i>Chemical Communications</i> , 2019, 55, 5087-5090.	4.1	8
237	Phenoxide-Modified Half-Titanocenes Supported on Star-Shaped ROMP Polymers as Catalyst Precursors for Ethylene Copolymerization. <i>Organometallics</i> , 2020, 39, 2998-3009.	2.3	8
238	(Imido)vanadium(V)-alkyl, Alkylidene Complexes Exhibiting Unique Reactivities towards Olefins, Phenols, and Benzene via 1,2-C-H Bond Activation. <i>Journal of the Chinese Chemical Society</i> , 2012, 59, 139-148.	1.4	7
239	Introduction of reactive functionality by the incorporation of divinylbiphenyl in ethylene copolymerization with styrene or 1-hexene using aryloxo-modified half-titanocenes and MAO catalysts. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2581-2587.	2.3	7
240	Synthesis and structural analysis of niobium(V) complexes containing amine triphenolate ligands of the type, [NbCl(X)(O-2,4-R ₂ C ₆ H ₂ -6-CH ₂) ₃ N] (R = Me, Bu; X = Cl, CF ₃ SO ₃), and their use in catalysis for ethylene polymerization. <i>Polyhedron</i> , 2017, 125, 9-17.	2.2	7
241	Synthesis of Soluble Star-Shaped Polymers via In and Out Approach by Ring-Opening Metathesis Polymerization (ROMP) of Norbornene: Factors Affecting the Synthesis. <i>Catalysts</i> , 2018, 8, 670.	3.5	7
242	Synthesis of di- and trinuclear iridium polyhydride complexes surrounded by light-absorbing ligands. <i>Dalton Transactions</i> , 2018, 47, 12046-12050.	3.3	7
243	Synthesis of (Arylimido)niobium(V) Complexes Containing Ketimide, Phenoxide Ligands, and Some Reactions with Phenols and Alcohols. <i>ACS Omega</i> , 2018, 3, 6166-6181.	3.5	7
244	Direct observation of catalytically active species in reaction solution by X-ray absorption spectroscopy (XAS). <i>Japanese Journal of Applied Physics</i> , 2019, 58, 100502.	1.5	7
245	Reactions of (Arylimido)vanadium(V)-Trialkyl Complexes with Phenols: Effects of Arylimido Ligands and Phenols for Formation of the Vanadium Phenoxides. <i>ACS Omega</i> , 2019, 4, 5818-5828.	3.5	7
246	Ethylene/Myrcene Copolymers as New Bio-Based Elastomers Prepared by Coordination Polymerization Using Titanium Catalysts. <i>Macromolecules</i> , 2021, 54, 10049-10058.	4.8	7
247	Selective head-to-tail dimer formation from acrylonitrile catalyzed by phosphine-added nickel(0) complexes. <i>Journal of Molecular Catalysis</i> , 1991, 68, L5-L7.	1.2	6
248	Selective dimerization of acrylonitrile affording methyleneglutaronitrile (2,4-dicyanobutene) catalyzed by Ni(0) complexes in the presence of phosphine. <i>Journal of Molecular Catalysis</i> , 1992, 73, L15-L19.	1.2	6
249	Olefin Polymerization with Non-metallocene Catalysts (Early Transition Metals). <i>Lecture Notes in Quantum Chemistry II</i> , 2014, , 89-117.	0.3	6
250	Synthesis and structural analysis of tungsten-carbonyl dimers bridged with oligo(2,5-dialkoxy-1,4-phenylene vinylene)s through pyridine coordination. <i>Dalton Transactions</i> , 2015, 44, 16728-16736.	3.3	6
251	Effects of terthiophene as the end-groups in triblock copolymers consisting of poly(fluorene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Photochemistry and Photobiology A: Chemistry, 2017, 349, 18-24.	3.9	6
252	Synthesis and Structural Analysis of Palladium(II) Complexes Containing Neutral or Anionic C ₂ -Symmetric Bis(oxazoline) Ligands: Effects of Substituents in the 5-Position. <i>ACS Omega</i> , 2017, 2, 3886-3900.	3.5	6

#	ARTICLE	IF	CITATIONS
253	Synthesis of Ultrahigh Molecular Weight Polymers Containing Reactive Functionality with Low PDIs by Polymerizations of Long-Chain α -Olefins in the Presence of Their Nonconjugated Dienes by Cp*TiMe ₂ (O-2,6-iPr ₂ C ₆ H ₃) ⁺ Borate Catalyst. <i>Polymers</i> , 2020, 12, 3.	4.5	6
254	Synthesis of Amorphous Ethylene Copolymers with 2-Vinylnaphthalene, 4-Vinylbiphenyl and 1-(4-Vinylphenyl)naphthalene. <i>Macromolecules</i> , 2021, 54, 83-93.	4.8	6
255	Synthesis of ethylene- ϵ -norbornene- ϵ -1-octene terpolymers with high 1-octene contents, molar masses, and tunable T_g values, in high yields using half-titanocene catalysts. <i>Polymer Chemistry</i> , 2021, 12, 4372-4383.	3.9	6
256	Ethylene Polymerization Using (Imino)vanadium(V) Dichloride Complexes Containing (Anilido)methyl-pyridine, -quinoline Ligands- ϵ -Halogenated Al Alkyls Catalyst Systems. <i>Catalysts</i> , 2013, 3, 148-156.	3.5	5
257	Terthiophene Functionalized Conjugated Triarm Polymers Containing Poly(fluorene-2,7-vinylene) Arms Having Different Cores- ϵ Synthesis and Their Unique Optical Properties. <i>ACS Omega</i> , 2018, 3, 5052-5063.	3.5	5
258	(Arylimido)vanadium(V)-Alkylidene Complexes as Catalysts for Ring-opening Metathesis Polymerization (ROMP) of Cyclic Olefins: Ligand Design for Exhibiting the High Activity. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2019, 37, 943-950.	3.8	5
259	Well-Defined End-Functionalized Conjugated Polymers/Oligomers Exhibiting Unique Emission Properties through the End Groups: The Exclusive Synthesis by Combined Olefin Metathesis with Wittig- ϵ type Coupling. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1900307.	3.6	5
260	Light-Assisted Catalytic Hydrogenation of Carbon Dioxide at a Low Pressure by a Dinuclear Iridium Polyhydride Complex. <i>Organometallics</i> , 2021, 40, 98-101.	2.3	5
261	A Greener Approach for Synthesis of Functionalized Polyolefins by Introducing Reactive Functionality into Ethylene Copolymers. <i>Green and Sustainable Chemistry</i> , 2014, 04, 133-143.	1.2	5
262	Recent Progress for Synthesis of Advanced Functional Materials by Olefin Metathesis Polymerization: Controlled Synthesis of Multi-Block, Brush, Star Polymers for Precise Placement/Integration of Functionality. Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry, 2013, 71, 2-13.	0.1	5
263	Solution XAS Analysis for Reactions of Phenoxide-Modified (Arylimido)vanadium(V) Dichloride and (Oxo)vanadium(V) Complexes with Al Alkyls: Effect of Al Cocatalyst in Ethylene (Co)polymerization. <i>Catalysts</i> , 2022, 12, 198.	3.5	5
264	High Conversion of CaO-Catalyzed Transesterification of Vegetable Oils with Ethanol. <i>Journal of Oleo Science</i> , 2022, 71, 1051-1062.	1.4	5
265	Fluorinated alcohol modified nickel- ϵ phosphine catalyst system for efficient dimerization of propylene. <i>Journal of Molecular Catalysis A</i> , 1999, 137, 1-14.	4.8	4
266	Ethylene Homopolymerization and Ethylene/Norbornene Copolymerization by VCl ₂ (N-2,6-Me ₂ C ₆ H ₃)(O-2,6-Me ₂ C ₆ H ₃) - Chlorinated Al Cocatalyst Systems. <i>Studies in Surface Science and Catalysis</i> , 2007, , 305-308.	1.5	4
267	Olefin Polymerization with Half-Metallocene Catalysts. <i>Lecture Notes in Quantum Chemistry II</i> , 2014, , 51-88.	0.3	4
268	Diradical Character of Benzo- and Naphtho-Annulated Thiophene- ϵ Pyrrole Mixed Oligomer Dications. <i>Australian Journal of Chemistry</i> , 2014, 67, 722.	0.9	4
269	Vanadium NMR Chemical Shifts of (Imido)vanadium(V) Dichloride Complexes with Imidazolin-2-iminato and Imidazolidin-2-iminato Ligands: Cooperation with Quantum-Chemical Calculations and Multiple Linear Regression Analyses. <i>Journal of Physical Chemistry A</i> , 2017, 121, 9099-9105.	2.5	4
270	Synthesis and Structural Analysis of Four Coordinate (Arylimido)niobium(V) Dimethyl Complexes Containing Phenoxide Ligand: MAO-Free Ethylene Polymerization by the Cationic Nb(V)- ϵ Methyl Complex. <i>Organometallics</i> , 2020, 39, 3742-3758.	2.3	4

#	ARTICLE	IF	CITATIONS
271	Synchronization in Non-Mirror-Symmetrical Chirogenesis: Non-Helical "Conjugated Polymers with Helical Polysilane Copolymers in Co-Colloids. <i>Symmetry</i> , 2021, 13, 594.	2.2	4
272	Transesterification of Ethyl-10-undecenoate Using a Cu-Deposited V ₂ O ₅ Catalyst as a Model Reaction for Efficient Conversion of Plant Oils to Monomers and Fine Chemicals. <i>ACS Omega</i> , 2022, 7, 4372-4380.	3.5	4
273	Synthesis of Titanium(IV) Complexes that Contain the Bis(silylamide) Ligand of the Type [1,8-C ₁₀ H ₆ (NR) ₂] ₂ (R=SiMe ₃ , SitBuMe ₂ , SiiPr ₃), and Olefin Polymerization Catalyzed by the [1,8-C ₁₀ H ₆ (NR) ₂] TiX ₂ (X=Cl, Br)- cocatalyst System. <i>Studies in Surface Science and Catalysis</i> , 1999, 121, 469-472.	1.5	3
274	Efficient introduction of aromatic vinyl group by incorporation of divinylbiphenyl, p -divinylbenzene in syndiospecific styrene polymerization using aryloxo-modified half-titanocene catalysts. <i>Journal of Polymer Science Part A</i> , 2016, 54, 1902-1907.	2.3	3
275	Norbornene-Functionalized Plant Oils for Biobased Thermoset Films and Binders of Silicon-Graphite Composite Electrodes. <i>ACS Omega</i> , 2020, 5, 29678-29687.	3.5	3
276	Organometallic Complexes of Group 5 Metals With Metal-Carbon Sigma and Multiple Bonds. , 2022, , 587-650.		3
277	Effect of <i>para</i> -Substituents in Ethylene Copolymerizations with 1-Decene, 1-Dodecene, and with 2-Methyl-1-Pentene Using Phenoxide Modified Half-Titanocenes MAO Catalyst Systems. <i>ChemistryOpen</i> , 19 2021, 10, 867-876.		3
278	Late Transition Metal Complex Catalysts for Olefin Polymerization.. Yuki Gosei Kagaku Kyokaiishi/ <i>Journal of Synthetic Organic Chemistry</i> , 2000, 58, 293-305.	0.1	3
279	Synthesis of 2,3-Dimethylbutenes by Dimerization of Propene Using Highly Active Nickel-Phosphine Catalysts in the Presence of Sulfonic Acids and/or Dialkyl Sulfates. <i>Bulletin of the Chemical Society of Japan</i> , 1997, 70, 2671-2676.	3.2	2
280	Ethylene/2-Methyl-1-Pentene Copolymerization Catalyzed by Half-Titanocenes Containing Aryloxo Ligand: Effect of Cyclopentadienyl Fragment. <i>Studies in Surface Science and Catalysis</i> , 2006, 161, 179-184.	1.5	2
281	Effect of Catalyst Loading in Olefin Polymerization Catalyzed by Supported Half-Titanocenes on Polystyrene through Phenoxy Linkage. <i>Studies in Surface Science and Catalysis</i> , 2006, , 213-218.	1.5	2
282	(Imido)Vanadium Complex Catalysts for Efficient Ring-Opening Metathesis Polymerization of Cyclic Olefins. <i>Kobunshi Ronbunshu</i> , 2018, 75, 543-550.	0.2	2
283	Synthesis and Photocatalytic Activities of Dinuclear Iridium Polyhydride Complexes Bearing BINAP Ligands. <i>Organometallics</i> , 2019, 38, 2408-2411.	2.3	2
284	Ring Opening Metathesis Polymerization (ROMP) of Norbornenes by (Arylimido)Niobium(V) Alkylidene Catalysts, Nb(CHSiMe ₃) ₃ (NAr)[OC(CF ₃) ₃](PMe ₃) ₂ . <i>Journal of the Japan Petroleum Institute</i> , 2021, 64, 238-244.	0.6	2
285	18 Effect of cyclopentadienyl fragment in polymerization of ethylene, propylene, and styrene by nonbridged half-metalloce type titanium and zirconium complexes of the type, Cp'MCl ₂ [N(2,6-Me ₂ C ₆) T] ETQq1 1.6.784314 rgBT /Ov		
286	Ligand Effect in Syndiospecific Styrene Polymerization and Ethylene/Styrene Copolymerization by Some Nonbridged Half-Titanocenes Containing Anionic Donor Ligands. <i>Studies in Surface Science and Catalysis</i> , 2006, 161, 147-152.	1.5	1
287	Ring Opening Metathesis Polymerization of Norbornene Catalyzed by V(CH ₂ SiMe ₃) ₂ (N-2,6-Me ₂ C ₆ H ₃)(N=CtBu ₂). In situ generation of the Vanadium-Alkylidene. <i>Studies in Surface Science and Catalysis</i> , 2006, 161, 175-178.	1.5	1
288	Facile, Efficient Synthesis of Star-Shaped "Conjugated Systems by Combined Olefin Metathesis with Wittig-type Coupling. <i>Journal of the Chinese Chemical Society</i> , 2018, 65, 317-324.	1.4	1

#	ARTICLE	IF	CITATIONS
289	Interaction between the end groups and the main chain of conjugated polymers by time-resolved EPR and fluorescence spectroscopy. <i>Molecular Physics</i> , 2019, 117, 2664-2672.	1.7	1
290	Effect of supported MAO cocatalysts in ethylene polymerization and ethylene/1-hexene copolymerization using Cp*TiCl ₂ (O-2,6-Pr ₂ C ₆ H ₃) catalyst. <i>Molecular Catalysis</i> , 2019, 475, 110490.	2.0	1
291	The Effect of SiMe ₃ and SiEt ₃ Substituents for High Activity and Introduction of a Hydroxy Group in Ethylene Copolymerization Catalyzed by Phenoxide-Modified Half-Titanocenes. <i>Angewandte Chemie</i> , 2020, 132, 23272-23276.	2.0	1
292	Theoretical Studies of Reaction Mechanisms for Half-Titanocene-Catalyzed Styrene Polymerization, Ethylene Polymerization, and Styrene-Ethylene Copolymerization: Roles of the Neutral Ti(III) and the Cationic Ti(IV) Species. <i>Organometallics</i> , 2021, 40, 643-653.	2.3	1
293	Observation of Intramolecular Interaction in Fluorescent Star-Shaped Polymers: Evidence for Energy Hopping between Branch Chains. <i>Journal of Physical Chemistry B</i> , 2020, 124, 11510-11518.	2.6	1
294	Star-Shaped ROMP Polymers Coated with Oligothiophenes That Exhibit Unique Emission. <i>ACS Omega</i> , 2022, 7, 13270-13279.	3.5	1
295	Synthesis of Poly(arylene vinylene)s with Different End Groups by Combining Acyclic Diene Metathesis Polymerization with Wittig-type Couplings. <i>Angewandte Chemie</i> , 2017, 129, 5372-5377.	2.0	0
296	Innenr¼cktitelbild: Synthesis of Poly(arylene vinylene)s with Different End Groups by Combining Acyclic Diene Metathesis Polymerization with Wittig-type Couplings (<i>Angew. Chem.</i> 19/2017). <i>Angewandte Chemie</i> , 2017, 129, 5455-5455.	2.0	0
297	Catalysis and Fine Chemicals. <i>Catalysts</i> , 2020, 10, 516.	3.5	0