
## Sonia Minooee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8942982/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effectiveness of Prenatal Vitamin D Deficiency Screening and Treatment Program: A Stratified Randomized Field Trial. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2936-2948.	3.6	111
2	Effects of Levothyroxine on Pregnant Women With Subclinical Hypothyroidism, Negative for Thyroid Peroxidase Antibodies. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 926-935.	3.6	109
3	Comparison of various adiposity indexes in women with polycystic ovary syndrome and normo-ovulatory non-hirsute women: a population-based study. European Journal of Endocrinology, 2014, 171, 199-207.	3.7	40
4	Prediction of age at menopause in women with polycystic ovary syndrome. Climacteric, 2018, 21, 29-34.	2.4	38
5	Diabetes incidence and influencing factors in women with and without gestational diabetes mellitus: A 15 year population-based follow-up cohort study. Diabetes Research and Clinical Practice, 2017, 128, 24-31.	2.8	21
6	Validation of a simplified method to assess hirsutism in the Iranian population. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 174, 91-95.	1.1	17
7	Serum variations of anti-mullerian hormone and total testosterone with aging in healthy adult Iranian men: A population-based study. PLoS ONE, 2017, 12, e0179634.	2.5	15
8	Reproductive Assessment: Findings from 20 Years of the Tehran Lipid and Glucose Study. International Journal of Endocrinology and Metabolism, 2018, 16, e84786.	1.0	10
9	The association between serum total testosterone and progression of hyperglycemia: a 15â€year prospective cohort study. Andrology, 2019, 7, 148-155.	3.5	7
10	Dyslipidemia incidence and the trend of lipid parameters changes in women with history of gestational diabetes: a 15-year follow-up study. Endocrine, 2017, 58, 228-235.	2.3	6
11	Scoping review of the impact of birth trauma on clinical decisions of midwives. Journal of Evaluation in Clinical Practice, 2020, 26, 1270-1279.	1.8	6
12	Establishment of trimester-specific reference range for thyroid hormones during pregnancy. Clinical Biochemistry, 2018, 53, 49-54.	1.9	5
13	Validation of Billewicz Scoring System for Detection of Overt Hypothyroidism During Pregnancy. International Journal of Endocrinology and Metabolism, 2018, 16, e64249.	1.0	5
14	Audit of Intrapartum Care Based on the National Guideline for Midwifery and Birth Services. Evaluation and the Health Professions, 2018, 41, 415-429.	1.9	4
15	Low birth weight may increase body fat mass in adult women with polycystic ovarian syndrome. International Journal of Reproductive BioMedicine, 2016, 14, 335-340.	0.9	4
16	Women self-perception of excess hair growth, as a predictor of clinical hirsutism: a population-based study. Journal of Endocrinological Investigation, 2015, 38, 923-928.	3.3	3
17	Role of androgen ratios in the prediction of the metabolic phenotype in polycystic ovary syndrome. International Journal of Gynecology and Obstetrics, 2017, 137, 110-115.	2.3	3
18	Catastrophic thinking: Is it the legacy of traumatic births? Midwives' experiences of shoulder dystocia complicated births. Women and Birth, 2021, 34, e38-e46.	2.0	3

Sonia Minooee

#	Article	IF	CITATIONS
19	Hirsutism region and the likelihood of metabolic syndrome: is there a link?. Endocrine, 2016, 53, 607-609.	2.3	2
20	Authors' reply. Climacteric, 2018, 21, 196-196.	2.4	2
21	Low birth weight may increase body fat mass in adult women with polycystic ovarian syndrome. International Journal of Reproductive BioMedicine, 2016, 14, 335-40.	0.9	2
22	Response to Letter to the Editor: "Effectiveness of Prenatal Vitamin D Deficiency Screening and Treatment Program: A Stratified Randomized Field Trial― Journal of Clinical Endocrinology and Metabolism, 2019, 104, 339-340.	3.6	1
23	Shoulder dystocia: A panic station or an opportunity for post-traumatic growth?. Midwifery, 2021, 101, 103044.	2.3	1
24	Shoulder dystocia and range of head-body delivery interval (HBDI): The association between prolonged HBDI and neonatal outcomes: Protocol for a systematic review. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 229, 82-87.	1.1	0