

Zuo Xiao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8955188/publications.pdf>

Version: 2024-02-01

65
papers

9,791
citations

94433

37
h-index

110387

64
g-index

65
all docs

65
docs citations

65
times ranked

5986
citing authors

#	ARTICLE	IF	CITATIONS
1	Banana-shaped electron acceptors with an electron-rich core fragment and 3D packing capability. , 2023, 5, .		22
2	Engineering of the alkyl chain branching point on a lactone polymer donor yields 17.81% efficiency. Journal of Materials Chemistry A, 2022, 10, 3314-3320.	10.3	17
3	ADA ² DA small molecule acceptors with non-fully-fused core units. Materials Chemistry Frontiers, 2022, 6, 802-806.	5.9	3
4	Low-bandgap small molecule acceptors with asymmetric side chains. Materials Chemistry Frontiers, 2022, 6, 1858-1864.	5.9	2
5	A chlorinated lactone polymer donor featuring high performance and low cost. Journal of Semiconductors, 2022, 43, 050501.	3.7	14
6	Perovskite-based tandem solar cells. Science Bulletin, 2021, 66, 621-636.	9.0	91
7	A History and Perspective of Non-Fullerene Electron Acceptors for Organic Solar Cells. Advanced Energy Materials, 2021, 11, 2003570.	19.5	323
8	D18, an eximious solar polymer!. Journal of Semiconductors, 2021, 42, 010502.	3.7	117
9	Efficient wide-bandgap copolymer donors with reduced synthesis cost. Journal of Materials Chemistry C, 2021, 9, 16187-16191.	5.5	4
10	A large-bandgap copolymer donor for efficient ternary organic solar cells. Materials Chemistry Frontiers, 2021, 5, 6139-6144.	5.9	13
11	A universal method for constructing high efficiency organic solar cells with stacked structures. Energy and Environmental Science, 2021, 14, 2314-2321.	30.8	75
12	Inorganic perovskite/organic tandem solar cells with efficiency over 20%. Journal of Semiconductors, 2021, 42, 020501.	3.7	31
13	Dithieno[3',2':3,4;2'',3'':5,6]benzo[1,2-c][1,2,5]oxadiazole-based polymer donors with deep HOMO levels. Journal of Semiconductors, 2021, 42, 060501.	3.7	10
14	18.69% PCE from organic solar cells. Journal of Semiconductors, 2021, 42, 060502.	3.7	121
15	Post-sulphuration enhances the performance of a lactone polymer donor. Journal of Semiconductors, 2021, 42, 070501.	3.7	14
16	A chlorinated copolymer donor demonstrates a 18.13% power conversion efficiency. Journal of Semiconductors, 2021, 42, 010501.	3.7	158
17	A wide-bandgap copolymer donor with a 5-methyl-4H-dithieno[3,2-e:2',3'-g]isoindole-4,6(5H)-dione unit. Journal of Semiconductors, 2021, 42, 100502.	3.7	6
18	18% Efficiency organic solar cells. Science Bulletin, 2020, 65, 272-275.	9.0	2,380

#	ARTICLE	IF	CITATIONS
19	Effects of Oxygen Atoms Introduced at Different Positions of Non-Fullerene Acceptors in the Performance of Organic Solar Cells with Poly(3-hexylthiophene). ACS Applied Materials & Interfaces, 2020, 12, 1094-1102.	8.0	39
20	A 2.16 eV bandgap polymer donor gives 16% power conversion efficiency. Science Bulletin, 2020, 65, 179-181.	9.0	75
21	Over 16% efficiency from thick-film organic solar cells. Science Bulletin, 2020, 65, 1979-1982.	9.0	62
22	Fused-ring bislactone building blocks for polymer donors. Science Bulletin, 2020, 65, 1792-1795.	9.0	35
23	Multiple conformation locks gift polymer donor high efficiency. Nano Energy, 2020, 77, 105161.	16.0	33
24	Filter-Free Band-Selective Organic Photodetectors. Advanced Optical Materials, 2020, 8, 2001388.	7.3	63
25	Thermodynamic Properties and Molecular Packing Explain Performance and Processing Procedures of Three D18:NFA Organic Solar Cells. Advanced Materials, 2020, 32, e2005386.	21.0	130
26	An Electrically Modulated Single-Color/Dual-Color Imaging Photodetector. Advanced Materials, 2020, 32, e1907257.	21.0	145
27	Fused-ring phenazine building blocks for efficient copolymer donors. Materials Chemistry Frontiers, 2020, 4, 1454-1458.	5.9	21
28	Enhanced efficiency and stability of nonfullerene ternary polymer solar cells based on a spontaneously assembled active layer: the role of a high mobility small molecular electron acceptor. Journal of Materials Chemistry C, 2020, 8, 6196-6202.	5.5	22
29	Progress of the key materials for organic solar cells. Science China Chemistry, 2020, 63, 758-765.	8.2	158
30	An efficient medium-bandgap nonfullerene acceptor for organic solar cells. Journal of Materials Chemistry A, 2020, 8, 8857-8861.	10.3	17
31	Highly Crystalline Near-Infrared Acceptor Enabling Simultaneous Efficiency and Photostability Boosting in High-Performance Ternary Organic Solar Cells. ACS Applied Materials & Interfaces, 2019, 11, 48095-48102.	8.0	30
32	Interface engineering gifts CsPbI _{2.25} Br _{0.75} solar cells high performance. Science Bulletin, 2019, 64, 1743-1746.	9.0	51
33	A Wide-Band Gap Copolymer Donor for Efficient Fullerene-Free Solar Cells. ACS Omega, 2019, 4, 14800-14804.	3.5	4
34	Functionality of Non-Fullerene Electron Acceptors in Ternary Organic Solar Cells. Solar Rrl, 2019, 3, 1900322.	5.8	26
35	5H-dithieno[3,2-b:2',3'-d]pyran-5-one unit yields efficient wide-bandgap polymer donors. Science Bulletin, 2019, 64, 1655-1657.	9.0	55
36	Thiolactone copolymer donor gifts organic solar cells a 16.72% efficiency. Science Bulletin, 2019, 64, 1573-1576.	9.0	140

#	ARTICLE	IF	CITATIONS
37	Alkoxythiophene and alkylthiophene π -bridges enhance the performance of A ⁺ A ⁻ electron acceptors. <i>Materials Chemistry Frontiers</i> , 2019, 3, 492-495.	5.9	21
38	High-performance wide-bandgap copolymers with dithieno[3,2- <i>b</i> :2',3'- <i>d</i>]pyridin-5(4- <i>H</i>)-one units. <i>Materials Chemistry Frontiers</i> , 2019, 3, 399-402.	5.9	18
39	Induced J-aggregation in acceptor alloy enhances photocurrent. <i>Science Bulletin</i> , 2019, 64, 1083-1086.	9.0	43
40	Elevated Stability and Efficiency of Solar Cells via Ordered Alloy Co-Acceptors. <i>ACS Energy Letters</i> , 2019, 4, 1106-1114.	17.4	62
41	Correlating the electron-donating core structure with morphology and performance of carbon oxygen-bridged ladder-type non-fullerene acceptor based organic solar cells. <i>Nano Energy</i> , 2019, 61, 318-326.	16.0	43
42	Visible to Near-Infrared Photodetection Based on Ternary Organic Heterojunctions. <i>Advanced Functional Materials</i> , 2019, 29, 1808948.	14.9	95
43	Comparative analysis of burn-in photo-degradation in non-fullerene CO ₈ DFIC acceptor based high-efficiency ternary organic solar cells. <i>Materials Chemistry Frontiers</i> , 2019, 3, 1085-1096.	5.9	31
44	A wide-bandgap copolymer donor based on a phenanthridin-6(5- <i>H</i>)-one unit. <i>Materials Chemistry Frontiers</i> , 2019, 3, 2686-2689.	5.9	6
45	Enhancing the efficiency of PTB7-Th:CO ₈ DFIC-based ternary solar cells with versatile third components. <i>Applied Physics Reviews</i> , 2019, 6, .	11.3	20
46	Suppressing photo-oxidation of non-fullerene acceptors and their blends in organic solar cells by exploring material design and employing friendly stabilizers. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25088-25101.	10.3	107
47	Molecular Order Control of Non-fullerene Acceptors for High-Efficiency Polymer Solar Cells. <i>Joule</i> , 2019, 3, 819-833.	24.0	209
48	Carbon-Oxygen-Bridged Ladder-Type Building Blocks for Highly Efficient Nonfullerene Acceptors. <i>Advanced Materials</i> , 2019, 31, e1804790.	21.0	139
49	A Thieno[3,2- <i>b</i>]isoquinolin-5(4H)-One Building Block for Efficient Thick-Film Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1800397.	19.5	35
50	Thermostable single-junction organic solar cells with a power conversion efficiency of 14.62%. <i>Science Bulletin</i> , 2018, 63, 340-342.	9.0	260
51	A carbon-oxygen-bridged hexacyclic ladder-type building block for low-bandgap nonfullerene acceptors. <i>Materials Chemistry Frontiers</i> , 2018, 2, 700-703.	5.9	41
52	Simultaneously improved efficiency and average visible transmittance of semitransparent polymer solar cells with two ultra-narrow bandgap nonfullerene acceptors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 21485-21492.	10.3	80
53	NIR to Visible Light Upconversion Devices Comprising an NIR Charge Generation Layer and a Perovskite Emitter. <i>Advanced Optical Materials</i> , 2018, 6, 1801084.	7.3	55
54	Over 13% Efficiency Ternary Nonfullerene Polymer Solar Cells with Tilted Up Absorption Edge by Incorporating a Medium Bandgap Acceptor. <i>Advanced Energy Materials</i> , 2018, 8, 1801968.	19.5	167

#	ARTICLE	IF	CITATIONS
55	A heptacyclic carbon-oxygen-bridged ladder-type building block for A ⁺ A ⁻ acceptors. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1716-1719.	5.9	34
56	Organic and solution-processed tandem solar cells with 17.3% efficiency. <i>Science</i> , 2018, 361, 1094-1098.	12.6	2,262
57	Understanding the side-chain effects on A ⁺ A ⁻ acceptors: in-plane and out-of-plane. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1563-1567.	5.9	16
58	A High-Performance D ⁺ A Copolymer Based on Dithieno[3,2-b:2',3'-d]Pyridine(4H)-One Unit Compatible with Fullerene and Nonfullerene Acceptors in Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1602509.	19.5	92
59	26 mcm ² Jsc from organic solar cells with a low-bandgap nonfullerene acceptor. <i>Science Bulletin</i> , 2017, 62, 1494-1496.	9.0	368
60	A carbon-oxygen-bridged ladder-type building block for efficient donor and acceptor materials used in organic solar cells. <i>Science Bulletin</i> , 2017, 62, 1331-1336.	9.0	84
61	Ternary organic solar cells offer 14% power conversion efficiency. <i>Science Bulletin</i> , 2017, 62, 1562-1564.	9.0	665
62	Development of isomer-free fullerene bisadducts for efficient polymer solar cells. <i>Energy and Environmental Science</i> , 2016, 9, 2114-2121.	30.8	95
63	A pentacyclic aromatic lactam building block for efficient polymer solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 3224.	30.8	143
64	Pushing Fullerene Absorption into the Near-IR Region by Conjugately Fusing Oligothiophenes. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 9038-9041.	13.8	77
65	Using Cyclopenta[2,1-b:3,4-c']dithiophene as a Building Block for Low-Bandgap Conjugated Copolymers Applied in Solar Cells. <i>Macromolecular Rapid Communications</i> , 2012, 33, 1574-1579.	3.9	16