

Jean-Baptiste Lascarrou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8955335/publications.pdf>

Version: 2024-02-01

78
papers

3,478
citations

304743

22
h-index

144013

57
g-index

85
all docs

85
docs citations

85
times ranked

3805
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeted Temperature Management for Cardiac Arrest with Nonshockable Rhythm. <i>New England Journal of Medicine</i> , 2019, 381, 2327-2337.	27.0	439
2	Effect of Not Monitoring Residual Gastric Volume on Risk of Ventilator-Associated Pneumonia in Adults Receiving Mechanical Ventilation and Early Enteral Feeding. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 249.	7.4	417
3	Enteral versus parenteral early nutrition in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). <i>Lancet, The</i> , 2018, 391, 133-143.	13.7	371
4	Awake prone positioning for COVID-19 acute hypoxaemic respiratory failure: a randomised, controlled, multinational, open-label meta-trial. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1387-1395.	10.7	259
5	Intubation Practices and Adverse Peri-intubation Events in Critically Ill Patients From 29 Countries. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1164.	7.4	232
6	Effect of a Recombinant Human Soluble Thrombomodulin on Mortality in Patients With Sepsis-Associated Coagulopathy. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 1993.	7.4	221
7	Video Laryngoscopy vs Direct Laryngoscopy on Successful First-Pass Orotracheal Intubation Among ICU Patients. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 483.	7.4	187
8	Predictors of Intubation in Patients With Acute Hypoxemic Respiratory Failure Treated With a Noninvasive Oxygenation Strategy*. <i>Critical Care Medicine</i> , 2018, 46, 208-215.	0.9	158
9	Expert consensus statements for the management of COVID-19-related acute respiratory failure using a Delphi method. <i>Critical Care</i> , 2021, 25, 106.	5.8	121
10	Targeted temperature management following out-of-hospital cardiac arrest: a systematic review and network meta-analysis of temperature targets. <i>Intensive Care Medicine</i> , 2021, 47, 1078-1088.	8.2	63
11	Prevalence of low central venous oxygen saturation in the first hours of intensive care unit admission and associated mortality in septic shock patients: a prospective multicentre study. <i>Critical Care</i> , 2014, 18, 609.	5.8	56
12	Proenkephalin A 119-159 (Penkid) Is an Early Biomarker of Septic Acute Kidney Injury: The Kidney in Sepsis and Septic Shock (Kid-SSS) Study. <i>Kidney International Reports</i> , 2018, 3, 1424-1433.	0.8	53
13	Volume expansion in the first 4 days of shock: a prospective multicentre study in 19 French intensive care units. <i>Intensive Care Medicine</i> , 2015, 41, 248-256.	8.2	52
14	Videolaryngoscopy in critically ill patients. <i>Critical Care</i> , 2019, 23, 221.	5.8	49
15	Thrombolysis During Resuscitation for Out-of-Hospital Cardiac Arrest Caused by Pulmonary Embolism Increases 30-Day Survival. <i>Chest</i> , 2019, 156, 1167-1175.	0.8	48
16	Neuromuscular blockade during therapeutic hypothermia after cardiac arrest: Observational study of neurological and infectious outcomes. <i>Resuscitation</i> , 2014, 85, 1257-1262.	3.0	40
17	Safety and tolerability of non-neutralizing adrenomedullin antibody adrecizumab (HAM8101) in septic shock patients: the AdrenOSS-2 phase 2a biomarker-guided trial. <i>Intensive Care Medicine</i> , 2021, 47, 1284-1294.	8.2	40
18	Effect of Not Monitoring Residual Gastric Volume on Risk of Ventilator-Associated Pneumonia in Adults Receiving Mechanical Ventilation and Early Enteral Feeding. <i>Survey of Anesthesiology</i> , 2014, 58, 107-108.	0.1	34

#	ARTICLE	IF	CITATIONS
19	Therapeutic hypothermia after nonshockable cardiac arrest: the HYPERION multicenter, randomized, controlled, assessor-blinded, superiority trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 26.	2.6	29
20	Factors associated with acute mesenteric ischemia among critically ill ventilated patients with shock: a post hoc analysis of the NUTRIREA2 trial. <i>Intensive Care Medicine</i> , 2022, 48, 458-466.	8.2	28
21	Antibiotic Therapy in Comatose Mechanically Ventilated Patients Following Aspiration: Differentiating Pneumonia From Pneumonitis*. <i>Critical Care Medicine</i> , 2017, 45, 1268-1275.	0.9	26
22	Impact of late administration of corticosteroids in COVID-19 ARDS. <i>Intensive Care Medicine</i> , 2021, 47, 110-112.	8.2	25
23	Predictors of negative first SARS-CoV-2 RT-PCR despite final diagnosis of COVID-19 and association with outcome. <i>Scientific Reports</i> , 2021, 11, 2388.	3.3	25
24	Risk factors and outcomes of infected pancreatic necrosis: Retrospective cohort of 148 patients admitted to the ICU for acute pancreatitis. <i>United European Gastroenterology Journal</i> , 2018, 6, 910-918.	3.8	23
25	Tolerability of high-dose ceftriaxone in CNS infections: a prospective multicentre cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1078-1085.	3.0	21
26	Benefit-to-risk balance of bronchoalveolar lavage in the critically ill. A prospective, multicenter cohort study. <i>Intensive Care Medicine</i> , 2020, 46, 463-474.	8.2	21
27	Nationwide survey on training and device utilization during tracheal intubation in French intensive care units. <i>Annals of Intensive Care</i> , 2020, 10, 2.	4.6	20
28	EMERGENCY versus delayed coronary angiogram in survivors of out-of-hospital cardiac arrest with no obvious non-cardiac cause of arrest: Design of the EMERGE trial. <i>American Heart Journal</i> , 2020, 222, 131-138.	2.7	19
29	Identifying Clinical Phenotypes in Moderate to Severe Acute Respiratory Distress Syndrome Related to COVID-19: The COVADIS Study. <i>Frontiers in Medicine</i> , 2021, 8, 632933.	2.6	19
30	Prevalence of pressure injuries among critically ill patients and factors associated with their occurrence in the intensive care unit: The PRESSURE study. <i>Australian Critical Care</i> , 2021, 34, 411-418.	1.3	19
31	Severe leptospirosis in non-tropical areas: a nationwide, multicentre, retrospective study in French ICUs. <i>Intensive Care Medicine</i> , 2019, 45, 1763-1773.	8.2	18
32	Large congenital transmesenteric hernia: a missed small-bowel atresia?. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2009, 13, 209-211.	2.0	17
33	Compared Efficacy of Four Preoxygenation Methods for Intubation in the ICU: Retrospective Analysis of McGrath Mac Videolaryngoscope Versus Macintosh Laryngoscope (MACMAN) Trial Data. <i>Critical Care Medicine</i> , 2019, 47, e340-e348.	0.9	17
34	Impact of nutrition route on microaspiration in critically ill patients with shock: a planned ancillary study of the NUTRIREA-2 trial. <i>Critical Care</i> , 2019, 23, 111.	5.8	17
35	Pressure-Support Ventilation vs ÂT-Piece During Spontaneous Breathing Trials Before Extubation Among Patients at High Risk of Extubation Failure. <i>Chest</i> , 2020, 158, 1446-1455.	0.8	17
36	Temporal trends in the use of targeted temperature management after cardiac arrest and association with outcome: insights from the Paris Sudden Death Expertise Centre. <i>Critical Care</i> , 2019, 23, 391.	5.8	15

#	ARTICLE	IF	CITATIONS
37	Impact of early enteral versus parenteral nutrition on mortality in patients requiring mechanical ventilation and catecholamines: study protocol for a randomized controlled trial (NUTRIREA-2). <i>Trials</i> , 2014, 15, 507.	1.6	14
38	McGRATH MAC videolaryngoscope versus Macintosh laryngoscope for orotracheal intubation in intensive care patients: the randomised multicentre MACMAN trial study protocol. <i>BMJ Open</i> , 2015, 5, e009855.	1.9	14
39	NSE as a predictor of death or poor neurological outcome after non-shockable cardiac arrest due to any cause: Ancillary study of HYPERION trial data. <i>Resuscitation</i> , 2021, 158, 193-200.	3.0	14
40	Relationship Between Obesity and Ventilator-Associated Pneumonia. <i>Chest</i> , 2021, 159, 2309-2317.	0.8	14
41	Targeted temperature management and cardiac arrest after the TTM-2 study. <i>Critical Care</i> , 2021, 25, 275.	5.8	14
42	Impact of prior antibiotics on infected pancreatic necrosis microbiology in ICU patients: a retrospective cohort study. <i>Annals of Intensive Care</i> , 2020, 10, 82.	4.6	14
43	Maximum Value of End-Tidal Carbon Dioxide Concentrations during Resuscitation as an Indicator of Return of Spontaneous Circulation in out-of-Hospital Cardiac Arrest. <i>Prehospital Emergency Care</i> , 2020, 24, 478-484.	1.8	12
44	Predicting arterial blood gas and lactate from central venous blood analysis in critically ill patients: a multicentre, prospective, diagnostic accuracy study. <i>British Journal of Anaesthesia</i> , 2016, 117, 341-349.	3.4	10
45	Nutrition During Targeted Temperature Management After Cardiac Arrest: Observational Study of Neurological Outcomes and Nutrition Tolerance. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 44, 138-145.	2.6	10
46	Outcomes in 886 Critically Ill Patients After Near-Hanging Injury. <i>Chest</i> , 2020, 158, 2404-2413.	0.8	10
47	Alcohol withdrawal syndrome in ICU patients: Clinical features, management, and outcome predictors. <i>PLoS ONE</i> , 2021, 16, e0261443.	2.5	9
48	The accuracy of various neuro-prognostication algorithms and the added value of neurofilament light chain dosage for patients resuscitated from shockable cardiac arrest: An ancillary analysis of the ISOCRATE study. <i>Resuscitation</i> , 2022, 171, 1-7.	3.0	8
49	Impact of rewarming rate on interleukin-6 levels in patients with shockable cardiac arrest receiving targeted temperature management at 33°C: the ISOCRATE pilot randomized controlled trial. <i>Critical Care</i> , 2021, 25, 434.	5.8	8
50	Cardiac Arrest in Patients Managed for Convulsive Status Epilepticus. <i>Critical Care Medicine</i> , 2018, 46, e751-e760.	0.9	7
51	COVID-19-related ARDS: one disease, two trajectories, and several unanswered questions. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1345-1347.	10.7	7
52	Epidural analgesia in ICU chest trauma patients with fractured ribs: retrospective study of pain control and intubation requirements. <i>Annals of Intensive Care</i> , 2020, 10, 116.	4.6	7
53	Automatic versus manual changeovers of norepinephrine infusion pumps in critically ill adults: a prospective controlled study. <i>Annals of Intensive Care</i> , 2015, 5, 40.	4.6	6
54	Impact of early low-calorie low-protein versus standard-calorie standard-protein feeding on outcomes of ventilated adults with shock: design and conduct of a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIREA-3). <i>BMJ Open</i> , 2021, 11, e045041.	1.9	6

#	ARTICLE	IF	CITATIONS
55	Comparison of four channelled videolaryngoscopes to Macintosh laryngoscope for simulated intubation of critically ill patients: the randomized MACMAN2 trial. <i>Annals of Intensive Care</i> , 2021, 11, 126.	4.6	6
56	Targeted temperature management after out-of-hospital cardiac arrest, no de-implementation required based on network meta analysis. Author's reply. <i>Intensive Care Medicine</i> , 2021, 47, 1507-1508.	8.2	6
57	The futility of resuscitating an out-of-hospital cardiac arrest cannot be summarized by three simple criteria. <i>Resuscitation</i> , 2019, 144, 199-200.	3.0	5
58	Oxygen reserve index for non-invasive early hypoxemia detection during endotracheal intubation in intensive care: the prospective observational NESOI study. <i>Annals of Intensive Care</i> , 2021, 11, 112.	4.6	5
59	End of life in the critically ill patient: evaluation of experience of end of life by caregivers (EOLE) Tj ETQq1 1 0.784314,rgBT /Oyerklock 10	4.6	5
60	Nationwide retrospective study of critically ill adults with sickle cell disease in France. <i>Scientific Reports</i> , 2021, 11, 23132.	3.3	5
61	Effect of sodium bicarbonate on functional outcome in patients with out-of-hospital cardiac arrest: a post-hoc analysis of a French and North-American dataset. <i>European Journal of Emergency Medicine</i> , 2022, 29, 210-220.	1.1	5
62	Residual Gastric Volume and Risk of Ventilator-Associated Pneumonia—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 2090.	7.4	4
63	Fatal rhabdomyolysis following the co-prescription of fusidic acid and pravastatin. <i>Médecine Et Maladies Infectieuses</i> , 2015, 45, 417-419.	5.0	4
64	Insights from patients screened but not randomised in the HYPERION trial. <i>Annals of Intensive Care</i> , 2021, 11, 156.	4.6	4
65	Targeted temperature management after cardiac arrest: the longer, the better?. <i>Journal of Thoracic Disease</i> , 2018, 10, 49-51.	1.4	3
66	Sanitary safety of the 2021 French Intensive Care Society medical conference: a case/control study. <i>Annals of Intensive Care</i> , 2022, 12, 11.	4.6	3
67	Relying on pulse oximetry to avoid hypoxaemia and hyperoxia: A multicentre prospective cohort study in patients with circulatory failure. <i>Australian Critical Care</i> , 2023, 36, 307-312.	1.3	3
68	Neurological Outcome of Chest Compression-Only Bystander CPR in Asphyxial and Non-Asphyxial Out-Of-Hospital Cardiac Arrest: An Observational Study. <i>Prehospital Emergency Care</i> , 2021, 25, 812-821.	1.8	2
69	Health-related quality of life in critically ill survivors: specific impact of cardiac arrest in non-shockable rhythm. <i>Annals of Intensive Care</i> , 2021, 11, 150.	4.6	2
70	Multicentre observational status-epilepticus registry: protocol for ICTAL. <i>BMJ Open</i> , 2022, 12, e059675.	1.9	2
71	Coronary angiography after cardiac arrest: useful for whom?. <i>Intensive Care Medicine</i> , 2015, 41, 1384-1385.	8.2	1
72	Could one degree in temperature change the world? Maybe for targeted temperature management!. <i>Resuscitation</i> , 2016, 107, e11-e12.	3.0	1

#	ARTICLE	IF	CITATIONS
73	Intubation With Video Laryngoscopy vs Direct Laryngoscopyâ€”Reply. JAMA - Journal of the American Medical Association, 2017, 317, 2131.	7.4	0
74	The authors reply. Critical Care Medicine, 2018, 46, e97.	0.9	0
75	The NUTRIREA-2 study â€œ Authors' reply. Lancet, The, 2019, 393, 1503-1504.	13.7	0
76	Effect of brief encouragement to use twitter on knowledge of the critical-care literature by ICU residents: The randomized controlled IMKREASE trial. Journal of Critical Care, 2020, 60, 69-71.	2.2	0
77	Response. Chest, 2020, 157, 1397-1398.	0.8	0
78	Sweeping TTM conclusion may deprive many post-arrest patients of effective therapy. Authorâ€™s reply. Intensive Care Medicine, 2021, 47, 1511-1512.	8.2	0