

Jonathan P Stange

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8961336/publications.pdf>

Version: 2024-02-01

100
papers

2,733
citations

159585

30
h-index

243625

44
g-index

103
all docs

103
docs citations

103
times ranked

3467
citing authors

#	ARTICLE	IF	CITATIONS
1	Decentering predicts attenuated perseverative thought and internalizing symptoms following stress exposure: A multi-level, multi-wave study. <i>Behaviour Research and Therapy</i> , 2022, 152, 104017.	3.1	6
2	A new instrument to assess counterdependency, evaluated in the context of postpartum depression.. <i>Psychoanalytic Psychology</i> , 2021, 38, 49-57.	0.6	0
3	Using Network Parcels and Resting-State Networks to Estimate Correlates of Mood Disorder and Related Research Domain Criteria Constructs of Reward Responsiveness and Inhibitory Control. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, , .	1.5	2
4	Brain-behavioral adaptability predicts response to cognitive behavioral therapy for emotional disorders: A person-centered event-related potential study. <i>Neuropsychologia</i> , 2020, 145, 106408.	1.6	7
5	Using resting-state intrinsic network connectivity to identify suicide risk in mood disorders. <i>Psychological Medicine</i> , 2020, 50, 2324-2334.	4.5	23
6	Nonsuicidal self-injury scar concealment from the self and others. <i>Journal of Psychiatric Research</i> , 2020, 130, 313-320.	3.1	17
7	Effects of mood and aging on keystroke dynamics metadata and their diurnal patterns in a large open-science sample: A BiAffect iOS study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 1007-1018.	4.4	46
8	Inflexible autonomic responses to sadness predict habitual and real-world rumination: A multi-level, multi-wave study. <i>Biological Psychology</i> , 2020, 153, 107886.	2.2	5
9	Neuroticism and Rumination are Overlapping Constructs, yet Show Unique Relationships With Resting State Networks, Remitted Depression, and Risk for Depression Relapse. <i>Biological Psychiatry</i> , 2020, 87, S17-S18.	1.3	0
10	A Lifespan Model of Interference Resolution and Inhibitory Control: Risk for Depression and Changes with Illness Progression. <i>Neuropsychology Review</i> , 2020, 30, 477-498.	4.9	23
11	Multidimensional imaging techniques for prediction of treatment response in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 91, 38-48.	4.8	10
12	247. BiAffect: Passive Monitoring of Psychomotor Activity in Mood Disorders Using Mobile Keystroke Kinematics. <i>Biological Psychiatry</i> , 2019, 85, S102-S103.	1.3	2
13	Using ambulatory assessment to measure dynamic risk processes in affective disorders. <i>Journal of Affective Disorders</i> , 2019, 259, 325-336.	4.1	22
14	Sleep disturbance and physiological regulation among young adults with prior depression. <i>Journal of Psychiatric Research</i> , 2019, 115, 75-81.	3.1	9
15	Influence of childhood adversity, approach motivation traits, and depression on individual differences in brain activation during reward anticipation. <i>Biological Psychology</i> , 2019, 146, 107709.	2.2	16
16	Pre-scan cortisol is differentially associated with enhanced connectivity to the cognitive control network in young adults with a history of depression. <i>Psychoneuroendocrinology</i> , 2019, 104, 219-227.	2.7	7
17	A Latent Structure Analysis of Cognitive Vulnerability to Depression in Adolescence. <i>Behavior Therapy</i> , 2019, 50, 755-764.	2.4	6
18	Self-reported affective biases, but not all affective performance biases, are present in depression remission. <i>British Journal of Clinical Psychology</i> , 2019, 58, 274-288.	3.5	7

#	ARTICLE	IF	CITATIONS
19	The Titrated Monetary Incentive Delay Task: Sensitivity, convergent and divergent validity, and neural correlates in an RDoC sample. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2019, 41, 512-529.	1.3	8
20	T140. Intrinsic Network Connectivity Reliably Distinguishes Retrospective Risk for Suicidal Behavior in Individuals With Mood Disorders. <i>Biological Psychiatry</i> , 2019, 85, S183.	1.3	0
21	O23. Inhibitory Control and Neuroprogression of Mood Disorders. <i>Biological Psychiatry</i> , 2019, 85, S115.	1.3	1
22	Developmental changes in resting-state functional networks among individuals with and without internalizing psychopathologies. <i>Depression and Anxiety</i> , 2019, 36, 141-152.	4.1	14
23	Cognitive reappraisal attenuates the association between depressive symptoms and emotional response to stress during adolescence. <i>Cognition and Emotion</i> , 2019, 33, 524-535.	2.0	25
24	Let your fingers do the talking: Passive typing instability predicts future mood outcomes. <i>Bipolar Disorders</i> , 2018, 20, 285-288.	1.9	33
25	131. Anticipatory Cortisol Modulation of Memory, Affective Processing, and Resting-State Networks During fMRI in Mood Disorders. <i>Biological Psychiatry</i> , 2018, 83, S53-S54.	1.3	0
26	Mood instability as a predictor of clinical and functional outcomes in adolescents with bipolar I and bipolar II disorder. <i>Journal of Affective Disorders</i> , 2018, 236, 199-206.	4.1	34
27	The role of lifetime anxiety history in the course of bipolar spectrum disorders. <i>Psychiatry Research</i> , 2018, 264, 202-209.	3.3	6
28	Memory performance predicts response to psychotherapy for depression in bipolar disorder: A pilot randomized controlled trial with exploratory functional magnetic resonance imaging. <i>Journal of Affective Disorders</i> , 2018, 229, 342-350.	4.1	10
29	Disrupted engagement of networks supporting hot and cold cognition in remitted major depressive disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 183-191.	4.1	17
30	Predictors of Attrition in Longitudinal Neuroimaging Research: Inhibitory Control, Head Movement, and Resting-State Functional Connectivity. <i>Brain Connectivity</i> , 2018, 8, 527-536.	1.7	6
31	Cognitive control neuroimaging measures differentiate between those with and without future recurrence of depression. <i>NeuroImage: Clinical</i> , 2018, 20, 1001-1009.	2.7	28
32	Cognitive control and network disruption in remitted depression: a correlate of childhood adversity. <i>Social Cognitive and Affective Neuroscience</i> , 2018, 13, 1081-1090.	3.0	16
33	F141. Cross-Network Associations With Rumination Across Late Adolescent Development. <i>Biological Psychiatry</i> , 2018, 83, S292-S293.	1.3	0
34	Differential engagement of cognitive control regions and subgenual cingulate based upon presence or absence of comorbid anxiety with depression. <i>Journal of Affective Disorders</i> , 2018, 241, 371-380.	4.1	15
35	220. Childhood Adversity Disrupts Cognitive Control Development and Function. <i>Biological Psychiatry</i> , 2018, 83, S88.	1.3	1
36	Negative cognitive style interacts with negative life events to predict first onset of a major depressive episode in adolescence via hopelessness.. <i>Journal of Abnormal Psychology</i> , 2018, 127, 1-11.	1.9	47

#	ARTICLE	IF	CITATIONS
37	The Immediate and Long-Term Effects of an Intensive Meditation Retreat. <i>Mindfulness</i> , 2017, 8, 1064-1077.	2.8	15
38	Trait Affect, Emotion Regulation, and the Generation of Negative and Positive Interpersonal Events. <i>Behavior Therapy</i> , 2017, 48, 435-447.	2.4	27
39	537. Attenuated Intrinsic Connectivity within Cognitive Control Network among Individuals with Remitted Depression is Associated with Cognitive Control Deficits and Negative Cognitive Styles. <i>Biological Psychiatry</i> , 2017, 81, S217-S218.	1.3	0
40	Inflexibility as a Vulnerability to Depression: A Systematic Qualitative Review. <i>Clinical Psychology: Science and Practice</i> , 2017, 24, 245-276.	0.9	73
41	Flexible parasympathetic responses to sadness facilitate spontaneous affect regulation. <i>Psychophysiology</i> , 2017, 54, 1054-1069.	2.4	36
42	Attenuated intrinsic connectivity within cognitive control network among individuals with remitted depression: Temporal stability and association with negative cognitive styles. <i>Human Brain Mapping</i> , 2017, 38, 2939-2954.	3.6	84
43	Perseverate or decenter? Differential effects of metacognition on the relationship between parasympathetic inflexibility and symptoms of depression in a multi-wave study. <i>Behaviour Research and Therapy</i> , 2017, 97, 123-133.	3.1	12
44	935. Acute Cortisol Reactivity is Associated with Increased Connectivity from Default Mode to Cognitive Control Networks in Remitted Adolescent-Onset Depression. <i>Biological Psychiatry</i> , 2017, 81, S378-S379.	1.3	0
45	Integrated cross-network connectivity of amygdala, insula, and subgenual cingulate associated with facial emotion perception in healthy controls and remitted major depressive disorder. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2017, 17, 1242-1254.	2.0	24
46	Neural markers of attention to aversive pictures predict response to cognitive behavioral therapy in anxiety and depression. <i>Biological Psychology</i> , 2017, 123, 269-277.	2.2	26
47	Aggression Protects Against the Onset of Major Depressive Episodes in Individuals With Bipolar Spectrum Disorder. <i>Behavior Therapy</i> , 2017, 48, 311-321.	2.4	1
48	Personality disorder symptom severity predicts onset of mood episodes and conversion to bipolar I disorder in individuals with bipolar spectrum disorder.. <i>Journal of Abnormal Psychology</i> , 2017, 126, 271-284.	1.9	11
49	Autonomic reactivity and vulnerability to depression: A multi-wave study.. <i>Emotion</i> , 2017, 17, 602-615.	1.8	31
50	Inflexibility as a vulnerability to depression: A systematic qualitative review.. <i>Clinical Psychology: Science and Practice</i> , 2017, 24, 245-276.	0.9	29
51	SPECIFIC MOOD SYMPTOMS CONFER RISK FOR SUBSEQUENT SUICIDAL IDEATION IN BIPOLAR DISORDER WITH AND WITHOUT SUICIDE ATTEMPT HISTORY: MULTI-WAVE DATA FROM STEP-BD. <i>Depression and Anxiety</i> , 2016, 33, 464-472.	4.1	27
52	Affective Disruption From Social Rhythm and Behavioral Approach System (BAS) Sensitivities. <i>Clinical Psychological Science</i> , 2016, 4, 418-432.	4.0	35
53	Affective instability and the course of bipolar depression: Results from the STEP-BD randomised controlled trial of psychosocial treatment. <i>British Journal of Psychiatry</i> , 2016, 208, 352-358.	2.8	21
54	INFLEXIBLE COGNITION PREDICTS FIRST ONSET OF MAJOR DEPRESSIVE EPISODES IN ADOLESCENCE. <i>Depression and Anxiety</i> , 2016, 33, 1005-1012.	4.1	58

#	ARTICLE	IF	CITATIONS
55	Suicide risk characteristics among aborted, interrupted, and actual suicide attempters. <i>Psychiatry Research</i> , 2016, 242, 357-364.	3.3	22
56	A randomized, placebo-controlled proof-of-concept trial of adjunctive topiramate for alcohol use disorders in bipolar disorder. <i>American Journal on Addictions</i> , 2016, 25, 94-98.	1.4	24
57	Impulsivity predicts the onset of DSM-IV-TR or RDC hypomanic and manic episodes in adolescents and young adults with high or moderate reward sensitivity. <i>Journal of Affective Disorders</i> , 2016, 198, 88-95.	4.1	24
58	Identifying a physical indicator of suicide risk: Non-suicidal self-injury scars predict suicidal ideation and suicide attempts. <i>Comprehensive Psychiatry</i> , 2016, 65, 79-87.	3.1	32
59	Cognitive Risk and Protective Factors for Suicidal Ideation: A Two Year Longitudinal Study in Adolescence. <i>Journal of Abnormal Child Psychology</i> , 2016, 44, 1145-1160.	3.5	60
60	Deficits in Emotional Clarity and Vulnerability to Peer Victimization and Internalizing Symptoms Among Early Adolescents. <i>Journal of Youth and Adolescence</i> , 2016, 45, 183-194.	3.5	29
61	The cyclical nature of depressed mood and future risk: Depression, rumination, and deficits in emotional clarity in adolescent girls. <i>Journal of Adolescence</i> , 2015, 42, 68-76.	2.4	21
62	Moderate Childhood Stress Buffers Against Depressive Response to Proximal Stressors: A Multi-Wave Prospective Study of Early Adolescents. <i>Journal of Abnormal Child Psychology</i> , 2015, 43, 1403-1413.	3.5	48
63	Pubertal Timing, Peer Victimization, and Body Esteem Differentially Predict Depressive Symptoms in African American and Caucasian Girls. <i>Journal of Early Adolescence</i> , 2015, 35, 378-402.	1.9	29
64	Cognitive Styles in Mood Disorders: Discriminative Ability of Unipolar and Bipolar Cognitive Profiles. <i>International Journal of Cognitive Therapy</i> , 2015, 8, 35-60.	2.2	13
65	Negative cognitive styles synergistically predict suicidal ideation in bipolar spectrum disorders: A 3-year prospective study. <i>Psychiatry Research</i> , 2015, 226, 162-168.	3.3	31
66	The interaction of affective states and cognitive vulnerabilities in the prediction of non-suicidal self-injury. <i>Cognition and Emotion</i> , 2015, 29, 539-547.	2.0	30
67	It Gets Better: Future Orientation Buffers the Development of Hopelessness and Depressive Symptoms following Emotional Victimization during Early Adolescence. <i>Journal of Abnormal Child Psychology</i> , 2015, 43, 465-474.	3.5	50
68	Kindling of life stress in bipolar disorder: Comparison of sensitization and autonomy models. <i>Journal of Abnormal Psychology</i> , 2015, 124, 4-16.	1.9	50
69	Cognitive and Emotional Regulatory Mediators of the Relationship Between Behavioral Approach System Sensitivity and Nonsuicidal Self-Injury Frequency. <i>Suicide and Life-Threatening Behavior</i> , 2015, 45, 495-504.	1.9	31
70	Stress and the Development of Cognitive Vulnerabilities to Depression Explain Sex Differences in Depressive Symptoms During Adolescence. <i>Clinical Psychological Science</i> , 2015, 3, 702-714.	4.0	92
71	Associations between sleep disturbance, cognitive functioning and work disability in Bipolar Disorder. <i>Psychiatry Research</i> , 2015, 230, 567-574.	3.3	39
72	Rumination and Overgeneral Autobiographical Memory in Adolescents: An Integration of Cognitive Vulnerabilities to Depression. <i>Journal of Youth and Adolescence</i> , 2015, 44, 806-818.	3.5	46

#	ARTICLE	IF	CITATIONS
73	Extreme Cognitions in Bipolar Spectrum Disorders: Associations With Personality Disorder Characteristics and Risk for Episode Recurrence. <i>Behavior Therapy</i> , 2015, 46, 242-256.	2.4	14
74	A Vulnerability-Stress Examination of Response Styles Theory in Adolescence: Stressors, Sex Differences, and Symptom Specificity. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2014, 43, 813-827.	3.4	34
75	Extreme attributions predict suicidal ideation and suicide attempts in bipolar disorder: prospective data from STEP-BD. <i>World Psychiatry</i> , 2014, 13, 95-96.	10.4	8
76	Pubertal timing and vulnerabilities to depression in early adolescence: Differential pathways to depressive symptoms by sex†. <i>Journal of Adolescence</i> , 2014, 37, 165-174.	2.4	63
77	Correlates of real world executive dysfunction in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2014, 53, 87-93.	3.1	27
78	Early Pubertal Timing as a Vulnerability to Depression Symptoms: Differential Effects of Race and Sex. <i>Journal of Abnormal Child Psychology</i> , 2014, 42, 527-538.	3.5	41
79	Cognitive Vulnerabilities Amplify the Effect of Early Pubertal Timing on Interpersonal Stress Generation During Adolescence. <i>Journal of Youth and Adolescence</i> , 2014, 43, 824-833.	3.5	20
80	Cognitive and Interpersonal Vulnerability to Suicidal Ideation: A Weakest Link Approach. <i>Behavior Therapy</i> , 2014, 45, 778-790.	2.4	17
81	Cognitive Vulnerabilities as Predictors of Stress Generation in Early Adolescence: Pathway to Depressive Symptoms. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 1027-1039.	3.5	46
82	Emotional Maltreatment, Peer Victimization, and Depressive versus Anxiety Symptoms During Adolescence: Hopelessness as a Mediator. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2013, 42, 332-347.	3.4	100
83	Negative Inferential Style, Emotional Clarity, and Life Stress: Integrating Vulnerabilities to Depression in Adolescence. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2013, 42, 508-518.	3.4	37
84	Behavioral Approach System (BAS)-Relevant Cognitive Styles in Individuals with High Versus Moderate BAS Sensitivity: A Behavioral High-Risk Design. <i>Cognitive Therapy and Research</i> , 2013, 37, 139-149.	1.9	25
85	Extreme attributions predict transition from depression to mania or hypomania in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 1329-1336.	3.1	22
86	Overgeneral autobiographical memory, emotional maltreatment, and depressive symptoms in adolescence: Evidence of a cognitive vulnerability-stress interaction†. <i>Journal of Adolescence</i> , 2013, 36, 201-208.	2.4	32
87	Emotion regulation characteristics and cognitive vulnerabilities interact to predict depressive symptoms in individuals at risk for bipolar disorder: A prospective behavioural high-risk study. <i>Cognition and Emotion</i> , 2013, 27, 63-84.	2.0	29
88	Extreme Attributions Predict the Course of Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 249-255.	2.2	21
89	Cognitive Vulnerabilities and Depression Versus Other Psychopathology Symptoms and Diagnoses in Early Adolescence. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2012, 41, 539-560.	3.4	106
90	Mindfulness-Based Cognitive Therapy for Nonremitted Patients with Bipolar Disorder. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 133-141.	3.9	99

#	ARTICLE	IF	CITATIONS
91	Positive overgeneralization and Behavioral Approach System (BAS) sensitivity interact to predict prospective increases in hypomanic symptoms: A behavioral high-risk design. <i>Behaviour Research and Therapy</i> , 2012, 50, 231-239.	3.1	17
92	Development of an Integrated Psychosocial Treatment to Address the Medical Burden Associated with Bipolar Disorder. <i>Journal of Psychiatric Practice</i> , 2011, 17, 224-232.	0.7	41
93	Norms for Performance in the Workplace in Healthy People: <i>Data from the National Comorbidity Survey Replication Study</i>. <i>CNS Spectrums</i> , 2011, 16, 143-152.	1.2	4
94	Mindfulness-Based Cognitive Therapy for Bipolar Disorder. <i>Journal of Psychiatric Practice</i> , 2011, 17, 410-419.	0.7	65
95	The Effect of a College Pen Incentive on Survey Response Rate Among Recent College Graduates. <i>Evaluation Review</i> , 2011, 35, 93-99.	1.0	2
96	Phenotypic effects of a bipolar liability gene among individuals with major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 303-309.	1.7	38
97	Impact of Substance Use Disorders on Recovery From Episodes of Depression in Bipolar Disorder Patients: Prospective Data From the Systematic Treatment Enhancement Program for Bipolar Disorder (STEP-BD). <i>American Journal of Psychiatry</i> , 2010, 167, 289-297.	7.2	103
98	Efficacy of Electroconvulsive Therapy in Fahr Disease Associated With Bipolar Psychotic Disorder. <i>Journal of ECT</i> , 2009, 25, 213-215.	0.6	4
99	Asymptomatic Hyperamylasemia and Hyperlipasemia Associated With Aripiprazole. <i>Journal of Clinical Psychopharmacology</i> , 2009, 29, 504-506.	1.4	5
100	Adherence to Pharmacological Treatment for Juvenile Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 831-839.	0.5	54