

Li-Song Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8962760/publications.pdf>

Version: 2024-02-01

43

papers

377

citations

1040056

9

h-index

888059

17

g-index

45

all docs

45

docs citations

45

times ranked

523

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Global phylogeny and taxonomic reassessment of the lichen genus <i>Dendriscosticta</i> (Ascomycota: Peltigerales). <i>Taxon</i> , 2022, 71, 256-287. | 0.7 | 3 |
| 2 | » Revision of Immersaria and a new lecanorine genus in Lecideaceae (lichenised Ascomycota) Tj ETQq0 0 0 rgBT /Overlock 10 3 | 1.9 | 702 |
| 3 | Core taxa and photobiont-microbial interaction within the lichen <i>Heterodermia obscurata</i> (Physciaceae, Heterodermia). <i>Symbiosis</i> , 2022, 86, 187-204. | 2.3 | 10 |
| 4 | <i>Nakamurella leprariae</i> sp. nov., isolated from a lichen sample. <i>Archives of Microbiology</i> , 2022, 204, 19. | 2.2 | 8 |
| 5 | Providing Scale to a Known Taxonomic Unknownâ€”At Least a 70-Fold Increase in Species Diversity in a Cosmopolitan Nominal Taxon of Lichen-Forming Fungi. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 490. | 3.5 | 8 |
| 6 | <i>Paracoccus lichenicola</i> sp. nov., Isolated from Lichen. <i>Current Microbiology</i> , 2021, 78, 816-821. | 2.2 | 4 |
| 7 | <i>Glaciibacter flavus</i> sp. nov., isolated from a lichen sample. <i>Archives of Microbiology</i> , 2021, 203, 2439-2444. | 2.2 | 5 |
| 8 | Ethnolichenologyâ€”The Use of Lichens in the Himalayas and Southwestern Parts of China. <i>Diversity</i> , 2021, 13, 330. | 1.7 | 19 |
| 9 | <i>Phaeorrhiza</i> (Physciaceae), a new lichen genus record to China. <i>Phytotaxa</i> , 2021, 510, . | 0.3 | 2 |
| 10 | <i>Aureimonas leprariae</i> sp. nov., Isolated from a Lepraria sp. Lichen. <i>Current Microbiology</i> , 2020, 77, 313-319. | 2.2 | 9 |
| 11 | <i>Nakamurella albus</i> sp. nov.: A Novel Actinobacterium Isolated from a Lichen Sample. <i>Current Microbiology</i> , 2020, 77, 1896-1901. | 2.2 | 9 |
| 12 | <i>Methylobacterium planium</i> sp. nov., isolated from a lichen sample. <i>Archives of Microbiology</i> , 2020, 202, 1709-1715. | 2.2 | 12 |
| 13 | <i>Naasia lichenicola</i> sp. nov., an actinobacterium isolated from lichen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1026-1030. | 1.7 | 5 |
| 14 | Squamrina (lichenised fungi) species described from China belong to at least three unrelated genera. <i>MycoKeys</i> , 2020, 66, 135-157. | 1.9 | 5 |
| 15 | Two new species and six new records of <i>Buellia</i> s.l. (lichenized Ascomycota, Caliciaceae) from China. <i>Bryologist</i> , 2020, 123, . | 0.6 | 2 |
| 16 | Taxonomic Study of Hypotrachyna Subg. Everniastrum (Hale Ex Sipman) Divakar, A.Crespo, Sipman, Elix & Lumbsch (Ascomycota) from China. <i>Cryptogamie, Mycologie</i> , 2020, 41, . | 1.0 | 0 |
| 17 | <i>Sulzbacheromyces sinensis</i> , an Unexpected Basidiolichen, was Newly Discovered from Korean Peninsula and Philippines, with a Phylogenetic Reconstruction of Genus Sulzbacheromyces. <i>Mycobiology</i> , 2019, 47, 191-199. | 1.7 | 1 |
| 18 | <i>Rubellimicrobium rubrum</i> sp. nov., a novel bright reddish bacterium isolated from a lichen sample. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 1739-1745. | 1.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Two New Species of the Genus <i>< i>Candelariella</i></i> from China and Korea. <i>Mycobiology</i> , 2019, 47, 40-49. | 1.7 | 3 |
| 20 | Two New Species of <i>Placolecis</i> (Lichenized Ascomycota) from China. <i>Mycobiology</i> , 2019, 47, 401-407. | 1.7 | 1 |
| 21 | New species and records of <i>Pyxine</i> (Caliciaceae) in China. <i>MycoKeys</i> , 2019, 45, 93-109. | 1.9 | 5 |
| 22 | New species and new records of <i>Ophioparmaceae</i> (lichenized Ascomycota) from China. <i>Lichenologist</i> , 2018, 50, 89-99. | 0.8 | 1 |
| 23 | Three new species and one new combination of <i>Gypsoplaca</i> (lichenized Ascomycota) from the Hengduan Mountains in China. <i>Mycological Progress</i> , 2018, 17, 781-790. | 1.4 | 2 |
| 24 | Genome Mining of <i>Streptomyces</i> sp. YIM 130001 Isolated From Lichen Affords New Thiopeptide Antibiotic. <i>Frontiers in Microbiology</i> , 2018, 9, 3139. | 3.5 | 26 |
| 25 | Diversity, Antimicrobial Activity, and Biosynthetic Potential of Cultivable Actinomycetes Associated with Lichen Symbiosis. <i>Microbial Ecology</i> , 2017, 74, 570-584. | 2.8 | 47 |
| 26 | Gypmacrophin A, a Rare Pentacyclic Sesterterpenoid, Together with Three Depsides, Functioned as New Chemical Evidence for <i>Gypsoplaca macrophylla</i> (Zahlbr.) Timdal Identification. <i>Molecules</i> , 2017, 22, 1675. | 3.8 | 4 |
| 27 | Parallel Miocene-dominated diversification of the lichen-forming fungal genus <i>< i>Oropogon</i></i> (Ascomycota: Parmeliaceae) in different continents. <i>Taxon</i> , 2017, 66, 1269-1281. | 0.7 | 6 |
| 28 | Circumscription and phylogeny of the <i>Lepidostromatales</i> (<i>< i>Lichenized Basidiomycota</i></i>) following discovery of new species from China and Africa. <i>Mycologia</i> , 2017, 109, 730-748. | 1.9 | 10 |
| 29 | The genus <i>Bulbothrix</i> (Parmeliaceae) in China. <i>Lichenologist</i> , 2016, 48, 121-133. | 0.8 | 2 |
| 30 | The Genus <i>< i>Letrouitia</i></i> (Letrouitiaceae: Lichenized Ascomycota) New to Cambodia. <i>Mycobiology</i> , 2015, 43, 163-165. | 1.7 | 2 |
| 31 | Who's getting around? Assessing species diversity and phylogeography in the widely distributed lichen-forming fungal genus <i>Montanelia</i> (Parmeliaceae, Ascomycota). <i>Molecular Phylogenetics and Evolution</i> , 2015, 90, 85-96. | 2.7 | 34 |
| 32 | Taxonomic study of the genus <i>< i>Anzia</i></i> (<i>< i>Lecanorales</i></i> , lichenized Ascomycota) from Hengduan Mountains, China. <i>Lichenologist</i> , 2015, 47, 99-115. | 0.8 | 8 |
| 33 | Taxonomic delimitation of the genera <i>< i>Bryoria</i></i> and <i>< i>Sulcaria</i></i> , with a new combination <i>< i>Sulcaria spiralifera</i></i> introduced. <i>Lichenologist</i> , 2014, 46, 737-752. | 0.8 | 14 |
| 34 | A Note on the Lichen Genus <i>Ramalina</i> (Ramalinaceae, Ascomycota) in the Hengduan Mountains in China. <i>Mycobiology</i> , 2014, 42, 229-240. | 1.7 | 13 |
| 35 | <i>Allokutzneria multivorans</i> sp. nov., an actinomycete isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4254-4258. | 1.7 | 8 |
| 36 | <i>Bryoria rigida</i> , a new Asian lichen species from the Himalayan region. <i>Lichenologist</i> , 2012, 44, 777-781. | 0.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A revision of the genus <i>Pternopetalum</i> Franch. (Apiaceae). Journal of Systematics and Evolution, 2012, 50, 550-572. | 3.1 | 5 |
| 38 | Phylogeny of the genus <i>Bryoria</i> . Lichenologist, 2011, 43, 617-638. | 0.8 | 47 |
| 39 | Chemotaxonomic study of the <i>Lethariella cladonioides</i> complex (lichenized Ascomycota) Tj ETQq1 1 0.784314 rgBT /Overlock 0.8 50 | | |
| 40 | <i>Pilophorus fruticosus</i> (Cladoniaceae), a new species from south-western China. Lichenologist, 2011, 43, 137-140. | 0.8 | 2 |
| 41 | A chemotaxonomic study of <i>Lethariella zahlbruckneri</i> and <i>L. smithii</i> (lichenized Ascomycota) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf | | |
| 42 | Two Species of <i>Bryoria</i> (Lichenized Ascomycota, Parmeliaceae) from the Sino-Himalayas. Mycobiology, 2005, 33, 173. | 1.7 | 4 |
| 43 | Carotenoids in several lichen species from Yunnan, China. Feddes Repertorium, 2000, 111, 23-28. | 0.5 | 3 |