

Annemieke van Straten

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/897336/publications.pdf>

Version: 2024-02-01

198
papers

19,342
citations

10389

72
h-index

12946

131
g-index

212
all docs

212
docs citations

212
times ranked

18106
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost-effectiveness of Guided Internet-Delivered Cognitive Behavioral Therapy in Comparison with Care-as-Usual for Patients with Insomnia in General Practice. <i>Behavioral Sleep Medicine</i> , 2022, 20, 188-203.	2.1	10
2	Cost-effectiveness of exergaming compared to regular day-care activities in dementia: Results of a randomised controlled trial in The Netherlands. <i>Health and Social Care in the Community</i> , 2022, 30, .	1.6	5
3	Effect of Sleep Disturbance Symptoms on Treatment Outcome in Blended Cognitive Behavioral Therapy for Depression (E-COMPARED Study): Secondary Analysis. <i>Journal of Medical Internet Research</i> , 2022, 24, e30231.	4.3	2
4	Prevalence of Sleep Disorders, Risk Factors and Sleep Treatment Needs of Adolescents and Young Adult Childhood Cancer Patients in Follow-Up after Treatment. <i>Cancers</i> , 2022, 14, 926.	3.7	3
5	Usage Intensity of a Relapse Prevention Program and Its Relation to Symptom Severity in Remitted Patients With Anxiety and Depression: Pre-Post Study. <i>JMIR Mental Health</i> , 2022, 9, e25441.	3.3	0
6	Patient-reported outcomes of lifestyle interventions in patients with severe mental illness: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2022, 22, 261.	2.6	11
7	Automated app-based augmented reality cognitive behavioral therapy for spider phobia: Study protocol for a randomized controlled trial. <i>PLoS ONE</i> , 2022, 17, e0271175.	2.5	3
8	Poor sleep quality among newly diagnosed head and neck cancer patients: prevalence and associated factors. <i>Supportive Care in Cancer</i> , 2021, 29, 1035-1045.	2.2	22
9	Evaluation of a Blended Relapse Prevention Program for Anxiety and Depression in General Practice: Qualitative Study. <i>JMIR Formative Research</i> , 2021, 5, e23200.	1.4	1
10	How can we estimate QALYs based on PHQ-9 scores? Equipercetile linking analysis of PHQ-9 and EQ-5D. <i>Evidence-Based Mental Health</i> , 2021, 24, 97-101.	4.5	11
11	Sleep quality trajectories from head and neck cancer diagnosis to six months after treatment. <i>Oral Oncology</i> , 2021, 115, 105211.	1.5	7
12	Does the guided online cognitive behavioral therapy for insomnia "Sleep youth" improve sleep of adolescents and young adults with insomnia after childhood cancer? (MICADO-study): study protocol of a randomized controlled trial. <i>Trials</i> , 2021, 22, 307.	1.6	5
13	Internet-Based Cognitive Behavioral Therapy for Depression. <i>JAMA Psychiatry</i> , 2021, 78, 361.	11.0	398
14	Universal prevention of distress aimed at pregnant women: a systematic review and meta-analysis of psychological interventions. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 276.	2.4	12
15	Virtual Reality Self-help Treatment for Aviophobia: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e22008.	1.0	4
16	Re-evaluating randomized clinical trials of psychological interventions: Impact of response shift on the interpretation of trial results. <i>PLoS ONE</i> , 2021, 16, e0252035.	2.5	5
17	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. <i>Lancet Psychiatry</i> , 2021, 8, 500-511.	7.4	105
18	The Association of Burnout and Vital Exhaustion With Type 2 Diabetes: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2021, 83, 1013-1030.	2.0	6

#	ARTICLE	IF	CITATIONS
19	The first 12.5 years of parenthood: A latent trait-state occasion model of the longitudinal association between maternal distress and child internalizing and externalizing problems.. <i>Developmental Psychology</i> , 2021, 57, 1124-1135.	1.6	4
20	Sleep disorders in people with type 2 diabetes and associated health outcomes: a review of the literature. <i>Diabetologia</i> , 2021, 64, 2367-2377.	6.3	60
21	Reducing suicidal ideation among Turkish migrants in the Netherlands and in the UK: the feasibility of a randomised controlled trial of a guided online intervention. <i>Pilot and Feasibility Studies</i> , 2021, 7, 30.	1.2	12
22	Personalized versus standard cognitive behavioral therapy for fear of cancer recurrence, depressive symptoms or cancer-related fatigue in cancer survivors: study protocol of a randomized controlled trial (MATCH-study). <i>Trials</i> , 2021, 22, 696.	1.6	1
23	Preventing the onset of mental disorders: An emerging field. <i>Clinical Psychology Review</i> , 2021, 90, 102097.	11.4	2
24	Effectiveness of low-dose amitriptyline and mirtazapine for insomnia disorder: study protocol of a randomised, double-blind, placebo-controlled trial in general practice (the DREAMING study). <i>BMJ Open</i> , 2021, 11, e047142.	1.9	0
25	Self-Management in Anxiety and Depression: A Psychometric Evaluation of a Questionnaire. <i>Frontiers in Psychology</i> , 2021, 12, 694583.	2.1	8
26	TIMELAPSE studyâ€™ efficacy of low-dose amitriptyline versus cognitive behavioral therapy for chronic insomnia in patients with medical comorbidity: study protocol of a randomized controlled multicenter non-inferiority trial. <i>Trials</i> , 2021, 22, 904.	1.6	0
27	Combined Internet-Based Cognitive-Behavioral and Chronobiological Intervention for Insomnia: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 117-118.	8.8	17
28	Prevalence of Insomnia (Symptoms) in T2D and Association With Metabolic Parameters and Glycemic Control: Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 614-643.	3.6	38
29	Digital cognitive behavioural therapy for insomnia: the answer to a major public health issue?. <i>The Lancet Digital Health</i> , 2020, 2, e381-e382.	12.3	9
30	Sensory Stimulation for Nursing-Home Residents: Systematic Review and Meta-Analysis of Its Effects on Sleep Quality and Rest-Activity Rhythm in Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2020, 49, 219-234.	1.5	9
31	Effectiveness of a psycho-educational intervention for expecting parents to prevent postpartum parenting stress, depression and anxiety: a randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 658.	2.4	32
32	Internet-Delivered Cognitive Behavioral Therapy for Insomnia. <i>Sleep Medicine Clinics</i> , 2020, 15, 117-131.	2.6	12
33	Stigma for common mental disorders in racial minorities and majorities a systematic review and meta-analysis. <i>BMC Public Health</i> , 2020, 20, 879.	2.9	81
34	Effects of Exergaming on Cognitive and Social Functioning of People with Dementia: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1958-1967.e5.	2.5	26
35	Nurse-Guided Internet-Delivered Cognitive Behavioral Therapy for Insomnia in General Practice: Results from a Pragmatic Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 174-184.	8.8	36
36	The Effectiveness of a Guided Internet-Based Tool for the Treatment of Depression and Anxiety in Pregnancy (MamaKits Online): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e15172.	4.3	42

#	ARTICLE	IF	CITATIONS
37	Does online insomnia treatment reduce depressive symptoms? A randomized controlled trial in individuals with both insomnia and depressive symptoms. <i>Psychological Medicine</i> , 2019, 49, 501-509.	4.5	74
38	Patient preferences for a guided self-help programme to prevent relapse in anxiety or depression: A discrete choice experiment. <i>PLoS ONE</i> , 2019, 14, e0219588.	2.5	8
39	Prevalence of sleep disturbances among head and neck cancer patients: A systematic review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2019, 47, 62-73.	8.5	44
40	Internet-Delivered Cognitive Behavioral Therapy for Insomnia. <i>Sleep Medicine Clinics</i> , 2019, 14, 301-315.	2.6	14
41	Cognitive behavioral therapy for insomnia: A meta-analysis of long-term effects in controlled studies. <i>Sleep Medicine Reviews</i> , 2019, 48, 101208.	8.5	158
42	Digital Delivery of Cognitive Behavioral Therapy for Insomnia. <i>Current Psychiatry Reports</i> , 2019, 21, 50.	4.5	40
43	Acculturation and suicidal ideation among Turkish migrants in the Netherlands. <i>Psychiatry Research</i> , 2019, 275, 71-77.	3.3	6
44	Effectiveness of Self-guided App-Based Virtual Reality Cognitive Behavior Therapy for Acrophobia: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019, 76, 682.	11.0	117
45	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: which groups specifically benefit? Secondary analyses of a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2019, 27, 4543-4553.	2.2	7
46	Digital cognitive behavioral therapy for insomnia – The first Georgian version. Can we use it in practice?. <i>Internet Interventions</i> , 2019, 17, 100244.	2.7	7
47	The (cost-) effectiveness of exergaming in people living with dementia and their informal caregivers: protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2019, 19, 50.	2.7	9
48	The GET READY relapse prevention programme for anxiety and depression: a mixed-methods study protocol. <i>BMC Psychiatry</i> , 2019, 19, 64.	2.6	7
49	A discrete-choice experiment to assess treatment modality preferences of patients with anxiety disorder. <i>Journal of Medical Economics</i> , 2019, 22, 169-177.	2.1	9
50	A discrete-choice experiment to assess treatment modality preferences of patients with depression. <i>Journal of Medical Economics</i> , 2019, 22, 178-186.	2.1	16
51	Introducing Network Intervention Analysis to Investigate Sequential, Symptom-Specific Treatment Effects: A Demonstration in Co-Occurring Insomnia and Depression. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 52-54.	8.8	92
52	Cognitive processes mediate the effects of insomnia treatment: evidence from a randomized wait-list controlled trial. <i>Sleep Medicine</i> , 2019, 54, 86-93.	1.6	28
53	Unmet care needs, care provision and patient satisfaction in patients with a late life depression: a cross-sectional study. <i>Aging and Mental Health</i> , 2019, 23, 491-497.	2.8	13
54	An Online Minimally Guided Intervention to Support Family and Other Unpaid Carers of People With Dementia: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019, 8, e14106.	1.0	10

#	ARTICLE	IF	CITATIONS
55	Effects of Exergaming in People with Dementia: Results of a Systematic Literature Review. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 741-760.	2.6	68
56	The effects of psychotherapy for depression on anxiety symptoms: a meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 2140-2152.	4.5	49
57	Online Training and Support Programs Designed to Improve Mental Health and Reduce Burden Among Caregivers of People With Dementia: A Systematic Review. <i>Journal of the American Medical Association</i> , 2018, 321, 200-206.e1.	2.5	116
58	Cognitive and behavioral therapies in the treatment of insomnia: A meta-analysis. <i>Sleep Medicine Reviews</i> , 2018, 38, 3-16.	8.5	402
59	Effectiveness of a psycho-educational intervention to prevent postpartum parental distress and enhance infant well-being: study protocol of a randomized controlled trial. <i>Trials</i> , 2018, 19, 4.	1.6	11
60	OPhobia "towards a virtual cure for acrophobia: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 433.	1.6	26
61	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. <i>Clinical Psychology Review</i> , 2018, 63, 80-92.	11.4	239
62	Individual patient data meta-analysis of combined treatments versus psychotherapy (with or without) Tj ETQq0 0 0 rgBT /Overlock 10 TF e013478.	1.9	16
63	Utility scores for different health states related to depression: individual participant data analysis. <i>Quality of Life Research</i> , 2017, 26, 1649-1658.	3.1	26
64	A prognostic index (PI) as a moderator of outcomes in the treatment of depression: A proof of concept combining multiple variables to inform risk-stratified stepped care models. <i>Journal of Affective Disorders</i> , 2017, 213, 78-85.	4.1	58
65	Guided web-based intervention for insomnia targeting breast cancer patients: Feasibility and effect. <i>Internet Interventions</i> , 2017, 9, 1-6.	2.7	26
66	Adherence to a web-based pre-treatment for phobias in outpatient clinics. <i>Internet Interventions</i> , 2017, 9, 38-45.	2.7	12
67	Cost-Utility of Stepped Care Targeting Psychological Distress in Patients With Head and Neck or Lung Cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, 314-324.	1.6	28
68	A guided self-help intervention targeting psychological distress among head and neck cancer and lung cancer patients: motivation to start, experiences and perceived outcomes. <i>Supportive Care in Cancer</i> , 2017, 25, 127-135.	2.2	12
69	A Qualitative Evaluation of an Inpatient Nursing Intervention for Depressed Elderly: The Systematic Activation Method. <i>Perspectives in Psychiatric Care</i> , 2017, 53, 280-288.	1.9	10
70	Does Internet-based guided-self-help for depression cause harm? An individual participant data meta-analysis on deterioration rates and its moderators in randomized controlled trials. <i>Psychological Medicine</i> , 2016, 46, 2679-2693.	4.5	129
71	Economic evaluation of Internet-based problem-solving guided self-help treatment in comparison with enhanced usual care for depressed outpatients waiting for face-to-face treatment: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2016, 200, 284-292.	4.1	23
72	Is duration of psychological treatment for depression related to return into treatment?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1495-1507.	3.1	8

#	ARTICLE	IF	CITATIONS
73	Guided Online or Face-to-Face Cognitive Behavioral Treatment for Insomnia: A Randomized Wait-List Controlled Trial. <i>Sleep</i> , 2016, 39, 183-191.	1.1	128
74	Can "na k�yymak" â€“ â€“crushing life energyâ€™: a qualitative study on lay and professional understandings of suicide and help-seeking among Turkish migrants in the UK and in the Netherlands. <i>International Journal of Culture and Mental Health</i> , 2016, 9, 182-196.	0.6	6
75	Cost-effectiveness of i-Sleep, a guided online CBT intervention, for patients with insomnia in general practice: protocol of a pragmatic randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 85.	2.6	31
76	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: a randomized, controlled trial. <i>Annals of Oncology</i> , 2016, 27, 1754-1760.	1.2	50
77	Effectiveness of a Web-Based Guided Self-help Intervention for Outpatients With a Depressive Disorder: Short-term Results From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e80.	4.3	54
78	ICBT for Insomnia. , 2016, , 143-161.		0
79	Online self-help for suicidal thoughts: 3-month follow-up results and participant evaluation. <i>Internet Interventions</i> , 2015, 2, 283-288.	2.7	6
80	Effectiveness of internet-supported cognitive behavioral and chronobiological interventions and effect moderation by insomnia subtype: study protocol of a randomized controlled trial. <i>Trials</i> , 2015, 16, 292.	1.6	8
81	Costs and effects of Internet cognitive behavioral treatment blended with face-to-face treatment: Results from a naturalistic study. <i>Internet Interventions</i> , 2015, 2, 77-83.	2.7	81
82	Protocol: Reducing suicidal ideation among Turkish migrants in the Netherlands and in the UK: Effectiveness of an online intervention. <i>International Review of Psychiatry</i> , 2015, 27, 72-81.	2.8	13
83	Stepped care treatment delivery for depression: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2015, 45, 231-246.	4.5	210
84	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , 2015, 227, 230-237.	3.3	23
85	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy. <i>JAMA Psychiatry</i> , 2015, 72, 1102.	11.0	155
86	A randomized controlled trial on the role of support in Internet-based problem solving therapy for depression and anxiety. <i>Behaviour Research and Therapy</i> , 2015, 72, 63-71.	3.1	102
87	Sleep-Related Safety Behaviors and Dysfunctional Beliefs Mediate the Efficacy of Online CBT for Insomnia: A Randomized Controlled Trial. <i>Cognitive Behaviour Therapy</i> , 2015, 44, 406-422.	3.5	72
88	Effectiveness of Online Self-Help for Suicidal Thoughts: Results of a Randomised Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e90118.	2.5	120
89	Adherence to Internet-Based and Face-to-Face Cognitive Behavioural Therapy for Depression: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e100674.	2.5	310
90	The Effects of Psychotherapy for Adult Depression on Social Support: A Meta-Analysis. <i>Cognitive Therapy and Research</i> , 2014, 38, 600-611.	1.9	29

#	ARTICLE	IF	CITATIONS
91	Guided Internet-delivered cognitive behavioural treatment for insomnia: a randomized trial. <i>Psychological Medicine</i> , 2014, 44, 1521-1532.	4.5	109
92	Health-Related Quality of Life and Productivity Losses in Patients With Depression and Anxiety Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 420-424.	1.7	25
93	Differences between men and women in self-reported body mass index and its relation to drug use. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2014, 9, 1.	2.2	47
94	The effects of psychotherapies for major depression in adults on remission, recovery and improvement: A meta-analysis. <i>Journal of Affective Disorders</i> , 2014, 159, 118-126.	4.1	376
95	Prevalence of depression in cancer patients: a meta-analysis of diagnostic interviews and self-report instruments. <i>Psycho-Oncology</i> , 2014, 23, 121-130.	2.3	652
96	The (cost) effectiveness of an online intervention for pregnant women with affective symptoms: protocol of a randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 273.	2.4	5
97	To what extent does the anxiety scale of the Four-Dimensional Symptom Questionnaire (4DSQ) detect specific types of anxiety disorder in primary care? A psychometric study. <i>BMC Psychiatry</i> , 2014, 14, 121.	2.6	28
98	The Effect of Support on Internet-Delivered Treatment for Insomnia: Does Baseline Depression Severity Matter?. <i>Behavior Therapy</i> , 2014, 45, 507-516.	2.4	19
99	Improving outcomes in social anxiety disorder. <i>Lancet Psychiatry</i> , 2014, 1, 324-326.	7.4	5
100	Behavioural Activation for Depression; An Update of Meta-Analysis of Effectiveness and Sub Group Analysis. <i>PLoS ONE</i> , 2014, 9, e100100.	2.5	390
101	Short-Term Effectiveness of Web-Based Guided Self-Help for Phobic Outpatients: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e226.	4.3	35
102	Guided online treatment in routine mental health care: an observational study on uptake, drop-out and effects. <i>BMC Psychiatry</i> , 2013, 13, 43.	2.6	29
103	Effectiveness and cost effectiveness of guided online treatment for patients with major depressive disorder on a waiting list for psychotherapy: study protocol of a randomized controlled trial. <i>Trials</i> , 2013, 14, 412.	1.6	10
104	BASILINE DEPRESSION LEVELS DO NOT AFFECT EFFICACY OF COGNITIVE-BEHAVIORAL SELF-HELP TREATMENT FOR INSOMNIA. <i>Depression and Anxiety</i> , 2013, 30, 149-156.	4.1	42
105	Motivational support provided via email improves the effectiveness of internet-delivered self-help treatment for insomnia: A randomized trial. <i>Behaviour Research and Therapy</i> , 2013, 51, 797-805.	3.1	92
106	Does cognitive behaviour therapy have an enduring effect that is superior to keeping patients on continuation pharmacotherapy? A meta-analysis. <i>BMJ Open</i> , 2013, 3, e002542.	1.9	195
107	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. <i>BMJ, The</i> , 2013, 346, f540-f540.	6.0	251
108	Psychological treatment of anxiety in primary care: a meta-analysis. <i>Psychological Medicine</i> , 2013, 43, 351-361.	4.5	29

#	ARTICLE	IF	CITATIONS
109	Predicting outcome of Internet-based treatment for depressive symptoms. <i>Psychotherapy Research</i> , 2013, 23, 559-567.	1.8	43
110	Psychotherapy, Antidepressants, and Their Combination for Chronic Major Depressive Disorder: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 386-392.	1.9	42
111	Internet-Delivered Interpersonal Psychotherapy Versus Internet-Delivered Cognitive Behavioral Therapy for Adults With Depressive Symptoms: Randomized Controlled Noninferiority Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e82.	4.3	124
112	Internet-delivered or mailed self-help treatment for insomnia? A randomized waiting-list controlled trial. <i>Behaviour Research and Therapy</i> , 2012, 50, 22-29.	3.1	112
113	Stepped care targeting psychological distress in head and neck and lung cancer patients: a randomized clinical trial. <i>BMC Cancer</i> , 2012, 12, 173.	2.6	43
114	Effectiveness and cost-effectiveness of web-based treatment for phobic outpatients on a waiting list for psychotherapy: protocol of a randomised controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 131.	2.6	10
115	Personality and perceived need for mental health care among primary care patients. <i>Journal of Affective Disorders</i> , 2012, 136, 666-674.	4.1	25
116	Internet-Based Screening for Suicidal Ideation in Common Mental Disorders. <i>Crisis</i> , 2012, 33, 215-221.	1.2	17
117	Reducing Suicidal Ideation: Cost-Effectiveness Analysis of a Randomized Controlled Trial of Unguided Web-Based Self-help. <i>Journal of Medical Internet Research</i> , 2012, 14, e141.	4.3	68
118	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. <i>Psychiatry Research</i> , 2011, 186, 239-243.	3.3	115
119	Effectiveness of guided self-help for depression and anxiety disorders in primary care: A pragmatic randomized controlled trial. <i>Psychiatry Research</i> , 2011, 187, 113-120.	3.3	32
120	Applying computerized adaptive testing to the CES-D scale: A simulation study. <i>Psychiatry Research</i> , 2011, 188, 147-155.	3.3	69
121	Quick and easy self-rating of Generalized Anxiety Disorder: Validity of the Dutch web-based GAD-7, GAD-2 and GAD-SI. <i>Psychiatry Research</i> , 2011, 188, 58-64.	3.3	192
122	Psychological treatment of depression in inpatients: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2011, 31, 353-360.	11.4	82
123	New Psychotherapies for Mood and Anxiety Disorders: Necessary Innovation or Waste of Resources?. <i>Canadian Journal of Psychiatry</i> , 2011, 56, 251-251.	1.9	4
124	Self-Guided Psychological Treatment for Depressive Symptoms: A Meta-Analysis. <i>PLoS ONE</i> , 2011, 6, e21274.	2.5	217
125	Disability weights for suicidal thoughts and non-fatal suicide attempts. <i>Journal of Affective Disorders</i> , 2011, 134, 341-347.	4.1	47
126	Happiness and health behaviours in Chilean college students: A cross-sectional survey. <i>BMC Public Health</i> , 2011, 11, 443.	2.9	119

#	ARTICLE	IF	CITATIONS
127	Stepped care treatment for depression and anxiety in primary care. a randomized controlled trial. <i>Trials</i> , 2011, 12, 171.	1.6	61
128	The effects of an Internet based self-help course for reducing panic symptoms - Don't Panic Online: study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 75.	1.6	15
129	Interpersonal Psychotherapy for Depression: A Meta-Analysis. <i>American Journal of Psychiatry</i> , 2011, 168, 581-592.	7.2	383
130	Psychological treatment of depression: Results of a series of meta-analyses. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 354-364.	1.3	265
131	The contribution of active medication to combined treatments of psychotherapy and pharmacotherapy for adult depression: a meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 415-423.	4.5	54
132	Ethnic Differences and Similarities in Outpatient Treatment for Depression in the Netherlands. <i>Psychiatric Services</i> , 2010, 61, 690-697.	2.0	21
133	Recruiting participants for interventions to prevent the onset of depressive disorders: Possible ways to increase participation rates. <i>BMC Health Services Research</i> , 2010, 10, 181.	2.2	93
134	Brief self-rated screening for depression on the Internet. <i>Journal of Affective Disorders</i> , 2010, 122, 253-259.	4.1	80
135	Depressive and anxiety disorders and the association with obesity, physical, and social activities. <i>Depression and Anxiety</i> , 2010, 27, 1057-1065.	4.1	127
136	Guided self-help on the internet for turkish migrants with depression: the design of a randomized controlled trial. <i>Trials</i> , 2010, 11, 101.	1.6	12
137	The effectiveness of a web-based self-help intervention to reduce suicidal thoughts: A randomized controlled trial. <i>Trials</i> , 2010, 11, 25.	1.6	72
138	Stepped care for depression in primary care: what should be offered and how?. <i>Medical Journal of Australia</i> , 2010, 192, S36-9.	1.7	76
139	The effects of psychotherapy for adult depression are overestimated: a meta-analysis of study quality and effect size. <i>Psychological Medicine</i> , 2010, 40, 211-223.	4.5	422
140	Is guided self-help as effective as face-to-face psychotherapy for depression and anxiety disorders? A systematic review and meta-analysis of comparative outcome studies. <i>Psychological Medicine</i> , 2010, 40, 1943-1957.	4.5	695
141	Psychological treatment of depressive symptoms in patients with medical disorders: A meta-analysis. <i>Journal of Psychosomatic Research</i> , 2010, 69, 23-32.	2.6	85
142	Online cognitive behavioral therapy and problem-solving therapy for depressive symptoms: Exploring mechanisms of change. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 64-70.	1.2	116
143	Psychotherapy for chronic major depression and dysthymia: A meta-analysis. <i>Clinical Psychology Review</i> , 2010, 30, 51-62.	11.4	249
144	Depression and obesity: A meta-analysis of community-based studies. <i>Psychiatry Research</i> , 2010, 178, 230-235.	3.3	610

#	ARTICLE	IF	CITATIONS
145	Cost-Utility and Cost-Effectiveness of Internet-Based Treatment for Adults With Depressive Symptoms: Randomized Trial. <i>Journal of Medical Internet Research</i> , 2010, 12, e53.	4.3	135
146	Comparing Psychotherapy and Pharmacotherapy for Adult Depression. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1246.	2.2	8
147	Psychological treatment of social anxiety disorder: a meta-analysis. <i>Psychological Medicine</i> , 2009, 39, 241-254.	4.5	260
148	Depression and body mass index, a u-shaped association. <i>BMC Public Health</i> , 2009, 9, 14.	2.9	294
149	Stepped care for depression and anxiety: from primary care to specialized mental health care: a randomised controlled trial testing the effectiveness of a stepped care program among primary care patients with mood or anxiety disorders. <i>BMC Health Services Research</i> , 2009, 9, 90.	2.2	38
150	Economic costs of social phobia: A population-based study. <i>Journal of Affective Disorders</i> , 2009, 115, 421-429.	4.1	84
151	Psychotherapy versus the combination of psychotherapy and pharmacotherapy in the treatment of depression: a meta-analysis. <i>Depression and Anxiety</i> , 2009, 26, 279-288.	4.1	207
152	Implementation of Internet-based preventive interventions for depression and anxiety: role of support? The design of a randomized controlled trial. <i>Trials</i> , 2009, 10, 59.	1.6	28
153	Incidence of social phobia and identification of its risk indicators: a model for prevention. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 62-70.	4.5	50
154	Self-help treatment for insomnia through television and book: A randomized trial. <i>Patient Education and Counseling</i> , 2009, 74, 29-34.	2.2	40
155	Self-help therapy for insomnia: A meta-analysis. <i>Sleep Medicine Reviews</i> , 2009, 13, 61-71.	8.5	161
156	Curbing Problem Drinking with Personalized-Feedback Interventions. <i>American Journal of Preventive Medicine</i> , 2009, 36, 247-255.	3.0	167
157	Television-supported self-help for problem drinkers: A randomized pragmatic trial. <i>Addictive Behaviors</i> , 2009, 34, 451-457.	3.0	13
158	Computer-Aided Psychotherapy for Anxiety Disorders: A Meta-Analytic Review. <i>Cognitive Behaviour Therapy</i> , 2009, 38, 66-82.	3.5	373
159	Psychological treatment of depression in primary care: a meta-analysis. <i>British Journal of General Practice</i> , 2009, 59, e51-e60.	1.4	135
160	Is psychotherapy for depression equally effective in younger and older adults? A meta-regression analysis. <i>International Psychogeriatrics</i> , 2009, 21, 16.	1.0	128
161	A Brief Web-Based Screening Questionnaire for Common Mental Disorders: Development and Validation. <i>Journal of Medical Internet Research</i> , 2009, 11, e19.	4.3	135
162	Reply to Premature Conclusions About Psychotherapy for Dysthymia. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1188-1189.	2.2	0

#	ARTICLE	IF	CITATIONS
163	Internet-administered cognitive behavior therapy for health problems: a systematic review. <i>Journal of Behavioral Medicine</i> , 2008, 31, 169-177.	2.1	465
164	Social phobia and number of social fears, and their association with comorbidity, health-related quality of life and help seeking. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 273-279.	3.1	99
165	Screening of depression in adolescents through the Internet. <i>European Child and Adolescent Psychiatry</i> , 2008, 17, 32-38.	4.7	119
166	Psychological treatment of depression: A meta-analytic database of randomized studies. <i>BMC Psychiatry</i> , 2008, 8, 36.	2.6	192
167	Psychological treatment of postpartum depression: a meta-analysis. <i>Journal of Clinical Psychology</i> , 2008, 64, 103-118.	1.9	163
168	Characteristics of effective psychological treatments of depression: a metaregression analysis. <i>Psychotherapy Research</i> , 2008, 18, 225-236.	1.8	95
169	Psychotherapy for depression in adults: A meta-analysis of comparative outcome studies.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 909-922.	2.0	830
170	Preventing the Onset of Depressive Disorders: A Meta-Analytic Review of Psychological Interventions. <i>American Journal of Psychiatry</i> , 2008, 165, 1272-1280.	7.2	353
171	Internet-Based Treatment for Adults with Depressive Symptoms: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2008, 10, e44.	4.3	217
172	Effectiveness of a Web-Based Self-Help Intervention for Symptoms of Depression, Anxiety, and Stress: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2008, 10, e7.	4.3	242
173	Are Psychological and Pharmacologic Interventions Equally Effective in the Treatment of Adult Depressive Disorders?. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1675-1685.	2.2	174
174	Are individual and group treatments equally effective in the treatment of depression in adults?: A meta-analysis. <i>European Journal of Psychiatry</i> , 2008, 22, .	1.3	93
175	Actions taken to cope with depressed mood: The role of personality traits. <i>Aging and Mental Health</i> , 2007, 11, 457-463.	2.8	11
176	Behavioral activation treatments of depression: A meta-analysis. <i>Clinical Psychology Review</i> , 2007, 27, 318-326.	11.4	897
177	Problem solving therapies for depression: A meta-analysis. <i>European Psychiatry</i> , 2007, 22, 9-15.	0.2	218
178	Internet-based treatment for adults with depressive symptoms: the protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2007, 7, 72.	2.6	21
179	Psychological treatments of subthreshold depression: a meta-analytic review. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 434-441.	4.5	186
180	Personality traits and health-related quality of life in patients with mood and anxiety disorders. <i>Quality of Life Research</i> , 2007, 16, 1-8.	3.1	50

#	ARTICLE	IF	CITATIONS
181	When children of problem drinkers grow old: Does the increased risk of mental disorders persist?. <i>Addictive Behaviors</i> , 2006, 31, 2284-2291.	3.0	13
182	Cost-utility of brief psychological treatment for depression and anxiety. <i>British Journal of Psychiatry</i> , 2006, 188, 323-329.	2.8	54
183	Stepped care vs. matched care for mood and anxiety disorders: a randomized trial in routine practice. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 468-476.	4.5	59
184	Screening and early psychological intervention for depression in schools. <i>European Child and Adolescent Psychiatry</i> , 2006, 15, 300-307.	4.7	50
185	Psychological treatment of late-life depression: a meta-analysis of randomized controlled trials. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 1139-1149.	2.7	207
186	Comparison of EQ-5D and SF-6D utilities in mental health patients. <i>Health Economics (United Kingdom)</i> , 2006, 15, 1229-1236.	1.7	120
187	Preventing the Incidence of New Cases of Mental Disorders. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 119-125.	1.0	147
188	WIDGETS: WHY ARE SOME INTERVENTIONS BETTER THAN OTHERS?. <i>Addiction</i> , 2005, 100, 1375-1376.	3.3	1
189	Examining differential effects of psychological treatment of depressive disorder: An application of trajectory analyses. <i>Journal of Affective Disorders</i> , 2005, 89, 137-146.	4.1	50
190	Personality traits of patients with mood and anxiety disorders. <i>Psychiatry Research</i> , 2005, 133, 229-237.	3.3	55
191	Socioeconomic variations in the course of stroke: unequal health outcomes, equal care?. <i>Journal of Epidemiology and Community Health</i> , 2002, 56, 943-948.	3.7	70
192	Impact of Stroke Type on Survival and Functional Health. <i>Cerebrovascular Diseases</i> , 2001, 12, 27-33.	1.7	20
193	Clinical Meaning of the Stroke-Adapted Sickness Impact Profile [®] 30 and the Sickness Impact Profile [®] 136. <i>Stroke</i> , 2000, 31, 2610-2615.	2.0	46
194	Quality of Hospital Care for Stroke Patients in The Netherlands. <i>Cerebrovascular Diseases</i> , 1997, 7, 251-257.	1.7	8
195	Length of Hospital Stay and Discharge Delays in Stroke Patients. <i>Stroke</i> , 1997, 28, 137-140.	2.0	64
196	A Stroke-Adapted 30-Item Version of the Sickness Impact Profile to Assess Quality of Life (SA-SIP30). <i>Stroke</i> , 1997, 28, 2155-2161.	2.0	106
197	Risk Factors for Falls of Hospitalized Stroke Patients. <i>Stroke</i> , 1997, 28, 297-301.	2.0	123
198	Computed Tomographic Brain Scans and Antiplatelet Therapy After Stroke. <i>Stroke</i> , 1996, 27, 633-638.	2.0	4