

# Andre Carrara Morandini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8975342/publications.pdf>

Version: 2024-02-01

113  
papers

1,862  
citations

304743

22  
h-index

345221

36  
g-index

116  
all docs

116  
docs citations

116  
times ranked

1383  
citing authors

# ARTICLE

IF CITATIONS

1

#	ARTICLE	IF	CITATIONS
19	Taxonomy and 18S rDNA-based phylogeny of <i>Henneguya multiradiatus</i> n. sp. (Cnidaria: Myxobolidae) a parasite of <i>Brochis multiradiatus</i> from Peruvian Amazon. <i>Microbial Pathogenesis</i> , 2020, 147, 104372.	2.9	7
20	Reciprocal transplantation of the heterotrophic coral <i>Tubastraea coccinea</i> (Scleractinia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (D Evolution, 2020, 10, 1794-1803.	1.9	5
21	Ceriantharia (Cnidaria) of the World: an annotated catalogue and key to species. <i>ZooKeys</i> , 2020, 952, 1-63.	1.1	5
22	A new Myxobolus (Cnidaria: Myxosporea) infecting the ornamental catfish <i>Corydoras schwartzi</i> from the Purus River in Brazil. <i>European Journal of Taxonomy</i> , 2020, , .	0.6	2
23	New record of <i>Nausithoe wernerii</i> (Scyphozoa, Coronatae, Nausithoidae) from the Brazilian coast and a new synonymy for <i>Nausithoe maculata</i> . <i>ZooKeys</i> , 2020, 984, 1-21.	1.1	2
24	Venom Composition Does Not Vary Greatly Between Different Nematocyst Types Isolated from the Primary Tentacles of <i>&lt; i&gt;Olindias sambaquiensis&lt;/i&gt;</i> (Cnidaria: Hydrozoa). <i>Biological Bulletin</i> , 2019, 237, 26-35.	1.8	7
25	First record of <i>&lt; i&gt;Phyllorhiza&lt;/i&gt;sp.</i> (Cnidaria: Scyphozoa) in a Chinese coastal aquaculture pond. <i>PeerJ</i> , 2019, 7, e6191.	2.0	2
26	Early Pleistocene divergence of <i>Pelagia noctiluca</i> populations (Cnidaria, Medusozoa) between the Atlantic Ocean and the Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1753-1764.	0.8	3
27	DNA Barcoding revealing the occurrence of <i>Isarachnanthus</i> (Cnidaria: Anthozoa: Ceriantharia) in Cape Verde. <i>Papeis Avulsos De Zoologia</i> , 2019, 59, e20195940.	0.4	0
28	Spermatogenesis and gonadal cycle in male <i>Tamoya haplonema</i> and <i>Chiropsalmus quadrumanus</i> (Cnidaria, Cubozoa). <i>Zoologischer Anzeiger</i> , 2019, 279, 59-67.	0.9	3
29	Comparing cnidocyst sizes among populations of <i>Bunodosoma</i> (Cnidaria: Actiniaria: Actiniidae) from the South Atlantic west coast. <i>Zoologischer Anzeiger</i> , 2019, 279, 126-137.	0.9	2
30	Revision of the genus <i>Carybdea</i> (Cnidaria: Cubozoa: Carybdeidae): clarifying the identity of its type species <i>Carybdea marsupialis</i> . <i>Zootaxa</i> , 2019, 4543, 515-548.	0.5	19
31	Update on Benthic Scyphozoans from the Brazilian Coast (Cnidaria: Scyphozoa: Coronatae). <i>Revista Brasileira De ZoolociÃ³ncias</i> , 2019, 20, 1-14.	0.4	4
32	Revision of the genus <i>Ceriantheomorphe</i> (Cnidaria, Anthozoa, Ceriantharia) with description of a new species from the Gulf of Mexico and northwestern Atlantic. <i>ZooKeys</i> , 2019, 874, 127-148.	1.1	6
33	Regenerative Capacity of the Upside-down Jellyfish. <i>Zoological Studies</i> , 2019, 58, e37.	0.3	11
34	Jellyfish Blooms Causing Mass Envenomations in Aquatic Marathonists: Report of Cases in S and SE Brazil (SW Atlantic Ocean). <i>Wilderness and Environmental Medicine</i> , 2018, 29, 142-145.	0.9	4
35	Diet, prey selection, and individual feeding rates of the jellyfish <i>Lychnorhiza lucerna</i> (Scyphozoa,) Tj ETQq1 1 0.784314 rgBT 19 /Overlock 19		
36	An Overview of the Medusozoa from the Southwestern Atlantic. , 2018, , 413-449.		8

#	ARTICLE	IF	CITATIONS
37	Upside-Down but Headed in the Right Direction: Review of the Highly Versatile <i>Cassiopea xamachana</i> System. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, .	2.2	81
38	New records of association between <i>Brachyscelus cf. rapacoides</i> (Arthropoda: Amphipoda) and medusae (Cnidaria: Scyphozoa and Hydrozoa) from São Sebastião Channel, southeast Brazil. <i>Brazilian Journal of Oceanography</i> , 2018, 66, 301-306.	0.6	1
39	Medusae (Scyphozoa and Cubozoa) from southwestern Atlantic and Subantarctic region (32° 60'S, 34° Tj ETQq1 1 0.784314 rgBT /Overl Aquatic Research, 2018, 46, 240-257.	0.6	11
40	Botruanthus mexicanus (Cnidaria: Ceriantharia), a new species of tube-dwelling anemone from the Gulf of Mexico. <i>Marine Biodiversity</i> , 2017, 47, 113-118.	1.0	4
41	All non-indigenous species were introduced recently? The case study of <i>&lt; i&gt;Cassiopea&lt;/i&gt;</i> (Cnidaria: Tj ETQq1 1 0.784314 rgBT /Overl 2017, 97, 321-328.	0.8	44
42	Evolution of the claustrum in Cnidaria: comparative anatomy reveals that it is exclusive to some species of Staurozoa and absent in Cubozoa. <i>Organisms Diversity and Evolution</i> , 2017, 17, 753-766.	1.6	5
43	Comparative proteomics reveals recruitment patterns of some protein families in the venoms of Cnidaria. <i>Toxicon</i> , 2017, 137, 19-26.	1.6	24
44	Occurrence of Isarachnanthus (Cnidaria: Anthozoa: Ceriantharia) at Ascension Island: a test of hypothesis. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 689-693.	0.8	7
45	Jellyfish fisheries in the Americas: origin, state of the art, and perspectives on new fishing grounds. <i>Reviews in Fish Biology and Fisheries</i> , 2017, 27, 1-29.	4.9	76
46	Faunal assemblages of intertidal hydroids (Hydrozoa, Cnidaria) from Argentinean Patagonia (Southwestern Atlantic Ocean). <i>Latin American Journal of Aquatic Research</i> , 2017, 45, 177-187.	0.6	7
47	An evolutionary comparative analysis of the medusozoan (Cnidaria) exoskeleton. <i>Zoological Journal of the Linnean Society</i> , 2016, 178, 206-225.	2.3	21
48	Phylum Porifera and Cnidaria. , 2016, , 287-316.		3
49	A new species of tube-dwelling anemone (Cnidaria, Anthozoa, Ceriantharia, <i>&lt; i&gt;Ceriantheopsis&lt;/i&gt;</i> ) from the Warm Temperate South-western Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2016, 96, 1475-1481.	0.8	5
50	Ceriantharia in Current Systematics: Life Cycles, Morphology and Genetics. , 2016, , 61-72.		10
51	Census of Cnidaria (Medusozoa) and Ctenophora from South American marine waters. <i>Zootaxa</i> , 2016, 4194, zootaxa.4194.1.1.	0.5	55
52	Tamoya haplonema (Cnidaria: Cubozoa) from Uruguayan and adjacent waters: oceanographic context of new and historical findings. <i>Marine Biodiversity Records</i> , 2016, 9, .	1.2	4
53	Succession of generations is still the general paradigm for scyphozoan life cycles. <i>Bulletin of Marine Science</i> , 2016, 92, 343-351.	0.8	14
54	Preliminary observations on ephyrae predation by <i>Lychnorhiza lucerna</i> medusa (Scyphozoa;) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td 0.3		

#	ARTICLE	IF	CITATIONS
55	Rediscovery of <i>Sanderia malayensis</i> and remarks on <i>Rhopilema nomadica</i> record in Pakistan (Cnidaria: Tj ETQq1 1 0.784314 rgBT /Over	0.4	4
56	Transitions in morphologies, fluid regimes, and feeding mechanisms during development of the medusa <i>Lychnorhiza lucerna</i> . <i>Marine Ecology - Progress Series</i> , 2016, 557, 145-159.	1.9	26
57	First record along the Uruguayan coast of the largest sea nettle jellyfish, <i>Chrysaora plocamia</i> (Lesson, 1830) (Cnidaria: Scyphozoa). <i>Check List</i> , 2016, 12, 1934.	0.4	1
58	First record of the crowned jellyfish <i>Netrostoma coerulescens</i> (Cnidaria: Scyphozoa) from Pakistani waters. <i>Marine Biodiversity Records</i> , 2015, 8, .	1.2	2
59	Food web characterization based on $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ reveals isotopic niche partitioning between fish and jellyfish in a relatively pristine ecosystem. <i>Marine Ecology - Progress Series</i> , 2015, 519, 13-27.	1.9	38
60	Gene duplications are extensive and contribute significantly to the toxic proteome of nematocysts isolated from <i>Acropora digitifera</i> (Cnidaria: Anthozoa: Scleractinia). <i>BMC Genomics</i> , 2015, 16, 774.	2.8	58
61	Crowned jellyfish (Cnidaria: Scyphozoa: Rhizostomeae: Cepheidae) from waters off the coast of Pakistan, northern Arabian Sea. <i>Check List</i> , 2015, 11, 1551.	0.4	6
62	Seabather's eruption: report of fourteen cases. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 431-436.	0.8	5
63	A new species of <i>Diadumene</i> (Actiniaria: Diadumenidae) from the subtropical coast of Brazil. <i>Zootaxa</i> , 2015, 4021, 156-68.	0.5	9
64	First record of the jellyfish <i>Rhopilema hispidum</i> (Cnidaria: Scyphozoa) from the coast of Pakistan. <i>Marine Biodiversity Records</i> , 2015, 8, .	1.2	6
65	Drifting in the oceans: <i>Isarachnianthus nocturnus</i> (Cnidaria, Ceriantharia, Arachnactidae), an anthozoan with an extended planktonic stage. <i>Marine Biology</i> , 2015, 162, 2161-2169.	1.5	22
66	Ultrastructure and tube formation in Ceriantharia (Cnidaria, Anthozoa). <i>Zoologischer Anzeiger</i> , 2015, 254, 67-71.	0.9	25
67	Checklist of cnidarians from Pakistani waters. <i>Check List</i> , 2015, 11, 1609.	0.4	4
68	Fast-Evolving Mitochondrial DNA in Ceriantharia: A Reflection of Hexacorallia Paraphyly?. <i>PLoS ONE</i> , 2014, 9, e86612.	2.5	56
69	&lt;p&gt;&lt;strong&gt;A new species of &lt;em&gt; <i>Pachycerianthus</i> &lt;/em&gt; (Cnidaria, Anthozoa,) Tj ETQq1 1 0.784314 rgBT /Over	0.5	rgBT /Over
70	&lt;p&gt;&lt;strong&gt;Sexual dimorphism in Tripedaliidae (Conant 1897) (Cnidaria, Cubozoa,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14	0.5	18
71	Jellyfish ( <i>Chrysaora lactea</i> , Cnidaria, Semaeostomeae) aggregations in southern Brazil and consequences of stings in humans. <i>Latin American Journal of Aquatic Research</i> , 2014, 42, 1194-1199.	0.6	13
72	Phylum Porifera and Cnidaria. , 2014, , 1-24.		1

#	ARTICLE	IF	CITATIONS
73	Asexual reproduction strategies and blooming potential in Scyphozoa. <i>Marine Ecology - Progress Series</i> , 2014, 510, 241-253.	1.9	81
74	Mass occurrence of the cubomedusa <i>Copula sivickisi</i> (Cnidaria: Cubozoa) at Seto Harbor, Shirahama, Wakayama, Japan, in summer of 2013; a possible recent example of global warming. <i>Publications of the Seto Marine Biological Laboratory</i> , 2014, 42, 108-111.	1.4	3
75	Proteomic characterisation of toxins isolated from nematocysts of the South Atlantic jellyfish <i>Olindias sambaquiensis</i> . <i>Toxicon</i> , 2013, 71, 11-17.	1.6	65
76	New records of scyphomedusae from Pakistan coast: <i>Catostylus perezi</i> and <i>Pelagia cf. noctiluca</i> (Cnidaria: Scyphozoa). <i>Marine Biodiversity Records</i> , 2013, 6, .	1.2	14
77	An outbreak of Portuguese man-of-war ( <i>Physalia physalis</i> - Linnaeus, 1758) envenomation in Southeastern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013, 46, 641-644.	0.9	38
78	Reproductive biology of <i>Lychnorhiza lucerna</i> (Cnidaria: Scyphozoa: Rhizostomeae): Individual traits related to sexual reproduction. <i>Marine Biology Research</i> , 2012, 8, 255-264.	0.7	20
79	Evolutionary Diversification of Banded Tube-Dwelling Anemones (Cnidaria; Ceriantharia;) Tj ETQq1 1 0.784314 rgBT <sub>2.5</sub> /Overlock 10 Tf 50% <sub>35</sub>		
80	Discovery and redescription of type material of <i>Nausithoe simplex</i> (Kirkpatrick, 1890), comb. nov. (Cnidaria: Scyphozoa: Coronatae: Nausithoidae) from the North Atlantic. <i>Zootaxa</i> , 2012, 3320, 61.	0.5	5
81	Do Staurozoa bloom? A review of stauromedusan population biology. <i>Hydrobiologia</i> , 2012, 690, 57-67.	2.0	16
82	Do Staurozoa bloom? A review of stauromedusan population biology. , 2012, , 57-67.		1
83	Naming the Bonaire banded box jelly, <i>Tamoya ohboya</i> , n. sp. (Cnidaria: Cubozoa: Carybdeida: Tamoyidae). <i>Zootaxa</i> , 2011, 2753, 53.	0.5	31
84	The taxonomic position of the pelagic "staurozoan" <i>Tessera gemmaria</i> as a ceriantharian larva. <i>Zootaxa</i> , 2011, 2971, 49.	0.5	11
85	Characterizations of juvenile stages of some semaeostome Scyphozoa (Cnidaria), with recognition of a new family (Phacellophoridae). <i>Zootaxa</i> , 2011, 2741, 1.	0.5	39
86	Field and laboratory observations on predation and prey selectivity of the scyphomedusa <i>Chrysaora cf. caliparea</i> in Southeast Indian waters. <i>Journal of Ocean University of China</i> , 2011, 10, 47-54.	1.2	6
87	Checklist dos Cnidaria do Estado de São Paulo, Brasil. <i>Biota Neotropica</i> , 2011, 11, 445-454.	1.0	10
88	Revision of the genus <i>Chrysaora</i> Pâ©ron & Lesueur, 1810 (Cnidaria: Scyphozoa). <i>Zootaxa</i> , 2010, 2464, 1.	0.5	67
89	Hydrocoryne iemanja (Cnidaria), a new species of Hydrozoa with unusual mode of asexual reproduction. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 67-76.	0.8	10
90	Taxonomic review of <i>Haliclystus antarcticus</i> Pfeffer, 1889 (Stauromedusae, Staurozoa, Cnidaria), with remarks on the genus <i>Haliclystus</i> Clark, 1863. <i>Polar Biology</i> , 2009, 32, 1507-1519.	1.2	18

#	ARTICLE	IF	CITATIONS
91	Neritic jellyfishes (Cnidaria: Cubozoa and Scyphozoa) from the coast of Rio Grande do Norte state, northeast of Brazil. Check List, 2009, 5, 133.	0.4	3
92	Case 3485 <i>Lychnorhiza lucerna</i> Haeckel, 1880 (Cnidaria, Scyphozoa, Rhizostomeae): proposed conservation of generic and specific names. Bulletin of Zoological Nomenclature, 2009, 66, 242-246.	0.1	3
93	The occurrence of <i>Ophiocnemis marmorata</i> (Echinodermata: Ophiuroidea) associated with the rhizostome medusa <i>Rhopilema hispidum</i> (Cnidaria: Scyphozoa). Journal of Ocean University of China, 2008, 7, 421-424.	1.2	7
94	Asexual reproduction of <i>Nausithoe aurea</i> (Cnidaria, Scyphozoa, Coronatae) induced by sterile polystyrene dishes. Brazilian Journal of Oceanography, 2007, 55, 231-233.	0.6	3
95	A survey of the Scyphozoa and Cubozoa (Cnidaria, Medusozoa) from the CearÁ coast (NE Brazil). Biota Neotropica, 2006, 6, .	1.0	14
96	Trichoplax from marine cultures in Brazil – First record of the phylum Placozoa in the South Atlantic Ocean. Zoologischer Anzeiger, 2006, 245, 127-129.	0.9	3
97	Redescription of <i>Chrysaora lactea</i> Eschscholtz, 1829 (Cnidaria, Scyphozoa) from the Brazilian coast, with designation of a neotype. Zootaxa, 2006, 1135, 29.	0.5	10
98	Cubozoa e Scyphozoa (Cnidaria: Medusozoa) de Águas costeiras do Brasil. Iheringia - Serie Zoologia, 2005, 95, 281-294.	0.5	41
99	Digenean metacercaria (Trematoda, Digenea, Lepocreadiidae) parasitizing "coelenterates" (Cnidaria,) Tj ETQq1 1 0.784314 rgBT /Overlock 0.6 39-45.	0.6	16
100	New combinations for two coronate polyp species (Atorellidae and Nausithoidae, Coronatae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	0.5	10
101	The life cycle of <i>Chrysaora lactea</i> Eschscholtz, 1829 (Cnidaria, Scyphozoa) with notes on the scyphistoma stage of three other species. Hydrobiologia, 2004, 530-531, 347-354.	2.0	36
102	The life cycle of <i>Chrysaora lactea</i> Eschscholtz, 1829 (Cnidaria, Scyphozoa) with notes on the scyphistoma stage of three other species. , 2004, , 347-354.		6
103	Synopsis of knowledge on Cnidaria Medusozoa from Brazil. Biota Neotropica, 2003, 3, 1-18.	1.0	21
104	A report of 49 cases of cnidarian envenoming from southeastern Brazilian coastal waters. Toxicon, 2002, 40, 1445-1450.	1.6	74
105	Checklist of the Cnidaria Medusozoa of Brazil. Biota Neotropica, 2002, 2, 1-31.	1.0	60
106	Polyps of the families Atorellidae and Nausithoidae (Scyphozoa: Coronatae) new to the brazilian fauna. Biota Neotropica, 2002, 2, 1-11.	0.5	11
107	Experiments in nature and laboratory observations with <i>Nausithoe aurea</i> (Scyphozoa: Coronatae) support the concept of perennation by tissue saving and confirm dormancy. Biota Neotropica, 2002, 2, 1-25.	1.0	9
108	Cultivation of polyps and medusae of Coronatae (Cnidaria, Scyphozoa) with a brief review of important characters. Helgoland Marine Research, 2002, 56, 203-210.	1.3	49

#	ARTICLE	IF	CITATIONS
109	On the occurrence of scyphozoan ephyrae (Cnidaria, Scyphozoa, Semaeostomeae and Rhizostomeae) in the southeastern Brazilian coast. <i>Biota Neotropica</i> , 2002, 2, 1-18.	0.5	26
110	Sexual reproduction of <i>&lt; i&gt;Nausithoe aurea&lt;/i&gt;</i> (Scyphozoa, Coronatae). Gametogenesis, egg release, embryonic development, and gastrulation. <i>Scientia Marina</i> , 2001, 65, 139-149.	0.6	25
111	<i>Nausithoe aurea</i> n. sp. (Scyphozoa: Coronatae: Nausithoidae), a species with two pathways of reproduction after strobilation: sexual and asexual. <i>Bijdragen Tot De Dierkunde</i> , 1997, 66, 235-246.	0.2	4
112	Rediscovery of <i>Sanderia malayensis</i> and remarks on <i>Rhopilema nomadica</i> record in Pakistan (Cnidaria: Tj ETQq0 0 0 rgBT /Overlock 10 T	0.4	
113	The puzzling occurrence of the upside-down jellyfish <i>Cassiopea</i> (Cnidaria: Scyphozoa) along the Brazilian coast: a result of several invasion events?. <i>Zoologia</i> , 0, 37, 1-10.	0.5	11